



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 612P

TYPE OF ACCIDENT Van turning left/2-pedestrian walking

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 entered an intersection westbound and stopped to wait for oncoming traffic before making a left turn. Two pedestrians were walking westbound in a crosswalk. Vehicle 1 began the left turn and impacted the pedestrians. This pedestrian was struck near the front center and was knocked down under the vehicle, and then dragged and came out from under the rear of the vehicle. Driver continued through impacts before stopping 30-meters down the street.

			B. PED	ESTRIAN PR	OFILE					
Pedest			Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	O1 8 F Hospitalized				Hematoma	4	Undercarriage			
Body	Region		Туре	of Anatomic Stru	ucture		Abbreviated Injury Scale			
Head Face	•		Whole Area				(1) Minor injury (2) Moderate injury			
Throa	at			Vessels (2) Moderate injury Nerves (3) Serious injury						
Chest	t men/Pelvis		Organ	s			4) Severe injury			
Spine			Skelet Head-			(5) Critical injury (6) Maximum (untreatable)				
	r Extremity		Skin-B	Burn		(7) Injured, unknown severity				
Exter	r Extremity nal		Skin-C	Other						
			C. VI	EHICLE PROF	ILE					
				Most Severe Damage Based on Vehicle Inspection						
ļ	Class				Based on Venic	ie irisp	ecuon			
/ehicle of No. Vehicle			Year/Make/Model	Damage Plane		Damage Description				
01 Van		90/Cł	nevrolet/Astro va	Front Minor smea			ars, transfer			
			DO NOT	SANITIZE THIS	FORM					

U.S. Department of Transportation National Highway Traffic Safety


Monthe Red Scare 612-613

RIAN ACCIDENT COLLISION MEASUREMENT TABLE

BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY Administration P Case Number-Stratum 6 Primary Sampling Unit Number _ SCALED DIAGRAM PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION north arrow placed on diagram Surface Type document reference point and reference line relative to physical features grade measurements for all applicable **Surface Condition** documentation of all accident induced physical roadways evidence including (if applicable): scaled representations of the physical plant Coefficient of Friction including: vehicle skid marks a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, pedestrian contacts with ground or object parked vehicles, poles, signs, etc.) b) Grade (v/h) Measurement b) all traffic controls (e.g., lights, signs) at impact vehicle/pedestnan point of impact (POI) C) scaled representations of the vehicle and between impact and pedestrian at pre-impact, impact, and final location of pedestrian separation point from final rest d} rest based upon either. physical evidence, or Pedestrian Travel Direction final resting points (FRP) for pedestrian and 1) vehicle reconstructed accident dynamics Vehicle Travel Direction. documentation of the physical plant including: Number of Travel Lanes all road/roadway delineation (e.g., crosswalks. curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles. signs, etc.) all traffic controls (e.g., lights, signs) Reference Line: Reference Point Distance and Direction Distance and Direction from Reference Line Item from Reference Point Police Masuremont 695 6.95 Blood dice 17,05 34.22




U.S. Department of Transportation

HS Form 431B (8/95)

ACCIDENT COLLISION DIAGRAM

BEST AVAILABLE NATIONAL ACCIDENT SAMP PEDESTRIAN CRASH



Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM


BEST AVAILABLE

1. Primary Sampling Unit Number

2. Case Number - Stratum

IDENTIFICATION

- 3. Number of General Vehicle Forms Submitted
- 4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

7. <u>✓ SS16</u> Pedestrian Crash Data Study 1

8. ___SS17 Impact Fires

9. ___SS18 ____ 0

10. ____SS19 _____ 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 13	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved

O.M.B. No. 2127-0021 National Highway Traffic Safety NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = ____ kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):_____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown inches X 2.54 = ____ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road ___ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): centimeter. (999) Unknown Unknown (99)___ inches X 2.54 = ___ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest Facing away (2) centimeter. Left side to vehicle (999) Unknown (3) (4) Right side to vehicle inches X 2.54 = ___ centimeters Other (specify): (8)

Unknown

National Accident Sampling System-Crashworthiness Da	ta System: Pedestrian Assessment Form	Page
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation at Initial Impact	1
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle	 (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head 	
(14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	(98) Other (specify):(99) Unknown	\cap
PEDESTRIAN'S ORIENTATION AT IMPACT	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward	7
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up	 (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 	-
(5) Down (8) Other (specify): (9) Unknown	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown	
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated 	
	(15) Shagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over	

(98) Other (specify):___ (99) Unknown

National Accident Sampling System-Crashy	Northiness Da	la System. Pedesthan Assessment Form	Page 3
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	Q 0 (25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	3
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	<u>46</u>	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released	<u>3</u>
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	φ_	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	1
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>Ø</u> _	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	50)
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	17

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER					
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported , HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death up through 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured					
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION? NO [] YES [] UPDATE CANDIDATE? NO [] YES []						

Administration

U.S. Department of Transportation **National Highway Traffic Safety**

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

_0_1

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>Z</u>	6/	7.2	8. <u>0 4</u>	9. <u>0</u> 2		11.2	12. <u>819</u>	13	14	15. <u>S</u>	16. 2	بره) - _{17.} <u>ک</u>
2nd	18. 2	-19. <u> </u>	20. <u>9</u>	21. <u>0</u> 6	22. <u>() 2</u>	L _{23.} <u>/</u>	24. 🙋	_{25.} <u>819</u>	26. <u>(</u>	27	28	29. <u>2</u>	- _{30.} _ 2 -
3rd	31.2	32. <u>/</u>	33.¥	34. <u>D</u> <u>(</u>	35. <u>3</u>)	- _{36.} <u></u>	37. <u>2</u>	38. <u>819</u>	39. <u>(</u>	40	41. 8	42. 2	- _{43.} <u>2</u> -
4th	44. 2	- _{45.} <u>/</u>	46. <u>S</u>	47. <u>04</u>	48. <u>04</u>	49. 3	50.2	51. <u>8/9</u>	52. <u>/</u>	53	54. 🛭	55. Z	- 2
5th	57.2	58. 6	59. <u>9</u>	60.02	- _{61.} <u>0</u> <u>2</u>	- _{62.} <u>1</u>	63. 7	64. <u>947</u>	65. <u> </u>	66.]	67. <u>C</u>) _{68.} <u>(</u>	Бев.
6th	70	71	72	73	74	75	76	77	. 78. <u> </u>	79	80	81	82
7th	83	84	85	86	87	. 88	89	90	91	92	93	94	95
8th	96	97	98	99	100	_ 101	102	103	_ 104	105	106	107	108
9th	109	110	111	112	113	_ 114	115	116	_ 117	118	119	120	121
10th	122	123	124	125	126	_ 127	128	129	130	131	132	133	134

					PEDES	STRIA	N INJU	RY DAT	ΓΑ				
•	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th							_			_	_	-	_
1 2th	·	_	<u></u>			_	_		-		—		
13th		_				_	_			_		<u>-</u>	-
14th						<u></u>			—	—	—	-	_
15th	r						—		_	—	_	—	_
16tF	1	 -	<u></u>						_	_		—	
17th	l	<u></u>										<u></u>	—
18 t ř	1 <u></u>				<u></u>		<u></u>		—		—	—	
19tf	ı <u></u>	<u></u>					_		—		—	—	_
20tl	h <u></u>	_	<u></u>										
21si							_				—	—	_
22nc	l <u>—</u>	<u></u>	<u>—</u>			_	—		_		—	—	_
23rc	I		<u></u>						—		—	—	_
2 4 tł	1						_		_			<u> </u>	——————————————————————————————————————
25tl	1								_	_			

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Probable No damage/contact Scratch (Scuff, Cloth Transfer,Smear) (1) Autopsy records with or without hospital/ (3) Possible (2) (3) (4) medical records (9) Unknown Dent Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Indirect contact injury Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) **DAMAGE DEPTH** Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (6) E.M.S. personnel (3) (4) Rounded edge Interviewee (5) (8) Sharp edge (8) Other source (specify): (5) Crush depth > 5 to 10 centimeters Other (specify): Other specify:_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Abbreviated Injury Scale Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Minor injury Head Moderate injury Serious injury (2) (3) (06) Lumbar Face Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury (4) (5) Thorax (08) Skin - Avulsion (5) Critical injury Abdomen Maximum (untreatable) (10) Amputation (6)(6) Spine Injured, unknown severity Upper Extremity (20) Burn (30) Crush Level of Injury Lower Extremity Unspecified (8) (40) Degloving Aspect (9) (50) Injury - NFS (90) Trauma, other than mechanical Specific injuries are consecutive two-digit beginning with 02. assigned numbers Right Type of Anatomic Structure Left Bilateral (2) (3) Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic treatment of the property of the Central Vessels Anterior (3) Nerves (4) (10) Concussion (6) (7) Posterior Organs (includes muscles/ ligaments) Skeletal (includes joints) Head - LOC Superior structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Whole region **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 746 D pillar 792 Left rear wheel / tire 702 Front grille 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify):_ 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter 720 Front fender side surface 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 809 Fuel tank 723 A2 pillar 810 Rear suspension 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component 729 Left side roof rail <u>Accessories</u> 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 826 Spare tire 773 Cowl area 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 788 Other top component (specify): ___ 997 Noncontact injury source

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

OFFICIAL

742 A1 pillar

743 A2 pillar

TYPE OF DAMAGE

999 Unknown injury source

(0) Injury not from vehicle contact

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

__ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __-

PO₂= ____

PCO₂ ____


HCO₃ ____





OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	83	OFFICIAL RECORDS
Primary Sampling Unit Number	1.3	. () Q Q
2. Case Number - Stratum	6 1 7 P	9. Police Reported Travel Speed
3. Vehicle Number VEHICLE IDENTIFICAT	_ <u>0</u> _1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHIOLE IDENTIFICATI	<i>C</i> ,	
4. Vehicle Model Year Code the last two digits of the mo (99) Unknown	del year	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vebicle Make (specify):	\overline{go}	in kmph (999) Unknown 20 mph X 1.6093 = kmph
Applicable codes are found in your NASS PCDS Data Collection, Codin Editing Manual. (99) Unknown		11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify):	441	(1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Codir Editing Manual. (999) Unknown		12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be fou the back of this page.	and on $\frac{2}{2}$	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number 1 2 1 2 3 4 5 6 7 8 9 10 11 12 Left justify; Slash zeros and letter in No VIN—Code all zeros Unknown—Code all nines	13 14 15 16 17 Z (0 and Z)	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (O1) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (O4) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (< 4,500 kgs GVWR)
- (24) Van based school bus (< 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3785 lbs x .4536 = 77 kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	(1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
- (01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood fle	
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, e	
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
., .,	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	\sim
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehi	icle (99) Unknown
in lane	OF Branch Carbillar After Assistance Management
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver (0) No driver present
(60) From adjacent lane (same direction)—over lef	(1) No avoidance maneuver
lane line	(0) T1
(61) From adjacent lane (same direction)—over rig	(3) Skidding longitudinally—rotation less than 30
	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane (65) From crossing street, turning into same direct	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, turning into same direct	
(67) From crossing street, across path (67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	36 Brosset Birostianal Consequence of
(68) From crossing street, intended path not know	26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
	(9) Directional consequences unknown

ENVIRONMENTAL DATA								
27. Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 28. Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 29. Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	W	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown						
30. Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk						
31. Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown 32. Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown						

82-6/282-6/3

Drive- & Witness estimated Valide Spe-dat 10-20 mph. Drive-poniced as she drove down block

15 mph = 24 XPh



U.S. Department of Transportation National Highway Traffic Safety Administration

BEST AVAILABLE PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm cm


cm cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	03± cm
PEV17 Front Bumper-Top Height	<u>053</u> cm
PEV18 Forward Hood Opening	<u>092</u> cm
PEV19 Front Bumper Lead	O

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	D7+	cm
PEV21 Ground to Front/Top Transition Point	708	cm
PEV22 Ground to Rear Hood Opening	159	cm
PEV23 Ground to Base of Windshield	768	cm
PEV24 Ground to Top of Windshield	<u>a</u> 40	cm
PEV25 Ground to Head Contact	992	cm




OTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEE	_ •	
PEV06	Hood Material	•	
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
PEV36	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES	\	
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
DE\/41	Ground to Head Contact	\	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	ORIGINAL SPECIFICATI	UNS
Wheelbase	<u>l</u> <u>l</u> <u>l</u> <u>l</u> <u>o</u> inches	x 2.54 =cm
Overall Length	inches	x 2.54 = cm
Maximum Width	inches	x 2.54 = cm
Curb Weight * (**)	3785 pounds	x .4536 = kg
Average Track	inches	x 2.54 = cm
Front Overhang	inches	x 2.54 = cm
Rear Overhang	inches	x 2.54 = cm
Undeformed End Width	inches	x 2.54 =cm
Engine Size: cyl./displ	cc	$\times .001 = \underbrace{\Psi.3}_{\bullet} _{\bullet}$
	CID	x .0164 = L
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded)	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel /tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire
706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface 721 Front antenna 722 A1 pillar	751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component	Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan
723 A2 pillar 724 B pillar 725 C pillar	Back Components 760 Rear (back) bumper 761 Tailgate	809 Fuel tank 810 Rear suspension 818 Other undercarriage component
726 D pillar 728 Other pillar (specify):	762 Hatchback, vertical surface 768 Other back component (specify):	(specify):
728 Other pillar (specify):	768 Other back component (specify):	(specify):
728 Other pillar (specify):	768 Other back component (specify):	(specify):

How Pedo Cartact 6/3P

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

-	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
•	CONTACT ID LABEL	COMPONENT CONTACTED	PF 167 LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Girely)	SEQUENCE /
	2	Bumpan	114	47	0	less	ongled Streeter	7 2 3 9	1
	<u> </u>	$\triangle L$	129	47		(4,2)	money)	① 2 3 S	2
	2	7,000	139	70			(lean)	① 2 3 9	2
	P	Brt Gray	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	6 0	0	منگ	Show	(h) 2 3 9	3
	4	Herder	55	70	Q	Chest	Stranb	b 2 3 9	4
	F	Fords	0	15 - 60	0	دوسي	Temp	(1) 2 1 9	5
	A (Sucrey)	-110	170		R_1	Metry	2 3 9	6
	mill	(%	175	170		CH.	Sparks)	1 2 3 9	٥
÷			1-240	170		my	(Sim)	1 2 3 9	0
	7	Towler	-355	7 0			\	1 2 3 9	+
U		Kight 1	contir	ه معم	threes -	m wid	ineo)	1 2 3 9	
			10.5			10 th	and the	1 2 3 4	- 2
4	H	Sporter	(38)	20·3·45	0	legandy	angetsept,	1)2 3 9	
	L	Geill	<u>88</u>	-17	0	hy/lep	Ches es		4
	<u>N</u>	Bryonard	ネ3	-27	8	Bs:20	Smeares	2 3 9	3
7			<i>b</i> 0		04]	Dealth	Ripples	(i) 2 3 5	4
		Hood	72 22	-13	Q	Hem a a	streets streets streets	1)2 3 9	5
4					<u></u>	6000	Slacks	O 2 3 9	6
	0	Jan Grant	-360	-25	Q	Pody	smed?	1 2 3 9	7
4		. Smile						1 2 3 8	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
ĮĮ.			j						

			6600000 - 180 - 180		RIAN CONTACT ER OF CONTACTS	•	
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1							1 2 3 9
2		. 1	,	T	1		1 2 3 9
3		NNG	wen		1	70	1 2 3 9
5				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\&		1 2 3 9
6				1	1)		1 2 3 9
7				•	7 0 X		1 2 3 9
8				7	/		1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
15							1 2 3 9
18							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9 1 2 3 9
24 25							1 2 3 9
<u> </u>				<u></u>	l		

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 52
701	Code to the
4. Original Wheelbase	nearest centimeter
Code to the	
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(000) O.M.O.	
centimeters	inches X 2.54 = centimeters
	40 H. d/Freder Versierl/Laboral Crush France
5. Original Average Track Width $\frac{1}{2}$	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
(000) Chanowh	(3) Moderate crush (4-7 centimeters)
. inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
IIICII63 X 2.04 =	(8) Damage present, unknown if damage is from
\sim	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	(())
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
(5) Chikhowh	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
	damaged
Equipment Manutacturer (OEM)	
Equipment Manufacturer (OEM) (1) OEM factory installed bood	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	
(1) OEM factory installed hood(2) OEM replacement	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood(2) OEM replacement(3) Non-OEM replacement	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood(2) OEM replacement	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
 (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 	(9) Unknown if contacted by pedestrian - unknown if damaged
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements
 (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown ——————————————————————————————————	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the	(9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	(9) Unknown if contacted by pedestrian unknown if damaged FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact


17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter - (000) No front contact (400) 400 centimeters or more (999) Unknown
18.	Forward Hood Opening Code to the nearest centimeter	24. Ground to Top of Windshield Code to the nearest centimeter
	(000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	(000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Come Man Distance Managements	SIDE CONTACT DAMAGE
	Front Wrap Distance Measurements	
20.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Side Vertical Measurements 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more


20	Contains of Missel	000	Side Lateral Mensurers	ents
29.	Centerline of Wheel Code to the	<u> </u>		•
	nearest centimeter			999
	(000) No side contact		35. Centerline to A-Pillar	<u> </u>
	(150) 150 centimeters or more		at Bottom of Windshield	
	(999) Unknown	·	(000) No side contact Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(250) 250 centimeters or more	
		-	(999) Unknown	
		COO.	(000) OHRHOWH	
30.	Top of Tire	<u> </u>	inches X 2.54 =	centimeters
	Code to the			_
	nearest centimeter (000) No side contact			Man
	(200) 200 centimeters or more		36. Centerline to A-Pillar	$\nabla \nabla \nabla$
	(999) Unknown		at Top of Windshield	
	(333) GIRIOWII		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
			(000) No side contact	
		000	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	<u> </u>	(999) Unknown	
	Code to the		inches X 2.54 =	contimator
	nearest centimeter		Inches X 2.34 =	certumeter
	(000) No side contact			000
	(250) 250 centimeters or more		37. Centerline to Maximum Side	(1) (2) (1)
	(999) Unknown		View Mirror Protrusion	
	· · · · · · · · · · · · · · · · · · ·		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
32	Bottom of A-Pillar at Windshield	OOO	(000) No side contact	
02.	Code to the	<u> </u>	(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact			
			:==b== V 2 E4	
	(250) 250 centimeters or more		inches X 2.54 =	centimeter
	(250) 250 centimeters or more (999) Unknown		inches X 2.54 =	centimeter
	(999) Unknown		inches X 2.54 = Side Wrap Distance Meason	_
		centimeters		_
	(999) Unknown	_	Side Wrap Distance Measts	_
22	(999) Unknowninches X 2.54 =	centimeters	Side Wrap Distance Meason 38. Ground to Side/Top Transition	_
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield	_	Side Wrap Distance Measus 38. Ground to Side/Top Transition Code to the	_
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the	_	Side Wrap Distance Measure 38. Ground to Side/Top Transition Code to the nearest centimeter	_
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield	_	Side Wrep Distance Measts 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact	_
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter	_	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more	_
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	_	Side Wrep Distance Measts 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact	_
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	990	Side Wrap Distance Meases 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	<u>000</u>
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more	<u>000</u>
33.	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 = Top of Side View MirrorCode to the	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 = Top of Side View MirrorCode to thenearest centimeter	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 = Top of Side View MirrorCode to thenearest centimeter (000) No side contact	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 = Top of Side View MirrorCode to thenearest centimeter	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact	<u>000</u>
	(999) Unknown inches X 2.54 = Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 = Top of Side View MirrorCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more	990	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	centimeters
	(999) Unknown inches X 2.54 = Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 = Top of Side View MirrorCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more		38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more	centimeters
	(999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown		38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	centimeters

40.	Groun	d to Centerline of Hood Code to the nearest centimeter	000		-		
•	(700)	No side contact 700 centimeters or more Unknown			-		
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	centimeters				
		inches X 2.54 =	centimeters				
						_	
				·			

VEHICLE DAMAGE SKETCH

VIN 16 ND M15291B





- ,

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
\forall \foral	Skorler	P29	26 - 49	C)	Leza / Bosh	8murel	1 2 3 9
L	Gilla	15-69	-17	9	Ap/Legs	8men arec	1 2 3 9
U	Grand	\$-9N	P.C -	8	SDR) stop	8mla	1 2 3 9
7	Hood	53	-21	051	Should	liffles grea	2 3 9
K	bork	22	-13		Ben	circlestocal rayer	1 2 3 9
po med	Frant Oxle	0				8meny claus	1 2 3 9
	Ram Bumper	-360	~25				1 2 3 9
	NowGuard						1 2 3 9
							1 2 3 9
							1 2 3 9
2	Bruker	1-53	420			ongles Boens	1 2 3 9
P	Chole	2-30078				smound day	1 2 3 9
10	131	4-28	70			5 men 9k	1 2 3 9
R	By Guns	60	\$ 60			Jenen Sta	1 2 3 9
14	Had Frage	82	78			Colling Even	1 2 3 9
-	Boxle	<u> </u>	45-68 170			7	1 2 3 9
F M	Kock	<u>- 110</u>	 			Treat Chi	1 2 3 9
}	Amel Romal	-175	170			Sman	1 2 3 9
1	1010	-295	30			SOR Sufer	1 2 3 9
	Torres	1 - 40	N			 	1 2 3 9
	 						1 2 3 9
							1 2 3 9
				<u> </u>			1 2 3 9
							1 2 3 9

