



U.S. Department of Transportation

National Highway Traffic Safety Administration

# Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

 $\mathbf{PSU} \ 90$ 

CASE NO. 628P TYPE OF ACCIDENT \_

Pickup/Pedestrian straight path

# A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was eastbound in lane 2. The pedestrian was running across the road in a southerly direction carrying a plastic bag filled with empty aluminum cans. The vehicle struck the pedestrian who then roatated partly onto the hood and rolled off as vehicle applied brakes.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury 7 ZONE CENTER)		
No.			Body Region	Ana. Struc.	AIS	Injury Source			
01	77	Female	Hospitalized	L-Ribs	Fracture	4	Hood edge		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

	Class	C. VEHICLE PROFILE  Most Severe Damage  Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Large Pickup	91/Chevrolet/Silverado	Front	Dents, scratches, smudges				

#### DO NOT SANITIZE THIS FORM

National Highway Traffic Safety

HS Form 431B (8/95)

U.S. Department of Transportation ACCIDI

# **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Scale: 1 centimeter =

meters

-4.51


Administration Indicate PSU No. <u>90</u> Case Number—Stratum <u>6</u> 2 8 P North PDS - 1.0m EAST 9(, ds be 5 - 6.8 { 45} 7.7 Nonin 5(c, fs mid - 3.2 mest 8.8. M North Eye G CASSES - 3.1 m West 7.2 m North 8.3 m North Willied Show STrate 1516A whs. Line SKids ENd - 14,7m West 3,2 13,6 6.8


National Highway Traffic Safety

# **ACCIDENT COLLISION DIAGRAM**

AGGIBENT GG.

NATIONAL ACCIDENT SAMPLING SYSTEM - PEDESTRIAN CRASH DATA STUDY





# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathscr{G}}\mathcal{O}$			Case	e Number	r-Stratum <u>6</u>	28 P			
PEDESTRIAN ACCIDENT COI	LLISION DATA	OLLECTION	( (		SCALED D	AGRAM			
document reference point and reference line relative to physical features	Surface Type	B	1/Asphac	· no	rth arrow placed on	diagram			
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	n	URY		ade measurements adways	for all applicable			
a). vehicle skid marks	Coefficient of Fri	ction	.73		aled representation duding:	s of the physical plant			
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	-	-/	parked vehicles, p	edge lines, lane ns, pavement markings, poles, signs, etc.)			
c) vehicle/pedestrian point of impact (POI)	a) at impa	act		b)	all traffic controls	(e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) betwee final res	en impact and st	-	pe	<ul> <li>scaled representations of the vehicle and pedestnan at pre-impact, impact, and final rest based upon either.</li> </ul>				
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	NTOS	a)	physical evidence	, or			
documentation of the physical plant including:	Vehicle Travel D	irection	ETOW	b)	reconstructed acc	adent dynamics			
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	el Lanes							
b) all traffic controls (e.g., lights, signs)									
Reference Point: <u>NTILITY Pole</u> # Reference Line: <u>White 709</u> Line South Side of Roadway Edge South Side of Roadway									
South Side of Road	lway Ed	ge s	enth sic	deop	= Roadu	-Ay			
Item			ance and Direct n Reference Po	-		and Direction ference Line			
utility fole		0.0			4.0m	South			
skids (begin)		6.8m EAST 7.7m NORTH				NORTH			
skids (midway)		3. Imwest 8.8 m NORTH							
Ped' A Eye WEAR (PD)	( )	3.2	n Wes		7,2m	North			
Ped'A Eyewer		3.2.	n we	<u></u>		North			
SKidis (End) LiRear			m we			MORTH			
11 11 R-Rear			In We			. North			
Vehiele#1 FRP-L	Rearlive		Lm we		7.0m 1				
	RearTire	20.0	m we	sT	7.3~	NORTH			
PedestriAN#I (F.R.P.	)	23.8	n West		9.3m	North			
HS Form 0435F (8/95)	ON	Sce	Ne)						

S. Department of Transportation

National Highway Traffic Safety Administration

# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number


0 \_1

2. Case Number - Stratum

## IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

110

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

# **SPECIAL STUDIES - INDICATORS**

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study

8. \_\_\_SS17 Impact Fires

\_SS18 \_\_\_\_ 0

10. SS19

# NUMBER OF EVENTS

Number of Recorded Events in This Accident

0 1

0

1

\_0\_

0

# PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0 1</u>	14. 15	15. <u></u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>		

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest 628P kilogram. 2. Case Number - Stratum (999) Unknown 70.3 150 pounds x .4536 = 26 kilograms Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running MANAGE (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (999) Unknown (9) Unknown 45,5 13. Pedestrian's Action Relative to Vehicle Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee Crossing road, diagonally (02)Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road \_\_ inches X 2.54 = \_\_\_ centimeters (06) Off road, going away from road Off road, moving parallel (07)(08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09)Off road, moving along driveway Code to the nearest (98)Other (specify): centimeter. (99) Unknown (999) Unknown inches X 2.54 = \_\_\_\_ centimeters / 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1)Code to the nearest (2)Facing away centimeter. (3) Left side to vehicle (999) Unknown Right side to vehicle (4)inches X 2.54 = \_\_\_\_ centimeters (8)Other (specify): \_\_\_\_

(9)

Unknown

National Accident Sampling System-Crashworthiness Dat	a System: Pedestrian Assessment Form	Page
PEDESTRIAN'S AVOIDANCE ACTIONS  15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown	0
PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown  17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown  20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only)	1
	<ul> <li>(14) Bumped or pushed aside</li> <li>(15) Snagged, rotated</li> <li>(16) Snagged, dragged by vehicle</li> <li>(17) Foot or legs run over</li> <li>(98) Other (specify):</li> <li>(99) Unknown</li> </ul>	

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed  (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: JAR Med	Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score  (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (3) Unknown if blood given (4) Unknown if blood given (5) Unknown if blood given (6) Not injured (6) Not injured (6) NaGs reported, HCO3 unknown (97) Injured, details unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS  NO [ ]  UPDATE CANDIDATE?	YES[]

Administration

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM

1. Primary Sampling Unit Number

3. Pedestrian Number

<u>X X</u>

2. Case Number - Stratum

4. Blank


# **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury	,	f		
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	<u>5. 3</u>	٤.	. <u>7. 9</u>	8 <u>04</u>	9. <u>0</u> 2	_10. <u> </u> _	11. 2	- 12, <u>700</u>	13. <u> </u>	14. <u>L</u>	15. 2	- <sub>16.</sub>	17. 1
2nd	18.2	- 19. <u></u>		21. <u>/ 6</u>	22. <u>0 6</u>	<sub>23.</sub> <u>J</u>	24	- <sub>25.</sub> <u>70</u> 0	26. <u> </u>	27	28	- <sub>29.</sub> _/	<b>3</b> 0. <u> </u>
3rd	31. <u>3</u>	32. <u></u>	- 33. <u>\$</u>	34. <u>04</u>	35. <u>0</u> 2	−36. <u> </u>	37. <u>2</u>	-38, <u>70</u> <u>2</u>	L 39. <u>/</u>	40. /	41. <u>Z</u>	42	- 43. <u>4</u>
4th	44. <u>3</u>	45, 7	469	47. <u>0 4</u>	48. <u>6</u> <u>2</u>	_49. <u> </u>	50. 2	<sub>51.</sub> <u>70</u> <u>3</u>	52. <u>/</u>	53. <u>/</u>	54. <u>2</u>	55. <u>3</u>	<sub>56.</sub> 4
5th	57. <u>2</u>	- 58/	7 59.5	6026	61. <u>0</u>	<u>ر</u> و 2.	- 63 <u>-2</u>	64. <u>7</u> 03	65	66	672	حر_68	69. <u></u>
6th	<sub>70.</sub> <u>2</u>	- 71. <u> </u>	72.5	_ 73. <u>4 2</u>	74. <u>3</u> 2	L <sub>75.</sub> (	76. <u>L</u>	- 17 <u>7 0 3</u>	78	79	802	281. 3	82. <u>4</u>
7th	83. 2	_84. <u>_</u>	f <sub>85.</sub> <u>U</u>	86. <u> </u>	/ <sub>87.</sub>	· 88.Z	89 <del></del>	90. <u>7</u> 0.3	91	92	932	ج <sub>ر</sub> 94.	95. <u></u>
8th	96. 🗾	97. 2	- 98. <u> 9</u>	99. <u>U</u> 4	100. <u>O</u> Z	T01/_	102. 4	<sub>103.</sub> <u>7</u> 20	) 104/	105. <u>/</u>	<sub>106.</sub> <u>2</u>	-107. <u>3</u>	108. 2
9th	109. 2	тю. <u>/</u>	111. <u>9</u>	112. <u>O Z</u>	<sub>⊟3.</sub> <u>○</u> 2	114. <u>(</u>	115. 2	-116. <u>27 </u>	) 117. <u>/</u>	118. <u>/</u>	1192	<u>ح</u> <sub>120</sub> .	121.
10th	122. 2	123. <u>/</u>	124. 6	125. <u>04</u>	126. <u>/ 4</u>	127. 2	1282	<sub>129.</sub> 77 0	130(	131. /_	132. <b>Z</b>	- <sub>133.</sub> <u>&gt;</u>	134.
											i aft		

					PEDES	STRIA	UNI N	URY DAT	Α				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
110	2	1	<u>.9</u>	06	ده	1_	6	947	1	1	_ත	<u> </u>	<b>Q</b>
12th	1 <u> </u>		_						· <del></del>	_	—		_
13tt			<u>-</u>						_	-		<u></u>	
141	)					—			_	_	—	—	
15tf	) <u> </u>		<u></u>					<del></del>	<u>-</u>	_		<del></del>	
161	. <u></u>					<u></u>			<del>-</del>	<u> </u>		—	<u> </u>
17th		<u></u>	<u></u> -			—			_	_	<del></del>		—
18th						<del></del>				—			<u></u>
20th													
21st									<del></del>				- 명류 - 사람 - <del>사</del> 가
22nd													
23rd					### - 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			——————————————————————————————————————					
24th													
25th	_												

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### Certain Probable (2) No damage/contact (1) Autopsy records with or without hospital/ Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent (2) Hospital/medical records other than (4)Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury (6)Separated from vehicle Indirect contact injury Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Injury not from vehicle contact LINOFFICIAL No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (6) E.M.S. personnel (3) (4) Rounded (contoured) Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Rounded edge (3) (7) Interviewee (4) Sharp edge (8) Other source (specify): Other (specify): (5) (8) (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Cervical Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Face (06) Lumbar (2) (3) Moderate injury Neck Serious injury (4) (5) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Thorax (06) Skin - Laceration (4)Severe injury Abdomen (08) Skin - Avulsion (5) Critical injury Amputation numbers beginning with 02 (6) Maximum (untreatable) Upper Extremity (7) (8) (20) Burn Injured, unknown severity Level of Injury Lower Extremity (30) Crush Degloving Injury - NFS Unspecified (40) Aspect Specific (50)injuries are assigned Type of Anatomic Structure Trauma, other than mechanical consecutive two-digit (1) Right numbers beginning with 02. Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) (4) Bilateral Central Whole Area To the extent possible, within the Vessels (2) Nerves organizational framework of the AIS, 00 Anterior (3) is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) (4) Organs (includes muscles/ Posterior ligaments) Superior Skeletal (includes joints) (8) (5) Inferior Head - LOC structure. 99 is assigned to any injury (9) Unknown (9) NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar 809 Fuel tank **Back Components** 760 Rear (back) bumper 724 B pillar 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 762 Hatchback, vertical surface (specify): 726 D pillar 728 Other pillar 819 Unknown undercarriage component 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 825 Cargo (specify):\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle

788 Other top component (specify): \_

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

**SOURCE OF INJURY DATA** 

**OFFICIAL** 

742 A1 pillar

743 A2 pillar

**TYPE OF DAMAGE** 

997 Noncontact injury source


999 Unknown injury source

Injury not from vehicle contact

# OFFICIAL INJURY DATA — SKELETAL INJURIES Restrained? Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) **Blood Alcohol Level** (mg/dl) DPROXIMAL Humenus FX 2.7526022, 2 (3) D Cheot RibFX 3.2-8th w Prewmo 4hemothorax 4,4502324, 2 BAL = \_\_\_\_ Glasgow Coma Scale Score GCSS = \_\_\_\_ Units of Blood Given Units = \_\_\_\_ Arterial Blood Gases Ph = \_\_.\_\_ PO<sub>2</sub> = \_\_\_\_ PCO<sub>2</sub> \_\_\_\_ HCO<sub>3</sub> QPnoximal FIBULAFX 2,8516062,2

# OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



U.S. Department of Transportation National Highway Traffic Safety

# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

dministration	PEDESTRIAN GENE	PEDESTRIAN CRASH DATA ST	יםט
Primary Sampling Unit Num	ber <u>90</u>	OFFICIAL RECORDS	
2. Case Number - Stratum	628 P	9. Police Reported Travel Speed 9	_
3. Vehicle Number	<u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown	
VEHICLE IDENTI	FICATION	(339) Olikilowii	
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit	_
5. Vehicle Make (specify): Applicable codes are found NASS PCDS Data Collection Editing Manual.		in kmph (999) Unknown  L O mph x 1.6093 = O G L kmph  11. Police Reported Alcohol Presence For Driver	ı
6. Vehicle Model (specify):  Siverado (1)  Applicable codes are found	500 Series)	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown	_
NASS PCDS Data Collection Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may the back of this page.	a, Coding and	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown	<del>2</del>
8. Vehicle Identification Number	er	Source: PAR	
ZCEC19KXM	11 12 13 14 15 16 17	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	, -
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown	-

# CODES FOR BODY TYPE

## CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

## Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

## Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

## OTHER VEHICLES

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- 63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):\_\_\_\_\_
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  — 4 3 7 0  — 8 4	Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates
OTHER DATA	21. Driver's Attention to Driving
17. Vehicle Special Use (This Trip)  (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	(Prior to Recognition of Critical Event)  (1) Full attention to driving  (2) Distracted by other occupant  (3) Distracted by moving object in vehicle  (4) Distracted by outside person, object, or event  (5) Talking on cellular phone or CB radio Specify:  (6) Sleeping or dozing while driving  (8) Other (specify):  (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event)  (01) Going straight  (02) Slowing or stopping in traffic lane  (03) Starting in traffic lane  (04) Stopped in traffic lane  (05) Passing or overtaking another vehicle  (06) Disabled or parked in travel lane  (07) Leaving a parking position  (08) Entering a parking position  (09) Turning right  (10) Turning left
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

好難

~ ^	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown location (specify):
(specify):(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
	(87) Animal in roadway
up) (specify):	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(oc) called added of contrast toda (opening).	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	79-2
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left (07) Steering right
(50) Stopped	(08) Braking and steering left
(51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	<b>\</b>
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver (2) Tracking
(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane (65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(O) Proceeds abobility unknown
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	1 (O) Disastinasi sasasasasasasasas

		ENVIRO	NME	NTA	AL [	DATA
27.	(O)	ion to Junction Non-junction Interchange area	0	33.		dway Surface Condition  Dry  Wet Snow and slush
	(2)   (3)   (4)	Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify):				lce Sand, dirt or oil Other (specify): Unknown
	(9)	Unknown type of non-interchange Unknown if interchange	1		(O)	fic Control Device  No traffic control(s)  Trafficway traffic control signal (not RR crossing)
28.	(1)   (2)   (3)   (4) (	icway Flow Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown	1		(2) (3) (4) (5)	ulatory or School Zone Sign (Not RR Crossing) Stop sign Yield sign School zone sign Other sign (specify):  Unknown sign Warning sign (not RR crossing)
29.	(1) (2)	per of Travel Lanes One Two Three	4		(8)	
	(4) i (5) i (6) i (7) i	Four Four Siv Seven or more Unknown			(O)	fic Control Device Functioning  No traffic control  Not Functioning  Functioning  Unknown
30.	(1) S (2) G (3) G	way Alignment Straight Curve right Curve left Unknown	3		(1) (2)	t Conditions  Daylight  Dark  Dark, but lighted  Dawn  Dusk
31.	(1) L (2) L (3) L (4) H (5) S	way Profile Level Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest Sag Unknown	3	37.	(9) Atm (1) (2) (3)	conditions Rain Sleet
	(1) (2) E (3) E (4) S (5) E (8) (8)	way Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify):	2		(7)	Fog Rain and fog
	(3)	OUNTIONALI				

90-628

9/ S//verado 6740m 30 +646

77 Yor 66" 15-5

POI to FRP = 15m = 49 ft f = 0.65

V= 7(2)(49)(0,65)(32,2)

= 45,3 fps = 30,8 mph = 49,6 Kph

50KPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Vehicle Number

VEHICLE IDENTIFICATION

VIN 26CEC19KXM

Vehicle Make (specify): Chevor Let

Vehicle Model (specif

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

STEEL

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm

cm

cm cm

cm



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axies) from the ground:

PEDESTRIAN SIDE CONTACT V	WORK SPIEET
PEV06 Hood Material	
PEV08 Hood Length	cm /
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREME	NTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	
PEV31 Top of Wheel Well Opening	
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	• cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENT	rs
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

# ORIGINAL SPECIFICATIONS

	Wheelbase	417.5 inches x 2.	54 =	298 cm
	Overall Length	194.1 inches x 2.	54 =	<u>493</u> cm
	Maximum Width	inches x 2.	54 =	cm
	Curb Weight O	4.050 pounds x .4	536 = _/	837 kg
	Average Track	$064.5$ inches $\times 2$ .	54 =	<u> 164</u> cm
	Front Overhang	034.2 inches x 2.	54 =	$\mathcal{Q}$ $\mathcal{S}$ $\mathcal{T}$ cm
	Rear Overhang	$\underline{0}$ $\underline{4}$ $\underline{7}$ . $\underline{2}$ inches $\times$ 2.	54 =	120 cm
	Undeformed End Width	073.2 inches x 2.	54 <b>=</b>	186 cm
	Engine Size: cyl./displ.	<u>5700</u> cc × .0	01 =	<u>5.7</u> L
•		$348$ CID $\times$ .0	164 =	5.7 L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

			POINTS	OF PEDEST	RIAN CONTA	CT		
			PEDEST	RIAN CONTA	CT WORKSH	EET		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTAGT POINT (Circle)	SEQUENCE
7	Hond	+ 21	+29	7	Sheulder	denT	2 3 9	2
#1	Hood	+ 49	+55	2	shaulder	dent	1 2 3 9	7
#7	Surface	+ 28	+55	7	chesT	dent	1 2 3 9	2
G	Surface	-70	+51	2	chest	dent	1 2 3 9	J
В	surface	+73	+24	7	chest	dent	1 2 3 9	2
#4	GriLL	+95	,36	D	Hif	Cracked	1) 2 3 9	1
				•			1 2 3 9	,
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
						•	1 2 3 9	
							1 7 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
					-		1 2 3 9	

# POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL - LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Cincle)
ح ۲: د	700	137	+36	0	Shing a	none	2 3 9
MEIR	2	137	176	0	Fishle	*,	4239
(34)	()	95	36	0	contusio.	ç	<b>→</b> 2 3 9
43	703	85	36	#	contusión	desit	0239
5 6	703	85	36	et 5 -	Humerns FX L. chest	Sent	2 3 9
i B	č	r.	૧	· ,	Lichest Bib Fx Lung (1)		<b>∂</b> 2 1 9
7 B	l.	4		CI	confusion		1 2 3 9
1 J	770	21	29		confusion	,	<b>⊘</b> 2 3 9
9	グフロ	l1	٠,	-1	L-tempore	-/	2 3 9
10	770	4	1.	<i>2</i> ×	LOC		0211
11	900	w d					1 2 3 g
12							1 2 3 3
13							1 2 3 9
14							1:2:3 g
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 2 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 7 2
4. Original Wheelbase 298	Code to the nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	$067.1$ inches $\times 2.54 = 172$ centimeters
$\frac{1}{1}$ $\frac{7}{7}$ $\frac{5}{1}$ inches $\times 2.54 = \frac{298}{1}$ centimeters	
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
nearest centimeter (185) 185 centimeters or more	(0) Not damaged (1) Surface scratching only, no residual crush
(999) Unknown	<ul><li>(2) Minor crush (1-3 centimeters)</li><li>(3) Moderate crush (4-7 centimeters)</li></ul>
$064.5$ inches $\times 2.54 = 164$ centimeters	<ul><li>(4) Severe crush (&gt;7 centimeters)</li><li>(8) Damage present, unknown if damage is from pedestrian impact</li></ul>
6. Hood Material	(9) Unknown
.(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel (4) Aluminum	From Pedestrian Contact (0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(1) Other ractory mistance mode	
(2) OEM replacement	unknówn if damaged
<ul><li>(2) OEM replacement</li><li>(3) Non-OEM replacement</li><li>(9) Unknown</li></ul>	FRONT CONTACT DAMAGE
(3) Non-OEM replacement	
(3) Non-OEM replacement (9) Unknown  8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements  14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O44 4 inches x 2.54 = 1/3 centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O44. Linches x 2.54 = 1/3 centimeter  9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O44 4 inches × 2.54 = 1/3 centimeter  9. Hood Width Forward Opening  1 6 4	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  Office of the centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O 44 4 inches x 2.54 = 1 1 3 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  O 64 5 inches x 2.54 = 1 6 4 centimeters	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O 44 4 inches x 2.54 = 1 1 3 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  O 64 5 inches x 2.54 = 1 6 4 centimeters  10. Hood Width Midway  16 4	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  Office 4 finches x 2.54 = 1/3 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  Office 4 finches x 2.54 = 1/6 finches x 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O 44 4 inches x 2.54 = 1 1 3 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  O 64 5 inches x 2.54 = 1 6 4 centimeters  10. Hood Width Midway  Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O 44 4 inches x 2.54 = 1/3 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  O 64 5 inches x 2.54 = 1/6 4 centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O 44 4 inches x 2.54 = 1/3 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  O 64 5 inches x 2.54 = 1/6 4 centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  D22. 8 inches x 2.54 = 5 8 centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  inches X 2.54  centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  D38 5 inches x 2.54 = D98 centimeters	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  1196 inches × 2.54 = 304 centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown  204.3 inches X 2.54 = 2 / / centimeters	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  inches X 2.54 = 158 centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Cida Vartical 85
•	Side Vertical Measurements
20. Ground to Forward Hood Opening 094  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  031.0 inches x 2.54 = 094 centimeters  21. Ground to Front/Top Transition Point 101  Code to the nearest centimeter (000) No front contact	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  O 37 O inches x 2.54 = O 94 centimeters  21. Ground to Front/Top Transition Point / O / Code to the	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height

	0	0.00	Side Lateral Measureme	ents
29.	Centerline of Wheel	000		
	Code to the			
	nearest centimeter		35. Centerline to A-Pillar	000
	(000) No side contact		at Bottom of Windshield	
	(150) 150 centimeters or more		(000) No side contact	
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(250) 250 centimeters or more	
			(999) Unknown	
1 20	T	000	(555, 511115)	
30.	Top of Tire	000	inches X 2.54 =	centimeters
	Code to the			
	nearest centimeter			-
	(000) No side contact		36. Centerline to A-Pillar	000
	(200) 200 centimeters or more		at Top of Windshield	<del></del>
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
1			(250) 250 centimeters or more	
1		000	(999) Unknown	
31.	Top of Wheel Well Opening	<u> </u>	(555, 5	
	Code to the		inches X 2.54 =	centimeter
	nearest centimeter			GBITEING CO.
	(000) No side contact			
1	(250) 250 centimeters or more		37. Centerline to Maximum Side	000
	(999) Unknown		View Mirror Protrusion	<u> </u>
			Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		$\circ$	(000) No side contact	
32.		000	(300) 300 centimeters or more	
	Code to the		(999) Unknown	
	nearest centimeter		(333) 3.11.13.11.	
	(000) No side contact		inches X 2.54 =	centimater
	1950 950 samples share as as as as			OGITHITIOLO.
	(250) 250 centimeters or more			<del></del> -
	(999) Unknown			_
	(999) Unknown		Side Wrap Distance Measur	_
		centimeters		_
	(999) Unknown	centimeters	Side Wrap Distance Messure	ements
33.	(999) Unknown inches X 2.54 =		Side Wrap Distance Measure 38. Ground to Side/Top Transition	_
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield	centimeters	Side Wrap Distance Measur  38. Ground to Side/Top Transition  Code to the	ements
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the		Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter	ements
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the nearest centimeter		Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter (000) No side contact	ements
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the		Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the	ements
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield  Code to the     nearest centimeter (000) No side contact		Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter (000) No side contact	ements
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the     nearest centimeter (000) No side contact (300) 300 centimeters or more		Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	ements  OOO
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the     nearest centimeter (000) No side contact (300) 300 centimeters or more	000	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the	ements  OOO
33.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield  Code to the     nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	ements  DDD  centimeters
	(999) Unknowninches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =	O O O	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =  39. Ground to Hood Edge	ements  OOO
	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =	000	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter  (000) No side contact  (400) 400 centimeters or more  (999) Unknown  inches X 2.54 =	ements  DDD  centimeters
	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to the	O O O	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =  39. Ground to Hood Edge	ements  DDD  centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter	O O O	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the	ements  DDD  centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter (000) No side contact	O O O	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the	ements  DDD  centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the	O O O	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the	ements  DDD  centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter (000) No side contact	O O O	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =  39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	OOO  centimeters  OOO	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the	centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the	OOO  centimeters  OOO	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =  39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	centimeters
34.	(999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	OOO  centimeters  OOO	Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =  39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	centimeters

(000)	nd to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more	000
(999) ——— 41. Groui	Unknown   inches X 2.54 =  nd to Head Contact  Code to the	centimeters
(000) (800) (998)	nearest centimeter No side contact 800 centimeters or more No head contact Unknown	
	inches X 2.54 =	centimeters