



National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





National Highway Traffic Safety Administration

## PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO. 605P.

TYPE OF ACCIDENT Car / Pedestrians / Moving with traffic

## A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include</u>

Vehicle #1 was traveling northeast on an undivided urban asphalt street. Vehicle #1 was in the outside lane. The street was narrowing from four lanes to two lanes and another vehicle was in the inside lane. Water was standing partially across the first lane and two pedestrians were walking in the same direction that the vehicles were traveling. The pedestrians were walking in the right lane due to the water in the street. They were walking side-by-side, facing away from the vehicles. The left-front of Vehicle 1 struck one pedestrian (604P) and the front-right struck the other pedestrian (605P). The pedestrian struck by the left-front was first contacted by the left side of the front bumper cover, rotated into the left-front fender, hood, windshield and left side mirror. After being struck, this pedestrian (604P) traveled forward and to the left. She was transported and hospitalized. The pedestrian struck by the front-right (605P) was struck by the front bumper, rotated on to the hood and into the windshield. She was propelled forward and to the right, coming to rest in the grass near the right edge of the street. She was transported and hospitalized.

B. PEDESTRIAN PROFILE							
Pedestrian No.	Ago	S	Treatment/		Most : (TO BE COMPLE	Severe	Injury ZONE CENTER)
	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	17	Female	Hospitalized	Lover Ext	Skeletal	3	BumperSurface

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head	Whole Area	(1) Minor injury
Face	- · · · · - <del>-</del>	· •
Throat	Vessels	(2) Moderate injury
Chest	Nerves	(3) Serious injury
Abdomen/Pelvis	Organs	(4) Severe injury
Spine	Skeletal	(5) Critical injury
Upper Extremity	Head-LOC	(6) Maximum (untreatable)
Lower Extremity	Skin-Burn	(7) Injured, unknown severity
External	Skin-Other	

Vehicle	Class		В		
No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
01	Full size car	95/Mercury/Cougar	Front	Light	


#### DO NOT SANITIZE THIS FORM



### **ACCIDENT COLLISION DIAGRAM**



National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM






## **ACCIDENT COLLISION DIAGRAM**

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter = \_\_\_

meters





National Highway Traffic Safety

Reference Point:

### PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM

COF STRAT

Administration PEDESTRIAN CRASH DATA STUDY Primary Sampling Unit Number Case Number—Stratum \_6 05 PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line relative to physical features Surface Type north arrow placed on diagram \* documentation of all accident induced physical evidence including (if applicable): Surface Condition grade measurements for all applicable roadways. a) vehicle skid marks Coefficient of Friction b) pedestrian contacts with ground or scaled representations of the physical plant object Grade (v/h) Measurement including: c) vehicle/pedestrian point of impact (POI) a) at impact a) all road/roadway delineation (e.g., d) location of pedestrian separation point crosswalks, curbs/edge lines, lane from vehicle b) between impact markings, medians, pavement markings, and final rest parked vehicles, poles, signs, etc.) f) final resting points (FRP) for pedestrian and vehicle b) all traffic controls (e.g., lights, signs) Pedestrian Travel Direction documentation of the physical plant scaled representations of the vehicle and including: pedestrian at pre-impact, impact, and final Vehicle Travel Direction a) all road/roadway delineation (e.g., rest based upon either: crosswalks, curbs/edge lines, lane markings, medians, pavement markings, Number of Travel Lanes parked vehicles, poles, signs, etc.) a) physical evidence, or b) all traffic controls (e.g., lighte, signs) b) reconstructed accident dynamics

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
Scuffmark Pz (605P)	11.3 W	4.3 5
Blood Spill P, (6040)	10.6 M	285
Blood Spill Pz (possible FR)	8.7 W	8.3 5
FRP LR V,	1.3/E	4.65
FRP RR V,	1-3.E	6.75
FRP LF V,	4.16	4.6 5
FRP RF V,	4.1E	6.75

Reference line:



PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1

PEDESTRIAN CRASH DATA STUDY

isational Highway Traffic Safety Administration

1. Primary Sampling Unit Number

2. Case Number - Stratum

### **IDENTIFICATION**

- 3. Number of General Vehicle Forms Submitted
- 4. Date of Accident (Month, Day, Year)
- 5. Time of Accident 06 50

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

## SPECIAL STUDIES - INDICATORS

Check (1) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

- 6. \_\_\_SS15 Administrative Use 0
- 7. \_\_\_\_\_SS16 Pedestrian Crash Data Study 1
- 8. SS17 Impact Fires 0
- 9. SS18 0
- 10. SS19 0

### NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the

		PEDESTRIAN	ACCIDEN	F EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u> IS Form 0435G (Rev. 7/5	13. <u>0 1</u>	14. 04	15. 🔼	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>

## CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle.
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase  $\geq$  254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

## CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



Administration

U.S. Department of Transportation

### PEDESTRIAN ASSESSMENT FORM

O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety

1. Primary Sampling Unit Number 49	10. Pedestrian's Weight Code actual weight to the nearest kilogram.
2. Case Number - Stratum 6 05 P	(999) Unknown
3. Pedestrian Number <u>0 1</u>	190 pounds X .4536 = 86 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping
6. Pedestrian's Overall Height  Code actual height to the nearest centimeter.  (999) Unknown  B inches X 2.54 = 173 centimeters	(7) Falling/stumbling or rising (8) Other (specify): (9) Unknown  13. Pedestrian's Action Relative to Vehicle
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	(00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown
inches X 2.54 =C centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions
9. Pedestrian's Height - Ground to Shoulder 4_3 Code to the nearest centimeter. (999) Unknown inches X 2.54 = 4_3 centimeters	(1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other(specify): (9) Unknown

PEDECTRIANIC AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
15. Pedestrian's First Avoidance Actions	(01) At sides
	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	•
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	<u>.                                      </u>
	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against	bag, etc.) on shoulder(s) or head
vehicle	(98) Other (specify):
(98) Other (specify):	(99) Unknown
(99) Unknown	D 1
	19. Pedestrian's Leg Orientation
·	at Initial Impact
	(01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
TEDESTRIAN S ORIENTATION AT IMPACT	(03) Apart-right leg forward 014 114
·	(04) Apart-left leg forward
	(OE) Apart forward to water and
	•
16. Pedestrian's Head Orientation ,	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
<del>-</del>	,
(4) Up	20. Vehicle/Pedestrian's Interaction
(5) Down	
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
· · · · · · · · · · · · · · · · · · ·	(07) Thrown forward and right of vehicle
(1) Facing vehicle	(08) Knocked to pavement, forward
(2) Facing away	
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
!	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
İ	(17) Foot or legs run over
1	(98) Other (specify):
	(99) Unknown

, * OFFICIAL RECORDS		INJURY CONSEQUENCES	
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian <ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	<u>0</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	3
<ul> <li>22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx)</li> <li>(95) Test refused</li> <li>(96) None given</li> <li>(97) AC (Alcohol Content) test performed, results unknown</li> <li>(99) Unknown if test given</li> </ul>	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	3
Source: P.A.R.	-	Nonfatal (3) Hospitalization (4) Transported and released	
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian</li> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul>	<u>6</u>	<ul> <li>(5) Treatment at scene - non-transported</li> <li>(6) Treatment later</li> <li>(8) Treatment - other (specify):</li> <li>(9) Unknown</li> </ul>	
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	<u></u>
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	60) I.
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	7_

* CTOD VARIABLES 20 TUDOLIGH 27 A	
。* STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score	34. 1st Medically Reported Cause of Death
(00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death O
initial GCS Score recorded at medical facility.	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(99) Unknown if injured	number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood?  (1) No - blood not given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific
(2) Yes - blood given (specify units):	injuries are not linked to cause of death. (specify):
(9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO <sub>3</sub>	(97) Other result (includes fatal ruled disease) (specify):
(00) Not injured (01) Injured, ABGs not measured or reported	(99) Unknown
(02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported , HCO <sub>3</sub> unknown (97) Injured, details unknown	37. Number of Recorded Injuries for This Pedestrian
(99) Unknown if injured	Code the actual number of injuries recorded for this pedestrian.
33. Time to Death Code number of hours from time of	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
accident to time of death up through 24 hours. If time of death is greater than 24	(00) Chalcotti ii iiijarea
hours, code number of days. (Note: 1 day $=31, 2$ days $=32,$ n days $=30 + n$ up through 30 days $=60$ )	
(00) Not fatal (96) Fatal - ruled disease	
(99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORDS	S INCLUDED WITH INITIAL CURNICOLONIS
	•
NO [/	YES[]
UPDATE CANDIDATE?	NO[] YES[/



National Highway Traffic Safety Administration

### PEDESTRIAN INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

49

3. Pedestrian Number

0 1

2. Case Number - Stratum

605 P

4. Blank

#### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 2	6. <u>8</u>	7. <u>5</u>	8. <u>/ /</u>	9. <u>1</u> <u>@</u>	102	11. <u>/</u>	12. 700	13	14	15	16	17.2
2nd	18.2	19.8	20. 5	21.34	22. <b>3-</b> 2-	23. <u>3</u>	24	25. <u>7 0 0</u>	26. <u>/</u>	27. <u> </u>	<sub>28.</sub> <u>3</u>	29. 2	<sub>30.</sub> <u>2</u>
3rd	<sub>31.</sub> <u>2</u>	32. <u>8</u>	33. <u>9</u>	34. <u>0 8</u>	35. <u>0</u> <b>2</b>	36. <u> </u>	37. <u>Z</u>	+108 38. 703	39. 🗘	40	41. 7	42. <u>3</u>	43.2
4th	44	452	46. <u> </u>	47. <u>5</u> <u>L</u>	48. <u>0</u> <b>3</b> -	49. <u>/</u>	50. <u>7</u>	51. <u>72</u> 2	- 52. <u>/</u>	_/ 53	<sub>54.</sub> <u>3</u>	55_3	56.
5th	57. <u>2</u>	58. <u>)</u>	59. <u>9</u>	во. <u>О_6</u>	61. <u>0</u> Z	62	63. <u>1</u>	64. <u>775</u>	65. <u>/</u>	66	67. <u>J</u>	68	69:3
6th	70. <u>Z</u> -	<sub>71.</sub> <u>Z</u>	72.9_	73. 0 6	74. <u>0 2</u>	75. 🗘	76. <u>/</u>	77 <u>775</u>	<sub>78.</sub> <u>/</u>	<sub>79.</sub> <u>/</u>	8ó. <u>2</u>	81. <u>5</u>	82.
7th	83	84	85	86	87	88	89	90	91	92	93	94	95,
8th	96	97	98	99,1	00	101	102	103	104	105	106,	107	108
9th	109	110,	111	1121	13	114	115	116	117	118	119	120	121,
10th	122	123	124	1251	26	127	128	129	130	131	132,	133	134


HS Form 04351 (10/95)


This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

### **\***: PEDESTRIAN INJURY DATA Injury Source Type of Specific Source Direct/ Type of Injury Body Anatomic Anatomic Level of A.I.S. Injury Confidence Indirect Striking Of Damage Data Region Structure Structure Injury Severity Aspect Source Level Injury Profile Damage Depth 11th 12th 13th 14th 15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th 25th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

2,2902021,7 abrasion, 5 cm/aceration 2,290602.1,7
(Blorehead-contaminated (soil?)





#### INJURY SOURCE CONFIDENCE LEVEL **SOURCE OF INJURY DATA** TYPE OF DAMAGE (1) Certain (2) Probable Injury not from vehicle contact (0) No damage/contact (1) Autopsy records with or without hospital/ Possible (3) Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury (1) Separated from vehicle (6) (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report (1) No residual damage Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel Rounded (contoured) (3) Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge Other (specify): (5) (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area Minor injury (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (2)Face (06) Lumbar Moderate injury Neck (3) (3) Serious injury (4) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Thorax (4)Severe injury (5) Abdomen (08) Skin - Avulsion (5) Critical injury (6) (7) Spine (10) Amputation numbers beginning with 02 (6) Maximum (untreatable) Upper-Extremity (20) Burn Injured, unknown severity Level of Injury Lower Extremity (8) (30) Crush Degloving Injury - NFS (9) Unspecified (40) **Aspect** assigned numbers (5O) Specific injuries are Type of Anatomic Structure two-digit Trauma, other than mechanical consecutive Right Left (1)beginning with 02. Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 (2) (4)Central (5) Anterior is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury (4) Organs (includes muscles/ (10) Concussion Posterior ligaments) (7)Superior Skeletal (includes joints) (8) Inferior (6)Head - LOC Unknown Skin NFS as to lesion or severity. (9) Whole region **INJURY SOURCE FRONT** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):\_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 769 Unknown back component 729 Left side roof rail **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowt-area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 781 Rear trunk lid 741 Front antenna 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

### OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

**Blood Alcohol Level** (mg/dl)

Glasgow Coma Scale Score

GCSS =


Units of Blood Given


**Arterial Blood Gases** 

 $PO_2 =$ PCO,

HCO<sub>3</sub>


2,853422.3,1 Comminuted Sx proximal &






## OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





National Highway Traffic Safety Administration PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Primary Sampling Unit Number	49	OFFICIAL RECORDS
2. Case Number - Stratum	605 p	9. Police Reported Travel Speed 999
3. Vehicle Number  VEHICLE IDENTIFICAT	<u>0</u> <u>1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160)159.5 kmph and above (999)Unknown
4. Vehicle Model Year Code the last two digits of the mo (99) Unknown	del year	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):  MERCURY  Applicable codes are found in your NASS PCDS Data Collection, Codin Editing Manual.  (99) Unknown	$\frac{14}{4}$	(999) Unknown  30 mph X 1.6093 = 48 kmph  11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify):  OUCTO Applicable codes are found in your NASS PCDS Data Collection, Codir Editing Manual.	<u>004</u> - ng and	(8) No driver present (9) Unknown  12. Alcohol Test Result For Driver Code actual value (decimal implied
<ul><li>(999) Unknown</li><li>7. Body Type    Note: Applicable codes may be fouthe back of this page.</li></ul>	ind on	before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source: PAYC
Left justify; Slash zeros and letter in No VIN—Code all zeros Unknown—Code all nines	13 14 15 16 17 Z (Ø and Z)	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large timousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota,
  Arrow Pickup [foreign], Ranger, Courier, S-10, T-10,
  LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up,
  Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comenche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### **OTHER VEHICLES**

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,600 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHIOLE MELOUE ITERRO	
VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	
Source: 95  16. Vehicle Cargo Weight O O O O	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event NON-CONDACT VENICE (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):

		1		
23.	Critical Precrash Event	1	(83	) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	1	•	(specify):
	(01) Blow out or flat tire	1	(84	Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	1		roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	1	(85	Pedalcyclist or other nonmotorist—unknown
	(specify):		•	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obj	ect or Animal
	up) (specify):		(87	) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	1		) Animal approaching roadway
	(specify):		(89	) Animal—unknown location
	(06) Traveling too fast for conditions			) Object in roadway
	(08) Other cause of control loss (specify):	1		) Object approaching roadway
			(92	) Object—unknown location
	(09) Unknown cause of control loss	ļ		Other critical precrash event (specify):
	This Vehicle Traveling	İ		the state of the table in the
	(10) Over the lane line on left side of travel lane		(99	) Unknown
	(11) Over the lane line on right side of travel lane			
	(12) Off the edge of the road on the left side	24.	Att	empted Avoidance Maneuver 09
	(13) Off the edge of the road on the right side	l	(00	No driver present
	(14) End departure	1		) No avoidance actions
	(15) Turning left at intersection	l		) Braking (no lockup)
	(16) Turning right at intersection			) Braking (lockup)
	(17) Crossing over (passing through) intersection	1		) Braking (lockup unknown)
	(19) Unknown travel direction	l		Releasing brakes
	Other Motor Vehicle In Lane			Steering left
	(50) Stopped			Steering right
	(51) Traveling in same direction with lower speed	ł		) Braking and steering left
	(i.e., lower steady speed or decelerating)			) Braking and steering right
	(52) Traveling in same direction with higher speed	}	(10	Accelerating
1	(53) Traveling in opposite direction			Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing			Other action (specify):
(	(59) Unknown travel direction of other motor vehicle			Unknown
	in lane		,,,,,	
(	Other Motor Vehicle Encroaching Into Lane	25.	Pred	crash Stability After Avoidance Maneuver 2
	(60) From adjacent lane (same direction)—over left		(0)	No driver present
	lane line		(1)	No avoidance maneuver
(	(61) From adjacent lane (same direction)—over right		(2)	Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30
(	62) From opposite direction—over left lane line			degrees
	63) From opposite direction—over right lane line		(4)	Skidding laterally—clockwise rotation
	64) From parking lane	l	(5)	Skidding laterally—counterclockwise rotation
(	65) From crossing street, turning into same direction	1	(8)	Other vehicle loss-of-control (specify):
(	66) From crossing street, across path	İ	(0)	December 1991
	67) From crossing street, turning into opposite		(9)	Precrash stability unknown
	direction	26	Drac	crash Directional Consequences of
(	68) From crossing street, intended path not known	20.		idance Maneuver (Corrective Action)
	70) From driveway, turning into same direction	1	(0)	No driver present
	71) From driveway, across path		(1)	No avoidance maneuver
	72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	73) From driveway, intended path not known		/	maneuver was initiated
	74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
	78) Encroachment by other vehicle—details		/	where avoidance maneuver was initiated
'	unknown		(4)	
4	Pedestrian or Pedalcyclist, or Other Nonmotorist		7	travel lane where avoidance maneuver was
	80) Pedestrian in roadway			initiated
	·		(5)	Vehicle departed roadway
1	81) Pedestrian approaching roadway	l	101	Association and account of the latest and a fifth and a second as a

(82) Pedestrian—unknown location

(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown

	ENVIRO	NME	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush WATER STANDING (4) Ice (5) Sand, dirt or oil CRAN EDGE
	<ul> <li>(2) Intersection</li> <li>(3) Intersection-related</li> <li>(4) Drive, alley access related</li> <li>(5) Other non-interchange (specify):</li> </ul>		(8) Other (specify):
20	(6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
20.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	·	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four	4	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown
	(5) Five (6) Six (7) Seven or more (9) Unknown	)	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(4) Dawn (5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	<ul> <li>(3) Sleet</li> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>
1	(9) Unknown		

49-6048 12 2000 P2#3 Ebound. brok-d + to right. 17 10 /20 # 67 11 35 mph estinated by driver 95 Cougar. VI Impost to fine a root 18,5 m = 60,7 ft y = 25 fg  $V = \frac{\sqrt{2 + 49}}{\sqrt{2 + 40}}$   $V = \frac{1}{2540} = 50,4 + PS = 34.2 \text{ mpl} = 55 \text{ KPL}$ 

49-605-P Some impact Speed

.



National Highway Traffic Safety Administration

# PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	Primary	Sampling	Unit	Number
--	---------	----------	------	--------

3. Vehicle Number

2. Case Number - Stratum

605 P

NV 3 : I	<b>IDENT</b>	11210	$\Lambda TI$	$\triangle R$
V 13			$oldsymbol{\omega}$	

VIN IMELM62W75H

Model Year <u>9</u>5

Vehicle Make (specify): MERCURY

Vehicle Model (specify): Cough

### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	STEEL
PEV08 Hood Length	121 cm
PEV09 Hood Width-Forward Opening	147 cm
PEV10 Hood Width-Midway	<u>157</u> cm
PEV11 Hood Width-Rear Opening	157 cm
PEV14 Front Bumper Cover Material	PLASTIC
PEV15 Front Bumper Reinforcement Material	STARL


### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height	036	cm /
PEV17 Front Bumper-Top Height	055	cm✓
PEV18 Forward Hood Opening	069	cm
PEV19 Front Bumper Lead	013	cm 🗸

#### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening	017	cm
PEV21 Ground to Front/Top Transition Point	077	cm-
PEV22 Ground to Rear Hood Opening	199	cm ~
PEV23' Ground to Base of Windshield	209	cm~
PEV24 Ground to Top of Windshield	<u> 293</u>	cm ~
PEV25 Ground to Head Contact	100	cm ~
	#8 = 2 20	

## VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:


СП

PEDESTRIAN SIDE CONTACT WOR	K SHEET	
PEV06 Hood Material	STEEL	
PEV08 Hood Length	121 cm	
PEV09 Hood Width-Forward Opening	147 cm	
PEV10 Hood Width-Midway	157 cm	
PEV11 Hood Width-Rear Opening	<u>157</u> cm	
VEDTICAL MEACURENTO		
VERTICAL MEASUREMENTS	017	
PEV26 Ground Clearance	<u>O 1 1</u> cm	
PEV27 Side Bumper-Bottom Height	0.36 cm	
PEV28 Side Bumper-Top Height	0.55 cm	
PEV29 Centerline of Wheel	031 cm	
PEV30 Top of Tire	<u>Q66</u> cm	
PEV31 Top of Wheel Well Opening	073 cm	
PEV32 Bottom of A-Pillar at Windshield	<u>095</u> cm	
PEV33 Top of A-Pillar at Windshield	131 cm	
PEV34 Top of Side View Mirror	<u> </u>	
LATERAL MEASUREMENTS		
PEV35 C <sub>t</sub> to A-Pillar at Bottom of Windshield	082 cm	
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	068 cm	
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	103 cm	
WRAP DISTANCES		
PEV38 Ground to Side/Top Transition	<i><u>68</u>2</i> cm	
PEV39 Ground to Hood Edge	038 cm	
PEV40 Ground to Centerline of Hood (ORIGIN)	1.6	
PEV41' Ground to Head Contact	<u> </u>	
. 2 Ground to riedd Contact	cm	•
	• .	

## ORIGINAL SPECIFICATIONS

Whee1base	113.0	inches	x = 2.54 = 287  cm	
Overall Length	199.9	inches	$x 2.54 = \underline{5} \underline{0} \underline{8} \text{ cm} \checkmark$	
Maximum Width	_72.7	inches	x 2.54 = 185  cm	
Curb Weight	3,633	pounds	x.4536 = 1.648  kg	
Average Track 61/2			x 2.54 = 155 _ 1 55 cm	
Front Overhang		inches	$\times 2.54 = 157                                  $	<b>'</b> 7
Rear Overhang			(501)5	
Undeformed End Width		inches	x 2.54 = cm	
Engine Size: cyl./displ.		сс	x .001 = V-8 4.6 L	
		CID	x .0164 = L	

## VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front exles) from the ground:

POINTS OF PEDESTRIAN CONTACT

			l	ist ce	NTA	cts in ch	CONCLOSICAL OF	DE3					
CI	DNTACT	COMPONENT CONTACTED CODE	LOCATION LOCATION	LATEM LOCATIO (Y)		CRUSH IN CENTIMETERS	SUSPECTED BOBY REGION	SUPPOR	TING PHYSICAL EVIDENCE	1	TOCOCC ONTAC (C)	POU	
<u> </u>	1									1	2	3	9
	2									1	2	3	8
	3									1	2:	3	9
	4						:			+	2	3	•
	5									-			
	6									1	2.	3	9
	7									1	2.	3	8
}	8									1	2	3	9
				•						1	2	3	9
	9									1	2	3	8
<u></u>	10									1	2.	3	9
700 701	Front burn	nper rer valanca/spoiler		743 744 745 748	A2 p B pil C pil D pil	iller ler ler	ENTS CONTACTED	Wheels 790 791 792	Left front wheel/tire Right front wheel/tire				
702				748	Othe	r piller (specify):		793	Right rear wheeltire				
703 704		and/or trim		749	•	side reef rail		798	Other wheelitire (specify	):	· ——		
705		iment (spring loaded)		750 751		t side deer surface handle		799	Unknown wheel/tire				
706	Headlight			752		side mirror fixed h	ousing	Underce	rriage components				
707		le headlight deor (Op	en/Closed)	753		side felding mirror		800	Front cressmember				
708 718		Narking lights It or add en object		754		side glazing forwa		801	Steering assembly/Front	suspens	ien		
/ 10	(specify):	it or sag on soject		755 758		t side glazing rearw: antenna	ord of B piller	802	Oil pan				
719	_	front object		757		fender er quarter p	anel	803 804	Exhaust system pipe Transmission				
				758		r right side object (s		805	Drive shaft				
eft Sid	<u>Componer</u>	<u>nts</u>		759	Unkn	ewn right side com	penent	808	Catalytic converter				
720	Front fend	ler side surface		Back Co				807	Muffler				
721	Front ante			Dark CI	ungone	mts		808 808	Floor pan Fuel tank				
722	A1 pillar			760	Rear	(back) bumper		810	Rear suspension				
	A2 pillar			761	Tailg	ate			Other undercarriage com	penent			
724 725	B piller					hback, vertical surfa			(specify):				
725 726	C piller D piller			788 789	Uthe	r back component (: own back compone	specify):	819	Unknown undercarriage	compen	eat		
728		r (specify):		, 00	J. (A.)		***	Accesso	ries				
729	Left side	roof rail	<del></del>	Ten Cor	mponen	<u>its</u>		820	Air sceep, deflector				
730		door surface						821	Cellular er CB radio anti				
731 732	Door hand	lle mirror fixed housing		770 771		surface	hii iindada 4	822	Emergency lights or bar				
733		folding mirror		771		surrace reinforced Finder top surface	by underheed component	823 824	Fog lights	<b>.</b>			
734		plazing forward of B	piller	773	Cowl	•		825	Luggage, ski, or bike rac Carge (specify):				
735	Left side	glazing rearward of E	B piller	774	Wipe	r blade & mounting:	1	828	Spare tire				
738		back fender or quart	er panel	775		shield glazing		827	Spetlight				
737 738	Rear ante	nna side object (specify):	•	778 777		header surface		828	Other accessory (specify	t			
739		left side compenent	•	777 778		surrace light glazing		Other O	ject er Vehicle in Environ	ment			
		<b></b>		779		header		848					
light Sid	de Compon	ents		780		hback		3 <b>. 2</b>	(specify):		_		
740	E			781		trunk lid		849					
740 741	Front fend Front anto	ler side surface		788 799		top component (sp		959	Unknown object on cont		ehicle		
	A1 piller	7HI <b>3</b>		789		own top compenent		997 9 <b>99</b>	Nencentact injury source Unknown injury source				
-	,							400	CHARLES WIN INJULY SOURCE		er erek		

### POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

					MORKSHEETSPA		
CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	BUMPER COVER	100	47	0	LEG	SLUFF	1 2 3 9
7 100	N N	89	53	0	LEG	( \	1 2 3 9
3 708	RT PARK LAMP	76	74	0	LEC	LOUS BROKEN OUT	1 2 3 9
4-103	HOOD EDGÉ	72	65		Hip?	DENT-LINE?	(T) 2 3 9
5 770	Hopp	74	73	1	HIP	CLOTH SCUTF/PALHT CALP	1 2 3 9
6770		34	71		UNIC	SKIN SMUDLE	1 2 3 9
7741	ANTENNA	- 45	84	0	UNK	BONT-STRAIGHTONED	1 2 3 9
4775		-74	77	0	UNK	SPIDERWEDS FRAME DENT	1 2 3
							1 2 3
							1 2 3
							1 2 3 5
							1 2 3
							1 2 3
							1 2 3
							1 2 3
							1 2 3 !
							1 2 3
							1 2 3
						-	1 2 3
							1 2 3
							1 2 3
	·						1 2 3
		•					1 2 3
							1 2 3 1
							1 2 3

VEHICLE DIMENSIONS	107
	11. Hood Width Rear Opening
4. Original Wheelbase 287	Code to the
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(000) Olikilovili
7 2 5 4	inches X 2.54 = centimeters
centimeters	
5. Original Average Track Width 155	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is
7	from pedestrian impact (9) Unknown
6. Hood Material 3	(3) UIIKIIUWII
(1) Plastic	13 Windshield Contract Down
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contented by and action
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
1	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	- aumagau
(3) Non-OEM replacement (9) Unknown	FRONT CONT.
(a) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Frant Vertical Measurements
Code to the	
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening 14/	(9) Unknown
9. Hood Width Forward Opening  Code to the	(9) Unknown
Code to the	(9) Unknown  15. Front Bumper Reinforcement Material
Code to the nearest centimeter	(9) Unknown  15. Front Bumper Reinforcement Material  (0) No front contact
Code to the nearest centimeter (210) 210 centimeters or more	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
Code to the nearest centimeter	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
Code to the nearest centimeter (210) 210 centimeters or more	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters  10. Hood Width Midway	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters  10. Hood Width MidwayCode to the	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters  10. Hood Width MidwayCode to the nearest centimeter	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters  10. Hood Width MidwayCode to the nearest centimeter (210) 210 centimeters or more	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters  10. Hood Width MidwayCode to the nearest centimeter	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters  10. Hood Width MidwayCode to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters  10. Hood Width MidwayCode to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters  10. Hood Width MidwayCode to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	inches X 2.54 =centimeters  24. Ground to Top of WindshieldCode to the nearest centimeter  (000) No front contact  (500) 500 centimeters or more  (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknowninches X 2.54 =cent	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 = centimeters
Front Wrap Distance Measuremen	SIDE CONTACT DAMAGE
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 =cent	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =cent	28. Side Bumper-Top Height  Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 =

29	Centerline of Wheel	031	Side Lateral Measurem	ents
	Code to the	000		
	nearest centimeter	000	25 0 1 1 2 2 2 2 2	nar
	(000) No side contact		35. Centerline to A-Pillar at Bottom of Windshield	000
	(150) 150 centimeters or more		(000) No side contact	000
	(999) Unknown		Code to the	
	inches X 2.54 =	centimetere	nearest centimeter	
		continueters	(250) 250 centimeters or more	•
		att	(999) Unknown	
30.	Top of Tire	100		
	Code to the	000	inches X 2.54 =	centimeters
	nearest centimeter (000) No side contact			
1	(200) 200 centimeters or more		36. Centerline to A-Pillar	1068
İ	(999) Unknown		at Top of Windshield	(200)
			Code to the	
İ	inches X 2.54 =	centimeters	nearest centimeter	
			(000) No side contact (250) 250 centimeters or more	
21	Top of M/book Moll Opening	D73	(999) Unknown	
31.	Top of Wheel Well Opening Code to the		(000) 0	
	nearest centimeter	000	inches X 2.54 =	centimeter
	(000) No side contact			
	(250) 250 centimeters or more		27 Consoling to A4 1 200	Laz
ĺ	(999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	702
	Santan V O F A		Code to the	000
	inches X 2.54 =	centimeters	nearest centimeter	•
32.	Bottom of A-Pillar at Windshield	095	(000) No side contact	
			1200\ 200	
ĺ	Code to the	000	(300) 300 centimeters or more	
	nearest centimeter	000	(999) Unknown	
	nearest centimeter (000) No side contact	000	(999) Unknown	
	nearest centimeter (000) No side contact (250) 250 centimeters or more	000		centimeter
	nearest centimeter (000) No side contact	000	(999) Unknown inches X 2.54 =	
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown		(999) Unknown	
	nearest centimeter (000) No side contact (250) 250 centimeters or more		(999) Unknown inches X 2.54 =	
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =		(999) Unknown inches X 2,54 = Side Wrap Observe Means	
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield	centimeters	(999) Unknown  inches X 2.54 =  Side Wrap Returns Monay  38. Ground to Side/Top Transition	
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to the		(999) Unknown  inches X 2.54 =  Side Wrap Returns Monay  38. Ground to Side/Top Transition  Code to the nearest centimeter	
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the nearest centimeter	centimeters	(999) Unknown  inches X 2.54 =  Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter (000) No side contact	
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact	centimeters	(999) Unknown  inches X 2.54 =  Side Wrap Platerus Manage  38. Ground to Side/Top Transition  Code to the     nearest centimeter (000) No side contact (400) 400 centimeters or more	
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at Windshield Code to the nearest centimeter	centimeters	(999) Unknown  inches X 2.54 =  Side Wrap Distance Measure  38. Ground to Side/Top Transition  Code to the  nearest centimeter (000) No side contact	
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown inches X 2.54 =  Size Wrep Catence Mean  38. Ground to Side/Top Transition  Code to the	######################################
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more	centimeters  131 000	(999) Unknown  inches X 2.54 =  Side Wrap Platerus Manage  38. Ground to Side/Top Transition  Code to the     nearest centimeter (000) No side contact (400) 400 centimeters or more	######################################
33.	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown  inches X 2.54 =  Side Wrap Pasterna Value  38. Ground to Side/Top Transition  Code to the     nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 =	######################################
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =	centimeters  131 000	(999) Unknown  inches X 2.54 =  Side Wrap Pasterns Vision  38. Ground to Side/Top Transition  Code to the	######################################
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown	######################################
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown inches X 2.54 =  Side Wrap Distance Magazia  38. Ground to Side/Top Transition  Code to the	######################################
	nearest centimeter  (000) No side contact (250) 250 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown inches X 2.54 =  Side Wrap Planare Manage  38. Ground to Side/Top Transition  Code to the	######################################
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown inches X 2.54 =  Side Wrap Statema Manage  38. Ground to Side/Top Transition  Code to the	######################################
	nearest centimeter  (000) No side contact (250) 250 centimeters or more (999) Unknown	centimeters  131 000	(999) Unknown inches X 2.54 =  Side Wrap Planare Manage  38. Ground to Side/Top Transition  Code to the	######################################
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	centimeters  131 000  centimeters  100 000	(999) Unknown inches X 2.54 =  Side Wrap Statema Manage  38. Ground to Side/Top Transition  Code to the	128 000
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	centimeters  131 000  centimeters  100 000	(999) Unknown	128 000
	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 =  Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =  Top of Side View MirrorCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	centimeters  131 000  centimeters  100 000	(999) Unknown	128 000

	Date of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the seco	System: Padestrian Exterior Venicle Form	Page 9
40.	Ground to Centerline of Hood (Origin) 69  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown		
41.	Ground to Head Contact  Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (999) Unknown		
	inches X 2.54 = centimeters		
	•		



958.050000000000106500100001 49605P00000011 O149605P00010012 958.051000000000104F72000 49605P00010021 8.05 000000001721735010014308611032061401040209600331059715 1010000000006 49605P00010131 8.05 00000000028516102170011322 49605P00010231 8.05 00000000028534223170011322 49605F00010331 8.05 00000000028908021270311433 49605P00010431 8.05 00000000022902021772211333 49605P00010531 8.05 00000000022906021777511253 49605P00010631 8.05 00000000022906021177511253

49605P01000041 8.05 0000000009514004021MELM62W7SH(1977)99904809600165000005 52140580092401411217241 49605P01000051 8.05 0000000002871553112114715715722110360550691307707719920

PSU49

CASE 605P

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	32	

	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	Ō	Ö	Ÿ
Pedestrian Injury	O	0	0	Y
Pedestrian General Vehicle	O	O	0	Ÿ
Pedestrian Exterior Vehicl	e O	O	0	Υ
Total Inter Errors		o	0	
Total Case Errors	0	0	0	