



National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSII 82

CASE NO. 625P

TYPE OF ACCIDENT Van / Pedestrian / Walking same direction

1 30 -	02	CAS	E NO. 023		OF ACCIDENT			
	A. DE	SCRIP	TION OF	THE ACCIDEN	IT SEQUENCE	E AND ACCI	DENT	PECULIARITIES
Pedes	(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)  Vehicle one was travelling west on a two way two lane street.							
	, <del> </del>			one drives off				
	<u> </u>			n. A pedestria				
			struck by	y the front ric	jht corner or	Vl at a ver	<u> х гто</u>	w speea.
	<del></del> .							
						· · · · · · · · · · · · · · · · · · ·		
	· _=							
						·		
				B. PED	DESTRIAN PRO			
	strian			Treatment/		Most S	Severe TED BY	Injury ZONE CENTER)
N	0.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Sou <b>rce</b>
0	1	47	Female	None	Upper Ext	Skin	. 1	Hood edge
Во	dy Regio	n		Туре	of Anatomic Stru	cture	1	Abbreviated Injury Scale
Her Fac	ad	10		Whole	e Area		(	1) Minor injury 2) Moderate injury
Thr	roat			Vesse Nerve			(;	3) Serious injury
Che		• •_		Organ	ns		•	4) Severe injury
Abi Spi	domen/Pel ine	MS		Skelet			•	5) Critical injury 6) Maximum (untreatable)
Upp	per Extrem	•		He <b>ad</b> - Skin-B				7) Injured, unknown severity
	ver Extrem ernal	nity		Skin-C				
				C. V	EHICLE PROFI	ILE		
			ı			Most Severe	Dama	ge
Vehicle		Class				Based on Vehici	le Inspe	•
No.	v	of /ehicle		Year/Make/Model	Damage Plane		Damage Description	
01	Van		92/C	hevrolet/Van	Front	Minor smea	ars.	
			1					


DO NOT SANITIZE THIS FORM



## **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

National Highway Traffic Safety Administration






HS Form 431B (1/95)

### **ACCIDENT COLLISION DIAGRAM**

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter = 2.5

meters





U.S. Department of Transportation National Highway Traffic Safety

## PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY **Primary Sampling Unit Number** Case Number—Stratum \_6 < PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line relative to physical features Surface Type \* north arrow placed on diagram documentation of all accident induced physical evidence including (if applicable): Surface Condition grade measurements for all applicable roadways. a) vehicle skid marks Coefficient of Friction b) pedestrian contacts with ground or ro kar ti tukkayaa ya G scaled representations of the physical plant object Grade (v/h) Measurement including: c) vehicle/pedestrian point of impact (POI) a) at impact a) all road/roadway delineation (e.g., d) location of pedestrian separation point crosswalks, curbs/edge lines, lane from vehicle b) between impact markings, medians, pavement markings, and final rest parked vehicles, poles, signs, etc.) f) final resting points (FRP) for pedestrian and vehicle b) all traffic controls (e.g., lights, signs) Pedestrian Travel Direction documentation of the physical plant scaled representations of the vehicle and including: Vehicle Travel Direction pedestrian at pre-impact, impact, and final a) all road/roadway delineation (e.g., rest based upon either: crosswalks, curbs/edge lines, lane markings, medians, pavement markings, Number of Travel Lanes parked vehicles, poles, signs, etc.) a) physical evidence, or b) all traffic controls (e.g., lights, signs) b) reconstructed accident dynamics Reference line: Distance and Direction Distance and Direction Item from Reference Point from Reference Line

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
•.		
		e je s≹e č
		a state of
		20 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
		, regions
		. 2:
		44.3
		#7 2 <b>9</b> 78 - 2
		4 7 14t ×
	·	· parameter con.
	:	
•		
		***


National Highway Traffic Safety Administration

### PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
١.	rimmary	Samping	UIIIL	number

2. Case Number - Stratum



#### **IDENTIFICATION**

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

### SPECIAL STUDIES - INDICATORS

Check (1) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

0

7. \_\_\_\_SS16 Pedestrian Crash Data Study

8. SS17 Impact Fires

0

9. \_SS18 \_\_\_\_

0

10. SS19

0

### NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 13	15. 🗲	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger varı (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

### CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

Form Approved

PEDESTRIAN ASSESSMENT FORM U.S. Department of Transportation O.M.B. No. 2127-0021 National Highway Traffic Safety NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown pounds X .4536 = \_\_\_\_\_ kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age (1) Standing Code actual age at time of accident. (2) Crouching (00) Less than one year old (specify by month): (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (1) Walking slowly (3) Female - pregnant-1st trimester (1st-3rd month) (2) Walking rapidly (4) Female - pregnant-2nd trimester (4th-6th month) (3) Running or jogging (5) Female - pregnant-3rd trimester (7th-9th month) (4) Hopping (6) Female - pregnant-term unknown (5) Skipping (9) Unknown (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown 13. Pedestrian's Action Relative to Vehicle inches X 2.54 = centimeters (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally 7. Pedestrian's Height - Ground to Knee (03) Moving in road, with traffic Code to the nearest (04) Moving in road, against traffic centimeter. (999) Unknown (05) Off road, approaching road (06) Off road, going away from road inches X 2.54 = \_\_\_ centimeters (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway 8. Pedestrian's Height - Ground to Hip (98) Other (specify): Code to the nearest (99) Unknown centimeter. (999) Unknown 14. Pedestrian's Body (Chest) Orientation \_\_\_ inches X 2.54 = \_\_\_ centimeters Relative to Striking Vehicle Prior to **Avoidance Actions** (1) Facing vehicle 9. Pedestrian's Height - Ground to Shoulder (2) Facing away Code to the nearest (3) Left side to vehicle centimeter. Right side to vehicle (999) Unknown

\_\_\_ inches X 2.54 = \_\_\_ centimeters

Unknown

Other (specify):

(8)

(9)

PEDESTRIAN'S AVOIDANCE ACTIONS	
TESESTIMAL S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	· · · · · · · · · · · · · · · · · · ·
15. Pedestrian's First Avoidance Actions	(01) At sides
	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(OS) Francisco
(06) Turned away from vehicle	(OZ) Francisco upward
	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing Coff
	(07) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.)
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against	
· vehicle	bag, etc.) on shoulder(s) or head
· -	(98) Other (specify):
(98) Other (specify):	(99) Unknown
(99) Unknown	$\sim$ $\sim$
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
DEDECTRIANCE ORIGINATION AT IMPLACE	(02) Apart-laterally
PEDESTRIAN'S ORIENTATION AT IMPACT	
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
-	100,0,000
(4) Up	20. Vehicle/Pedestrian's Interaction
(5) Down	· ————————————————————————————————————
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
- · ·	(09) Knocked to pavement, left of vehicle
(3) Left side to vehicle	
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
· • • • • • • • • • • • • • • • • • • •	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
·	·
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):

(99) Unknown

ممنة	OFFICIAL RECORDS		INJURY CONSEQUENCES	
21.	Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	0(	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	1
22.	Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released	<b>P</b>
23.	Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		<ul> <li>(5) Treatment at scene - non-transported</li> <li>(6) Treatment later</li> <li>(8) Treatment - other (specify):</li> <li>(9) Unknown</li> </ul>	7)
24.	Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,     (specify): (3) Specimen test given,     results unknown or not obtained (9) Unknown	<b>Q</b>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	*
			28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 6 that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	
		,	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	<u>P</u>

STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death OO  35. 2nd Medically Reported Cause of Death OO  36. 3rd Medically Reported Cause of Death OO  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
23. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS  NO [ ]	S INCLUDED WITH INITIAL SUBMISSION?
UPDATE CANDIDATE?	NO [V] YES [ ]

Administration

Form Approved O.M.B. No. 2127-0021

### PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

82

3. Pedestrian Number

0 1

2. Case Number - Stratum

625 P

4. Blank

<u>\_X\_X</u>


### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 1	6. 7	7.2	8. <u>ə ५</u>	9. <u>0</u> 2	- 10. <u>/</u>	11. <u>V</u>	12. <u>403</u>	13. <u>/</u>	14. ]	15. 3	16.2	17
2nd	18	19:	20	21	22	23	24	25	26	27	28	29	30
3rd	31	32	33. <u> </u>	34	35	36	37	38	39	40	41	42,	43
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59	60	61	62	63. <u> </u>	64.	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87.	88	89	90	91	92	93	94	95,
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113,	114	115	116	_ 117	118	119	120	121
10th	122	123	124	125	126	127	128	129	_ 130	131	132	133	134

## PEDESTRIAN INJURY DATA Injury Specific Source Direct/ Type Type of Source A.I.S. Confidence Indirect Striking Of Damage Anatomic Level of Injury of Injury Body Anatomic Injury Profile Damage Depth Severity Aspect Source Level Structure Injury Data Region Structure 11th 12th 13th 14th 15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th 25th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### Injury not from vehicle contact Certain **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible (2) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation (4)DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle (5)summary) Direct contact injury Indirect contact injury (6) Emergency room records only (including Noncontact injury (7) Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥15 centimeters) Rounded (contoured) Injury not from vehicle contact No residual damage UNOFFICIAL (5) Lay coroner report No residual damage Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters (6) E.M.S. personnel Rounded edge (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Other specify:\_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Minor injury Head Moderate injury Serious injury (06) Lumbar (2) (2) Face Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury (4)Thorax (5) (6) (7) Critical injury (5) Abdomen Maximum (untreatable) (10) Amputation numbers beginning with 02 (6) Spine Injured, unknown severity Upper Extremity (20) Burn (30) Crush Level of injury (8) Lower Extremity Unspecified (40) Degloving (50) Injury - NFS Aspect injuries are ve two-digit Specific in consecutive assigned are numbers Right Type of Anatomic Structure Trauma, other than mechanical (90)beginning with 02. (2) (3) (4) (5) (6) (7) Left **Bilateral** Whole Area Head - LOC Central (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion To the extent possible, within the organizational framework of the AIS, 00 Vessels Anterior (3) (4) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Posterior Superior Organs (includes muscles/ ligaments) Skeletal (includes joints) Head - LOC (8) (9) (0) structure. 99 is assigned to any injury Unknown (6) Whole region NFS as to lesion or severity. **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 702 Front grille 746 D pillar 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 758 Other right side object 805 Drive shaft Left Side Components 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar 809 Fuel tank Back Components 760 Rear (back) bumper 810 Rear suspension 724 B pillar 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface 768 Other back component (specify): 726 D pillar 819 Unknown undercarriage component 728 Other pillar (specify): (specify): \_ 769 Unknown back component 729 Left side roof rail <u>Accessories</u> 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 825 Cargo (specify):\_ 772 Front fender top surface 826 Spare tire 736 Left side back fender or quarter panel 773 Cowt-area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): \_\_\_ 742 A1 pillar 999 Unknown injury source

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

743 A2 pillar

TYPE OF DAMAGE

### OFFICIAL INJURY DATA - SKELETAL INJURIES

### Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given


Units =


Arterial Blood Gas#s

 $PO_2 =$ 

PCO,


HCO






# OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

ministration		TEDESTINAT STAGE DATA S. S.
		OFFICIAL DECORDS
		OFFICIAL RECORDS
1 Drivery Complian Linit Number	X 🔿	

1. Primary Sampling Unit Number

2. Case Number - Stratum

6 25 B

3. Vehicle Number

0 1

### **VEHICLE IDENTIFICATION**

4. Vehicle Model Year
Code the last two digits of the model year
(99) Unknown

5. Vehicle Make (specify):

OB

Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.

(99) Unknown

6. Vehicle Model (specify):

461

Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown

7. Body Type
Note: Applicable codes may be found on the back of this page.

<u>3</u>7

8. Vehicle Identification Number



Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines

9. Police Reported Travel Speed



Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160)159.5 kmph and above (999)Unknown

 $\frac{0.3}{2}$  mph x 1.6093 =  $\frac{0.04}{2}$  kmph

10. Speed Limit
(000) No statutory limit
Code posted or statutory speed limit
in kmph
(999) Unknown

 $\frac{25}{2}$  mph x 1.6093 =  $\frac{540}{2}$  kmph

11. Police Reported Alcohol Presence For Driver



- (0) No alcohol present
  - (1) Yes alcohol present
  - (7) Not reported
  - (8) No driver present
  - (9) Unknown

 Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)

(95) Test refused

(95) Test refused (96) None given

(97) AC (Alcohol Content) test performed, results unknown

(98) No driver present

(99) Unknown A P

13. Police Reported Other Drug Presence For Driver

P

- (0) No other drug(s) present
- (1) Yes other drug(s) present
- (7) Not reported
- (8) No driver present
- (9) Unknown

14. Other Drug Specimen Test Result For Driver

(0) No specimen test given

(1) Drug not found in specimen

(2) Drug found in specimen (specify):

(3) Specimen test given, results unknown or not obtained

- (8) No driver present
- (9) Unknown

### **CODES FOR BODY TYPE**

### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):\_\_\_\_
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

· VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest  10 kilograms.  (045) Less than 450 kilograms  (610) 6,100 kilograms or more  (999) Unknown    Solution   Solution	18. Impact Speed  — Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160)159.5 kmph and above (999)Unknown
Source:  16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	PRECRASH DATA  21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):
·	(98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.	.) (88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	
This Vehicle Traveling	(98) Other critical precrash event (specify):
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(99) OHNIOWH
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	
(15) Turning left at intersection	(01) No avoidance actions
(16) Turning right at intersection	(O2) Braking (no lockup)
(17) Crossing over (passing through) intersection	(O3) Braking (lockup)
(19) Unknown travel direction	(04) Braking (lockup unknown)
Other Motor Vehicle In Lane	(05) Releasing brakes
(50) Stopped	(06) Steering left
(51) Traveling in same direction with lower speed	(07) Steering right
(i.e., lower steady speed or decelerating)	(08) Braking and steering left
(52) Traveling in same direction with higher speed	(09) Braking and steering right
(53) Traveling in opposite direction	(10) Accelerating
(54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right (98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(33) CHAIDWII
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated (5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway (6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown
•	consoducites diligiowii

	ENVIRONME	MENTAL DATA	
27.	Relation to Junction (0) Non-junction (1) Interchange area	33. Roadway Surface Condition (1) Dry (2) Wet	
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):	
	(6) Unknown type of non-interchange (9) Unknown if interchange	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)	P
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without & B positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):	•
29.	Number of Travel Lanes (1) One (2) Two	<ul> <li>(6) Unknown sign</li> <li>(7) Warning sign (not RR crossing)</li> <li>(8) Miscellaneous/other controls including RR controls (specify):</li> </ul>	_
	<ul> <li>(3) Three</li> <li>(4) Four</li> <li>(5) Five</li> <li>(6) Six</li> <li>(7) Seven or more</li> <li>(9) Unknown</li> </ul>	(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning	D
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	(2) Functioning (9) Unknown  36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted	5
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag	(4) Dawn (5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving	<u>}</u>
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown	r
	(9) Unknown	·	

4, <b>*</b>		
	196	
A CONTRACTOR OF THE CONTRACTOR	82-625	
		s, · · ·
	u/B == N sido A7 yof	
	b1x2 P.12	
	3 mph 135#	
	coat in L-tt ar	
	0,5 m = 1.6 ft Remained stand	1,-
	0,60	
,	V = 728 fg	
	V=7(2)(1,6)(0,6)(32,2)	
	= 761.8	1
	= 7,8+PS = 5 mpl = 9 KBh	i
· · · · · · · · · · · · · · · · · · ·		
		***
Processor Control of the Control of		
· · · · · · · · · · · · · · · · · · ·		:
,		•
		· ·
1 13		
		į.

-54

yerran and the



National	Highway	Traffic	Safety
Adminina			•

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number

3. Vehicle Number

2. Case Number - Stratum

### **VEHICLE IDENTIFICATION**

VIN LGBEG25KON7

Vehicle Make (specify):

Vehicle Model (specify):

## PEDESTRIAN FRONT CONTACT WORK SHEET

**PEV06 Hood Material** 

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Q37,	cn

cm

cm

cm

#### **VERTICAL MEASUREMENTS**

PEV16	Front	<b>Bumper-Bottom</b>	Height
-------	-------	----------------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

0	39	cm
0	<u>(a 0</u>	

cm cm

### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm


cm

cm

cm

HS Form 0435K (Rev. 7/94)

## **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front exies) from the ground:

91.

National Accident Sampling System-Crashworthiness D	
VIN 1 G B E G 2 5 KO N  Vehicle Make (specify): Weeld	VIO
Hood Widths  Rear Opening 59  Midway 59  Forward Opening 58	Hood Material  Front Bumper Cover Material  Front Bumper Reinforcement Material  Bourles Shed  Hood Length
WRAP Top Windshield Base  Wood Hood Wood Hood  Went to Con Hood  W	VERTICAL  VERTICAL  191  191  191  Locate the pedestrian contacts from the intercept point of the contentine
(lateral) and the front enter thoughtudinal) in commuters. Armitelia the book, direction of establishin bouff on eldowalin confi.  Location of the origin (intercept point of the centedine and the front	white residence within a might are broaded in reconstructing the accusers for all graces in

J

District of the



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground.

PEDESTRIAN SIDE CONTACT WORK SHE	ET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width Rear Opening	cm
VEDTICAL MEACUIDEMENTO	
VERTICAL MEASUREMENTS  PEV26 Ground Clearance	,
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground/to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm
•	

# **ORIGINAL SPECIFICATIONS**

	\ \ \ C						
Wheelbase	125.	inches	X	2.54	=	318	:m
Overall Length	303 3	inches	x	2.54	=	514	m
Maximum Width	795	inches	x	2.54	=	202	m
Curb Weight who	37 19	pounds	X	. 4536	=	1,805 k	g
Average Track	-B/8:-	inches	x	2.54	=	c	m
Front Overhang	_>-:-	inches	x	2.54	=	c	m
Rear Overhang		inches	x	2.54	=	c	m
Undeformed End Width		inches	x	2.54	=	c	m
Engine Size: cyl./displ.		сс	x	.001	=	·•	L
		CID	x	.0164	=		L

# VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:

POINTS OF PEDESTRIAN CONTACT

CONTACT CONTACTED LOCATION LOCATION CONTACTED CODE OQ (7) CHITMETERS BOOV REGION  1	CONFIDENCE LEVEL OF CONTACT POINT
CODES FOR COMPONENTS CONTACTED  CODES FOR COMPONENTS CONTACTED	(Circle)
2   2   3   5   5   5   6   6   7   7   7   7   7   7   7   7	1 2 3 9
CODES FOR COMPONENTS CONTACTED    S	(1 2 3 9
CODES FOR COMPONENTS CONTACTED  Wheels / tires  744 B piller  745 C piller  746 D piller  747 C piller  748 D piller  748 D piller  748 Other piller (specify):  749 Right side reef rail  749 C Other wheel/tire (specify):  749 Right side reef rail  749 Other wheel/tire (specify):  749 Other wheel/tire (specify):  740 Other wheel/tire (specify):  741 D piller  742 D piller  743 N D piller  744 D piller  745 D piller  746 D piller  747 D piller  748 Other piller (specify):  749 Right side reef rail  749 Other wheel/tire (specify):  749 Other wheel/tire (specify):  749 Other wheel/tire (specify):  740 Other wheel/tire (specify):  741 D piller  742 D piller  743 N D piller  744 D piller  745 D piller  746 D piller  747 D piller  748 D piller  748 D piller  748 D piller  749 Right side reef rail	1)(2)(3) 0
CODES FOR COMPONENTS CONTACTED    FRONT	<del>                                     </del>
CODES FOR COMPONENTS CONTACTED    FRONT	1 2 3 9
CODES FOR COMPONENTS CONTACTED  CODES FOR COMPONENTS CONTACTED  TAS A2 piller TAS piller	1 2 3 9
CODES FOR COMPONENTS CONTACTED  CODES FOR COMPONENTS CONTACTED  TO Front bumper To Front Lower valance/spoiler To Front Lower valance/spoiler To Front grille To Hood edge and/or trim To Front Lower valance/spoiler To Front grille To Front	1 2 3 9
CODES FOR COMPONENTS CONTACTED    FRONT	1 2 3 9
CODES FOR COMPONENTS CONTACTED    FRONT	1 2 3 9
CODES FOR COMPONENTS CONTACTED  TA3 A2 piller TA4 B piller TA5 C piller TA5 C piller TA6 C piller TA7 C piller TA8 D piller	1 2 3 9
FRONT  743 A2 piller  744 B piller  745 C piller  750 Front bumper  750 Front Lower valance/spoiler  750 Front I Lower valance/spoiler  750 Front grille  750 C piller  750 D piller  750 C piller  750 D piller  750 C piller  750 D piller  750 C piller  750 C piller  750 D piller  750 C piller  750 D piller  750 C piller  75	1 2 3 9
744 8 piller 790 Left front wheel/tire 700 Front bumper 745 C piller 791 Right front wheel/tire 701 Front Lower valance/spoiler 748 D piller 792 Left rear wheel/tire 702 Front grille 748 Other piller (specify): 793 Right rear wheel/tire 703 Hood edge and/or trim 749 Right side reef rail 798 Other wheel/tire (specify)	
700 Front bumper 745 C piller 791 Right front wheel/tire 701 Front Lower valance/spoiler 748 D piller 762 Left rear wheel/tire 702 Front grille 748 Other piller (specify): 783 Right rear wheel/tire 703 Hood edge and/or trim 749 Right side reef rail 789 Other wheel/tire (specify	
701 Front Lower valance/spoiler 748 D piller 792 Left rear wheel/tire 702 Front grille 748 Other piller (specify): 793 Right rear wheel/tire 703 Hood edge and/or trim 749 Right side reef reil 798 Other wheel/tire (specify	
702 Front grille 748 Other piller (specify): 783 Right rear wheel/tire 703 Hood edge and/or trim 749 Right side reef reil 798 Other wheel/tire (specify	
And influt sens that less 1880 All All All All All All All All All Al	• .
704 Hand amount (Gurd)	):
704 Hood ernament (fixed) 750 Right side deor surface 799 Unknown wheel/tire 705 Hood ornament (spring loaded) 751 Door handle	
706 Headlight 752 Right side mirror fixed housing Undercarriage components	
707 Retractable headlight door (Open/Closed) 753 Right side folding mirror 800 Front crossmember	
708 Turn signal/parking lights 754 Right side glazing forward of B piller 801 Steering assembly/Front 718 Other front or add on object 755 Right side glazing rearward of B piller 802 Oil nam	suspension
718 Utner front or add on object 755 Right side glazing rearward of B piller 802 Oil pan (specify): 756 Rear antenna 803 Exhaust system pipe	
719 Unknown front object 757 Rear fender or quarter panel 804 Transmission	
758 Other right side object (specify): 805 Drive shaft	
Left Side Components 759 Unknewn right side component 806 Catalytic converter	
720 Front fender side surface Back Components 808 Figure 908 Figure 909 Figur	
721 Front antenna 809 Fuel tank	
722 A1 piller 780 Rear (back) humaer 910 Rear supposition	
723 A2 piller 781 Teilgete 818 Other undercarriage comp	ionent
705 C - H	<b>–</b>
725 C piller 788 Other back component (specify): 919 Unknown undercarriage c 728 D piller 789 Unknown back component	omponent
728 Other piller (specify):	•
728 Left side roof rail Top Components 820 Air scoop, deflector	
731 Days handle 821 Cellular or CB radio anter	nna
732 Left side mirror fixed housing 771 Heed surface reinferced by underheed compenent 823 Feg lights	
733 Left side folding mirror  772 Frent fender tee surface  824 Lugages, ski or hike racio	t .
734 Left side glazing forward of B piller 773 Cowl area 825 Cargo (specify):	<u></u> :
735 Left side glazing rearward of B pillar 774 Wiper blade & mountipgs 828 Spare tire	<del></del>
727 Para antique de la constant de l	
737 rear antenna 776 Frent heeder 828 Other accessory (specify): 777 Reef surface	
738 Unknown left side component 778 Backlight glazing Other Object or Vehicle in Environm	
779 Rear header 848 Other object in environmen	
Right Side Components 790 Hetchbeck (specify):	nent
740 Frent fender side surface 788 Other top compenent (specify): 959 Unknewn object in enviror	nent nt
740 Front tender size surface 788 Other top component (specify): 959 Unknown object on contact injury source . 997 Noncontact injury source	nent nt

742 A1 piller

VEHICLE DIMENSIONS	1 - 0
010	11. Hood Width Rear Opening  Code to the
4. Original Wheelbase $3 1 8$	nearest centimeter
Code to the	(210) 210 centimeters or more
	(999) Unknown
(999) Unknown	(SSS) SIIKIISWII
125 inches X 2 54 = centimete	inches X 2.54 = centimeters
inches X 2.54 = cantinpate	re centimeters
(AUU)	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian
Code to the	(0) Not damaged
nearest centimeter	
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimete	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is
	from pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	12 Windshield Control ( ( ) )
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (2)
(1) OEM footomy installed head	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	
(2) OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(2) OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length — Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown — inches X 2.54 = centimeter  9. Hood Width Forward Opening	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stool Standard (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length — Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown — inches X 2.54 = centimeter  9. Hood Width Forward Opening	TRONT CONTACT DAMAGE  FRONT Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stool Stanles (9) Unknown  15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	TRONT CONTACT DAMAGE  Front Vertical Messurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stanton (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Messurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Messurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stantage (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stool Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Messurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stool Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  FRONT Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stool Standard (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Messurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stool Skulls (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  FIGHT Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Shool Skuller (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height — Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

Natio	onal Accident Sampling System-Crashworthiness Da	ta System: Pedestrian Exterior Vehicle Form
17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
4.0	inches X 2.54 = centimeters	inches X 2.54 = centimeters
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
•••••		Side Vertical Measurements
	Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
•	Ground to Front/Top Transition Point  Code to the nearest centimeter  (000) No front contact  (180) 180 centimeters or more  (999) Unknown  inches X 2.54 = centimeters	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
- (	Ground to Rear Hood Opening Code to the nearest centimeter 000) No front contact 400) 400 centimeters or more 999) Unknowninches X 2.54 = centimeters	28. Side Bumper-Top Height  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
•		inches X 2.54 = centimeters

(150) 150 centimeters or more at Bot (999) Unknown (000)	Side Lateral Measurements
nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown (000)	00.0
(000) No side contact (150) 150 centimeters or more (999) Unknown (000)	$\alpha \sim 1$
(000) No side contact (150) 150 centimeters or more (999) Unknown (000)	(' )( )) ( ))
(150) 150 centimeters or more at Bot (999) Unknown (000)	erline to A-Pillar
(999) Unknown (000)	ettom of Windshield
	No side contact
inches V 2 54	Code to the
	nearest centimeter
centimeters (250)	
	250 centimeters or more
(999)	Unknown
30. Top of Tire	
•	inches X 2.54 = centimeters
	cantimeters
nearest centimeter	<b>~ ^</b>
(000) No side contact	
(200) 200 centimeters or more 36. Cente	erline to A-Pillar
(999) Unknown at Top	p of Windshield
	Code to the
<b> </b>	
	nearest centimeter
	No side contact
$\bigcirc \qquad \bigcirc \qquad [250]$	250 centimeters or more
	Unknown
	CHRIOWII
Code to the	
nearest centimeter	inches X 2.54 = centimeter
(000) No side contact	
	$\bigcap_{i \in I} \bigcap_{j \in I} \bigcap_{i \in I} \bigcap_{j \in I} \bigcap_{j \in I} \bigcap_{i \in I} \bigcap_{j \in I} \bigcap_{j \in I} \bigcap_{j \in I} \bigcap_{i \in I} \bigcap_{j \in I} \bigcap_{j$
(250) 250 centimeters or more	$(2)(2) \setminus 1$
	rline to Maximum Side
View !	Mirror Protrusion
inches X 2.54 = centimeters	Code to the
Continueters	nearest centimeter
	No side contact
52. Buttom of A-Pillar at Windshield (200)	
	300 centimeters or more
nearest centimeter (999)	Unknown
(000) No side contact	
	inches X 2.54 = centimeter
(250) 250 centimeters or more	
	· centimeter
(250) 250 centimeters or more	cenumeter
(999) Unknown	—— <del>—</del>
(999) Unknown	ie Wrap Distance Measurements
(999) Unknown	—— <del>—</del>
(999) Unknown inches X 2.54 = centimeters	de Wrap Distance Measurements
(999) Unknown inches X 2.54 = centimeters	de Wrap Distance Measurements
(999) Unknown  inches X 2.54 = centimeters  33. Top of A-Pillar at Windshield  38. Ground	de Wrap Distance Measurements  d to Side/Top Transition
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the  38. Ground	de Wrap Distance Measurements  d to Side/Top Transition  Code to the
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at WindshieldCode to thenearest centimeter  38. Ground(200)	d to Side/Top Transition Code to the nearest centimeter
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the     nearest centimeter (000) No side contact  (999) Unknown  38. Ground  (000) No side contact	d to Side/Top Transition Code to the nearest centimeter No side Contact
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at WindshieldCode to the     nearest centimeter (000) No side contact  (999) Unknown  38. Ground  (000) No side contact	d to Side/Top Transition Code to the nearest centimeter No side Contact
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the	d to Side/Top Transition Code to the nearest centimeter No side Contact
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield  Code to the	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  38. Ground (000) f (400) f (400) f (999) U	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield  Code to the	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  38. Ground (000) f (400) f (400) f (999) U	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknowninches X 2.54 =centimeters
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeters  34. Top of Side View Mirror  39. Ground	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknowninches X 2.54 =centimeters It to Hood Edge
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknowninches X 2.54 =centimeters d to Hood Edge Code to the
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknowninches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact 500 centimeters or more
(999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =centimeters  34. Top of Side View MirrorCode to thecode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  38. Ground (400) 4 (999) U	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact 500 centimeters or more Unknown
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at WindshieldCode to theerest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =centimeters  34. Top of Side View MirrorCode to thecode to thecode to the(000) No side contact (300) 300 centimeters or more (999) Unknown  39. Ground (000) No side contact	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknowninches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact 500 centimeters or more
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at WindshieldCode to theerest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =centimeters  34. Top of Side View MirrorCode to thecode to thecode to the(000) No side contact (300) 300 centimeters or more (999) Unknown  39. Ground (000) No (500) Side (999) Unknown	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact 500 centimeters or more Unknown
(999) Unknown inches X 2.54 =centimeters  33. Top of A-Pillar at WindshieldCode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknowninches X 2.54 =centimeters  34. Top of Side View MirrorCode to thecode to thenearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  38. Ground (400) 4 (999) U	d to Side/Top Transition Code to the nearest centimeter No side contact 400 centimeters or more Unknown inches X 2.54 =centimeters d to Hood Edge Code to the nearest centimeter No side contact 500 centimeters or more Unknown

	The state of the s	ita System: Pedestrian Exterior Vehicle Form	Page 9
40.	Ground to Centerline of Hood (Origin)  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more		,
41.	(999) Unknown  inches X 2.54 = centimeters  Ground to Head Contact Code to the nearest centimeter		
	(000) No side contact (800) 800 centimeters or more (999) Unknown		
	inches X 2.54 = centimeters	·	
	•		
	·	•	
		•	
		·	
		·	
•			



82625P00000011 958.050000000000121210100001 95000000000 

82625P00010012 958.0510000000000113F72000

82625P00010021 8.05 000000004721734909214206111062001210991309600100000001

1010000000001

82625P00010131 8.05 00000000077904021270311322

82625P01000041

8.05 0000000009220461211GBEG25KON 00504009600180000000

92111313022501221210051

82625P01000051 8.05 000000003189991103715815815900430390601060810612115516

0000000000000

PSU82

CASE 625P

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

- The real Property lies			
	1	9	E.
4.5	•	•	w

FORM NAME	NUMBER DOLLAR	OF L	UMBER OF EVEL 1 RRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0		0	. 0	Y
Pedestrian Assessment	Ô		Ô	Ō	Ý
Pedestrian Injury	0		0	Ö	Ý
Pedestrian General Vehic	le O		0	0	Y
Pedestrian Exterior Vehi	cle O		0	O	Υ
Total Inter Errors			0	0	
Total Case Errors	O	,	O	o	