



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE (800) 424-9393 Wash. D.C. Area 366-0123 PSU 82 CASE NO. 650P TYPE OF ACCIDENT Car / Pedestrian running at angle

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle one was norhtwest bound in lane 1 of a 5 lane two way street approaching an intersection. A pedestrian was running eastbound in a crosswalk at the intersection. An unknown vehicle was able to stop in lane 2 to avoid the pedestrian, but as he ran into lane 1 the front left corner of V1 struck the pedestrian on his right side and from behind. The pedestrian wrapped into the left side of the windshield and A-Pillar before falling off the left side of V1. Vehicle one was able to come to a stop on the other side of the intersection and the pedestrian was found on the ground near the driver's door.

				B. PED	ESTRIAN PR	OFILE				
	Pedestrian			Treatment/			Most Severe Injury BE COMPLETED BY ZONE CENTER)			
No	No. A		Sex	Mortality	Body Region	dy Region Ana. Struc.		Injury Source		
01	1	28	Male	Hospitalized	Head	Brain	3	A pillar .		
Bod	ly Regio	n		Туре	of Anatomic Stru	ucture		Abbreviated Injury Scale		
Face Thro Che Abd Spin Upp Low	Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External			Whole Vesse Nerve Organ Skele Head- Skin-C Skin-C	ols s tal LOC Burn Dther			 Minor injury Moderate injury Serious injury Severe injury Severe injury Critical injury Maximum (untreatable) Injured, unknown severity 		
				C. V	EHICLE PRO	FILE				
		Class			Most Severe Dam Based on Vehicle Inst			-		
Vehicle No.	l ot			Year/Make/Model	Damage Plane		amage scriptio			
01	01 Intermediate		e 91/Do	dge/Dynasty	Front Moderate		: Dents to'hood Cracked winshield			
				DO NOT	SANITIZE THIS	S FORM				

in the second second





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 8	>	Case	e Number	r-Stratum <u>650</u> <u>P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA C	OLLECTION		SCALED DIAGRAM
 document reference point and reference line relative to physical features 	Surface Type	Bituminas	* no	orth arrow placed on diagram
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	<u>Inol</u>		ade measurements for all applicable adways
a) vehicle skid marks	Coefficient of Fric	tion <u>-50</u>		aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object			a)	crosswalks, curb/edge lines, lane markings, medians, pavement markings,
	Grade (v/h) Meas	-7/17 4		parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	n /		all traffic controls (e.g., lights, signs)
 d) location of pedestrian separation point from vehicle 	b) between final res	$\frac{1}{5}$	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either.
 final resting points (FRP) for pedestrian and vehicle 	Pedestrian Trave		a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Di	irection North Kas	V b)	reconstructed accident dynamics
 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, 	Number of Trave	1 Lanes		
signs, etc.)				
b) all traffic controls (e.g., lights, signs)	-P		- 1 (
Reference Point: Lund Pole	aD	Reference Line:	001	unt tilge
Sit. Comen				
		Distance and Direct	tion	Distance and Direction
Item		from Reference Po	oint	from Reference Line
~ POI of Ped		205		3.3 W
~ Final Root of VI.		15.0 N		
V				
	<u></u>		·/·	

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

- en al literation and adapted to an interaction of groups of

.

U.S. Department of Transportation

National Highway Traffic Safety PED Administration	ESTRIAN A	CCIDENT FO	ORM	NATIONAL ACCIDENT SAMPLIN PEDESTRIAN CRASH DA	
1. Primary Sampling Unit Number	82	SPECIA	AL STU	JDIES - INDICATORS	
2. Case Number - Stratum	<u>650 p</u>	has been com	npleted;	al study (SS15-SS19 below code 1 for the checked s	special
IDENTIFICATION		studies and 0 i	or the s	pecial studies not checked.	
3. Number of General Vehicle Forms Submitted	0 1	6SS15	Adminis	strative Use	오
Forms Submitted	5	7 ∠ SS16	Pedest	rian Crash Data Study	1
4. Date of Accident (Month,Day,Year)		8SS17	Impact	Fires	_0_
5. Time of Accident $\sum_{i=1}^{n} \frac{1}{2}$	953	9SS18			٩
Code reported military time of acci NOTE: Midnight = 2400 Unknown = 9999	dent.	10SS19			٩
Unknown – 9999		N	IUMBE	ER OF EVENTS	
		11. Number of F in This Acci		d Events	0_1
PE	DESTRIAN S	TUDY CRITER	RIA		
Pedestrian Definition:					

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case. \checkmark_{α} e.

The first point of contact between the late model year,	CDS applicable vehicle an	the pedestrian mus	t be forward of the
top of the A pillar.	- DOA Leve	she in form	Aire PEV 04

		PEDESTRIAN	ACCIDEN	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14. 03	15. <u>F</u>	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase \ge 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase \geq 278 but < 291 cm)
- (05) Largest (wheelbase \geq 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (\leq 4,500 kgs GVWR)
- (15) Pickup truck (\leq 4,500 kgs GVWR)
- (18) Other truck (\leq 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

(F) Front

- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021 NATIONAL ACCIDENT SAMPLING SYSTEM

193.57

dministration		
1. Primary Sampling Unit Number	82	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum	<u>650</u> P	kilogram. (999) Unknown
3. Pedestrian Number	_0_1	<u>∂</u> pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTER		PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
 4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by m (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st- (4) Female - pregnant-2nd trimester (4th- (5) Female - pregnant-3rd trimester (7th- (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 999) Unknown 9999) Unknown 999) Unknown 	$\frac{1}{3 \text{ rd month}}$ $\frac{3 \text{ rd month}}{-6 \text{ th month}}$ $\frac{1}{9 \text{ th month}}$ $\frac{1}{3}$ $\frac{1}{3}$ $\frac{4}{9}$ \frac	11. Pedestrian Attitude 1 (1) Standing 2 (2) Crouching 3 (3) Kneeling 4 (4) Bending at waist 6 (5) Other (specify):

HS Form 435H (7/95) This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate and timely.

PEDESTRIAN'S AVOIDANCE ACTIONS

- 15. Pedestrian's First Avoidance Actions (00) No avoidance actions

- (01) Stopped
- (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle(06) Turned away from vehicle
- (07) Dove or fell away

Used hand(s) to :

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
 (98) Other (specify): ______
- (99) Unknown

PEDESTRIAN'S ORIENTATION AT IMPACT

16. Pedestrian's Head Orientation at Initial Impact

- (1) To front
- (2) To left
- (3) To right
- (4) Up
- (5) Down
- (8) Other (specify):
- (9) Unknown

17. Pedestrian's Body (Chest) Orientation at Initial Impact

- (1) Facing vehicle
- (2) Facing away
- (3) Left side to vehicle
- (4) Right side to vehicle
 (8) Other (specify): Such Such as the second seco
- (9) Unknown

- 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle

 - (17) Foot or legs run over
 - (98) Other (specify):_____
 - (99) Unknown

National Accident Sampling System-Crashworthiness Data System: Pedestrian Assessment Form

OFFICIAL RECORDS INJURY CONSEQUENCES 21. Police Reported Alcohol Presence 25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident 22. Alcohol Test Result For Pedestrian (9) Unknown Code actual value (decimal implied 26. Treatment - Mortality (0) No treatment

(1) Fatal

Nonfatal

- (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given
- 23. Police Reported Other Drug Presence For Pedestrian
 - (0) No other drug(s) present
 - Yes other drug(s) present
 Not reported
 - (9) Unknown

Source:

For Pedestrian

(7) Not reported

(9) Unknown

(0) No alcohol present

before first digit-0.xx) (95) Test refused

(96) None given

(1) Yes alcohol present

- 24. Other Drug Specimen Test Result
 - For Pedestrian
 - (0) No specimen test given
 - (1) Drug not found in specimen
 - (2) Drug found in specimen,
 - (specify): <u>Cocaine</u> (3) Specimen test given,
 - results unknown or not obtained (9) Unknown

27. Type Of Medical Facility

(4) Transported and released

(8) Treatment - other (specify):

(5) Treatment at scene - non-transported

(for Initial Treatment)

(3) Hospitalization

(6) Treatment later

(0) Not treated at a medical facility

(2) Fatal - ruled disease (specify):

(1)Trauma center

(9; Unknown

- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):_____
- (9) Unknown
- 28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital.
 - (61) 61 days or more
 - (99) Unknown

29. Working Days Lost

- Code the number of days (up through 60) that the pedestrian
- lost from work due to the accident (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

Page 3



S. Department o	of Transporta	ation									rm Appro M.B. No. 3	
National Highway Traffic Safety Administration			F	PEDESTRIAN INJURY FORM				RM ∾		ACCIDENT		
1. Primary	Sampling	Unit Nı	umber	2	89	3. 1	Pedestrian	Number				0_1
2. Case Nu	mber - St	ratum		<u> 6 </u>	<u>30 p</u>	4. 1	Blank					<u>x x</u>
					INJUR	Y DA	ГА					
								OGICAL or				
official and	d unofficia ources. If	al data s	ources. F than twen	Remembe	er not to d	louble c	ount an in	OGICAL or jury just be I, encode th	cause it	was ide	ntified f	rom tw
official and different set	d unofficia ources. If nt.	al data s greater t	ources. f than twen AIS-90	Remembe	er not to d	louble c	ount an in	jury just be	cause it le balanc	was ide	ntified f Pedestri	rom tw
official and different so Supplemen	d unofficia ources. If nt. Body Ar	al data s	ources. F than twen	Remembe	er not to d juries have A.I.S.	louble c	ount an in	jury just be I, encode th Injury	cause it	was ide	ntified f	rom tw an Inju
official and different so Supplemen Source of Injury Data	d unofficia ources. If nt. 	al data s greater t Type of natomic tructure	AIS-90 Specific Anatomic Structure	Remembe nty-five inj Level of Injury	er not to d juries have A.I.S. Severity A	louble c e been d Aspect	ount an in ocumented Injury Source	jury just be l, encode th Injury Source Confidence	cause it e balanc Direct/ Indirect Injury	was ide e on the Striking Profile	ntified f Pedestri Type Of Damage	rom tw an Inju Damage Depth

48.

61.

74

87.

HS Form 0435I (10/95)

32. 1

46.

59.

72.

85.

98.

124. 125. ____

60.

73.

86.

99.

45.

58.

71.

84.

97.

123.

31

57.

70.

83.

96.

3rd

4th

5th

6th

7th

8th

9th

10th 122.

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

33. <u>4</u> 34. <u>0</u> <u>6</u> 35. <u>0</u> <u>6</u> 38. <u>37. 1</u> 38. <u>722</u> 39. <u>1</u> 40. <u>1</u> <u>34. <u>2</u> <u>42. <u>2</u> <u>43. <u>2</u></u></u></u>

52.

65.

78.

91.

53.

66.

79.

92.

105. ____

54.

67.

80.

93.

131. ____ 132. ___ 133. _

55.

68.

81.

94.

106. ____ 107. ____ 108.

56.

69._

82.

95

134.

1.11

51.

64.

77.

90.

50.

63.

76.

89.

___ 100. ____ 101. ___ 102. ___ 103. _____ 104. ___

109. 110. 111. 112. 113. 114. 115. 116. 117. 117. 118. 119. 120. 120. 121.

___126. ____ 127. ___ 128. ___ 129. ____ 130. ___

49.

62.

75.

88.

PEDESTRIAN INJURY DATA

| _ | | <u> </u> | | 09-SIA | | | | | Injury | | | | |
|-------|--|-----------------------|----------------------------------|-----------------------------------|---------------------------------------|--------------------|--------|------------------|-------------------------------|-------------------------------|---------------------|----------------------|-----------------|
| | Source
of Injury
Data | Body
Region | Type of
Anatomic
Structure | Specific
Anatomic
Structure | Level of
Injury | A.I.S.
Severity | Aspect | Injury
Source | Source
Confidence
Level | Direct/
Indirect
Injury | Striking
Profile | Type
Of
Damage | Damage
Depth |
| | | | | | | | | | | | | | |
| l 1th | a de la composición
de la composición
de la composición de | land
Marine Marine | | | | | | | | | | | |
| 12th | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 13th | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 4th | | | | | | | | | | | | | |
| l 5th | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 6th | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | | | | | | | | | | | | | |
| 7th | <u> </u> | | | | | | | | | | | | |
| Gab | | | | | | | | | | | | | |
| l 8th | |
 | | | | | | | | | | | |
| 9th | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 20th | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 21st | | | | | | | | | | | | | |
| 2nd | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 23rd | | | | | | | | | | · · · · · · | | | |
| | | | | | | | | | | | | | |
| 24th | | | | | | | | | | | | | |
| 25th | | | | | | | | | | | | | |

uure sugateria ur e neoriest essentateriaties

| SOURCE OF INJURY DATA
OFFICIAL
(1) Autopsy records with or without hospital/
medical records
(2) Hospital/medical records other than
emergency room (e.g., discharge
summary)
(3) Emergency room records only (including
associated X-rays or other lab reports)
(4) Private physician, walk-in or emergency
clinic
UNOFFICIAL
(5) Lay coroner report
(6) E.M.S. personnel
(7) Interviewee
(8) Other source (specify): | INJURY SOURCE CONFIDENCE LEVEL (1) Certain (2) Probable (3) Possible (3) Unknown DIRECT/INDIRECT INJURY (1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source STRIKING PROFILE (0) Injury not from vehicle contact (1) Flat-Narrow (<15 centimeters) (2) Flat-Wide (≥ 15 centimeters) (3) Rounded (contoured) (4) Rounded edge (5) Sharp edge (8) Other (specify): | TYPE OF DAMAGE (0) Injury not from vehicle contact (1) No damage/contact (2) Scratch (Scuff, Cloth Transfer,Smear) (3) Dent (4) Large deformation (5) Cracked, fractured, shattered (6) Separated from vehicle (7) Noncontact injury (8) Other specify: (9) Unknown DAMAGE DEPTH (0) Injury not from vehicle contact (1) No residual damage (2) Surface only damage (3) Crush depth >0 to 2 centimeters (4) Crush depth >2 to 5 contimeters (5) Crush depth >5 to 10 centimeters |
|---|--|--|
| (9) Police | (9) Unknown | (8) Other specify:(9) Unknown |
| | PEDESTRIAN INJURY CLASSIFICATION | |

Body Region

Head

- Face (3) Neck
- (4) Thorax
- (5) Abdomen
- (6) Spine
- Upper Extremity (7)
- (8) Lower Extremity
- (9) Unspecified

Type of Anatomic Structure

- (1)Whole Area
- (2) Vessels
- Nerves (3)
- Organs (includes muscles/ (4)
- ligaments) Skeletal (includes joints) (5)
- Head LOC (6)
- (9)Skin

Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving Injury - NFS Specific Trauma, other than mechanical

Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion

Specific Anatomic Structure

(08)

(50)

(90)

Spine (02) Cervical (04) Thoracic (06) Lumbar

Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

injuries are assigned two-digit consecutive numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Wheels / tires

790 Left front wheel / tire

793 Right rear wheel /tire 798 Other wheel / tire (specify):

799 Unknown wheel / tire

Undercarriage components

802 Oil pan

807 Muffler

808 Floor pan

809 Fuel tank

823 Fog lights

826 Spare tire

827 Spotlight

947 Ground

825 Cargo (specify):

Accessories

800 Front crossmember

803 Exhaust system pipe

806 Catalytic converter

810 Rear suspension

(specify):

820 Air scoop, deflector

821 Cellular or CB radio antenna

822 Emergency lights or bar

824 Luggage, ski, or bike rack

828 Other accessory (specify):

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

Other Object or Vehicle in Environment

949 Unknown object in environment

959 Unknown object on contacting vehicle

804 Transmission

805 Drive shaft

801 Steering assembly/Front suspension

818 Other undercarriage component

819 Unknown undercarriage component

791 Right front wheel / tire 792 Left rear wheel / tire

Abbreviated Injury Scale

- (1) Minor injury
- Moderate injury (2)
- (3) Serious injury (4) Severe injury
- (5) Critical injury
- (6) (7) Maximum (untreatable)
- Injured, unknown severity

Aspect

- (1)Right Left
- (2) (3) Bilateral
- Central
- (4) (5) Anterior
- (6) Posterior
- (7) Superior Inferior
- (8)
- (9) Unknown (O)
- Whole region

FRONT

700 Front bumper 701 Front lower valance/spoiler

- 702 Front grille
- 703 Hood edge and/or trim
- 704 Hood ornament (fixed)
- 705 Hood ornament (spring loaded)
- 706 Headlight
- 707 Retractable headlight door (Open/Closed)
- 708 Turn signal/parking lights
- 718 Other front or add on object
- (specify):
- 719 Unknown front object

Left Side Components

- 720 Front fender side surface
- 721 Front antenna
- 722 A1 pillar
- 723 A2 pillar
- 724 B pillar
- 725 C pillar
- 726 D pillar
- 728 Other pillar
- (specify):
- 729 Left side roof rail
- 730 Left side door surface
- 731 Left side door handle
- 732 Left side mirror fixed housing
- 733 Left side folding mirror
- 734 Left side glazing forward of B pillar
- 735 Left side glazing rearward of B pillar
- 736 Left side back fender or quarter panel
- 737 Rear antenna
- 738 Other left side object
- (specify): 739 Unknown left side component
- **Right Side Components**
- 740 Front fender side surface
- 741 Front antenna
- 742 A1 pillar
- 743 A2 pillar

745 C pillar 746 D pillar

744 B pillar

- 748 Other pillar (specify):
- 749 Right side roof rail
- 750 Right side door surface
- 751 Right side door handle
- 752 Right side mirror fixed housing
- 753 Right side folding mirror
- 754 Right side glazing forward of B pillar

INJURY SOURCE

- 755 Right side glazing rearward of B pillar
- 756 Rear antenna
- 757 Rear fender or guarter panel
- 758 Other right side object
- (specify):

759 Unknown right side component

Back Components

- 760 Rear (back) bumper
- 761 Tailgate

(specify):

770 Hood surface

773 Cowl area

776 Front header

777 Roof surface

779 Rear header

780 Hatchback 781 Rear trunk lid

component

775 Windshield glazing

778 Backlight glazing

772 Front fender top surface

774 Wiper blade & mountings

788 Other top component (specify):

789 Unknown top component

Top Components

762 Hatchback, vertical surface 768 Other back component

769 Unknown back component

771 Hood surface reinforced by under hood

OFFICIAL INJURY DATA – SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

Page 2

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

___ No Yes

1

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

Page 3

OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

2,140606.3,1 Contrision)anterior parietal





CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):

(09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):

(29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR) (60) Step van (> 4,500 kgs GVWR)

- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type



Page 3

le ·

- 23. Critical Precrash Event This Vehicle Loss of Control Due To: (01) Blow out or flat tire (02) Stalled engine (03) Disabling vehicle failure (e.g., wheel fell off) (specify): (04) Non-disabling vehicle problem (e.g., hood flew up) (specify): (05) Poor road conditions (puddle, pot hole, ice, etc.) (specify): (06) Traveling too fast for conditions (08) Other cause of control loss (specify): (09) Unknown cause of control loss This Vehicle Traveling (10) Over the lane line on left side of travel lane (11) Over the lane line on right side of travel lane (12) Off the edge of the road on the left side (13) Off the edge of the road on the right side (14) End departure (15) Turning left at intersection (16) Turning right at intersection (17) Crossing over (passing through) intersection (19) Unknown travel direction Other Motor Vehicle In Lane (50) Stopped (51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating) (52) Traveling in same direction with higher speed (53) Traveling in opposite direction (54) In crossover (55) Backing (59) Unknown travel direction of other motor vehicle in lane Other Motor Vehicle Encroaching Into Lane (60) From adjacent lane (same direction) - over left lane line (61) From adjacent lane (same direction)—over right lane line (62) From opposite direction-over left lane line (63) From opposite direction—over right lane line (64) From parking lane (65) From crossing street, turning into same direction (66) From crossing street, across path (67) From crossing street, turning into opposite direction (68) From crossing street, intended path not known (70) From driveway, turning into same direction (71) From driveway, across path (72) From driveway, turning into opposite direction (73) From driveway, intended path not known (74) From entrance to limited access highway (78) Encroachment by other vehicle-details unknown Pedestrian or Pedalcyclist, or Other Nonmotorist (80) Pedestrian in roadway (81) Pedestrian approaching roadway
 - (82) Pedestrian-unknown location

- (83) Pedalcyclist or other nonmotorist in roadway (specify):
- (84) Pedalcyclist or other nonmotorist approaching roadway (specify):
- (85) Pedalcyclist or other nonmotorist-unknown location (specify):
- **Object or Animal**
- (87) Animal in roadway
- (88) Animal approaching roadway
- (89) Animal-unknown location
- (90) Object in roadway
- (91) Object approaching roadway
- (92) Object—unknown location
- (98) Other critical precrash event (specify):
- (99) Unknown
- 24. Attempted Avoidance Maneuver
 - (00) No driver present
 - (01) No avoidance actions
 - (02) Braking (no lockup)
 - (03) Braking (lockup)
 - (04) Braking (lockup unknown)
 - (05) Releasing brakes
 - (06) Steering left
 - (07) Steering right
 - (08) Braking and steering left
 - (09) Braking and steering right
 - (10) Accelerating
 - (11) Accelerating and steering left
 - (12) Accelerating and steering right
 - (98) Other action (specify):
 - (99) Unknown
- 25. Precrash Stability After Avoidance Maneuver
 - (1) No avoidance maneuver
 - Tracking
 - Skidding longitudinally-rotation less than 30 (3) degrees
 - Skidding laterally-clockwise rotation (4)
 - Skidding laterally-counterclockwise rotation (5)
 - Other vehicle loss-of-control (specify): (8)
 - (9) Precrash stability unknown
- 26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
 - (0) No driver present
 - (1) No avoidance maneuver
 - Vehicle stayed in travel lane where avoidance (2) maneuver was initiated
 - Vehicle stayed on roadway but left travel lane (3) where avoidance maneuver was initiated
 - Vehicle stayed on roadway, not known if left (4) travel lane where avoidance maneuver was initiated
 - Vehicle departed roadway (5)
 - (6) Avoidance maneuver initiated off roadway
 - (9) Directional consequences unknown

- - (0) No driver present

 - (2)

• ÷ .

Contraction and the contraction of the

Page 4

| | | NTAL DATA |
|------------------|---|---|
| 27. | Relation to Junction
(0) Non-junction
(1) Interchange area | 33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush |
| | Non-Interchange | (4) Ice |
| | (2) Intersection
(3) Intersection-related | (5) Sand, dirt or oil(8) Other (specify): |
| | (3) Intersection-related(4) Drive, alley access related | (9) Unknown |
| | (5) Other non-interchange (specify): | (0) 0 |
| | (6) Unknown twee of non-interchange | 34. Traffic Control Device |
| | (6) Unknown type of non-interchange(9) Unknown if interchange | (0) No traffic control(s) |
| | 1 | (1) Trafficway traffic control signal (not RR crossing) |
| 28. | Trafficway Flow | Pagulatany or Sahaal Zana Sign (Not PR Crossing |
| | Not physically divided (two way traffic) Divided trafficway - median strip without | <i>Regulatory or School Zone Sign (Not RR Crossing</i>
(2) Stop sign |
| | positive barrier | (3) Yield sign |
| | (3) Divided trafficway - median strip with | (4) School zone sign |
| | positive barrier | (5) Other sign (specify): |
| | (4) One way trafficway(9) Unknown | (6) Unknown sign |
| | (S) OTKHOWN | (7) Warning sign (not RR crossing) |
| | 5 | (8) Miscellaneous/other controls including RR |
| 2 9 . | Number of Travel Lanes | control. specify): |
| | (1) One
(2) True | (9) Unknown |
| | (2) Two
(3) Three | (9) Unknown |
| | (4) Four | 1 |
| | (5) Five | 35. Traffic Control Device Functioning 💆 |
| | (6) Six | (0) No traffic control |
| | (7) Seven or more(9) Unknown | (1) Not Functioning
(2) Functioning |
| | (9) Onknown
1 | (9) Unknown |
| | | |
| 30. | Roadway Alignment | |
| | (1) Straight
(2) Curve right | 36. Light Conditions |
| | (2) Curve right(3) Curve left | (2) Dark |
| | (9) Unknown | (3) Dark, but lighted |
| | | (4) Dawn |
| ~ 4 | | (5) Dusk |
| 31. | Roadway Profile <u> </u> | (9) Unknown |
| | (2) Uphill Grade (>2%) | ا |
| | (3) Downhill Grade (>2%) | 37. Atmospheric Conditions |
| | (4) Hillcrest | (1) No adverse atmospheric related driving |
| | (5) Sag
(9) Unknown | conditions
(2) Rain |
| | | (3) Sleet |
| | 2 | (4) Snow |
| 32. | Roadway Surface Type | (5) Fog |
| | (1) Concrete | (6) Rain and fog |
| | (2) Bituminous (asphalt)(3) Brick or Block | (7) Sleet and fog(8) Other (e.g., smog, smoke, blowing sand or |
| | (3) Brick of Block
(4) Slag, gravel or stone | dust, etc.) (specify): |
| | (5) Dirt | (9) Unknown |
| | (8) Other (specify): | |
| | (9) Unknown | |
| | | |

and a second and a The second and a second 82-650 P 196 91 Dody & Dywasty 24 Yom 45 yo m 68" = 518" f = 0.50running POITO FRP=18m=59ft. 20-30mph. Braking - $5 = Vt + \frac{V^2}{2+g}$ $54 = 0, 5V + \frac{\sqrt{2}}{(2)(0,5)(32,2)}$ 54 = 0.5V + 0.03/V2 $0, 0 31 y^2 + 0, 5^{-1} - 5^{-1} = 0$ A=0,03/ 13 = 0,5-6= 5-4 -0 ± 7 62 - 4AC レニ 20 -0,5 + T 0,25 + 6, 708 ~ -0,5-+ 2, 638 (2)(0,031)2,178 t ... = 34,4 fps = 23,4 mph = 38 Kph

| U.S. Department of Transportation
National Highway Traffic Safety PEDESTRIAN
Administration | I EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SY
PEDESTRIAN CRASH DATA S |
|---|--|
| 1. Primary Sampling Unit Number 2 2. Case Number - Stratum 6 | 3. Vehicle Number _0 |
| VEHIC | |
| VIN 1B3×C46RQV | M D
Model Year |
| Vehicle Make (specify): | Vehicle Model (specify): Oynaty |
| PEDESTRIAN FRO | ONT CONTACT WORK SHEET |
| PEV06 Hood Material | Steel |
| PEV08 Hood Length | 110 cm ~ |
| PEV09 Hood Width-Forward Opening | 136 cm- |
| PEV10 Hood Width-Midway | <u> 3</u> cm - |
| PEV11 Hood Width-Rear Opening | 142 cm |
| PEV14 Front Bumper Cover Material | Kubber |
| PEV15 Front Bumper Reinforcement Mater | rial Street |
| VERTIC | CAL MEASUREMENTS |
| PEV16 Front Bumper-Bottom Height | 036 cm- |
| PEV17 Front Bumper-Top Height | 055 cm - |
| PEV18 Forward Hood Opening | OBL cm- |
| PEV19 Front Bumper Lead | <u> <u> </u> <u></u></u> |
| w | /RAP DISTANCES |
| PEV20 Ground to Forward Hood Opening | 049 cm 0- |
| PEV21 Ground to Front/Top Transition Point | ā sīt |
| PEV22 Ground to Rear Hood Opening | |
| PEV23 Ground to Base of Windshield | |
| PEV24 Ground to Top of Windshield | 286 cm~ |
| PEV25 Ground to Head Contact | $\frac{978}{cm}$ cm |
| | |

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 173 cm -





Page 3

يماند العرب بالمالية المالية

PEDESTRIAN SIDE CONTACT WORK SHEET

| PEV06 Hood Material | | ····· |
|---|--------------|-------|
| PEV08 Hood Length | | cm |
| PEV09 Hood Width-Forward Opening | <u></u> | cm |
| PEV10 Hood Width-Midway | | cm |
| PEV11 Hood Width-Rear Opening | | cm |
| VERTICAL MEASUREMENTS | | |
| PEV26 Ground Clearance | | cm |
| PEV27 Side Bumper-Bottom Height | | cm |
| PEV28 Side Bumper-Top Height | | cm |
| PEV29 Centerline of Wheel | | cm |
| PEV30 Top of Tire | | cm |
| PEV31 Top of Wheel Well Opening | | cm |
| PEV32 Bottom of A-Pillar at Windshield | | cm |
| PEV33 Top of A-Pillar at Windshield | | cm |
| PEV34 Top of Side View Mirror | | cm |
| | | |
| LATERAL MEASUREMENTS | | |
| PEV35 C_L to A-Pillar at Bottom of Windshield | | cm |
| PEV36 C _L to A-Pillar at Top of Windshield | | cm |
| PEV37 C _L to Maximum Side View Mirror Protrusion | | cm |
| | \backslash | |
| WRAP DISTANCES | \backslash | |
| PEV/29. Ground to Side/Ten Transition | N. | cm |
| PEV38 Ground to Side/Top Transition | | cm |
| PEV39 Ground to Hood Edge | | cm |
| PEV40 Ground to Centerline of Hood (ORIGIN) | | cm |
| PEV41 Ground to Head Contact | | cm |

÷



Location of the origin (intercept point of the centerline and the front axles) from the ground: _____ cm

ORIGINAL SPECIFICATIONS

| | 5002 | , | | | 51-6 264,9 |
|--------------------------|----------------|--------|---------|---|-----------------|
| Wheelbase | $\frac{1}{10}$ | inches | x 2.54 | = | |
| Overall Length | TTTO | inches | x 2.54 | = | <u> </u> |
| Maximum Width | _685 | inches | x 2.54 | = | |
| Curb Waight + 2 | 2996 | pounds | x .4536 | = | 1.343 kg~ |
| Average Track | <u>57</u> (| inches | x 2.54 | = | 146 cm \sim |
| Front Overhand Of | ~
~ | inches | x 2.54 | = | cm |
| Rear Overhang | <u> </u> | inches | x 2.54 | = | cm |
| Undeformed End Width | <u> </u> | inches | x 2.54 | = | - Voo M |
| Engine Size: cyl./displ. | | сс | x .001 | = | APJ AT |
| | | CID | x .0164 | = | <u>\$3</u> NC |

FRONT

- 700 Front bumper
- 701 Front lower valance/spoiler
- 702 Front grille
- 703 Hood edge and/or trim
- 704 Hood ornament (fixed)
- 705 Hood ornament (spring loaded)
- 706 Headlight
- 707 Retractable headlight door (Open/Closed)
- 708 Turn signal/parking lights 718 Other front or add on object
- (specify):_
- 719 Unknown front object

Left Side Components

- 720 Front fender side surface
- 721 Front antenna
- 722 A1 pillar
- 723 A2 pillar
- 724 B pillar
- 725 C pillar
- 726 D pillar
- 728 Other pillar
- (specify): _ 729 Left side roof rail
- 730 Left side door surface
- 731 Left side door handle
- 732 Left side mirror fixed housing
- 733 Left side folding mirror
- 734 Left side glazing forward of B pillar
- 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel
- 737 Rear antenna
- 738 Other left side object
- (specify):
- 739 Unknown left side component

Right Side Components

- 740 Front fender side surface
- 741 Front antenna
- 742 A1 pillar
- 743 A2 pillar

INJURY SOURCE

- 744 B pillar
- 745 C pillar
- 746 D pillar
- 748 Other pillar (specify):_
- 749 Right side roof rail
- 750 Right side door surface
- 751 Right side door handle
- 752 Right side mirror fixed housing
- 753 Right side folding mirror
- 754 Right side glazing forward of B pillar
- 755 Right side glazing rearward of B pillar
- 756 Rear antenna
- 757 Rear fender or quarter panel
- 758 Other right side object
 - (specify):
- 759 Unknown right side component

Back Components

- 760 Rear (back) bumper
- 761 Tailgate
- 762 Hatchback, vertical surface
- 768 Other back component
 - (specify):
- 769 Unknown back component

Top Components

- 770 Hood surface
- 771 Hood surface reinforced by under hood component
- 772 Front fender top surface
- 773 Cowl area
- 774 Wiper blade & mountings
- 775 Windshield glazing 776 Front header
- 777 Roof surface
- 778 Backlight glazing
- 779 Rear header
- 780 Hatchback
- 781 Rear trunk lid
- 788 Other top component (specify): _
- 789 Unknown top component

Wheels / tires

- 790 Left front wheel / tire
- 791 Right front wheel / tire
- 792 Left rear wheel / tire
- 793 Right rear wheel /tire
- 798 Other wheel / tire (specify):
- 799 Unknown wheel / tire

Undercarriage components

- 800 Front cross member
- 801 Steering assembly/Front suspension
- 802 Oil pan
- 803 Exhaust system pipe
- 804 Transmission
- 805 Drive shaft
- 806 Catalytic converter
- 807 Muffler
- 808 Floor pan

Accessories

823 Fog lights

826 Spare tire

827 Spotlight

947 Ground

- 809 Fuel tank
- 810 Rear suspension

820 Air scoop, deflector 821 Cellular or CB radio antenna

825 Cargo (specify):__

822 Emergency lights or bar

824 Luggage, ski, or bike rack

828 Other accessory (specify):_

948 Other object (specify):_

997 Noncontact injury source

999 Unknown injury source

Other Object or Vehicle in Environment

949 Unknown object in environment

959 Unknown object on contacting vehicle

- 818 Other undercarriage component (specify):
- 819 Unknown undercarriage component

CONTACT ID LABEL

70

A H J R

40 41

| POINTS OF PEDESTRIAN CONTACT | | | | | | | | |
|------------------------------|---------------------------------|----------------------------|----------------------------|--------------------------|------------------------------|---|----------|--|
| PEDESTRIAN CONTACT WORKSHEET | | | | | | | | |
| COMPONENT
Contacted | LONGITUDINAL
LOCATION
(X) | LATERAL
LOCATION
(Y) | CRUSH
IN
CENTIMETERS | SUSPECTED
BODY REGION | SUPPORTING PHYSICAL EVIDENCE | CONFIDENCE LEVEL OF
CONTACT POINT
(<i>Circle</i>) | SEQUENCE | |
| Bunker | 153~ | -48 | 1 | @by (| area Epacta | 2 3 9 | (| |
| 10 | 193 | -61 | 1 | @M | | O 2 3 9 | 1 | |
| Bumber | 123- | -71. | 1 | Dloy (| Smeare Smilge | 1 2 3 9 | 2 | |
| Mag M | 93. | -3 | 1 | upper W | Crockyd, | 3 238 | 2 | |
| NN | 93- | ~74 | (| Hip? | Strates | <u>1</u> 2 3 9 | R | |
| Participa | 100 | -7-5 | ţ | Leys | Charlesing | D 2 3 9 | Ć | |
| Top Fender | و | -78" | - | 2, | Smidge | 1 2 3 9 | 5 | |
| Nood | -17 | $\sim \omega$ | ð | A Price | Stank | A 2 3 3 | 6 | |
| ~ | -44- | -65 | 2 | (Elbow) | long Jorign | 2 3 9 | 6 | |
| food | -30 | -44- | Q | thank | Smidge | ()2 3 B | 92 | |
| Windshield | -58 | ~58 [~] | Q~1 | Shoulden | Crocked. | 1 2 3 9 | 8 | |
| Afillon | -28-9 | 1=424. | Ø | Back | Fabric supple |) z 3 B | 4 | |
| N | -94-72 | 5-7,3 | Q | ~ | 5120013 | (1)2 3 9 | 9 | |
| sile boon | -7-0" | -84. | Ø | QAR | Steenty Jac | O 2 3 9 | 10 | |
| | | | | Face | PEN TRansfer | 1239 | | |
| | | | | | | 1 2 3 3 | | |
| | | | | | | 1239 | | |

Page 5

1 2 3 9

1 2 3 9

1 2 3 9

1 2 3 9

1 2 3 9

1 2 3 9

1 2 3 9

1 2 3 9

·····

| | POINTS OF PEDESTRIAN CONTACT PEDESTRIAN # 1 | | | | | | | | |
|-------|---|--|--------------|--------------------|-------------------|--------------------------|---------------------------------------|--|--|
| | | | 28.22 A 4. 1 | 11 x 1 x 1 x 1 x 1 | 11.290 | WORKSHEET PAG | | | |
| | CONTACT
I D
LABEL | COMPONENT
CONTACTED
(CODE or OBJECT) | | LATERAL | CRUSH
IN
CM | SUSPECTED
BODY REGION | SUPPORTING PHYSICAL EVIDENCE | CONFIDENCE
LEVEL OF
CONTACT
POINT | |
| | 7 | kupa | 5-50 | -48 | 1 | 1 | | 1 2 3 9 | |
| - | 0 | Bruken | 2-50 | -01 | | Das | | 1 2 3 9 | |
| | <u>a</u> | Bupa | I-50 | -71 | | Lag second | For commy up | 1 2 3 9 | |
| Not C | 000 | How Edger | Kr 5-80 | -62 | 1 | A. '01 | , , , | 1 2 3 9 | |
| 8064 | No y | n n · · · | I-80 | -74 | | Nigh | | 1 2 3 9 | |
| | \bigcirc | Rung Light | 5-73 | -75 | ,
 | lea | | 1 2 3 9 | |
| | K. | Salebendy | 0 | - 7-8 | | 31 | | 1239 | |
| | E | 100 | -12 | -64 | 2 | 4 cm | · · · · · · · · · · · · · · · · · · · | 1239 | |
| | | 4000 | -44 | -65 | a | <u>\</u> | | 1239 | |
| | X | bes A | -30 | -44 | | Hand | | 1239 | |
| | | Whichald | -58 | -58 | | Phontdis | | 1239 | |
| | 7 | G-fillen | -78 | -+-> | | Sh 10 | Calgie Purple | 1239 | |
| | G | 1 m | -94 | -73 | | Jonar | | 1239 | |
| | D | Side Dor | -40 | -84 | | While stine | ke Okn | 1239 | |
| | | | | | | | - | 1239 | |
| | | | | | | | | 1239 | |
| | | | (et | スンノ | | | | 1239 | |
| | | | |) | | | | 1239 | |
| | | | | | | | | 1239 | |
| | | | | | | | | 1239 | |
| | | | | | | | | 1239 | |
| | a entre a | | | | | | | 1239 | |
| | | - 10 | | - | | | | 1239 | |
| | | | | | | | | 1 2 3 9 | |
| | | | | | | | | 1239 | |

| POINTS OF PEDESTRIAN CONTACT
CHRONOLOGICAL ORDER OF CONTACTS | | | | | | | | | |
|---|--------------------------------|---------------------------------|----------------------------|----------------------------|--------------------------|------------------------------|---|--|--|
| CONTACT
| COMPONENT
Contacted
Code | LONGITUDINAL
LOCATION
(X) | LATERAL
LOCATION
(Y) | CRUSH
IN
CENTIMETERS | SUSPECTED
BODY REGION | SUPPORTING PHYSICAL EVIDENCE | CONFIDENCE LEVEL OF
Contact point
(<i>Circle</i>) | | |
| 1 | | | | | | | 1239 | | |
| 2 | | | | | | | 1 2 3 9 | | |
| 3 | | | | | | | 1239 | | |
| • | | | | | | | 1 2 3 9 | | |
| 5 | | | | | | | 1239 | | |
| ¢ | | | | | | | 1 2 3 9 | | |
| 7 | | | | | | | 1239 | | |
| ł | | | | | | | 1 2 3 8 | | |
| 9 | | | | | | | 1239 | | |
| 10 | | | | | | | 1239 | | |
| 11 | | | | | | | 1239 | | |
| 12 | | | | | | | 1239 | | |
| 13 | | | | | | | 1239 | | |
| 14 | | | | | | | 1 2 3 9 | | |
| 15 | | | | | | | 1239 | | |
| 18 | | | | | | | 1234 | | |
| 17 | | | | | | | 1239 | | |
| 18 | | | | | | | 1239 | | |
| 19 | | | | | | | 1239 | | |
| 20 | | | | | | | 1239 | | |
| 21 | | | | | | | 1239 | | |
| 22 | | | | | | | 1239 | | |
| 23 | | | | | | | 1239 | | |
| 24 | | | | | | | 1239 | | |
| 25 | | | | l | | | 1239 | | |

.

Page 6

| VEHICLE DIMENSIONS | 11. Hood Width Rear Opening |
|---|--|
| 4. Original Wheelbase 265 / | Code to the |
| 4. Original wheelbase $Code to the$ | nearest centimeter |
| nearest centimeter | (210) 210 centimeters or more
(999) Unknown |
| (999) Unknown | |
| 104.3 inches X 2.54 = -64.9 contimeters | inches X 2.54 = centimeters |
| 5. Original Average Track Width | 12. Hood/Fender Vertical/Lateral Crush From |
| Code to the | Pedestrian
(0) Not damaged |
| nearest centimeter | (1) Surface scratching only, no residual crush |
| (185) 185 centimeters or more
(999) Unknown | (2) Minor crush (1-3 centimeters) |
| 57.6 inches X 2.54 = 146 centimeters | (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) |
| $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches X 2.54 = $\underline{}$ $\underline{}$ centimeters | (8) Damage present, unknown if damage is from |
| <i>`</i> 2 | pedestrian impact
(9) Unknown |
| 6. Hood Material | |
| (1) Plastic
(2) Fiberglass | 13. Windshield Contact Damage |
| (3) Steel | From Pedestrian Contact (0) Not contacted by pedestrian |
| (4) Aluminum
(5) Stainless Steel | (1) Contacted by pedestrian - not damaged |
| (8) Other (specify): | (2) Contacted by pedestrian - damaged |
| (9) Unknown | (3) Unknown if contacted by pedestrian - not
damaged |
| 7. Hood Original | (4) Unknown if contacted by pedestrian - |
| Equipment Manufacturer (OEM) | damaged
(9) Unknown if contacted by pedestrian - |
| (1) OEM factory installed hood(2) OEM replacement | unknown if damaged |
| (3) Non-OEM replacement | |
| (9) Unknown | FRONT CONTACT DAMAGE |
| 8. Hood Length | Front Vertical Measurements |
| Code to the | 14. Front Bumper Cover Material |
| nearest centimeter
(180) 180 centimeters or more | (0) No front contact |
| (999) Unknown | (1) Plastic |
| | (2) Fiberglass
(3) Rubber |
| inches X 2.54 = centimeter | (4) Other (specify): |
| 9. Hood Width Forward Opening 1300 | (9) Unknown |
| Code to the nearest centimeter | 15. Front Bumper Reinforcement Material |
| (210) 210 centimeters or more | (0) No front contact
(1) Steel |
| (999) Unknown | (1) Steel
(2) Aluminum |
| inches X 2.54 = centimeters | (3) Stainless Steel |
| 134 | (4) Other (specify):
(9) Unknown |
| 10. Hood Width Midway | $0 \neq 0$ |
| nearest centimeter | 16. Front Bumper-Bottom Height $\underbrace{\nabla}_{Code} \underbrace{\nabla}_{Code} \underbrace{\nabla}_{Cod$ |
| (210) 210 centimeters or more
(999) Unknown | nearest centimeter |
| | (000) No front contact
(150) 150 centimeters or more |
| inches X 2.54 = centimeters | (150) 150 centimeters or more
(999) Unknown |
| | |
| | inches X 2.54 = centimeters |

•

Page 8 55/ 23. Ground to Base of Windshield 17. Front Bumper-Top Height _ Code to the _ Code to the nearest centimeter nearest centimeter (000) No front contact (000) No front contact (400) 400 centimeters or more (150) 150 centimeters or more (999) Unknown (999) Unknown _____ inches X 2.54 = _____ centimeters _____ inches X 2.54 = _____ centimeters () X Y 24. Ground to Top of Windshield 18. Forward Hood Opening _ Code to the Code to the nearest centimeter nearest centimeter (000) No front contact (000) No front contact (500) 500 centimeters or more (200) 200 centimeters or more (999) Unknown (999) Unknown _____. ____ inches X 2.54 = ______ centimeters _____. ____ inches X 2.54 = ______ 25. Ground To Head Contact ____ Code to the 19. Front Bumper Lead σ (00) No front contact nearest centimeter (000) No front contact Code to the (400) 400 centimeters or more nearest centimeter (30) 30 centimeters or more(99) Unknown (998) No head contact (999) Unknown _____ centimeters _____. ___. ____ inches X 2.54 = ______ centimeters SIDE CONTACT DAMAGE Front Wrap Distance Measurements Side Vertical Measurements (9 () 20. Ground to Forward Hood Opening Code to the 26. Ground Clearance ____ Code to the nearest centimeter (000) No front contact nearest centimeter (200) 200 centimeters or more (000) No side contact (999) Unknown (150) 150 centimeters or more (999) Unknown _____. ___ inches X 2.54 = _____ centimeters 21. Ground to Front/Top Transition Point O & L _____. inches X 2.54 = _____ centimeter Code to the 27. Side Bumper-Bottom Height nearest centimeter ___ Code to the (000) No front contact nearest centimeter (180) 180 centimeters or more (000) No side contact (999) Unknown (150) 150 centimeters or more (999) Unknown _____. ____ inches X 2.54 = ______ centimeters ____. __ . ___ inches X 2.54 = ___ ___ centimeters 10, d 22. Ground to Rear Hood Opening 28. Side Bumper-Top Height Code to the Code to the nearest centimeter nearest centimeter (000) No front contact (000) No side contact (400) 400 centimeters or more (999) Unknown (150) 150 centimeters or more (999) Unknown _____. ____ inches X 2.54 = ______ centimeters _____. inches X 2.54 = _____ centimeters

......

Side Lateral Measurements 29. Centerline of Wheel ____ Code to the nearest centimeter 35. Centerline to A-Pillar (000) No side contact at Bottom of Windshield (150) 150 centimeters or more (000) No side contact (999) Unknown _ Code to the nearest centimeter _ __ . __ inches X 2.54 = __ __ centimeters (250) 250 centimeters or more (999) Unknown 30. Top of Tire _ ___ . ___ inches X 2.54 = ___ ___ centimeters ____ Code to the nearest centimeter (000) No side contact 36. Centerline to A-Pillar (200) 200 centimeters or more at Top of Windshield (999) Unknown ____ Code to the nearest centimeter _____. ____ inches X 2.54 = ______ centimeters (000) No side contact (250) 250 centimeters or more (999) Unknown 31. Top of Wheel Well Opening ____ Code to the _____. ____ inches X 2.54 = ______ centimeter nearest centimeter (000) No side contact (250) 250 centimeters or more 37. Centerline to Maximum Side (999) Unknown View Mirror Protrusion ____ Code to the _____. ____ inches X 2.54 = ______ centimeters nearest centimeter (000) No side contact 32. Bottom of A-Pillar at Windshield (300) 300 centimeters or more Code to the (999) Unknown nearest centimeter (000) No side contact _____. ____ inches X 2.54 = ______ centimeter (250) 250 centimeters or more (999) Unknown Side Wrap Distance Measurements _____. inches X 2.54 = _____ centimeters 38. Ground to Side/Top Transition 33. Top of A-Pillar at Windshield ____ Code to the ____ Code to the nearest centimeter nearest centimeter (000) No side contact (000) No side contact (400) 400 centimeters or more (300) 300 centimeters or more (999) Unknown (999) Unknown _____ . ___ inches X 2.54 = _____ centimeters _____. ____ inches X 2.54 = ______ centimeters 39. Ground to Hood Edge 34. Top of Side View Mirror ____ Code to the Code to the nearest centimeter nearest centimeter (000) No side contact (000) No side contact (500) 500 centimeters or more (300) 300 centimeters or more (999) Unknown (999) Unknown _____. ___ . ___ inches X 2.54 = _____ centimeters _____. ____ inches X 2.54 = ______ centimeters

Page 9

| 40. Ground to Centerline of Hood | 000 | |
|--|-------------|--|
| nearest centimeter
(000) No side contact
(700) 700 centimeters or more
(999) Unknown | | |
| 41. Ground to Head Contact
Code to the | Contimeters | |
| (000) No side contact
(800) 800 centimeters or more
(998) No head contact
(999) Unknown | | |
| inches X 2.54 = | centimeters | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

.....

82650P000000111 958.050000000000119550100001 95000000000 96 958.051000000000103F72000 82650P00010012 82650P00010021 8.05 000000002811734909214210913028011801031272172231029915 1220000000003 82650P00010131 8.05 0000000027510302177111233 82650P00010231 8.05 0000000027526043177111233 82650P00010331 8.05 0000000021406063172211322 82650P01000041 8.05 000000009107018041B3XC46R0MD 99905609600139000003 82110180011131513221232 82650P01000051 8.05 000000002651463111013613914222310360550821207908421021

PSU82 CASE 650P CURRENT VERSION: 8.05 ERROR SUMMARY SCREEN PEDESTRIAN STUDY



| FORM NAME | NUMBER OF
DOLLAR SIGNS | NUMBER OF
LEVEL 1
ERRORS | NUMBER OF
L'EVEL 2
ERRORS | VERSION
NUMBER
CONSISTENT |
|------------------------------|---------------------------|--------------------------------|---------------------------------|---------------------------------|
| Pedestrian Acci den t | 0 | 0 | 0 | Y |
| Pedestrian Assessment | 0 | 0 | 0 | Y · |
| Pedestrian Injury | 0 | 0 | 0 | Y |
| Pedestrian General Vehic | le O | 0 | 0 | Y |
| Pedestrian Exterior Vehi | cle O | 0 | Ō | Y |
| Total Inter Errors | | 0 | 0 | |
| Total Case Errors | 0 | 0 | 0 | |