



U.S. Department of Transportation

National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





U.S. Department of Transportation **National Highway Traffic Safety** Administration

PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 603P

TYPE OF ACCIDENT CAR/PEDES INIAM Crossing ROAD STraight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Pedes Trian I was crossing The road in a mesterly direction. The Frant Left side of vehicle #1 contacted pedes Trian #1 on his Left hip area. The Pedes Trian Pedes Trian Pedes trian of the left of the vehicle the central pedes trian I had of the left of the vehicle the central of the left of the vehicle the central of the left of the vehicle the central of the driver drove the wehicle the central of the road of pulled into a particle.

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	54	MALE	NONE	upper extremity	skin.	١	Left piller

Body Region

Head Face Throat

Chest Abdomen/Pelvis

Spine **Upper Extremity**

Lower Extremity

Class

of

Vehicle

External

Vehicle

No.

Type of Anatomic Structure

Whole Area Vessels Nerves Organs

Skeletal Head-LOC Skin-Burn

Skin-Other

Abbreviated Injury Scale

(1) Minor injury

(2) Moderate injury

(3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity

Most Severe Damage Based on Vehicle Inspection Year/Make/Model Damage Damage Plane Description deNTS, STraches, Smudges INTERMEDIATE 1991/ChevroleT CORSICA

DO NOT SANITIZE THIS FORM

C. VEHICLE PROFILE




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM



0

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM


National Highway Traffic Safety Administration

HS Form 431B (1/95)

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter =

meters





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{9}$	**** 68 ***	Case No	ımber	-Stratum <u>6</u> <u>0</u> <u>3</u> <u>P</u>	
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	į	SCALED DIAGRAM	
document reference point and reference line relative to physical features	Surface Type	BITUMINOUS	* noi	rth arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on <u>Dr.V</u>		de measurements for all applicable dways	
a) vehicle skid marks b) pedestrian contacts with ground or object c) vehicle/sadestrian action of impact (POI)	Coefficient of Fr	asurement	inc a)	aled representations of the physical plant duding: all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs)	
c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and vehicle documentation of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	a) at imposition of the control of t	en impact and O set Direction FAST TO WEST Direction South	* sca	aled representations of the vehicle and destrian at pre-impact, impact, and final it based upon either: physical evidence, or reconstructed accident dynamics	
Reference Point: Apex SOUTHWE	est Lorg	Reference Line: We	257	curb line	
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line	
Orain		0	0		
West (RP) TO EAS	1	0-W		12.1-6	
(RP) South TO NOVE		0		9.3 N	
	-				

ltem	Distance and Direction	Distance and Direction
item	from Reference Point	from Reference Line
•		
The second secon		
	•	

PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

0 1

	: IDIOTIAN ORGINDANA OTOL
1. Primary Sampling Unit Number 90	SPECIAL STUDIES - INDICATORS
2. Case Number - Stratum 603 P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION	ctation and the appealance that officeros.
Number of General Vehicle	6SS15 Administrative Use0
Forms Submitted <u>0 1</u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month, Day, Year)	8SS17
5. Time of Accident	9SS180
Code reported military time of accident. NOTE: Midnight = 2400	10SS190
Unknown = 9999	NUMBER OF EVENTS
	11 Number of Recorded Events

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage	
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> <u>J</u>	15	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>	

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number <u>Q</u> <u>O</u>	- 10. Pedestrian's Weight / D / D / Code actual weight to the nearest
2. Case Number - Stratum 6 0 3 P	
3. Pedestrian Number <u>0 1</u>	220 pounds X .4536 = 99.7 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
inches X 2.54 = centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder/ 4 Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

	and the second s
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	
	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Dove of Tell away	(09) Extended, holding object
llood bond(a) to .	
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact <u>0</u> <u>3</u>
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
FEDESTRIAN S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(b) Gimilanii	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17 Bedestrier's Bedy (Chest) Orientation	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	, · · · · · · · · · · · · · · · · · · ·
(9) Unknown	(11) Knocked to pavement, run over or
• •	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
(9) Unknown	27. Type Of Medical Facility
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay
	 (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

	STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30.	Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31.	Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32.	Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
	Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	ARE ALL APPLICABLE MEDICAL RECORD NO []	
	UPDATE CANDIDATE?	NO[] YES[]

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0_1

2. Case Number - Stratum

6 03 P

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>7</u>	6. 7	7.2	8.06	9. <u>0</u> <u>2</u>	-10. <u>1</u>	11. <u>Z</u>	- 12. <u>722</u>	13. <u>/</u>	14. 🛴	15. 3	16. 2	17.2
2nd	18	19	20	21	22.	23	24	25	26	27	28,	29	30
3rd	31	32	33	34	35	36	37	38	39	40	41	42	43
4th	44	45	46	47	48	49. <u> </u>	50	51	52	53	54	55	56
5th	57	58	59	60	61.	62	63	64	65	66	67	68. <u></u>	69
6th	70	71	72	73	74.	75	76	77	78	79	80	81	82
7th	83	84	85	86	87.	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111,	112	113	114	115	116	117	118	119	120	121
Oth	122	123	124	125	126	127	128	129	130	131	132	133	134
												*	

PEDESTRIAN INJURY DATA AIS-90 Injury Source Type of Specific Source Direct/ Type of Injury Body Anatomic Anatomic Level of A.I.S. Confidence Indirect Striking Of Injury Damage Severity Aspect Data Region Structure Structure Injury Source Level Profile Injury Damage Depth 11th 12th 13th 14th 15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th 25th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Injury not from vehicle contact No damage/contact Probable (1) Autopsy records with or without hospital/ **Possible** Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury Separated from vehicle (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) **DAMAGE DEPTH** Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (3) Rounded edge Interviewee Sharp edge (8) Other source (specify): Other (specify): (8) Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (06) Lumbar (2) Moderate injury Face (3) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit (4)(06) Skin - Laceration (4) (5) Thorax Severe injury (5) Abdomen (08) Skin - Avulsion Critical injury numbers beginning with 02 Maximum (untreatable) Spine Amputation Upper Extremity Lower Extremity (20) Burn (7)Injured, unknown severity Level of Injury (8)Crush Unspecified (40) Degloving Aspect (50) Injury - NFS injuries assigned Specific consecutive two-digit beginning with 02. Type of Anatomic Structure Trauma, other than mechanical (1)Right Left (90) numbers (2) (3) (4) (5) Whole Area Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Vessels Central Anterior (3) Nerves (6) (7) (8) Organs (includes muscles/ (10) Concussion Posterior ligaments) Superior Skeletal (includes joints) Head - LOC (5) Inferior (6) (9) Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 790 Left front wheel / tire 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front crossmember 708 Turn signal/parking lights 753 Right side folding mirror 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension 802 Oil pan 755 Right side glazing rearward of B pillar 803 Exhaust system pipe 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 758 Other right side object 805 Drive shaft Left Side Components 720 Front fender side surface 806 Catalytic converter (specify): 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 761 Tailgate 725 C pillar 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle **Top Components** 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 825 Cargo (specify):_ 772 Front fender top surface 826 Spare tire 773 Cowl area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 740 Front fender side surface 780 Hatchback 949 Unknown object in environment

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

SOURCE OF INJURY DATA

OFFICIAL

741 Front antenna

742 A1 pillar

743 A2 pillar

TYPE OF DAMAGE

959 Unknown object on contacting vehicle


997 Noncontact injury source


999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES Restrained? Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) **Blood Alcohol Level** (mg/dl) BAL = Glasgow Coma Scale Score GCSS = ____ Units of Blood Given Units = ____ **Arterial Blood Gases** PCO₂ HCO₃

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
---------------------------------	---

aministr. Gon	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 90	OFFICIAL RECORDS
2. Case Number - Stratum 6 0 3 P	9. Police Reported Travel Speed 799
3. Vehicle Number O 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	mph X 1.6093 =kmph 10. Speed Limit
6. Vehicle Model (specify): Orysich Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on	 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown
the back of this page. 8. Vehicle Identification Number	(98) No driver present (99) Unknown Source:
$\frac{1}{1} \frac{\mathcal{L}}{2} \frac{1}{3} \frac{\mathcal{L}}{4} \frac{\mathcal{T}}{5} \frac{3}{6} \frac{\mathcal{L}}{7} \frac{\mathcal{R}}{8} \frac{\mathcal{T}}{9} \frac{\mathcal{M}}{10} \frac{\mathcal{L}}{11} \frac{\mathcal{L}}{12} \frac{13}{13} \frac{14}{15} \frac{16}{16} \frac{17}{17}$ Left justify; Slash zeros and letter Z (\emptyset and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify):

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown — Jobs X .4536 =kgs	18. Impact Speed 3 / Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown [bs X .4536 =,kgs]	(0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

00	20	(00) D 1 1 11 1 11 1 1 1 1 1 1 1 1 1 1 1 1
23.	Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	(specify):
	(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
	up) (specify):	(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	(specify):	(89) Animal—unknown location
	(06) Traveling too fast for conditions	(90) Object in roadway
	(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(00) 11-1	(92) Object—unknown location
	(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
	This Vehicle Traveling	(00)
	(10) Over the lane line on left side of travel lane	(99) Unknown
	(11) Over the lane line on right side of travel lane	2 /
	(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side	(00) No driver present
	(14) End departure	(01) No avoidance actions
	(15) Turning left at intersection	(O2) Braking (no lockup)
	(16) Turning right at intersection	(O3) Braking (lockup)
	(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
	(19) Unknown travel direction	(05) Releasing brakes
	Other Motor Vehicle In Lane	(06) Steering left
	(50) Stopped	(07) Steering right
	(51) Traveling in same direction with lower speed	(08) Braking and steering left
	(i.e., lower steady speed or decelerating)	(09) Braking and steering right
	(52) Traveling in same direction with higher speed	(10) Accelerating
	(53) Traveling in opposite direction	(11) Accelerating and steering left
	(54) In crossover	(12) Accelerating and steering right
	(55) Backing	(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle	(99) Unknown
	in lane	OF Burney Contillor After Assistance Management
	Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver (0) No driver present
	(60) From adjacent lane (same direction)—over left	(1) No avoidance maneuver
	lane line	(2) Tracking
	(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
	lane line	degrees
	(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
	(64) From parking lane	(8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction	
	(66) From crossing street, across path	(9) Precrash stability unknown
	(67) From crossing street, turning into opposite	1
	direction	26. Precrash Directional Consequences of
	(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction	(0) No driver present
	(71) From driveway, across path	(1) No avoidance maneuver (2) Vehicle stayed in travel lane where avoidance
	(72) From driveway, turning into opposite direction	maneuver was initiated
	(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
	(74) From entrance to limited access highway	where avoidance maneuver was initiated
	(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
	unknown	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
	(80) Pedestrian in roadway	(5) Vehicle departed roadway
	(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	(9) Directional consequences unknown
	i	1

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	D	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow	/	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four	4	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	(5) Five (6) Six (7) Seven or more (9) Unknown	,	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	(4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

191 Corcisa

175 cm 69"

220#

POI to FRP = 16.3 m = 50 ft

PRtime = 1 Sec

 $S = TV + \frac{\sqrt{2}}{2fg} \frac{v^2}{[2\sqrt{3}:2](0.55)}$

50 = 1v + 0.028v2

0.024V2 + V -50 = 0

V= -1± 7(7)2-(4)(0.028)(5-0)

= 27.95 fPS = 19mph = 30.6 KPh


= 3/KPh

Notional Highway Traffic Safety P Administration	EDESTRIAN EXTER	RIOR VEHICLE FORM NATI	IONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUD
Primary Sampling Unit Number	90	3. Vehicle Number	0 1
2. Case Number - Stratum	<u>603</u> P		
	VEHICLE IDE	NTIFICATION	
VIN 1 6 1 L T 5 3	67ME		Model Year _ 9 _ L
Vehicle Make (specify): Cheyro	Let	Vehicle Model (specify): _	Corsica
PEDES	TRIAN FRONT C	ONTACT WORK SHEE	T
PEV06 Hood Material			
PEV08 Hood Length		-	
PEV09 Hood Width-Forward O	pening	_	cm
PEV10 Hood Width-Midway		_	cm
PEV11 Hood Width-Rear Open	ing	<i>,</i>	cm
PEV14 Front Bumper Cover Ma	aterial		
PEV15 Front Bumper Reinforce	ement Material		
	VERTICAL ME	EASUREMENTS	
PEV16 Front Bumper-Bottom F	Height	_	cm
PEV17 Front Bumper-Top Heig	jht /	_	cm
PEV18 Forward Hood Opening		_	cm
PEV19 Front Bumper Lead		_	cm
	WRAP DI	STANCES	
PEV20 Ground to Forward Hoo	od Opening	<u>. (</u>	<u>0 7 7</u> cm
PEV21 Ground to Front/Top Tr	ansition Point	ي_	<u>082</u> cm
PEV22 Ground to Rear Hood O)pening	_	180 cm
PEV23 Ground to Base of Wind	dshield		1 9 2 cm

PEV24 Fround to Top of Windshield

PEY25 Ground to Head Contact


VEHICLE DAMAGE SKETCH



A-upper BACK K-REAV VIEW/L-ARM

. J-BUTTOCKS/Hip?

6- Smudge



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $\underline{/40}_{cm}$

	PEDESTRIAN SIDE CONT	ACT WORK SHEET					
PEV06	Hood Material	STee!					
PEV08	Hood Length	<u>/ / /</u> cm					
PEV09	Hood Width-Forward Opening	134 cm					
PEV10	Hood Width-Midway	<u>/ 4 /</u> cm					
PEV11	Hood Width-Rear Opening	146 cm					
VERTICAL MEASUREMENTS							
PEV26	Ground Clearance	024 cm					
PEV27	Side Bumper-Bottom Height	<u>0</u> 4 4 cm					
	Side Bumper-Top Height	0 5 4 cm					
PEV29	Centerline of Wheel	039 cm					
PEV30	Top of Tire	052 cm					
PEV31	Top of Wheel Well Opening	<u>068</u> /cm					
PEV32	Bottom of A-Pillar at Windshield	<u>090</u> /cm					
PEV33	Top of A-Pillar at Windshield	. <u>/ 3 6</u> cm					
PEV34	Top of Side View Mirror	095 cm					
	LATERAL MEASU	REMENTS					
PEV35	C _L to A-Pillar at Bottom of Windshield	<u>0 7'4</u> cm					
PEV36	C _L to A-Pillar at Top of Windshield	0 60 cm					
PEV37	C _L to Maximum Side View Mirror Protrusion	097 cm					
	WRAP DISTA	NCES					
PEV38	Ground to Side/Top Transition	_0_8_8_ cm					
	Ground to Hood Edge	<u>085</u> cm					
	Ground to Centerline of Hood (ORIGIN)	$\frac{1}{\cancel{\cancel{1}}} + \frac{\cancel{\cancel{1}}}{\cancel{\cancel{\cancel{1}}}}$ cm					
PEV41	Ground to Head Contact						
		/ '					
ľ							


ORIGINAL SPECIFICATIONS


Wheelbase	103.4	inches	x 2.54	=	<u>263</u> cm
Overall Length	183.4	inches	x 2.54	=	4 6 6 cm
Maximum Width	0682	inches	x 2.54	=	1 7 3 cm
Curb Weight	2.638	pounds	x .4536	=	1.197kg
Average Track	055.6	inches	x 2.54	=	1 4 1 cm
Front Overhang	0960	inches	x 2.54	=	<u>2 4 4</u> cm
Rear Overhang	104.0	inches	x 2.54	=	264 cm
Undeformed End Width	·	inches	x 2.54	=	cm
Engine Size: cyl./displ.	2200	СС	x .001	=	<u>2.2</u> L
	134	CID	x .0164	=	2.2 L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	•	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	<u>Accessories</u>
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	_ 997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source

VEHICLE DAMAGE SKETCH







NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _____ cn

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET

CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
G	Hood	+3	+55	0	BACK	5mudges dent	1 2 3 9	2
<u>2- 0</u>	FENDER	-10	482	<u>A</u>	Hie	dent	1)2 3 8	1
B-K	FENDER DRIVERSIDE REAVUITED	-70	-82		LEFT Arm		1 2 3 9	4
<u>A</u>	windshield	-36	-35	0	BACK	Smudge	1 (2) 3 8	3
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
		٠				•	1 2 3 9	
							1 Z 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

			POINTS	OF PEDEST	RIAN CONTACT		
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL COLOR	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1	-						1 2 3 9
2							1 2 3 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 8
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21 22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11 Head Width Boar Opening
7. / 3	11. Hood Width Rear Opening
4. Original Wheelbase 2 6 3	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 1 4 1	Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
(600)	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Used Original	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
1 1 1	Front Vertical Measurements
8 Hood Length / / /	right seitem megagiamans
8. Hood Length / _/	
8. Hood Length Code to the nearest centimeter	14. Front Bumper Cover Material
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact
Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknowninches X 2.54 =centimeter 9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening OOO Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 = centimeters 21. Ground to Front/Top Transition Point O O Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29	Centerline of Wheel	039	Side Lateral Measurements
20.	Code to the	<u> </u>	
	nearest centimeter		35. Centerline to A-Pillar
	(000) No side contact		35. Centerline to A-Pillar O / 1 37 at Bottom of Windshield
	(150) 150 centimeters or more		(000) No side contact
	(999) Unknown	`	Code to the
			nearest centimeter
	inches X 2.54 =	_ centimeters	(250) 250 centimeters or more
		_	(999) Unknown
30	Top of Tire	053	
50.	Code to the		inches X 2.54 = centimeters
	nearest centimeter		
	(000) No side contact		36. Centerline to A-Pillar O 6 O
	(200) 200 centimeters or more		
	(999) Unknown		at Top of Windshield Code to the
			nearest centimeter
	inches X 2.54 =	_ centimeters	(000) No side contact
			(250) 250 centimeters or more
21	Ton of Mhaal Mall Oncoins	068	(999) Unknown
31.	Top of Wheel Well Opening Code to the	000	
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		
	(250) 250 centimeters or more		0.07
	(999) Unknown		37. Centerline to Maximum Side O 9 7
			View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the nearest centimeter
		0 0 0	(000) No side contact
32.	Bottom of A-Pillar at Windshield	<u>0 9 0</u>	(300) 300 centimeters or more
	Code to the		(999) Unknown
	nearest centimeter (000) No side contact		
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	(coo, commotive		Side Wrap Distance Measurements
	inches X 2.54 =	_ centimeters	Jac inp Distance measurements
			0.00
		1 2 /-	38. Ground to Side/Top Transition O & &-
33.	Top of A-Pillar at Windshield	136	Code to the
	Code to the		nearest centimeter
	nearest centimeter (000) No side contact		(000) No side contact
	(300) 300 centimeters or more		(400) 400 centimeters or more
	(999) Unknown		(999) Unknown
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		inches X 2.54 = centimeters
	inches X 2.54 =	_ centimeters	Contamotors
		000	39. Ground to Hood Edge 0 5
34.	Top of Side View Mirror	095	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact (300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
			inches X 2.54 = centimeters
	inches X 2.54 =	_ centimeters	Continuotors
			I and the second

40.	Ground to Centerline of Hood Code to the	144	
	nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown		
	inches X 2.54 =		
41.	Ground to Head Contact Code to the nearest centimeter	998	
	(000) No side contact (800) 800 centimeters or more		
	(998) No head contact (999) Unknown		
	inches X 2.54 =	centimeters	
			•
			•
			·

Sinal

90603P00000011 958.050000000000115200100001 95

95000000000

90603P00010012**2000**958.0510000000000102L72000

90603P00010021 8.05 0000000005411755310214710013011062210030979670150009701

1010000000001

90603P00010131 8.05 00000000077906021272211322

90603P01000041 8.05 0000000009120019041G1LT53G7ME 99905679670187008003

12110180011101411210011

90603P01000051 8.05 0000000002631413111113414114620000000000000000000000000

000000024044054039052068090136095074060097088085144998

00000000000000

PSU90

CASE 603P

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/96

	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	· Y
Pedestrian Assessment	Ö	Ö	Ö	Ý
Pedestrian Injury	Ô	Ö	Ō	Y
Pedestrian General Vehicle	Ó	O	0	Υ
Pedestrian Exterior Vehicle	e O	О	0	Υ
Total Inter Errors		0	0	
Total Case Errors	0	o	0	