



U.S. Department  
of Transportation

**National Highway  
Traffic Safety  
Administration**

400 Seventh Street, S.W.  
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\*    \*\*\*    \*\*\*



**AUTO SAFETY HOTLINE**  
(800) 424-9393  
Wash. D.C. Area 366-0123



## PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM  
PEDESTRIAN CRASH DATA STUDYPSU 90 CASE NO. 606P TYPE OF ACCIDENT CAR/Pedestrian/Moving in Road/Against Traffic

## A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 WAS Traveling from North to South. and Pedestrian #1 Ran Eastely into Roadway to get a Rubber Ball. The ~~Front~~ of Vehicle #1 CONTACTED Pedestrian on his Right Leg and he Walked to the West-Curb Edge and Fell to Ground. Pedestrian Received no other serious injuries. Vehicle #1 Stopped immediately After the Accident, But Later pulled to Right shoulder of Roadway to clear for on coming Traffic.

## B. PEDESTRIAN PROFILE

Pedestrian No.	Age	Sex	Treatment/Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
				Body Region	Ana. Struc.	AIS	Injury Source
01	9	Male	Treated Released	Lower Extremity	Skeletal	2	Front Bumper

## Body Region

Head  
Face  
Throat  
Chest  
Abdomen/Pelvis  
Spine  
Upper Extremity  
Lower Extremity  
External

## Type of Anatomic Structure

Whole Area  
Vessels  
Nerves  
Organs  
Skeletal  
Head-LOC  
Skin-Burn  
Skin-Other

## Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

## C. VEHICLE PROFILE

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage Based on Vehicle Inspection	
			Damage Plane	Damage Description
01	Compact	1992 Mitsubishi GALANT	Front	UNABLE TO LOCATE ANY VISUAL DAMAGE. TO FRONT RIGHT FENDER


DO NOT SANITIZE THIS FORM



U.S. Department of Transportation  
National Highway Traffic Safety  
Administration

# ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM  
CRASHWORTHINESS DATA SYSTEM





U.S. Department of Transportation  
National Highway Traffic Safety  
Administration

# Rough sketch ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM  
CRASHWORTHINESS DATA SYSTEM

PSU No. 90

Case Number—Stratum 606P

Indicate  
North



Speed Limit Post 35 mph

(No Evid at scene)  
POI Impact located  
by statement

New Patch  
Asphalt  
(dark)

Telephone Pole

RPTD cement  
wall &  
guard  
rail inc

Bridge  
Rail

CEMENT  
Grassy Area

Rock and  
Grassy Area

CEMENT

NO CURBING

Telephone  
pole



# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number 90 Case Number-Stratum <sup>95</sup> 606P

PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION		SCALED DIAGRAM
<ul style="list-style-type: none"> <li>document reference point and reference line relative to physical features</li> </ul>	Surface Type <u>BIT/Asphalt</u> Surface Condition <u>Dry/wet</u> Coefficient of Friction <u>.65</u>	<ul style="list-style-type: none"> <li>north arrow placed on diagram</li> </ul>
<ul style="list-style-type: none"> <li>documentation of all accident induced physical evidence including (if applicable):</li> </ul>	Grade (v/h) Measurement a) at impact <u>- 190</u> b) between impact and final rest <u>- 190</u>	<ul style="list-style-type: none"> <li>grade measurements for all applicable roadways</li> </ul>
<ul style="list-style-type: none"> <li>a) vehicle skid marks</li> <li>b) pedestrian contacts with ground or object</li> <li>c) vehicle/pedestrian point of impact (POI)</li> <li>d) location of pedestrian separation point from vehicle</li> <li>f) final resting points (FRP) for pedestrian and vehicle</li> </ul>	Pedestrian Travel Direction <u>ETOW</u> Vehicle Travel Direction <u>South</u> Number of Travel Lanes <u>2</u>	<ul style="list-style-type: none"> <li>scaled representations of the physical plant including:               <ul style="list-style-type: none"> <li>a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> <li>b) all traffic controls (e.g., lights, signs)</li> </ul> </li> </ul>
<ul style="list-style-type: none"> <li>documentation of the physical plant including:               <ul style="list-style-type: none"> <li>a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> <li>b) all traffic controls (e.g., lights, signs)</li> </ul> </li> </ul>		<ul style="list-style-type: none"> <li>scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:               <ul style="list-style-type: none"> <li>a) physical evidence, or</li> <li>b) reconstructed accident dynamics</li> </ul> </li> </ul>

Reference Point: UTILITY Pole/West Curb Line of Roadway Reference Line: West Curb Line / South Bound Traffic Lane

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
Utility Pole	2.7 E	0
Roadway width (NB)		4.5 E
Roadway width (SB)		9.2 E
Ped. Final Rest Position	2.1 S	1.2 W
Point of Impact w/ Ped.	1.6 N	2.3 E
Reference Point to Drainage Culvert	0	12.8 S
* Note: No Skids Visible, of Any Type Vehicle #1 on Roadway -		
* Note: Final Rest And Impact to Ped. was Received From A Witness who observed Accident.		



# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number <u>90</u>		Case Number-Stratum <u>606P</u>		
<b>PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION</b>		<b>SCALED DIAGRAM</b>		
<ul style="list-style-type: none"> <li>document reference point and reference line relative to physical features</li> <li>documentation of all accident induced physical evidence including (if applicable):                             <ul style="list-style-type: none"> <li>a) vehicle skid marks</li> <li>b) pedestrian contacts with ground or object</li> <li>c) vehicle/pedestrian point of impact (POI)</li> <li>d) location of pedestrian separation point from vehicle</li> <li>f) final resting points (FRP) for pedestrian and vehicle</li> </ul> </li> <li>documentation of the physical plant including:                             <ul style="list-style-type: none"> <li>a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> <li>b) all traffic controls (e.g., lights, signs)</li> </ul> </li> </ul>	Surface Type <u>Bit/Asphalt well</u> Surface Condition <u>Dry/Travelled</u> Coefficient of Friction <u>.65</u> Grade (v/h) Measurement a) at impact <u>(-1/6) 1 cm</u> b) between impact and final rest <u>(-1/6) 1 cm</u> Pedestrian Travel Direction <u>E to W</u> Vehicle Travel Direction <u>South</u> Number of Travel Lanes <u>2</u>	<ul style="list-style-type: none"> <li>north arrow placed on diagram</li> <li>grade measurements for all applicable roadways</li> <li>scaled representations of the physical plant including:                             <ul style="list-style-type: none"> <li>a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> <li>b) all traffic controls (e.g., lights, signs)</li> </ul> </li> <li>scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:                             <ul style="list-style-type: none"> <li>a) physical evidence, or</li> <li>b) reconstructed accident dynamics</li> </ul> </li> </ul>		
	Reference Point: <u>Telephone Pole</u> <u>West side of Roadway</u>		Reference Line: <u>West Curbs</u> <u>Line at origin</u>	
	Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line	
	<u>Origin (Telephone Pole)</u>	<u>2.7 E</u>	<u>0</u>	
<u>Point of Impact</u>	<u>2.1 S</u>	<u>7.8 E</u>		
<u>... (Roadway width)</u>		<u>9.2 E</u>		
<u>Roadway width (NB)(SB)</u>		<u>4.5 E to W</u> <u>9.2</u>		
<u>Final Rest</u>	<u>2.1 S</u>	<u>1.2 W</u>		
<u>POI</u>	<u>1.6 N</u>	<u>2.3 E</u>		
<u>Origin To (Beg of Bridge)</u>	<u>0</u>	<u>12.8 S</u>		
<u>No Skids visible / Flare Marks in Roadway</u>				
<u>Final Rest + Impact Per Witness</u>				



## PEDESTRIAN ACCIDENT FORM

1. Primary Sampling Unit Number

90

2. Case Number - Stratum

606P

## IDENTIFICATION

3. Number of General Vehicle  
Forms Submitted014. Date of Accident  
(Month, Day, Year)11/9/5

5. Time of Accident

1740

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

## SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6.      SS15 Administrative Use 07. ✓ SS16 Pedestrian Crash Data Study 18.      SS17 Impact Fires 09.      SS18      010.      SS19      0

## NUMBER OF EVENTS

11. Number of Recorded Events  
in This Accident01

## PEDESTRIAN STUDY CRITERIA

## Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

## Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

## PEDESTRIAN ACCIDENT EVENTS

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>01</u>	13. <u>01</u>	14. <u>02</u>	15. <u>F</u>	16. <u>72</u>	17. <u>00</u>	18. <u>0</u>

### **CODES FOR CLASS OF VEHICLE**

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

### **CODES FOR GENERAL AREA OF DAMAGE (GAD)**

#### **CDS APPLICABLE VEHICLES**

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### **CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED**

Collision with Nonfixed Object

- (72) Pedestrian





# PEDESTRIAN ASSESSMENT FORM

1. Primary Sampling Unit Number

90

2. Case Number - Stratum

195 606 P

3. Pedestrian Number

01

10. Pedestrian's Weight

033

Code actual weight to the nearest  
kilogram.

(999) Unknown

072 pounds X .4536 = 033 kilograms

## PEDESTRIAN'S CHARACTERISTICS

4. Pedestrian's Age

09

Code actual age at time of accident.

(00) Less than one year old (specify by month):

(97) 97 years and older

(99) Unknown

5. Pedestrian's Sex

1

(1) Male

(2) Female - not reported pregnant

(3) Female - pregnant-1st trimester (1st-3rd month)

(4) Female - pregnant-2nd trimester (4th-6th month)

(5) Female - pregnant-3rd trimester (7th-9th month)

(6) Female - pregnant-term unknown

(9) Unknown

6. Pedestrian's Overall Height

134

Code actual height to the nearest  
centimeter.

(999) Unknown

52.7 inches X 2.54 = 134 centimeters

7. Pedestrian's Height - Ground to Knee

37

Code to the nearest  
centimeter.

(999) Unknown

14.5 inches X 2.54 = 37 centimeters

8. Pedestrian's Height - Ground to Hip

074

Code to the nearest  
centimeter.

(999) Unknown

29 inches X 2.54 = 074 centimeters

9. Pedestrian's Height - Ground to Shoulder

102

Code to the nearest  
centimeter.

(999) Unknown

40 inches X 2.54 = 102 centimeters

## PEDESTRIAN'S PRE-AVOIDANCE ACTIONS

11. Pedestrian Attitude

1

(1) Standing

(2) Crouching

(3) Kneeling

(4) Bending at waist

(8) Other (specify):

(9) Unknown

12. Pedestrian Motion

3

(0) Not moving

(1) Walking slowly

(2) Walking rapidly

(3) Running or jogging

(4) Hopping

(5) Skipping

(6) Jumping

(7) Falling/stumbling or rising

(8) Other (specify):

(9) Unknown

13. Pedestrian's Action Relative to Vehicle

01

(00) Stopped

(01) Crossing road, straight

(02) Crossing road, diagonally

(03) Moving in road, with traffic

(04) Moving in road, against traffic

(05) Off road, approaching road

(06) Off road, going away from road

(07) Off road, moving parallel

(08) Off road, crossing driveway

(09) Off road, moving along driveway

(98) Other (specify):

(99) Unknown

14. Pedestrian's Body (Chest) Orientation  
Relative to Striking Vehicle Prior to  
Avoidance Actions

4

(1) Facing vehicle

(2) Facing away

(3) Left side to vehicle

(4) Right side to vehicle

(8) Other (specify):

(9) Unknown

**PEDESTRIAN'S AVOIDANCE ACTIONS**15. Pedestrian's First Avoidance Actions 00

- (00) No avoidance actions
- (01) Stopped
- (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle
- (06) Turned away from vehicle
- (07) Dove or fell away

Used hand(s) to :

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): \_\_\_\_\_
- (99) Unknown

**PEDESTRIAN'S ORIENTATION AT IMPACT**16. Pedestrian's Head Orientation at Initial Impact 1

- (1) To front
- (2) To left
- (3) To right
- (4) Up
- (5) Down
- (8) Other (specify): \_\_\_\_\_
- (9) Unknown

17. Pedestrian's Body (Chest) Orientation at Initial Impact 4

- (1) Facing vehicle
- (2) Facing away
- (3) Left side to vehicle
- (4) Right side to vehicle
- (8) Other (specify): \_\_\_\_\_
- (9) Unknown

18. Pedestrian's Arm Orientation at Initial Impact 01

- (01) At sides
- (02) Folded across chest
- (03) Hands clasped behind back
- (04) Hands on hips
- (05) Hands in pockets

One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing *holding*
- (09) Extended, holding object *Ball*  
(briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify): \_\_\_\_\_
- (99) Unknown

19. Pedestrian's Leg Orientation at Initial Impact 04

- (01) Together
- (02) Apart-laterally
- (03) Apart-right leg forward
- (04) Apart-left leg forward
- (05) Apart- forward leg unknown
- (06) Left foot off the ground
- (07) Right foot off the ground
- (08) Both feet off the ground
- (98) Other (specify): \_\_\_\_\_
- (99) Unknown

20. Vehicle/Pedestrian's Interaction 07

- (01) Carried by vehicle, wrapped position
- (02) Carried by vehicle, slid to windshield
- (03) Carried by vehicle, position unknown
- (04) Passed over vehicle top
- (05) Thrown straight forward
- (06) Thrown forward and left of vehicle
- (07) Thrown forward and right of vehicle
- (08) Knocked to pavement, forward
- (09) Knocked to pavement, left of vehicle
- (10) Knocked to pavement, right of vehicle
- (11) Knocked to pavement, run over or dragged by vehicle
- (12) Shunted to left (corner impacts only)
- (13) Shunted to right (corner impacts only)
- (14) Bumped or pushed aside
- (15) Snagged, rotated
- (16) Snagged, dragged by vehicle
- (17) Foot or legs run over
- (98) Other (specify): \_\_\_\_\_
- (99) Unknown

## OFFICIAL RECORDS

## INJURY CONSEQUENCES

21. Police Reported Alcohol Presence  
For Pedestrian

- (0) No alcohol present  
(1) Yes alcohol present  
(7) Not reported  
(9) Unknown

022. Alcohol Test Result For Pedestrian  
Code actual value (decimal implied  
before first digit—0.xx)

- (95) Test refused  
(96) None given  
(97) AC (Alcohol Content)  
test performed, results unknown  
(99) Unknown if test given

9 6Source: PAR'S23. Police Reported Other Drug Presence  
For Pedestrian

- (0) No other drug(s) present  
(1) Yes other drug(s) present  
(7) Not reported  
(9) Unknown

724. Other Drug Specimen Test Result  
For Pedestrian

- (0) No specimen test given  
(1) Drug not found in specimen  
(2) Drug found in specimen,  
(specify): \_\_\_\_\_  
(3) Specimen test given,  
results unknown or not obtained  
(9) Unknown

0

25. Injury Severity (Police Rating)

- (0) O - No injury  
(1) C - Possible injury  
(2) B - Nonincapacitating injury  
(3) A - Incapacitating injury  
(4) K - Killed  
(5) U - Injury, severity unknown  
(6) Died prior to accident  
(9) Unknown

3

26. Treatment - Mortality

- (0) No treatment  
(1) Fatal  
(2) Fatal - ruled disease (specify): \_\_\_\_\_

4*Nonfatal*

- (3) Hospitalization  
(4) Transported and released  
(5) Treatment at scene - non-transported  
(6) Treatment later  
(8) Treatment - other (specify): \_\_\_\_\_  
(9) Unknown

27. Type Of Medical Facility  
(for Initial Treatment)

- (0) Not treated at a medical facility  
(1) Trauma center  
(2) Hospital  
(3) Medical clinic  
(4) Physician's office  
(5) Treatment later at medical facility  
(8) Other (specify): \_\_\_\_\_  
(9) Unknown

1

28. Hospital Stay

- (00) Not Hospitalized  
\_\_\_\_\_ Code the number of days (up through 60)  
that the pedestrian stayed in a hospital.  
(61) 61 days or more  
(99) Unknown

0 0

29. Working Days Lost

- \_\_\_\_\_ Code the number of days  
(up through 60) that the pedestrian  
lost from work due to the accident  
(00) No working days lost  
(61) 61 days or more  
(62) Fatally injured  
(97) Not working prior to accident  
(99) Unknown

9 7

**STOP - VARIABLES 30 THROUGH 37 ARE COMPLETED BY THE ZONE CENTER**

30. Glasgow Coma Scale (GCS) Score 15  
(at Medical Facility)  
(00) Not injured  
(01) Injured - not treated at medical facility  
(02) No GCS Score at medical facility  
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.  
(97) Injured, details unknown  
(99) Unknown if injured

31. Was the Pedestrian Given Blood? 1  
(1) No - blood not given  
(2) Yes - blood given  
(specify units): \_\_\_\_\_  
(9) Unknown if blood given

32. Arterial Blood Gases (ABG) -  $\text{HCO}_3$  01  
(00) Not injured  
(01) Injured, ABGs not measured or reported  
(02-50) Code the actual value of the  $\text{HCO}_3$   
(96) ABGs reported,  $\text{HCO}_3$  unknown  
(97) Injured, details unknown  
(99) Unknown if injured

33. Time to Death 00  
\_\_\_\_\_ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)  
(00) Not fatal  
(96) Fatal - ruled disease  
(99) Unknown

34. 1st Medically Reported Cause of Death 00  
35. 2nd Medically Reported Cause of Death 00  
36. 3rd Medically Reported Cause of Death 00  
\_\_\_\_\_ Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  
(00) Not fatal or no additional causes  
(96) Mode of death given but specific injuries are not linked to cause of death. (specify): \_\_\_\_\_  
(97) Other result (includes fatal ruled disease) (specify): \_\_\_\_\_  
(99) Unknown

37. Number of Recorded Injuries for This Pedestrian 05  
\_\_\_\_\_ Code the actual number of injuries recorded for this pedestrian.  
(00) No recorded injuries  
(97) Injured, details unknown  
(99) Unknown if injured

ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?

NO [ ] YES ☒UPDATE CANDIDATE? NO ☒ YES [ ]



# PEDESTRIAN INJURY FORM

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 06 P

4. Blank

X X

## INJURY DATA

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.



	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6. 8	7. 9	8. 04	9. 02	10. 1	11. 1	12. 700	13. 1	14. 1	15. 3	16. 1	17. 1
2nd	18. 3	19. 8	20. 5	21. 34	22. 20	23. 2	24. 1	25. 700	26. 1	27. 1	28. 3	29. 1	30. 1
3rd	31. 3	32. 8	33. 9	34. 04	35. 02	36. 1	37. 1	38. 701	39. 1	40. 1	41. 3	42. 1	43. 1
4th	44. 7	45. 7	46. 9	47. 04	48. 02	49. 1	50. 1	51. 947	52. 1	53. 1	54. 0	55. 0	56. 0
5th	57. 7	58. 7	59. 9	60. 02	61. 02	62. 1	63. 1	64. 947	65. 1	66. 1	67. 0	68. 0	69. 0
6th	70.	71.	72.	73.	74.	75.	76.	77.	78.	79.	80.	81.	82.
7th	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.
8th	96.	97.	98.	99.	100.	101.	102.	103.	104.	105.	106.	107.	108.
9th	109.	110.	111.	112.	113.	114.	115.	116.	117.	118.	119.	120.	121.
10th	122.	123.	124.	125.	126.	127.	128.	129.	130.	131.	132.	133.	134.

## PEDESTRIAN INJURY DATA

[illegible]

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



<b>SOURCE OF INJURY DATA</b> <b>OFFICIAL</b> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic  <b>UNOFFICIAL</b> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____  (9) Police	<b>INJURY SOURCE CONFIDENCE LEVEL</b> (1) Certain (2) Probable (3) Possible (9) Unknown  <b>DIRECT/INDIRECT INJURY</b> (1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source  <b>STRIKING PROFILE</b> (0) Injury not from vehicle contact (1) Flat-Narrow (< 15 centimeters) (2) Flat-Wide (≥ 15 centimeters) (3) Rounded (contoured) (4) Rounded edge (5) Sharp edge (8) Other (specify): _____  (9) Unknown	<b>TYPE OF DAMAGE</b> (0) Injury not from vehicle contact (1) No damage/contact (2) Scratch (Scuff, Cloth Transfer, Smear) (3) Dent (4) Large deformation (5) Cracked, fractured, shattered (6) Separated from vehicle (7) Noncontact injury (8) Other specify: _____ (9) Unknown  <b>DAMAGE DEPTH</b> (0) Injury not from vehicle contact (1) No residual damage (2) Surface only damage (3) Crush depth > 0 to 2 centimeters (4) Crush depth > 2 to 5 centimeters (5) Crush depth > 5 to 10 centimeters (8) Other specify: _____ (9) Unknown
--	--	--

### PEDESTRIAN INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Spine	Abbreviated Injury Scale
(1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified	<u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical	(02) Cervical (04) Thoracic (06) Lumbar  <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02  <b>Level of Injury</b>  Specific injuries are assigned consecutive two-digit numbers beginning with 02.  To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) Injured, unknown severity
Type of Anatomic Structure	Head - LOC	Specific Injuries	Aspect
(1) Whole Area (2) Vessels (3) Nerves (4) Organs (includes muscles/ligaments) (5) Skeletal (includes joints) (6) Head - LOC (9) Skin	(02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion	(0) Whole region	(1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown

### INJURY SOURCE

<b>FRONT</b> 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): _____ 719 Unknown front object  <u>Left Side Components</u> 720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify): _____ 729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify): _____ 739 Unknown left side component  <u>Right Side Components</u> 740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): _____ 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): _____ 759 Unknown right side component  <u>Back Components</u> 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): _____ 769 Unknown back component  <u>Top Components</u> 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify): _____ 789 Unknown top component	<u>Wheels / tires</u> 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): _____ 799 Unknown wheel / tire  <u>Undercarriage components</u> 800 Front crossmember 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): _____ 819 Unknown undercarriage component  <u>Accessories</u> 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): _____ 826 Spare tire 827 Spotlight 828 Other accessory (specify): _____  <u>Other Object or Vehicle in Environment</u> 947 Ground 948 Other object (specify): _____ 949 Unknown object in environment 959 Unknown object on contacting vehicle 997 Noncontact injury source 999 Unknown injury source
---	---	---



# OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

☐ No

☐ Yes

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level  
(mg/dl)

BAL = 0

Glasgow Coma  
Scale Score

GCSS = 15

Units of Blood  
Given

Units = 0



Arterial Blood Gases

Ph =     

PO<sub>2</sub> =     



PCO<sub>2</sub> =     

HCO<sub>3</sub> =     



## OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM  
PEDESTRIAN CRASH DATA STUDY

OFFICIAL RECORDS

1. Primary Sampling Unit Number 90  
2. Case Number - Stratum 606P  
3. Vehicle Number 01

9. Police Reported Travel Speed 999

Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)  
(160) 159.5 kmph and above  
(999) Unknown

\_\_\_ mph X 1.6093 = \_\_\_ kmph

VEHICLE IDENTIFICATION

4. Vehicle Model Year 92  
Code the last two digits of the model year  
(99) Unknown

10. Speed Limit 048

(000) No statutory limit  
Code posted or statutory speed limit  
in kmph  
(999) Unknown

30 mph X 1.6093 = 048 kmph

5. Vehicle Make (specify): 52  
Mitsubishi ✓  
Applicable codes are found in your  
NASS PCDS Data Collection, Coding and  
Editing Manual.  
(99) Unknown

11. Police Reported Alcohol Presence For Driver 0

(0) No alcohol present  
(1) Yes alcohol present  
(7) Not reported  
(8) No driver present  
(9) Unknown

6. Vehicle Model (specify): 034  
CALANT ✓  
Applicable codes are found in your  
NASS PCDS Data Collection, Coding and  
Editing Manual.  
(999) Unknown

12. Alcohol Test Result For Driver 96

Code actual value (decimal implied  
before first digit—0.xx)  
(95) Test refused  
(96) None given  
(97) AC (Alcohol Content) test  
performed, results unknown  
(98) No driver present  
(99) Unknown

7. Body Type 04  
Note: Applicable codes may be found on  
the back of this page.

Source: \_\_\_\_\_

8. Vehicle Identification Number  
JA3CR46VINU [REDACTED]  
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

13. Police Reported Other Drug Presence For Driver 7

(0) No other drug(s) present  
(1) Yes other drug(s) present  
(7) Not reported  
(8) No driver present  
(9) Unknown

Left justify; Slash zeros and letter Z (0 and Z)  
No VIN—Code all zeros  
Unknown—Code all nines

14. Other Drug Specimen Test Result For Driver 0

(0) No specimen test given  
(1) Drug not found in specimen  
(2) Drug found in specimen  
(specify): \_\_\_\_\_  
(3) Specimen test given, results  
unknown or not obtained  
(8) No driver present  
(9) Unknown

# CODES FOR BODY TYPE

## CDS APPLICABLE VEHICLES

### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):

---

(09) Unknown automobile type

### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine - more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

### Utility Vehicles ( $\leq 4,500$ kgs GVWR)

- (14) Compact utility (Jeep CJ-2 - CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks ( $\leq 4,500$ kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van ( $\leq 4,500$  kgs GVWR)
- (23) Van based motorhome ( $\leq 4,500$  kgs GVWR)
- (24) Van based school bus ( $\leq 4,500$  kgs GVWR)
- (25) Van based other bus ( $\leq 4,500$  kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):

---

(29) Unknown van type

### Light Conventional Trucks (Pickup style cab, $\leq 4,500$ kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

### Other Light Trucks ( $\leq 4,500$ kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

## OTHER VEHICLES

### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):

---

(59) Unknown bus type

### Medium/Heavy Trucks ( $> 4,500$ kgs GVWR)

- (60) Step van ( $> 4,500$  kgs GVWR)
- (61) Single unit straight truck ( $4,500 \text{ kgs} < \text{GVWR} \leq 8,850$  kgs)
- (62) Single unit straight truck ( $8,850 \text{ kgs} < \text{GVWR} \leq 12,000$  kgs)
- (63) Single unit straight truck ( $> 12,000$  kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

## VEHICLE WEIGHT ITEMS

## 15. Vehicle Curb Weight

Code weight to nearest  
10 kilograms.

- (045) Less than 450 kilograms  
(610) 6,100 kilograms or more  
(999) Unknown

07.667 lbs X .4536 = 1.210 kgs

Source [REDACTED]

## 16. Vehicle Cargo Weight

Code weight to nearest  
10 kilograms.

- (000) Less than 5 kilograms  
(450) 4,500 kilograms or more  
(999) Unknown

00.000 lbs X .4536 = 0.000 kgs

## OTHER DATA

## 17. Vehicle Special Use (This Trip)

- (0) No special use  
(1) Taxi  
(2) Vehicle used as school bus  
(3) Vehicle used as other bus  
(4) Military  
(5) Police  
(6) Ambulance  
(7) Fire truck or car  
(8) Other (specify): \_\_\_\_\_  
(9) Unknown

**STOP - VARIABLES 18 THROUGH 20  
ARE COMPLETED BY THE ZONE CENTER**

## RECONSTRUCTION DATA

## 18. Impact Speed

48.8 Nearest kmph

(NOTE: 000 means greater than .5 kmph)  
(160) 159.5 kmph and above  
(999) Unknown

## 19. Accuracy Range of Impact Speed Estimate

- (0) No reconstruction  
(1) Less than 2 kmph  
(2)  $\geq 2$  kmph and  $\leq 8$  kmph  
(3)  $\geq 9$  kmph and  $\leq 16$  kmph  
(4)  $\geq 17$  kmph and  $\leq 26$  kmph  
(9) Unknown

## 20. Data Source of Impact Speed

- (0) No impact speed calculated  
(1) Zone center calculation  
(2) Police calculation  
(3) Driver/witness/police estimates

## PRECRAASH DATA

## 21. Driver's Attention to Driving

- (Prior to Recognition of Critical Event)  
(1) Full attention to driving  
(2) Distracted by other occupant  
(3) Distracted by moving object in vehicle  
(4) Distracted by outside person, object, or event  
(5) Talking on cellular phone or CB radio  
Specify: \_\_\_\_\_  
(6) Sleeping or dozing while driving  
(8) Other (specify): \_\_\_\_\_  
(9) Unknown

## 22. Pre-Event Vehicle Movement

- (Prior to Recognition of Critical Event)  
(01) Going straight  
(02) Slowing or stopping in traffic lane  
(03) Starting in traffic lane  
(04) Stopped in traffic lane  
(05) Passing or overtaking another vehicle  
(06) Disabled or parked in travel lane  
(07) Leaving a parking position  
(08) Entering a parking position  
(09) Turning right  
(10) Turning left  
(11) Making a U-turn  
(12) Backing up (other than for parking position)  
(13) Negotiating a curve  
(14) Changing lanes  
(15) Merging  
(16) Successful avoidance maneuver to a previous critical event  
(97) Other (specify): \_\_\_\_\_  
(98) No driver present  
(99) Unknown

## 23. Critical Precrash Event

80*This Vehicle Loss of Control Due To:*

- (01) Blow out or flat tire
- (02) Stalled engine
- (03) Disabling vehicle failure (e.g., wheel fell off)  
(specify): \_\_\_\_\_
- (04) Non-disabling vehicle problem (e.g., hood flew up) (specify): \_\_\_\_\_
- (05) Poor road conditions (puddle, pot hole, ice, etc.)  
(specify): \_\_\_\_\_
- (06) Traveling too fast for conditions
- (08) Other cause of control loss (specify): \_\_\_\_\_

## (09) Unknown cause of control loss

*This Vehicle Traveling*

- (10) Over the lane line on left side of travel lane
- (11) Over the lane line on right side of travel lane
- (12) Off the edge of the road on the left side
- (13) Off the edge of the road on the right side
- (14) End departure
- (15) Turning left at intersection
- (16) Turning right at intersection
- (17) Crossing over (passing through) intersection
- (19) Unknown travel direction

*Other Motor Vehicle In Lane*

- (50) Stopped
- (51) Traveling in same direction with lower speed  
(i.e., lower steady speed or decelerating)
- (52) Traveling in same direction with higher speed
- (53) Traveling in opposite direction
- (54) In crossover
- (55) Backing
- (59) Unknown travel direction of other motor vehicle  
in lane

*Other Motor Vehicle Encroaching Into Lane*

- (60) From adjacent lane (same direction)—over left  
lane line
- (61) From adjacent lane (same direction)—over right  
lane line
- (62) From opposite direction—over left lane line
- (63) From opposite direction—over right lane line
- (64) From parking lane
- (65) From crossing street, turning into same direction
- (66) From crossing street, across path
- (67) From crossing street, turning into opposite  
direction
- (68) From crossing street, intended path not known
- (70) From driveway, turning into same direction
- (71) From driveway, across path
- (72) From driveway, turning into opposite direction
- (73) From driveway, intended path not known
- (74) From entrance to limited access highway
- (78) Encroachment by other vehicle—details  
unknown

*Pedestrian or Pedalcyclist, or Other Nonmotorist*

- (80) Pedestrian in roadway
- (81) Pedestrian approaching roadway
- (82) Pedestrian—unknown location

(83) Pedalcyclist or other nonmotorist in roadway  
(specify): \_\_\_\_\_(84) Pedalcyclist or other nonmotorist approaching  
roadway (specify): \_\_\_\_\_(85) Pedalcyclist or other nonmotorist—unknown  
location (specify): \_\_\_\_\_*Object or Animal*

- (87) Animal in roadway
- (88) Animal approaching roadway
- (89) Animal—unknown location
- (90) Object in roadway
- (91) Object approaching roadway
- (92) Object—unknown location
- (98) Other critical precrash event (specify): \_\_\_\_\_

(99) Unknown

## 24. Attempted Avoidance Maneuver

02

- (00) No driver present
- (01) No avoidance actions
- (02) Braking (no lockup)
- (03) Braking (lockup)
- (04) Braking (lockup unknown)
- (05) Releasing brakes
- (06) Steering left
- (07) Steering right
- (08) Braking and steering left
- (09) Braking and steering right
- (10) Accelerating
- (11) Accelerating and steering left
- (12) Accelerating and steering right
- (98) Other action (specify): \_\_\_\_\_
- (99) Unknown

## 25. Precrash Stability After Avoidance Maneuver

2

- (0) No driver present
- (1) No avoidance maneuver
- (2) Tracking
- (3) Skidding longitudinally—rotation less than 30  
degrees
- (4) Skidding laterally—clockwise rotation
- (5) Skidding laterally—counterclockwise rotation
- (8) Other vehicle loss-of-control (specify): \_\_\_\_\_
- (9) Precrash stability unknown

26. Precrash Directional Consequences of  
Avoidance Maneuver (Corrective Action)2

- (0) No driver present
- (1) No avoidance maneuver
- (2) Vehicle stayed in travel lane where avoidance  
maneuver was initiated
- (3) Vehicle stayed on roadway but left travel lane  
where avoidance maneuver was initiated
- (4) Vehicle stayed on roadway, not known if left  
travel lane where avoidance maneuver was  
initiated
- (5) Vehicle departed roadway
- (6) Avoidance maneuver initiated off roadway
- (9) Directional consequences unknown

## ENVIRONMENTAL DATA

27. Relation to Junction 0

- (0) Non-junction  
(1) Interchange area

*Non-Interchange*

- (2) Intersection  
(3) Intersection-related  
(4) Drive, alley access related  
(5) Other non-interchange (specify):  
  
(6) Unknown type of non-interchange  
(9) Unknown if interchange

28. Trafficway Flow 1

- (1) Not physically divided (two way traffic)  
(2) Divided trafficway - median strip without positive barrier  
(3) Divided trafficway - median strip with positive barrier  
(4) One way trafficway  
(9) Unknown

29. Number of Travel Lanes 2

- (1) One  
(2) Two  
(3) Three  
(4) Four  
(5) Five  
(6) Six  
(7) Seven or more  
(9) Unknown

30. Roadway Alignment 1

- (1) Straight  
(2) Curve right  
(3) Curve left  
(9) Unknown

31. Roadway Profile 1

- (1) Level  
(2) Uphill Grade (> 2%)  
(3) Downhill Grade (> 2%)  
(4) Hillcrest  
(5) Sag  
(9) Unknown

32. Roadway Surface Type 2

- (1) Concrete  
(2) Bituminous (asphalt)  
(3) Brick or Block  
(4) Slag, gravel or stone  
(5) Dirt  
(8) Other (specify):  
  
(9) Unknown

33. Roadway Surface Condition 1

- (1) Dry  
(2) Wet  
(3) Snow and slush  
(4) Ice  
(5) Sand, dirt or oil  
(8) Other (specify):  
(9) Unknown

34. Traffic Control Device 0

- (0) No traffic control(s)  
(1) Trafficway traffic control signal (not RR crossing)

*Regulatory or School Zone Sign (Not RR Crossing)*

- (2) Stop sign  
(3) Yield sign  
(4) School zone sign  
(5) Other sign (specify):  
  
(6) Unknown sign  
(7) Warning sign (not RR crossing)  
(8) Miscellaneous/other controls including RR controls (specify):  
  
(9) Unknown

35. Traffic Control Device Functioning 0

- (0) No traffic control  
(1) Not Functioning  
(2) Functioning  
(9) Unknown

36. Light Conditions 5

- (1) Daylight  
(2) Dark  
(3) Dark, but lighted  
(4) Dawn  
(5) Dusk  
(9) Unknown

37. Atmospheric Conditions 1

- (1) No adverse atmospheric related driving conditions  
(2) Rain  
(3) Sleet  
(4) Snow  
(5) Fog  
(6) Rain and fog  
(7) Sleet and fog  
(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):  
(9) Unknown

90-606

Isom & Subaru

'92 Gull/A

970m

~~72"~~ 53" 72"

Right Leg

A/C. R elbow

C R knee.

POI to FRP = 14.5 m = 47.6 ft.

f = 0.65

• RF bump.

• 20-30mph

braking

$$V = \sqrt{(2)(S)(f)(G)}$$

$$= \sqrt{(2)(47.6)(0.65)(32.2)}$$

$$= \sqrt{1990} = 44.6 \text{ FPS} = 30 \text{ mph} = 48.8 \text{ KPH}$$

49 KPH







1. Primary Sampling Unit Number

90

3. Vehicle Number

01

2. Case Number - Stratum

606P

VEHICLE IDENTIFICATION

VIN J A 3 C R 4 6 V 1 N U [REDACTED]

Model Year 92

Vehicle Make (specify): MITSUBISHI

Vehicle Model (specify): GALANT (4dr)

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

Steel

PEV08 Hood Length

117 cm

PEV09 Hood Width-Forward Opening

132 cm

PEV10 Hood Width-Midway

137 cm

PEV11 Hood Width-Rear Opening

139 cm

PEV14 Front Bumper Cover Material

PLASTIC

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

030 cm

PEV17 Front Bumper-Top Height

050 cm

PEV18 Forward Hood Opening

065 cm

PEV19 Front Bumper Lead

015 cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

071 cm

PEV21 Ground to Front/Top Transition Point

076 cm

PEV22 Ground to Rear Hood Opening

190 cm

PEV23 Ground to Base of Windshield

198 cm


PEV24 Ground to Top of Windshield

273 cm

PEV25 Ground to Head Contact

N/A cm

## VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 161 cm

## PEDESTRIAN SIDE CONTACT WORK SHEET

PEV06 Hood Material

STEEL

PEV08 Hood Length

117 cm

PEV09 Hood Width-Forward Opening

132 cm

PEV10 Hood Width-Midway

137 cm

PEV11 Hood Width-Rear Opening

139 cm

## VERTICAL MEASUREMENTS

PEV26 Ground Clearance

022 cm

PEV27 Side Bumper-Bottom Height

032 cm

PEV28 Side Bumper-Top Height

052 cm

PEV29 Centerline of Wheel

030 cm

PEV30 Top of Tire

060 cm

PEV31 Top of Wheel Well Opening

067 cm

PEV32 Bottom of A-Pillar at Windshield

088 cm

PEV33 Top of A-Pillar at Windshield

130 cm

PEV34 Top of Side View Mirror

102 cm

## LATERAL MEASUREMENTS

PEV35 C<sub>L</sub> to A-Pillar at Bottom of Windshield076 cmPEV36 C<sub>L</sub> to A-Pillar at Top of Windshield060 cmPEV37 C<sub>L</sub> to Maximum Side View Mirror Protrusion097 cm

## WRAP DISTANCES

PEV38 Ground to Side/Top Transition

086 cm

PEV39 Ground to Hood Edge

094 cm

PEV40 Ground to Centerline of Hood (ORIGIN)

153 cm

PEV41 Ground to Head Contact

N/A cm

## ORIGINAL SPECIFICATIONS

Wheelbase	<u>1 0 2.4</u>	inches x 2.54 =	<u>2 6 0</u> cm ✓
Overall Length	<u>1 8 3.9</u>	inches x 2.54 =	<u>4 6 7</u> cm ✓
Maximum Width	<u>0 6 6.7</u>	inches x 2.54 =	<u>1 6 9</u> cm ✓
Curb Weight	<u>2 6 6 7</u>	pounds x .4536 =	<u>1 2 1 0</u> kg ✓
Average Track	<u>0 5 7.3</u>	inches x 2.54 =	<u>1 4 6</u> cm ✓
Front Overhang	<u>N/A</u>	inches x 2.54 =	<u>N/A</u> cm ✓
Rear Overhang	<u>N/A</u>	inches x 2.54 =	<u>N/A</u> cm ✓
Undeformed End Width	_____	inches x 2.54 =	_____ cm
Engine Size: cyl./displ.	_____	cc x .001 =	<u>2.0</u> L ✓
	_____	CID x .0164 =	_____ L

## INJURY SOURCE

### FRONT

- 700 Front bumper
- 701 Front lower valance/spoiler
- 702 Front grille
- 703 Hood edge and/or trim
- 704 Hood ornament (fixed)
- 705 Hood ornament (spring loaded)
- 706 Headlight
- 707 Retractable headlight door (Open/Closed)
- 708 Turn signal/parking lights
- 718 Other front or add on object  
(specify): \_\_\_\_\_
- 719 Unknown front object

### Left Side Components

- 720 Front fender side surface
- 721 Front antenna
- 722 A1 pillar
- 723 A2 pillar
- 724 B pillar
- 725 C pillar
- 726 D pillar
- 728 Other pillar  
(specify): \_\_\_\_\_
- 729 Left side roof rail
- 730 Left side door surface
- 731 Left side door handle
- 732 Left side mirror fixed housing
- 733 Left side folding mirror
- 734 Left side glazing forward of B pillar
- 735 Left side glazing rearward of B pillar
- 736 Left side back fender or quarter panel
- 737 Rear antenna
- 738 Other left side object  
(specify): \_\_\_\_\_
- 739 Unknown left side component

### Right Side Components

- 740 Front fender side surface
- 741 Front antenna
- 742 A1 pillar
- 743 A2 pillar

- 744 B pillar
- 745 C pillar
- 746 D pillar
- 748 Other pillar (specify): \_\_\_\_\_
- 749 Right side roof rail
- 750 Right side door surface
- 751 Right side door handle
- 752 Right side mirror fixed housing
- 753 Right side folding mirror
- 754 Right side glazing forward of B pillar
- 755 Right side glazing rearward of B pillar
- 756 Rear antenna
- 757 Rear fender or quarter panel
- 758 Other right side object  
(specify): \_\_\_\_\_
- 759 Unknown right side component

### Back Components

- 760 Rear (back) bumper
- 761 Tailgate
- 762 Hatchback, vertical surface
- 768 Other back component  
(specify): \_\_\_\_\_
- 769 Unknown back component

### Top Components

- 770 Hood surface
- 771 Hood surface reinforced by under hood component
- 772 Front fender top surface
- 773 Cowl area
- 774 Wiper blade & mountings
- 775 Windshield glazing
- 776 Front header
- 777 Roof surface
- 778 Backlight glazing
- 779 Rear header
- 780 Hatchback
- 781 Rear trunk lid
- 788 Other top component (specify): \_\_\_\_\_
- 789 Unknown top component

### Wheels / tires

- 790 Left front wheel / tire
- 791 Right front wheel / tire
- 792 Left rear wheel / tire
- 793 Right rear wheel / tire
- 798 Other wheel / tire (specify): \_\_\_\_\_
- 799 Unknown wheel / tire

### Undercarriage components

- 800 Front cross member
- 801 Steering assembly/Front suspension
- 802 Oil pan
- 803 Exhaust system pipe
- 804 Transmission
- 805 Drive shaft
- 806 Catalytic converter
- 807 Muffler
- 808 Floor pan
- 809 Fuel tank
- 810 Rear suspension
- 818 Other undercarriage component  
(specify): \_\_\_\_\_
- 819 Unknown undercarriage component




### Accessories

- 820 Air scoop, deflector
- 821 Cellular or CB radio antenna
- 822 Emergency lights or bar
- 823 Fog lights
- 824 Luggage, ski, or bike rack
- 825 Cargo (specify): \_\_\_\_\_
- 826 Spare tire
- 827 Spotlight
- 828 Other accessory (specify): \_\_\_\_\_

### Other Object or Vehicle in Environment

- 947 Ground
- 948 Other object (specify): \_\_\_\_\_
- 949 Unknown object in environment
- 959 Unknown object on contacting vehicle
- 997 Noncontact injury source
- 999 Unknown injury source

## VEHICLE DAMAGE SKETCH



NO VISIBLE  
CONTACTS TO  
VEHICLE BY  
PEDESTRIAN

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 161 cm

## PEDESTRIAN CONTACT WORKSHEET

[illegible]



## VEHICLE DIMENSIONS

4. Original Wheelbase

Code to the  
nearest centimeter  
(999) Unknown

102.3 inches X 2.54 = 260 centimeters

5. Original Average Track Width

Code to the  
nearest centimeter  
(185) 185 centimeters or more  
(999) Unknown

057.0 inches X 2.54 = 146 centimeters

6. Hood Material

(1) Plastic  
(2) Fiberglass  
(3) Steel  
(4) Aluminum  
(5) Stainless Steel  
(8) Other (specify):  
(9) Unknown

7. Hood Original

Equipment Manufacturer (OEM)  
(1) OEM factory installed hood  
(2) OEM replacement  
(3) Non-OEM replacement  
(9) Unknown

8. Hood Length

Code to the  
nearest centimeter  
(180) 180 centimeters or more  
(999) Unknown

046.0 inches X 2.54 = \_\_\_\_\_ centimeter

9. Hood Width Forward Opening

Code to the  
nearest centimeter  
(210) 210 centimeters or more  
(999) Unknown

51.9 inches X 2.54 = \_\_\_\_\_ centimeters

10. Hood Width Midway

Code to the  
nearest centimeter  
(210) 210 centimeters or more  
(999) Unknown

053.9 inches X 2.54 = 137 centimeters

11. Hood Width Rear Opening

Code to the  
nearest centimeter  
(210) 210 centimeters or more  
(999) Unknown

054.7 inches X 2.54 = 139 centimeters

12. Hood/Fender Vertical/Lateral Crush From Pedestrian

(0) Not damaged  
(1) Surface scratching only, no residual crush  
(2) Minor crush (1-3 centimeters)  
(3) Moderate crush (4-7 centimeters)  
(4) Severe crush (> 7 centimeters)  
(8) Damage present, unknown if damage is from pedestrian impact  
(9) Unknown

13. Windshield Contact Damage

From Pedestrian Contact  
(0) Not contacted by pedestrian  
(1) Contacted by pedestrian - not damaged  
(2) Contacted by pedestrian - damaged  
(3) Unknown if contacted by pedestrian - not damaged  
(4) Unknown if contacted by pedestrian - damaged  
(9) Unknown if contacted by pedestrian - unknown if damaged

## FRONT CONTACT DAMAGE

## Front Vertical Measurements

14. Front Bumper Cover Material

(0) No front contact  
(1) Plastic  
(2) Fiberglass  
(3) Rubber  
(4) Other (specify):  
(9) Unknown

15. Front Bumper Reinforcement Material

(0) No front contact  
(1) Steel  
(2) Aluminum  
(3) Stainless Steel  
(4) Other (specify):  
(9) Unknown

16. Front Bumper-Bottom Height

Code to the  
nearest centimeter  
(000) No front contact  
(150) 150 centimeters or more  
(999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters



## National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

Page 8

17. Front Bumper-Top Height 050  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (150) 150 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = 050 centimeters

18. Forward Hood Opening 065  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (200) 200 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = 065 centimeters

19. Front Bumper Lead 15  
 (00) No front contact  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (30) 30 centimeters or more  
 (99) Unknown

\_\_\_\_\_ inches X 2.54 = 015 centimeters

23. Ground to Base of Windshield 198  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (400) 400 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

24. Ground to Top of Windshield 273  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (500) 500 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

25. Ground To Head Contact 998  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (400) 400 centimeters or more  
 (998) No head contact  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

## Front Wrap Distance Measurements

20. Ground to Forward Hood Opening 071  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (200) 200 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

21. Ground to Front/Top Transition Point 076  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (180) 180 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

22. Ground to Rear Hood Opening 190  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No front contact  
 (400) 400 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

## SIDE CONTACT DAMAGE

## Side Vertical Measurements

26. Ground Clearance 000  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No side contact  
 (150) 150 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

27. Side Bumper-Bottom Height 000  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No side contact  
 (150) 150 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

28. Side Bumper-Top Height 000  
 \_\_\_\_\_ Code to the  
 nearest centimeter  
 (000) No side contact  
 (150) 150 centimeters or more  
 (999) Unknown

\_\_\_\_\_ inches X 2.54 = \_\_\_\_\_ centimeters

## 29. Centerline of Wheel

000Code to the  
nearest centimeter

(000) No side contact

(150) 150 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 30. Top of Tire

000Code to the  
nearest centimeter

(000) No side contact

(200) 200 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 31. Top of Wheel Well Opening

000Code to the  
nearest centimeter

(000) No side contact

(250) 250 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 32. Bottom of A-Pillar at Windshield

000Code to the  
nearest centimeter

(000) No side contact

(250) 250 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 33. Top of A-Pillar at Windshield

000Code to the  
nearest centimeter

(000) No side contact

(300) 300 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 34. Top of Side View Mirror

000Code to the  
nearest centimeter

(000) No side contact

(300) 300 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## Side Lateral Measurements

## 35. Centerline to A-Pillar

000

at Bottom of Windshield

(000) No side contact

Code to the  
nearest centimeter

(250) 250 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 36. Centerline to A-Pillar

000

at Top of Windshield

Code to the  
nearest centimeter

(000) No side contact

(250) 250 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeter37. Centerline to Maximum Side  
View Mirror Protrusion000Code to the  
nearest centimeter

(000) No side contact

(300) 300 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeter

## Side Wrap Distance Measurements

## 38. Ground to Side/Top Transition

000Code to the  
nearest centimeter

(000) No side contact

(400) 400 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

## 39. Ground to Hood Edge

000Code to the  
nearest centimeter

(000) No side contact

(500) 500 centimeters or more

(999) Unknown

0 inches X 2.54 = 0 centimeters

40. Ground to Centerline of Hood

0 0 0\_\_\_\_ Code to the  
nearest centimeter

(000) No side contact

(700) 700 centimeters or more

(999) Unknown

0 0 0 inches X 2.54 = 0 0 0 centimeters

41. Ground to Head Contact

0 0 0\_\_\_\_ Code to the  
nearest centimeter

(000) No side contact

(800) 800 centimeters or more

(998) No head contact

(999) Unknown

0 0 0 inches X 2.54 = 0 0 0 centimeters



## PEDESTRIAN INTERVIEW FORM

1. Primary Sampling Unit Number

90

2. Case Number - Stratum

606 P

3. Pedestrian Number

01

Interviewee(s) Role or Name(s):

PedestrianInterview

Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.

If the pedestrian was not the person interviewed, was an appointment made for a follow-up interview?

## PEDESTRIAN'S DESCRIPTION OF ACCIDENT EVENTS

I WAS WALKING FROM MY HOME WITH MY BROTHER AND I WAS THROWING A BALL UP AND THEN CATCHING IT. I THREW THE BALL UP AND WHEN IT CAME DOWN I MISSED IT. THE BALL ROLLED INTO THE ROAD. WHEN I WENT TO GET BALL FROM THE ROAD THE CAR HIT MY LEG. I CANT REMEMBER ANYTHING ELSE, I WAS SCARED.


## WITNESS DESCRIPTION OF ACCIDENT EVENTS

# ACCIDENT DIAGRAM



INDICATE NORTH

The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.



PSU NUMBER  
CASE NUMBER  
YEAR

90  
606P  
1995

# PEDESTRIAN INTERVIEW FORM

*THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:*

☐ ENTIRE FORM

☒ PAGE NUMBER (S) 2

1. Primary Sampling Unit Number

90

3. Pedestrian Number

01

2. Case Number - Stratum

606P

## PEDESTRIAN PRE-CRASH DATA QUESTIONS

1. Did the driver of the vehicle which hit you lose control of the vehicle and collide with you before regaining control?

☒ No☐ Yes, explain: \_\_\_\_\_

2. Did the driver take any avoidance actions prior to the collision (with you)?

☒ No - Go to question 3☐ Yes- Go to question 2a.

- 2a. What actions did the driver take?

☐ Braking with lock-up☐ Braking without lock-up☐ Releasing brakes☐ Accelerating☐ Steering left☐ Steering right☐ Other (specify): \_\_\_\_\_

- 2b. Did the vehicle skid sideways?

☐ No☐ Yes- which way☐ Clockwise☐ Counter clockwise

How much rotation

☐ Less than 30°☐ 30° or more

- 3. Before the collision, was the driver attentive to the driving task or was the driver distracted by:

☐ Another person in the vehicle☐ A moving object in the vehicle☐ Something outside the vehicle

(specify): \_\_\_\_\_

☐ Cellular phone or CB, specify: \_\_\_\_\_☐ Sleeping or dozing☐ Other (specify): \_\_\_\_\_☒ Not distracted

4. Can you estimate the speed of the vehicle at the time of the collision?

☐ Stopped☐ 1-10☐ 10-20☒ 20-30☐ 30-40☐ 40-50☐ 50-60☐ 60-70☐ 70+

5. Just prior to the impact, were you:

☒ Standing/Walking/Running☐ Crouching☐ Kneeling☐ Bending at the waist☐ Other (specify): \_\_\_\_\_

6. Just before the impact, were you:

☐ Stopped☐ Walking☐ Walking Rapidly☒ Running or Jogging☐ Hopping☐ Skipping☐ Jumping☐ Falling or Rising☐ Other (specify): \_\_\_\_\_

7. Just before the impact, were you:

☐ Crossing road, straight☐ Crossing road, diagonally☐ Moving in road, with traffic☒ Moving in road, against traffic☐ Off road, approaching road☐ Off road, going away from road☐ Off road, moving parallel☐ Off road, crossing driveway☐ Off road, moving along driveway☐ Other (specify): \_\_\_\_\_

8. Before trying to avoid being struck by the vehicle, was your chest:

☐ Facing vehicle☒ Facing away☐ Left side to vehicle☐ Right side to vehicle☐ Other (specify): \_\_\_\_\_

9. Did you do anything to avoid being hit, like:

☐ Stopping☐ Accelerating pace☐ Running away (along vehicle path)☐ Jumping☐ Turning toward the vehicle☒ Turning away from the vehicle☐ Diving or Falling away

Using hands to:

☐ Vault corner of vehicle☐ Vault onto vehicle☐ Brace against vehicle☐ Crouch and brace hands against vehicle☐ Combination of above (specify): \_\_\_\_\_☐ Other (specify): \_\_\_\_\_☒ No

10. What portion of the vehicle first struck you?

☐ The front☐ Corner, or☒ Side

1. Primary Sampling Unit Number 90 3. Pedestrian Number 01  
 2. Case Number - Stratum 606P

## PEDESTRIAN CRASH DATA QUESTIONS

## PEDESTRIAN CHARACTERISTICS

11. When struck by the vehicle, was your chest:

- ☐ Facing vehicle  
☒ Facing away  
☐ Left side to vehicle  
☐ Right side to vehicle  
☐ Other (specify): \_\_\_\_\_

12. Which way was your head facing (relative to your chest) at impact?

- ☒ To front  
☐ To left  
☐ To right  
☐ Up  
☐ Down  
☐ Other (specify): \_\_\_\_\_

13. Where were your arms at impact? Would you say:

- ☒ At sides  
☐ Folded across chest  
☐ Hands clasped behind back  
☐ Hands on hips  
☐ Hands in pockets

One or both arms:

- ☐ Extended upward  
☒ Extended to side  
☐ Extended forward, bracing  
☐ Extended forward or backward holding or pulling object.  
☐ Holding object in arms  
☐ Holding object on shoulder or head  
☐ Other (specify): \_\_\_\_\_

14. Where were your legs at impact? Were they:

- ☒ Together  
☐ Apart, laterally  
☐ Apart, left leg forward  
☐ Apart, right leg forward  
☐ Apart, forward leg unknown  
☐ Left foot off the ground  
☐ Right foot off the ground  
☐ Both feet off the ground  
☐ Other (specify): \_\_\_\_\_

15. What happened to you after being hit by the vehicle?

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

16. Height, Weight, Age, and Sex?

Height 134  
 Weight 72  
 Age 9

Sex:

- ☒ Male  
☐ Female

17. What kind of shoes were you wearing?

Tennis shoes

18. Could you tell me your following measurements without shoes?

37cm Ground to center of knee cap  
74cm Ground to top of hip bone  
102cm Ground to top of shoulder

19. Type/Color of clothing worn?

Blue short sleeve shirt w/stipes  
DARK BLUE JEANS

20. Was an object carried or worn?

(specify): NONE

**Go to Pedestrian Injury Data questions**



1. Primary Sampling Unit Number

90

3. Pedestrian Number

01

2. Case Number - Stratum

606P

## PEDESTRIAN INJURY DATA

1. Were you injured?

☐ No - Go to question 8☒ Yes

2. Did you receive any cuts, abrasions, or bruises?

☐ No - Go to question 3☒ Yes - Record exact locations, sizes, and descriptions on the manikin(s), and then go to question 2a.

2a. Do you know what caused these injuries?

☐ No - Go to question 3☒ Yes - Specify injury sources, striking profile, type of damage, and damage depth on the manikin(s).

3. Did you experience any broken bones?

☐ No - Go to question 4☒ Yes - Record the exact locations, and type of fractures on the manikin(s), and then go to question 3a.

3a. Do you know what caused the injury(s)?

☒ No - Go to question 4☐ Yes - Specify injury sources, striking profile, type of damage, and damage depth on the manikin(s).

4. Did you injure your head?

☒ No - Go to question 5☐ Yes - Record the type of injury(s) on the manikins, and then go to question 4a.

4a. Do you know what caused the injury?

☐ No☐ Yes - specify the injury sources, striking profile, type of damage, and damage depth on the manikin(s).

5. Were any of your internal organs injured?

☒ No - Go to question 6☐ Yes - Thoroughly describe the type of injury(s) and specify the internal organs(s) injured on the manikin(s), and then go to question 5a.

5a. Do you know what caused the injury(s)?

☐ No☐ Yes - specify injury sources, striking profile, type of damage, and damage depth on the manikin(s).

6. Did you receive any joint sprains or muscle strains?

☒ No - Go to question 7☐ Yes - specify injury(s) on manikin(s), and then go to question 6a.

6a. Do you know what caused the injuries?

☐ No☐ Yes - specify injury sources, striking profile, type of damage, and damage depth on the manikin(s).

7. Did you receive any treatment?

☐ No (If "No", go to question 8)☒ Yes (If "Yes", go to question 7a or return to question 2.)

7a. Were you treated by (check all that apply):

☒ Hospital/trauma center? (specify hospital name):☐ Medical clinic /☐ Out patient surgery?

Specify: (medical facility:)

☐ Paramedics or first aid at the scene?☐ A doctor in his/her office?☐ Treated at home?☐ None of the above, go to question 8.

7b. Were you treated and released from the emergency room?

☐ No (If "No", go to question 7c.)☒ Yes (If "Yes", go to question 7e.)

7c. Were you hospitalized?

☐ No (If "No", give an explanation)☒ Yes (If "Yes", go to question 7d.)7d. How many days were you in the hospital? 4 days

7e. Have you received any follow-up treatment?

☒ No☐ Yes (If "Yes", describe:)☐ Unknown

7f. In order to achieve the best possible scientific data regarding your injury(s), we need to obtain a copy of your medical reports. Would you sign a medical release form?

☐ No☒ Yes (If "Yes", mail or present the form for signature.)

8. Have you lost any days from work or school (college)?



☐ No☐ Yes (If "Yes", determine the number of days lost) (Specify:)☒ Not working prior to the accident☐ Unknown

PSU Number 90 Case Number—Stratum 606 P Pedestrian Number 01



## PEDESTRIAN INJURY DATA FROM INTERVIEWEE(S)

Indicate the *Location, Lesion, Detail, and Source* of all injuries. Specify interviewee(s):Pedestrian #1

## SOFT TISSUE/INTERNAL INJURIES



## SKELETAL INJURIES





## DRIVER INTERVIEW FORM

1. Primary Sampling Unit Number	<u>90</u>	Interviewee(s) Role or Name(s): <u>Driver Interview</u>
2. Case Number - Stratum	<u>606P</u>	
3. Vehicle Number	<u>01</u>	

Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.


If the driver was not the person interviewed, was an appointment made for a follow-up interview?

### DRIVER'S DESCRIPTION OF ACCIDENT EVENTS

I just had left work and I was driving in a southerly direction. I stopped for a red traffic light prior to the accident. Up ahead I could see a couple of children to my right. I was in the curb lane when this kid ran across the road and then ran back across again. I then felt a bump to my right front tire area. After I felt the small bump I pulled my car over to the side of roadway, in the same direction I was travelling. I walked back to a cement type drainage bridge and then I could see the kid lying on his stomach and he was not moving his right leg. I think the kid was trying to get a ball at the time he was hit.

### OCCUPANT'S DESCRIPTION OF ACCIDENT EVENTS

## ACCIDENT DIAGRAM



INDICATE NORTH

The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

1. Primary Sampling Unit Number

90

3. Vehicle Number

0 1

2. Case Number - Stratum

6 0 6 P

4. Occupant Number

0 1

## DRIVER CRASH DATA QUESTIONS

1. Can you tell me in which direction you were traveling?
☐ North ☒ South ☐ East ☐ West

(Optional - Where were you coming from or going to?)

Coming from Work.2. In which lane were you traveling?

(Note: Lane 1 is designated as the right curb lane.)

☒ [2] ☐ [3] ☐ [4] ☐ Other (specify):
3. Can you remember your estimated travel speed (in miles per hour) before the accident?
☒ Stopped ☐ 1-10 ☐ 10-20  
☒ 20-30 ☐ 30-40 ☐ 40-50  
☐ 50-60 ☐ 60-70 ☐ 70+

4. Just before the accident, can you tell me what you were intending to do or were doing?

☒ Going straight ☐ Stopped  
☐ slowing ☐ Accelerating  
☐ Turning left ☐ Turning right  
☐ Changing lanes to left ☐ Changing lanes to right  
☐ Backing  
☐ Other (specify):
5. Did you experience any loss of control?
☒ No  
☐ Yes (If yes, describe below)
6. Did you have to take any avoidance actions prior to the accident?
☒ No - Go to question 7  
☒ Yes - Go to question 6a
6a. What actions did you take?
☒ Braking with lock-up  
☒ Braking without lock-up  
☐ Releasing brakes  
☐ Accelerating  
☐ Steering left  
☐ Steering right  
☐ Other (specify):

6b. Did the vehicle skid sideways?

☐ Yes  
 Which way?
☐ Clockwise☐ Counter clockwise

How much rotation?

☐ Less than 30°☐ 30° or more☒ No7. Where was your vehicle at the time of the collision?
☒ Original travel lane ☐ Different travel lane  
☐ In intersection ☐ Off roadway to right  
☐ Off roadway to left  
☐ Other (specify):
8. Was your travel speed at the time of the collision different from your previous travel speed?
☐ No  
☒ Lower  
☐ Higher  
☐ Unknown
8a. Can you estimate your speed at the time of the collision?
☐ Stopped ☐ 1-10 ☒ 10-20  
☐ 20-30 ☐ 30-40 ☐ 40-50  
☐ 50-60 ☐ 60-70 ☐ 70+
9. Immediately following the collision, can you describe how your vehicle moved to its stopped position?
Slowed and Stopped on  
Side of Roadway.

10. What direction was your vehicle facing at final rest?



11. Where was your vehicle when it came to rest?

☐ Original travel lane ☒ Different travel lane  
☐ In intersection ☒ Off roadway to right  
☐ Off roadway to left  
☐ Other (specify):

1. Primary Sampling Unit Number

9 0

3. Vehicle Number

0 1

2. Case Number - Stratum

6 0 6 P

4. Occupant Number

0 1

## VEHICLE/DRIVER DATA QUESTIONS

## VEHICLE/PEDESTRIAN RELATED DATA

12. Was there any previous damage to your vehicle that is not related to this accident?

☒ No☐ Yes (If "yes", describe below, go to question 13)

---

13. Was your vehicle repaired with Original Equipment Manufacture (OEM) parts?

☒ No (If "No", describe below)☐ Yes☐ UnknownNo damage -  
to vehicle

14. At the time of the accident, was the vehicle being used as a:

☐ Taxi☐ School Bus☐ Other Bus?

Is the vehicle a:

☐ Military☐ Police☐ Ambulance☐ Fire Truck/Car☒ Other Special use, specify:PRIVATE VEHICLE

15. Before the collision, were you attentive to the driving task or were you distracted by:

☐ talking on a cellular phone☐ another person in the car☐ a moving object in the car☐ something outside the car, specify:☐ sleeping or dozing☒ other (specify):☒ not distracted

## OPTIONAL

If you need additional vehicle information. Request the owner's permission for an additional inspection.

16. Do you know where the vehicle is currently located?

Yes/ Home w/ me

17. May I take a look at your vehicle to assess the damage?

☐ No☒ Yes

18. Just prior to the impact, was the pedestrian:

☐ Standing☒ Crouching☐ Kneeling☐ Bending at waist☐ Other, specify:                     

19. Just before the impact, was the pedestrian:

☐ Stopped☐ Walking☐ Walking Rapidly☒ Running or Jogging☐ Hopping☐ Skipping☐ Jumping☐ Falling or Rising☐ Other (specify):                     

20. Just before impact, was the pedestrian:

☒ Crossing road, straight☐ Crossing road, diagonally☐ Moving in road, with traffic☐ Moving in road, against traffic☐ Off road, approaching road☐ Off road, going away from road☐ Off road, moving parallel☐ Off road, crossing driveway☐ Off road, moving along driveway☐ Other (specify):                     

21. Where was the pedestrian at impact:

☐ In intersection, in a crosswalk☐ In intersection, not in a crosswalk☐ Not at intersection, in a crosswalk☒ Not at intersection, not in a crosswalk☐ Off road☐ Other (specify):                     

22. Before trying to avoid being struck by the vehicle, was the pedestrian's chest:

☐ Facing vehicle☐ Facing away☐ Left side to vehicle☒ Right side to vehicle☐ Other (specify):

1. Primary Sampling Unit Number

9 0

3. Vehicle Number

0 1

2. Case Number - Stratum

6 0 6 P

4. Occupant Number

0 1

## VEHICLE/DRIVER PEDESTRIAN RELATED DATA QUESTIONS (CONTINUED)

23. Did the pedestrian do anything to avoid being hit, like:

- ☐ Stopping  
☐ Accelerating pace  
☐ Running away (along vehicle path)  
☐ Jumping  
☐ Turning towards the vehicle  
☐ Turning away from the vehicle  
☐ Diving or falling away

using hands to:

- ☐ Vault corner of vehicle  
☐ Vault onto the vehicle  
☐ Brace against vehicle  
☐ Crouch and brace hands against vehicle  
☐ Combination of above (specify):

- ☒ Other (specify): \_\_\_\_\_  
☒ No

25. Where did the pedestrian hit the vehicle?

Would you say:

- ☐ The front  
☒ Corner, or  
☒ Side

26. When struck by the vehicle was the pedestrian's chest:

- ☐ Facing vehicle  
☐ Facing away  
☒ Left side to vehicle  
☒ Right side to vehicle  
☐ Other (specify): \_\_\_\_\_

27. Which way was the pedestrian's head facing (relative to the chest) at impact?

- ☒ To front  
☒ To Left  
☒ To Right  
☐ Up  
☐ Down  
☐ Other (specify): \_\_\_\_\_

28. Where were the pedestrian's arms at impact?

Would you say:

- ☒ At sides  
☐ Folded across chest  
☐ Hands clasped behind back  
☐ Hands on hips  
☐ Hands in pockets

one or both arms:

- ☐ Extended upward  
☐ Extended to side  
☐ Extended forward, bracing  
☐ Extended forward or backward holding or pulling

object

- ☐ Holding object in arms  
☐ Holding object on shoulder or hand  
☐ Other (specify): \_\_\_\_\_

29. Where were the pedestrian's legs at impact?

Were they:

- ☐ Together  
☒ Apart, laterally  
☒ Apart, left leg forward  
☐ Apart, right leg forward  
☐ Apart, forward leg unknown  
☐ Left foot off the ground  
☐ Right foot off the ground  
☐ Both feet off the ground  
☐ Other (specify): \_\_\_\_\_

30. What happened to the pedestrian after being hit by the vehicle?

He was lying on  
the grass, on  
his stomach, side of roadway

31. Were there any other pedestrians contacted by your vehicle?

- ☐ Yes- How many? \_\_\_\_\_  
 continue collecting information (questions 24 through 34 above) for each additional pedestrian contacted.  
☒ No- End Driver Interview

[illegible]

PSU90  
CASE 606P  
CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN  
PEDESTRIAN STUDY

4/96

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	0	Y
Pedestrian Injury	0	0	0	Y
Pedestrian General Vehicle	0	0	0	Y
Pedestrian Exterior Vehicle	0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	0	