



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO. 605P

TYPE OF ACCIDENT Car/Ped./Crossing road straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include</u> any personal identifiers.)


VI was traveling east in the second lane of a six-lane divided asphalt urban street. Another vehicle was also traveling east ahead of VI in the second lane. The vehicle ahead of VI stopped and VI changed lanes to the first lane. PI was walking south across the street and the vehicle ahead of VI had stopped to avoid striking PI. As VI came around the right side of the other vehicle, PI stepped out in front of VI. The front-center and front-right of VI struck the right side of PI. The impact threw PI forward and to the right, and PI came to rest near the right-front wheel of VI. After impact, VI traveled farther east and came to rest in the first lane headed east. PI was transported and hospitalized. VI was driven.


B. PEDESTRIAN PROFILE									
Pedestrian	Injury ZONE CENTER)								
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	55	Female	Hospitalized	Head	organ	જ	windshield		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE								
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	e of Year/Make/Model Vehicle		Damage Plane	Damage Description					
01	Intermediate	92/Chevrolet/Lumina	Front	Moderate damage to front grille, hood and windshield					

DO NOT SANITIZE THIS FORM







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

ministration	MEASONEMENT	IADLL	PEDESTRIAN CRASH DATA STUDY				
PEDESTRIAN CRASH DATA STUDY Primary Sampling Unit Number 4 G PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION Cocument reference point and reference sine relative to physical features documentation of all accident indicated physical evidence including (if applicable) Surface Type Surface Condition SCALED DIAGRAM north arrow placed on diagram orth arrow placed							
PEDESTRIAN ACCIDENT CO	DLLISION DATA COLLECTION		SCALED DIAGRAM				
	Surface Type	A61 .	north arrow placed on diagram				
	Surface Condition	DRY F					
a) vehicle skid marks	Coefficient of Friction	<u>.65</u> [
b) pedestrian contacts with ground or object	Grade (v/h) Measurement		crosswalks, curb/edge lines, lane markings, medians, pavement markings,				
c) vehicle/pedestrian point of impact (POI)	a) at impact	9/12	b) all traffic controls (e.g., lights, signs)				
		9/22 ·	pedestrian at pre-impact, impact, and final				
	Pedestrian Travel Direction		a) physical evidence, or				
	-	E					
		3	b) reconstructed accident dynamics				
curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles,	Number of fraver Laires		t				
b) all traffic controls (e.g., lights, signs)							
OF	L WEST Refe	rence Line:	and con men				
Item							
BLOODSILL		4.0 W	0.2N				

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
·	·	
· · · · · · · · · · · · · · · · · · ·		

<u>0 1</u>

ational Highway Tramic Safety dministration	PEDESTRIAN A	CCIDENT FORM NATIONAL ACCIDENT SAMPLING S PEDESTRIAN CRASH DATA	SYSTE
Primary Sampling Unit Numbe	r 49	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	605 P	Check (✓) each special study (SS15-SS19 below) has been completed; code 1 for the checked special studies and 0 for the checked special studies are studies.	
IDENTIFICAT	ΓΙΟΝ	studies and 0 for the special studies not checked.	
Number of General Vehicle		6SS15 Administrative Use	_0_
Forms Submitted	0_1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	1
4. Date of Accident (Month, Day, Year)	1 9 6	8SS17 Impact Fires	_0_
5. Time of Accident	1612	9SS18	_0
Code reported military time	e of accident.		
NOTE: Midnight = 2400		10SS19	0
Unknown = 9999		NUMBER OF EVENTS	

PEDESTRIAN STUDY CRITERIA

11. Number of Recorded Events

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 03	15	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 49	10. Pedestrian's Weight
2. Case Number - Stratum 6 05	(999) Unknown
3. Pedestrian Number <u>0</u>	1 pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	2 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
inches X 2.54 = centimeters 9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

	ata System. Pedestrian Assessment Form
PEDESTRIAN'S AVOIDANCE ACTIONS	40. Dadashirala Assa Oliv III
	18. Pedestrian's Arm Orientation
	at Initial Impact
15. Pedestrian's First Avoidance Actions 02	(01) At sides (02) Folded across chest
To the description of the following the first of the firs	
(00) No avoidance actions (01) Stopped と	(03) Hands clasped behind back
(02) Accelerated pace	(04) Hands on hips
(03) Ran away (along vehicle path)	(05) Hands in pockets
(04) Jumped	One or both arms:
(05) Turned toward vehicle	One or both arms:
(06) Turned away from vehicle	(06) Extended upward(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(or, borosi isinana)	(09) Extended holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(co) comment	(00) Chilliown
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16 Dedectricals Head Orientation	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation at Initial Impact	(06) Left foot off the ground
at Initial Impact (1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(e) cimileum	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
• •	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle

(17) Foot or legs run over(98) Other (specify):

(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	0	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
 (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

iational Accident Sampling System-Crashworthiness Da	<u>-</u>
STOP - VARIABLES 30 THROUGH 37 AI	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
(99) Unknown	
	S INCLUDED WITH INITIAL SUBMISSION? YES [V] NO [V] YES []

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

		AIS-90							Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	<u>5. 2</u>	e. <u>Y</u>	7 <u>.5</u>	8. <u>/ 6</u>	9. <u>/ O</u>	10. 2	11. <u> </u>	12.700	13. 1	14	15. 2	18.2	17. <u>3</u> -
2nd	18. 2	19	20. <u>5</u>	21. <u>3.4</u>	22. 22	- _{23.} <u>3</u>	24. 1	25. <u>70</u> 0	26. 🖊	27. <u>/</u>	28. 2	- _{29.} <u>2</u> -	30. <u>2</u>
3rd	31. <u> </u>	32. <u>5</u>	33. <u>9</u>	34. <u>0 2</u>	35. <u>0</u> <u>Z</u>	- _{36.} /_	37. <u>/</u>	38. <mark>7 p]</mark>	3 39. <u>/</u>	40. <u>/</u>	41. 3	42. 2	43.2
4 th	44. 3	45. <u>/</u>	46. 7	47. 0 b	48	49. 1	50. <u>/</u>	51. <u>775</u>		53. <u>/</u>	54. 2	55. <u> </u>	_{56.} <u>5</u>
5th	57. <u>2</u>	58	- 59. <u>7</u>	60. <u>7 4</u>	61. <u>0</u> 2	- 62. <u>/</u>	63. /_	64. <u>7</u> 7 <u>.</u>	<u> 5 65. </u>	66. <u>/</u>	67. <u>2</u>	_{68.} <u>5</u>	<u></u>
6th	_{70.} <u>2</u>	71. <u>Z</u>	72. <u>9</u>	73.74	74. <u>0 2</u>	-75. <u>/</u> _	76. <u>/</u>	77. <u>7.7</u>	∑78. <u></u>	79.)	80. <u>2</u>	-81. 5	B2.5_
7th	83. 2	84	85. 😉	86. <u>0</u> 2	87. <u>)</u>	88. <u>5</u>	89. 🖰	90. 77	∑ 91. <u>↓</u>	92	93. 2	ک_ 🚜 💆	95.
Bth	96. <u>2</u> -	97	98. <u> </u> H	99. <u>O l</u>	100. <u>5 (</u>	101.5	102.	103. <u>7 7</u>	<u>5104. </u>	105	106	L _{107.} <u>5</u>	1085_
9th	1092	-110. <u>}</u>	111. 4	112.06	_{113.} <u>/ 0</u>	114.5	115. 2	7116. <u>77</u>	∑117. <u>/</u>	118	119. 2	- _{120.} <u>-</u>	1215_
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

				PEDES	STRIAN INJ	URY DAT	Ά				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damag Depth
1th							_	_	—	_	_
2th							_	<u></u>	<u> </u>		
3th					4 01 1993 1994 - La Santa (1994) - La La La Callanda (1994)						
4th							<u>.</u>				
5th										<u> </u>	
6th							_	_			
7 th											
8th							<u> </u>				
		(2) 1 (2) 1									
9th								-			
Oth											
1st											
		-					_	—	—		
lnd									_	_	
3rd	_								_		
kth								_		_	
											16

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



TYPE OF DAMAGE INJURY SOURCE CONFIDENCE LEVEL SOURCE OF INJURY DATA (1) (2) Certain Probable (0) Injury not from vehicle contact **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent (2) Hospital/medical records other than (4)Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered Direct contact injury summary) (6) Separated from vehicle (3) Emergency room records only (including (2) Indirect contact injury (7)Noncontact injury associated X-rays or other lab reports) (3) (7) Noncontact injury Injured, unknown source (8) Other specify: Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage (3) Rounded (contoured) (6) E.M.S. personnel (3) Crush depth >0 to 2 centimeters (4) (5) Rounded edge (7) Interviewee Sharp edge (4) Crush depth >2 to 5 centimeters (8) Other source (specify): Other (specify): (5) Crush depth > 5 to 10 centimeters (8) Other specify: (9) Police Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Specific Anatomic Structure **Body Region** Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head (2) Moderate injury (06) Lumbar Face (3) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Thorax (06) Skin - Laceration (4) Severe injury (08) Skin - Avulsion (5) Abdomen (5) Critical injury Maximum (untreatable) (6) Spine (10) Amoutation Injured, unknown severity (20) Burn **Upper Extremity** (7) Lower Extremity (30) Level of Injury Crush (8) Aspect Unspecified (40) Degloving (50) Injury - NFS Specific assigned injuries consecutive two-digit beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical numbers Right Left Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Whole Area To the extent possible, within the Central Vessels organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Nerves (5) Anterior **Posterior** (4) Organs (includes muscles/ (10) Concussion (6) Superior ligaments) Skeletal (includes joints) (8) Inferior Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Whole region Skin **INJURY SOURCE** Wheels / tires **FRONT** 744 B pillar 790 Left front wheel / tire 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 792 Left rear wheel / tire 702 Front grille 746 D pillar 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 750 Right side door surface 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify):_ 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground

779 Rear header

781 Rear trunk lid

788 Other top component (specify):

789 Unknown top component

780 Hatchback

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units =


Arterial Blood Gases

Ph = 7.43

 $PO_2 = \frac{70}{41}$ $PCO_2 \frac{41}{41}$


HCO₃ ____

2,851610.2,1



OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Administration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENTS	AMPLING SYSTEM
1. Primary Sampling Unit Num	nber 49	OFFICIAL RECORDS	
2. Case Number - Stratum	6 05 P	9. Police Reported Travel Speed	999
3. Vehicle Number	_0_1	Code to the nearest kmph (NOTE: 000 less than 0.5 kmph) (160) 159.5 kmph and above) means
VEHICLE IDENT	IFICATION	(999) Unknown	
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit	056
5. Vehicle Make (specify): CHEVROUT Applicable codes are found NASS PCDS Data Collection Editing Manual.		in kmph (999) Unknown 35 mph x 1.6093 =56 kmph	
(99) Unknown 6. Vehicle Model (specify):	3/q 020	 11. Police Reported Alcohol Presence For (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 	Driver 6
Applicable codes are found NASS PCDS Data Collection Editing Manual. (999) Unknown		12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given	96
 Body Type Note: Applicable codes ma the back of this page. 	y be found on	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown	
8. Vehicle Identification Numl	per	Source: //XV	_
Left justify; Slash zeros and No VIN-Code all zeros Unknown-Code all nines	0 11 12 13 14 15 16 17 d letter Z (Ø and Z)	 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown 	<u> </u>
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown	
	•		

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3,220 + M 3,245 lbs x .4536 = 1,495 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):
	(98) No driver present (99) Unknown

	//-		
23.	Critical Precrash Event <u>50</u>		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(O1) Blow out or flat tire	1	(84) Pedalcyclist or other nonmotorist approaching
	(O2) Stalled engine	l	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):		(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway
	(specify):		(89) Animal—unknown location
	(06) Traveling too fast for conditions	Ì	(90) Object in roadway
	(08) Other cause of control loss (specify):		(91) Object approaching roadway
		l	(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		, , , , , , , , , , , , , , , , , , ,
	(10) Over the lane line on left side of travel lane		(99) Unknown
	(11) Over the lane line on right side of travel lane		
	(12) Off the edge of the road on the left side	24.	Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side	- ''	(00) No driver present
	(14) End departure		(01) No avoidance actions
	(15) Turning left at intersection		(O2) Braking (no lockup)
	(16) Turning right at intersection		(03) Braking (lockup)
	(17) Crossing over (passing through) intersection		- · · · · · · · · · · · · · · · · · · ·
	(19) Unknown travel direction		(04) Braking (lockup unknown)
	·		(05) Releasing brakes
	Other Motor Vehicle In Lane		(06) Steering left
	(50) Stopped		(07) Steering right
	(51) Traveling in same direction with lower speed		(08) Braking and steering left —
	(i.e., lower steady speed or decelerating)		(09) Braking and steering right
	(52) Traveling in same direction with higher speed		(10) Accelerating
	(53) Traveling in opposite direction		(11) Accelerating and steering left
	(54) In crossover		(12) Accelerating and steering right
	(55) Backing		(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99) Unknown
	in lane		2 - Landilla Africa Association and Management 2
	Other Motor Vehicle Encroaching Into Lane	25.	Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left		(0) No driver present (1) No avoidance maneuver
	lane line		(1) No avoidance maneuver (2) Tracking
	(61) From adjacent lane (same direction)—over right		(3) Skidding longitudinally—rotation less than 30
	lane line		degrees
	(62) From opposite direction—over left lane line		(4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line		(5) Skidding laterally—counterclockwise rotation
	(64) From parking lane		(8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction		
	(66) From crossing street, across path		(9) Precrash stability unknown
	(67) From crossing street, turning into opposite		
	direction	26.	Precrash Directional Consequences of
	(68) From crossing street, intended path not known		Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(O) No driver present
	(71) From driveway, across path		(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction	1	(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		maneuver was initiated
	(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
	unknown		(4) Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	(80) Pedestrian in roadway		initiated (5) Vehicle departed roadway
	(81) Pedestrian approaching roadway		
	(82) Pedestrian—unknown location		(6) Avoidance maneuver initiated off roadway

	* ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic)	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing)
	 (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		 (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three	3	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	 (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	2	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
•			

67
U.S. Department of Transportation
National Highway Traffic Safety
Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
• •		Camping	O	140111001

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 261 WN547 9N

Model Year 92

Vehicle Make (specify): CHEVROLET

Vehicle Model (specify): LUMINA EURO PR

cm

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	STEEL
PEV08 Hood Length	$\frac{1}{15}$ cm
PEV09 Hood Width-Forward Opening	140 cm
PEV10 Hood Width-Midway	± 48 cm
PEV11 Hood Width-Rear Opening	152 cm
PEV14 Front Bumper Cover Material	- PLKETIC
PEV15 Front Bumper Reinforcement Material	STAR


VERTICAL MEASUREMENTS

VERTICAL MEASUREMENTS	
PEV16 Front Bumper-Bottom Height PEV17 Front Bumper-Top Height PEV18 Forward Hood Opening PEV19 Front Bumper Lead WRAP DISTANCES	$-\frac{37}{53}$ cm $-\frac{70}{12}$ cm
PEV20 Ground to Forward Hood Opening PEV21 Ground to Front/Top Transition Point PEV22 Ground to Rear Hood Opening PEV23 Ground to Base of Windshield	
PEV23 Ground to Base of Windshield (40 + 40) PEV24 Ground to Top of Windshield (40 + 140 + 13)	293 cm

140 +97

PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

141 cm

		PEDESTRIAN SIDE CONTACT WORK SHEET	
	PEV06	Hood Material	·
	PEV08	Hood Length	cm
	PEV09	Hood Width-Forward Opening	cm
	PEV10	Hood Width-Midway	cm
	PEV11	Hood Width-Rear Opening	cm
		VERTICAL MEASUREMENTS	
	PEV26	Ground Clearance	cm
	PEV27	Side Bumper-Bottom Height	cm
	PEV28	Side Bumper-Top Height	cm
	PEV29	Centerline of Wheel	cm
	PEV30	Top of Tire	cm
	PEV31	Top of Wheel Well Opening	cm
	PEV32	Bottom of A-Pillar at Windshield	cņ
	PEV33	Top of A-Pillar at Windshield	cm
	PEV34	Top of Side View Mirror	cm
		LATERAL MEASUREMENTS	
	PEV35	C _L to A-Pillar at Bottom of Windshield	cn
	PEV36	C _L to A-Pillar at Top of Windshield	cn
	PEV37	C _L to Maximum Side View Mirror Protrusion	cm
		WRAP DISTANCES	
	PEV38	Ground to Side/Top Transition	cn
		Ground to Hood Edge	cn
		Ground to Centerline of Hood (ORIGIN)	cn
	PEV41	Ground to Head Contact	cn
			-
ı			

ORIGINAL SPECIFICATIONS

	Wheelbase	_[07	. <u>5</u>	inches	X	2.54	=	2	73	_ cm
	Overall Length	<u>l</u>	98	.3	inches	Х	2.54	=	5	04	_ cm
	Maximum Width		71	<u>. 0</u>	inches	X	2.54	=	1	80	_ cm
	Curb Weight	3.	29	5	pounds	X	. 4536	=	1.4	95	_ kg
	Average Track 54.5			· 	inches	Х	2.54	=	1	49	_ cm
	Front Overhang				inches	Х	2.54	=		23	_ cm
	Rear Overhang				inches	X	2.54	=			_ cm
	Undeformed End Width			·	inches	X	2.54	=	1	50	_ cm
	Engine Size: cyl./displ.				СС	X	.001	=	,	<u> </u>	L
3	1220 C.W. 44gl	-			CID	x	. 0164	=	V\$ (3.1	_ L


	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowi area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	_ 997 Noncontact injury source

789 Unknown top component

743 A2 pillar

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

POINTS OF PEDESTRIAN CONTACT								
			PEDEST	RIAN CONTA	CT WORKSH	EFT		1
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	BUMPEN COVEN	+11462	+22	0	L'-LE4	LIGHTSCURS	(1) 2 3 9	* (
		+53vever					1 2 3 9	
BI /_	BUMPER	Ho3 Long	+63	0	R-LEC	CLOTH SCYFF	1 2 3 9	2
		HSNE NT					1 2 3 4	
Ci	Ganne .	495 LONG	+29	0	Pavis	CLOTH TRANSFER	2 3 9	3
		+80 UZAP					1 2 3 9	
DI	Haon	+916224	+33	<1cm	Dry ?	SKIN TRANSFOR	2 3 9	4
		t&IU/AP					1 2 1 9	
E	Hoon	184 love	+46	0	UNK	TRANSFOR	€ 2 3 9	5
		189 Wend	10 Сама	•			1 2 3 9	
FI	Hoop -	rboun	+38	0	ELROW	Skin Transfor	1 2 3 9	6
		1120 WAY					1 2 3 8	
G1	Hoop	+23 Long	t 59	0	UNK	TRANSFER	① 2 3 9	7
		+119 wear	ρ				1 2 3 9	
41	Hoob	to love	+53	0	UNIC	CLOTH TRANSFOR	€ 2 3 9	ઇ
		4 141 WAG)				1 2 3 9	
J1	4000	-73lova	+73	0	() UIC	TRANSFOR	(1) 2 3 9	9
		HILY LHUP					1 2 3 9	
75	WIS	-59 Cosa	the Ca	9 Cm STEW	HEND	toced uls	2 3 9	10
	•	1247 WRAS	25	Pole		HAMPL STEW	1 2 3 9	
cr	millon	-77 losa	+98		UNK	SCRATCHES	1 2 3 9	11
		-762 UKA	+92	VPN		•	1 2 3:9:	
07-	Ix Rum	-1246014			UUL	SMUDLES	1 2 3 9	12
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	323 WAW	+134 W	m		BURL	1 2 1 9	
		. :					1 2 3.9	ė.

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

Rya 5 (2

# POINTS OF PEDESTRIAN CONTACT

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE L CONTACT F (Circle)	TRIO
4EL	BPman	-165 CONS	+86	0	UNIC	Scup	1 ②	3 9
B	36	2 UKAR	1020	<del>-</del> nT		SCUFF	1 2	9
#Z	Chin	-256 Loan	+71	0	UNC	Scurr	1 2 3	3 9
•	4	44 MAYO	Lot 4	भ			1 2	9
5							1 2 3	3 9
ŧ							1 2	
7							1 2 3	
8							1 2	
9							1 2	
10							1 2	
11							1 2	
12							1 2	
13 14							1 2	*******
15							1 2	
18							1 2	
17				-			1 2	********
18							1 2	3 9
19							1 2	3 9
29							1 2	3 9
21							1 2	3 9
22							1 2	3 9
23							1 2	3 9
24							1.2	3 8

POINTS OF PEDESTRIAN CONTACT							
			CHRONO	LOGICAL ORE	ER OF CONTACTS		
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL COCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 B	700	103	+63	.0	has FAD	smudge	2 3 9
23	700	103	to)	0	1. FyV	11	<b>()239</b>
C-3D	703	95	+40	0	R.clast	smutul class trensfor	O 2 3 9
4	775	-59	+60	5+	herd herd	1-571	<b>D</b> 2-1-1
5	1/	**	**	e			1 2 3 9
6	11	4	- //	6			1 2 3 9
7	"	11	e,	4			1 2 3 9
8	11	٠,	4	ş			1 2 3 8
9 🗸	(1	4	>	>	V	<i>V</i>	
10							1 2 1 9
11							1 2 3 9
12							1. 27 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1, 2, 3, 8
17						4	1 2 3 9
18							10.2.1.9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 8
23							1 2 3 9
24							15 Z 53 8
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase 273	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
·	40.11.12.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
5. Original Average Track Width 149	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian 2
nearest centimeter	(O) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	7
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
(5) OHKHOWH	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
	(9) Unknown if contacted by pedestrian -
tii Urivi jaciory installen noon	
(1) OEM factory installed hood (2) OFM replacement	unknown if damaged
(2) OEM replacement	unknown if damaged
	·
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length	·
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the	FRONT CONTACT DAMAGE Fromt Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements  14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  2.10 2.10 centimeters or more (999) Unknown  inches X 2.54 = centimeters	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  48	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway Code to the	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  Code to the  nearest centimeter	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the  nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the  nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  Code to the  nearest centimeter	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =	Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 = centimeters
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
		Side Vertical Measurements
l		•
20.	Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Wheel	Side Lateral Measurements
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	(250) 250 centimeters or more (999) Unknown
30. Top of Tire  Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown	36. Centerline to A-Pillar at Top of Windshield Code to the
31. Top of Wheel Well Opening  Code to the	(250) 250 centimeters or more
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = centimeter  32. Bottom of A-Pillar at Windshield	37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter (000) No side contact
Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = centimeter	(300) 300 centimeters or more (999) Unknown  inches X 2.54 = centimeter  Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  inches X 2.54 = centimeters
34. Top of Side View Mirror  Code to the nearest centimeter  (000) No side contact (300) 300 centimeters or more (999) Unknown  inches X 2.54 = centimeter	39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown  inches X 2.54 = centimeters
•	

5. Hr. 20

40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000	·	
41. Ground to Head Contact  Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters		
inches X 2.54 =	centimeters		



49605P00000011 969.000000000000116120100001 96 96 96 969.001000000000103F72000 49605P00010012 9.00 000000005529999999999991101402340803070960033119990 49605P00010021 2960000000009 9.00 00000000028516102170011222 49605P00010131 49605P00010231 9.00 00000000028534223170011222 9.00 00000000035902021170311322 49605P00010331 49605P00010431 9.00 00000000031906021177511255 9.00 00000000022974021177511255 49605P00010531 9.00 00000000022974021177511255 49605P00010631 9.00 00000000021602145077511255 49605P00010731 49605P00010831 9.00 00000000021406565277511255 49605P00010931 9.00 00000000021406105277511255 9990560960015000000 9.00 0000000009220020042G1WN54TON 49605P01000041 92111680082202321210011 9.00 00000000273149311151401481522211037053070120810832002 49605P01000051 0000000000000


PSU49 CASE 605P

CURRENT VERSION: 9.00

# ERROR SUMMARY SCREEN PEDESTRIAN STUDY



-	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ö	ŏ	Ö	Ý
Pedestrian Injury	ŏ	ŏ	Ö	Y
Pedestrian General Vehicle	_	Ö	Ö	Y
Pedestrian Exterior Vehicl		0	0	Y
Total Inter Errors		o	0	
Total Case Errors	0	o	0	



PSU 49-605p (1996) #1



PSU 49-605p (1996) #2

Page 1



PSU 49-605p (1996) #3



PSU 49-605p (1996) #4



PSU 49-605p (1996) #5



PSU 49-605p (1996) #6

Page 3



PSU 49-605p (1996) #7



PSU 49-605p (1996) #8



PSU 49-605p (1996) #9



PSU 49-605p (1996) #10



PSU 49-605p (1996) #11



PSU 49-605p (1996) #12

Page 6



PSU 49-605p (1996) #13