400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

607P CASE NO.

TYPE OF ACCIDENT Car/Ped/Crossing road straight

## A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

VI was traveling south in the first lane of an undivided asphalt urban four-lane street. Pl was traveling west, running across the street. The front-left of Vl struck the right side of Pl. After being struck, Pl wrapped on to the hood of Vl and was thrown forward, coming to rest in the first southbound lane, a short distance in front of VI which also came to rest in the first southbound lane. Pl was transported and treated and released. V1 was driven.

I	B. PEDESTRIAN PROFILE									
	Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
	No.	Age	Sex	Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)	Injury Source				
	01	8	Male	Treat & Rel	.Head	Head-LOC	2	Hood		


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

	C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection							
Vehicle No.	1	Year/Make/Model	Damage Plane	Damage Description						
01	Intermediate	90 / Volvo / 240DL	Front	Light damage to front and hood.						

#### DO NOT SANITIZE THIS FORM

External

**ACCIDENT COLLISION DIAGRAM** \*U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Case Number-Stratum 6079 PSU No. 49 Indicate North BEST AVAILABLE COPY は大りべる â SIDEWALK SIDEWALK ٤ N PO 7 0 Sp WITINESS W 25 M To שש Z מורטואל HS Form 431B (1/95) Scale: 1 centimeter -





# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

a rot.

Primary Sampling Unit Number $4 - 9$	_	Case N	lumber	-Stratum <u>6</u> <u>0</u> 7 <u>P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA C	COLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	_KGR	* no	th arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio			ide measurements for all applicable idways
a) vehicle skid marks	Coefficient of Fri	ction <u>155</u>		aled representations of the physical plant luding:
b) pedestrian contacts with ground or object  c) vehicle/pedestrian point of impact (POI)	Grade (v/h) Mea a) at impa	- 1/10.	a) b)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle		n impact and	* sc	aled representations of the vehicle and destrian at pre-impact, impact, and final
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	al Direction	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection <u>5</u>	b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	il·Lanes <u>4</u>		
b) all traffic controls (e.g., lights, signs)				
Reference Point: COUMEN OF IS  NE CNR OF INTER			<u>3</u> T	EDLÉ DE STRÆT
Item	·	Distance and Direction from Reference Point		Distance and Direction from Reference Line
AREA DE IMPART	>	26.6N		3.8€
PI FINAL REST	5	23.5N		3.2€
CETEMIXCAPPA	FRIM			
APPROXIMATED WITNESS & MK RESEARCHER	<b>5</b> 5			
RESEARCHER				
		1		19 - 4 TH
-				2. 2 <b>第</b> 2 2 2 <b>2</b> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Item	Distance and Direction from Reference Point	Distance and Direction
	Hom Reference Point	from Reference Line
		<u> </u>

## PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	49	SPECIAL STUDIES - INDICATORS
Case Number - Stratum	6 9 7 p	Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special
IDENTIFICATION		studies and 0 for the special studies not checked.
Number of General Vehicle     Forms Submitted	_0_1_	6SS15 Administrative Use0
mante a Add.	<u> </u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month, Day, Year)	/ 9 6	8SS17 Impact Fires0
5. Time of Accident	445	9SS180
Code reported military time of accident	dent.	
NOTE: Midnight = 2400 Unknown = 9999		10SS19
OHNHOWH - 9999		NUMBER OF EVENTS
		11. Number of Recorded Events in This Accident

## PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>onlv</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0 1</u>	14. 03	15. <u> </u>	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>			

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 49	10. Pedestrian's Weight Ode actual weight to the nearest
2. Case Number - Stratum 6 27 P	1
3. Pedestrian Number <u>0 1</u>	163 pounds X .4536 = $74$ kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising
centimeter. (999) Unknowninches X 2.54 =centimeters  7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(8) Other (specify): (9) Unknown  13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter.  (999) Unknown  inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
PEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions OO	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
` '	
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	One or both arms:  (06) Extended upward  (07) Extended to side
(03) Ran away (along vehicle path)	Ki ,
(04) Jumped	One or both arms: (2- 0.55- 21*)
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(U1) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
	(99) Unknown
(99) Unknown	(99) Ouknown
	40.5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
/ \1	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(55) Shalowii
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	
	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
· ·	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
į	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian</li> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul>	Ø	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
<ul> <li>22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given</li> </ul>	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	0	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
(9) Unknown  24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
	:	

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility)	34. 1st Medically Reported Cause of Death
(00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility	35. 2nd Medically Reported Cause of Death
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(97) Injured, details unknown (99) Unknown if injured	number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood?  (1) No - blood not given  (2) Yes - blood given	(00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause
(specify units):(9) Unknown if blood given	of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub>	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
(01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub>	(33) Olikilowii
(96) ABGs reported , HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian
(99) Ottkilowii ii iiijuled	Code the actual number of injuries recorded for this pedestrian.
33. Time to Death  Code number of hours from time of	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day	
=31, 2 days = 32, n days = 30 +n up through 30 days = 60)	
(00) Not fatal (96) Fatal - ruled disease	
(99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORDS	-
NO [1	YES[]
UPDATE CANDIDATE?	NO[] YES[Y

Administration

PEDESTRIAN INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u>49</u>

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 07 P

4. Blank

## **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


	Source		Type of	AIS-90 Specific					Injury Source	Direct/		Туре	
	of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
lst	5.7	6. 8	7. 9	8. <u>0</u> <u>2</u>	9. <u>O</u>	2 <sub>-10,</sub> <u>/</u>	11. <u>/</u>	.12.700	13	14. /_	15	- <sub>16.</sub> 2	_ <sub>17.</sub>
2nd	18.7	19	20. 7	21.0 4	22. 0 2	- <sub>23.</sub> <u> </u>	24	25. <u>70<b>8</b></u>	26	27	28. 2	29. 5	30. 3
3rd	317	32. <u> </u>	33. <u>9</u>	34. <u>0</u> 2	35. <u>0</u> 2	−36. <u> </u>	37. <u> </u>	38. <u>77</u> 0	⊃ 39. <u>/</u> •	40. /	41	42. <u>3</u>	43
4th	44	45.7	46. <u>7</u>	47. <u>0</u> Z	48. <u>0 7</u>	49. /	50. 2	- <sub>51.</sub> 7 78	) <sub>52.</sub> <u>/</u>	53	54. 2	55. <u>3</u>	3 56
5th	57. <u>3</u>	58.	<b>4</b> 59	80 <u>2</u>	61.2 2	62	63	64. <u>770</u>	65. <u>/</u>	66. /_	67. <u></u>	68	3 69
								77. <u>77</u> 0			.w. 1.3		
71h	83. <u>3</u>	84. <u>/</u>	<sub>85.</sub> <u>6</u>	86. <u>04</u>	87. <u>/</u> <u>0</u>	88. 2	- <sub>89.</sub> <u>O</u>	90. <u>770</u>	91	92	93	94	95
		.,						<sub>108.</sub> <u>947</u>					
								718. <u>947</u>					
10th	122. 5	123	124.	125.0 2	26. <u>0</u> 2	-127. <u> </u>	128. 2	- 947 129. <u></u>	130	131	132	) <i>O</i> 133	_O <sub>**</sub>

				PEDES	STRIA	UNI N	URY DAT	Α				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th		-				_			_	_	_	
12th		_			_	—		<u>—</u>		_	_	
3th										<u>-</u> -		
4th					_	-		_		_		
5th						_				<u> </u>	-	
6th 7th								•			_	_
8th												
9th						_						
Oth						_	<del></del>					
1st	-	—	-		<u>-</u>	-		<u></u>	_		—	—
2nd	_				—	-		_	_	-		-
3rd 4th					_							
Sith		_			_	_		_				

Company of the Compan

# OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### INJURY SOURCE CONFIDENCE LEVEL **SOURCE OF INJURY DATA** TYPE OF DAMAGE Certain Probable Injury not from vehicle contact **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) (2) Hospital/medical records other than Large deformation (4)emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury (6) Separated from vehicle (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel (3) Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Rounded edge (3) (7) Interviewee (5) Sharp edge (8) Other source (specify): (5) Other (specify): (8) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head (1)Minor injury Facé (06) Lumbar (2) Moderate injury (3) (4) (5) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury Critical injury (4) (5) Thorax (08) Skin - Avulsion Abdomen Amputation (6) Spine (10) Maximum (untreatable) (20) Burn (30) Crush (7) **Upper Extremity** Injured, unknown severity Lower Extremity Level of Injury (8) Unspecified (40) Degloving **Aspect** (50) Injury - NFS injuries assigned Type of Anatomic Structure consecutive two-digit beginning with 02. (90) Trauma, other than mechanical numbers (1)Right (2) Left Bilateral Whole Area Head - LOC (3) To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury signer in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion Vessels (4)Central (3) (4) (5) (6) Nerves Anterior. Posterior Organs (includes muscles/ ligaments) (7) Superior Skeletal (includes joints) Head - LOC (8) (9) Inferior Unknown (6) Whole region **INJURY SOURCE FRONT** Wheels / tires 744 B pillar 700 Front bumper 790 Left front wheel / tire 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 772 Front fender top surface 825 Cargo (specify):\_ 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 737 Rear antenna 827 Spotlight 775 Windshield glazing 828 Other accessory (specify): 738 Other left side object 776 Front header (specify): 777 Roof surface 739 Unknown left side component Other Object or Vehicle in Environment

778 Backlight glazing 779 Rear header

788 Other top component (specify):

789 Unknown top component

780 Hatchback

781 Rear trunk lid

Right Side Components
740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

#### Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score


GCSS = 0.2


Units of Blood Given

Units =

#### **Arterial Blood Gases**

Ph = \_.\_\_ PO<sub>2</sub> = \_\_\_ PCO<sub>2</sub> \_\_\_






# OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

-LOC 3,160410.2,0 Amnesia



# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

OFFICIAL RECORDS
9. Police Reported Travel Speed 9 9
Code to the nearest kmph (NOTE: 000 means
less than 0.5 kmph) (160) 159.5 kmph and above
(999) Unknown
mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
(999) Unknown 3 9 mph x 1.6093 = 48 kmph
<ul> <li>11. Police Reported Alcohol Presence For Driver</li> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(8) No driver present</li> <li>(9) Unknown</li> </ul>
12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source:
13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

# **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

#### Light Conventional Trucks (Pickup style cab, \$\leq 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### **OTHER VEHICLES**

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  — 2,9 1 9 lbs x .4536 = 1,3 2 4 kgs	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above
Source:  16. Vehicle Cargo Weight  Code weight to nearest  10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  Ibs X .4536 =kgs	(999) Unknown  19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	(Prior to Recognition of Critical Event)  (1) Full attention to driving  (2) Distracted by other occupant  (3) Distracted by moving object in vehicle  (4) Distracted by outside person, object, or event  (5) Talking on cellular phone or CB radio Specify:  (6) Sleeping or dozing while driving  (8) Other (specify):  (9) Unknown  22. Pre-Event Vehicle Movement  (Prior to Recognition of Critical Event)  (01) Going straight  (02) Slowing or stopping in traffic lane  (03) Starting in traffic lane  (04) Stopped in traffic lane  (05) Passing or overtaking another vehicle  (06) Disabled or parked in travel lane  (07) Leaving a parking position  (08) Entering a parking position  (09) Turning left
ARE COMPLETED BY THE ZONE CENTER	<ul> <li>(11) Making a U-turn</li> <li>(12) Backing up (other than for parking position)</li> <li>(13) Negotiating a curve</li> <li>(14) Changing lanes</li> <li>(15) Merging</li> <li>(16) Successful avoidance maneuver to a previous critical event</li> <li>(97) Other (specify):</li> <li>(98) No driver present</li> <li>(99) Unknown</li> </ul>

23.	Critical Precrash Event		(83)	Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:			(specify):
	(01) Blow out or flat tire		(84)	Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		, ,	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85)	Pedalcyclist or other nonmotorist—unknown
	(specify):		,00,	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obie	ect or Animal
	up) (specify):		-	Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)			Animal approaching roadway
	(specify):			Animal—unknown location
	(06) Traveling too fast for conditions			Object in roadway
	(08) Other cause of control loss (specify):			Object approaching roadway
	, , , , , , , , , , , , , , , , , , , ,			Object—unknown location
	(09) Unknown cause of control loss			Other critical precrash event (specify):
	This Vehicle Traveling		,,	_ 7
	(10) Over the lane line on left side of travel lane	ĺ	(99)	Unknown D)
	(11) Over the lane line on right side of travel lane		,,,,	<b>\</b>
	(12) Off the edge of the road on the left side	24.	Atte	empted Avoidance Maneuver
	(13) Off the edge of the road on the right side	- ''		No driver present
	(14) End departure			No avoidance actions
	(15) Turning left at intersection			Braking (no lockup)
	(16) Turning right at intersection			Braking (lockup)
	(17) Crossing over (passing through) intersection			Braking (lockup unknown)
	(19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane			Steering left
	(50) Stopped			Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)			Braking and steering right
	(52) Traveling in same direction with higher speed			Accelerating
	(53) Traveling in opposite direction			Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing			Other action (specify):
	(59) Unknown travel direction of other motor vehicle			Unknown
	in lane		,00,	
	Other Motor Vehicle Encroaching Into Lane	25.	Prec	rash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left		(O)	No driver present
	lane line		(1)	No avoidance maneuver
	(61) From adjacent lane (same direction)—over right			Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line			degrees
	(63) From opposite direction—over right lane line		(4)	Skidding laterally—clockwise rotation
	(64) From parking lane		(5)	•
	(65) From crossing street, turning into same direction		(8)	Other vehicle loss-of-control (specify):
	(66) From crossing street, across path		(9)	Precrash stability unknown
	(67) From crossing street, turning into opposite		(0)	Troordon Stability driknown
	direction	26.	Prec	erash Directional Consequences of
	(68) From crossing street, intended path not known			idance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(O)	No driver present
	(71) From driveway, across path		(1)	No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known			maneuver was initiated
	(74) From entrance to limited access highway		(3)	
	(78) Encroachment by other vehicle—details			where avoidance maneuver was initiated
	unknown		(4)	
	Pedestrian or Pedalcyclist, or Other Nonmotorist			travel lane where avoidance maneuver was
	(80) Pedestrian in roadway		/E'	initiated
	(81) Pedestrian approaching roadway		(5) (6)	Vehicle departed roadway  Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location		(6) (9)	Directional consequences unknown
		I	(3)	Pirectional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	0	33. Roadway Surface Condition (1) Dry (2) Wet
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	ı	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	<ul> <li>Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One (2) Two	4	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown
	(3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):		<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>
	(9) Unknown		

BEST AVAILABLE COPY 49-607 190 Vo/vo 5775 POITO FRP = 1.7 = 67,6ft No Avoidance? f = 0,60

4 4 5

PEDESTRIAN EXTERIOR VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTEM
	PEDESTRIAN CRASH DATA STUDY

١.	Primary	Sampling	Unit	Number
٠.	i illiidi y	Camping	Oint	Manna

3. Vehicle Number


0 1

2. Case Number - Stratum

<u>6 07 P</u>

### **VEHICLE IDENTIFICATION**

VIN Y V 1 A A 8 8 4 4 L



Vehicle Model (specify): \_\_\_

## PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

cm To cm

PEV09 Hood Width-Forward Opening

cm

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

#### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

cm

PEV18 Forward Hood Opening

cm

PEV19 Front Bumper Lead

cm

#### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

cm

PEV21 Ground to Front/Top Transition Point

cm

PEV22 Ground to Rear Hood Opening

1140 +65

cm.

PEV23 Ground to Base of Windshield

140+75

cm cm


PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

140+134

cm

# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

66.

PEDESTRIAN SIDE CONTACT WORK SHEET	
PEV06 Hood Material	
PEV08 Hood Length	gm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
DELICE CO. 11 A. Billion of Board (CAM) of Fill (CAM)	
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	cm
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Grøund to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

#### inches $\times 2.54$ Whee 1 base Overall Length inches x = 2.54Maximum Width inches $\times 2.54$ Curb Weight pounds $\times$ .4536 = Average Track inches $\times 2.54$ inches $\times 2.54$ Front Overhang inches $\times 2.54$ Rear Overhang Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. $\times$ .001 x . 0164 =CID **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify):\_\_ 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify):\_ 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar Back Components 809 Fuel tank 760 Rear (back) bumper 810 Rear suspension 724 B pillar 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): \_ 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface Top Components 821 Cellular or CB radio antenna 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):\_\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):\_\_ 738 Other left side object 775 Windshield glazing 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify):\_ 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): \_


789 Unknown top component


743 A2 pillar

999 Unknown injury source

ORIGINAL SPECIFICATIONS

# VEHICLE DAMAGE SKETCH





NOTES:

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

\_ cr

					RIAN CONTA STWORKSH			
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
Δ	Bumbe	+92	-45	0	THIGH	SCRATCHEZ	1 ② 3 9	1
	Cover		<u>42vera</u>				1 2 3 9	
3	Bumpen	+90	-56	0	LEG	Mansson	1 ② 3 9	2
	Cover		42 vent				1 2 3 4	
C	Bymeen	+87	-74	6	(Ju	TLANSFER	<b>€</b> 2 3 9	3
	Cover		45 vert	•			1 2 1 9	
0	TRUM ABOVE	+82	-59	41	UNK	Dent	1 2 3 9	4
	Bymaen		5LWelp				1 2 3 9	
15	PARKLAM	1477	-67	6	1719	BROWN LENS		5
	LENS	•	(Cuen				1 2 3 9	
(=	HEAD-	+89	-43	0	410	DISPUSED	1) 2 3 9	6
	Uma		Chure			Sugar	1 2 3 9	, l
G	Itoon	+67	-48		Hip	DENT	1 2 3 9	7
			95 WEAR				1 2 3 9	
17	Hoon	+29	-57	4	5 Hours	DENT	<b>2</b> 3 9	8
			Jylwem				1 2 3 9	
J	40000	120	-33	41	Homo	Deur	<del></del>	9
			144 WEAR				1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

# POINTS OF PEDESTRIAN CONTACT

			CHRONO	LOGICAL ORI	ER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )
1 A B	700	490	-56	0	P. Jeg	Seats	2 3 9
2 €	708	777	-47	1-2	R. Hip	ern ling	<b>D2.19</b>
3 G	フフロ	+67	-48	0-1	e/bow	dent	<u>(1)</u> 2 3 9
• #	776	+29	-57	0-1	të (bow	dent	①2 3 9
5 7	77:0	20	-33	1-2	Treve	dent	2 3 9
8 <b>5</b>	11	11	•,	(, (	402)	/,	1 2 3 9
£ 9							1 2 3 9
18							1 2 3 9
12							1 2 3 9
14							1 2 3 9
15 18 17							1 2 3 9
18							1 2 3 9
20							1 2 3 9
22							1 2 3 9 1 2 3 9
24 24 25	· ·						1 2 3 9

VEHICLE DIMENSIONS	143
01-	11. Hood Width Rear Opening
4. Original Wheelbase 265	Code to thenearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 5 7	12. Hood/Fender Vertical/Lateral Crush From Pedestrian ユ
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
(993) OHKHOWH	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
2	(9) Unknown
6. Hood Material 3	(3) Olikilowii
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	<ul><li>(2) Contacted by pedestrian - damaged</li><li>(3) Unknown if contacted by pedestrian - not</li></ul>
(9) Unknown	damaged
7.11.10	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
	(9) Unknown if contacted by pedestrian -
( I ) UEIVI TACTORY INSTAILED DOOD	
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
<ul><li>(2) OEM replacement</li><li>(3) Non-OEM replacement</li></ul>	unknown if damaged
(2) OEM replacement	
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	unknown if damaged
<ul><li>(2) OEM replacement</li><li>(3) Non-OEM replacement</li></ul>	unknown if damaged  FRONT CONTACT DAMAGE  From: Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter	rRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE  From: Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  From: Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway Code to the	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway Code to the nearest centimeter	### Tront Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway Code to the nearest centimeter	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown  8. Hood Length  Code to the	TRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or m (999) Unknown	<u>0 48</u>	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	215
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or m (999) Unknown	<u>077</u>	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown	276
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or mo (99) Unknown	08	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown	centimeters
inches X 2.54 =		inches X 2.54 = SIDE CONTACT DAM	
Front Wrap Distance A	leasurammits	Side Vertical Measuren	
20. Ground to Forward Hood Op Code to the nearest centimeter (000) No front contact (200) 200 centimeters or m (999) Unknown	ore	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	<u>000</u>
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or m (999) Unknown	orecentimeters ion Point O 8 2	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more	centimeters

29.	Centerline of Wheel	Side Lateral Measurements
	Code to the	
	nearest centimeter	35. Centerline to A-Pillar
	(000) No side contact (150) 150 centimeters or more	at Bottom of Windshield
	(999) Unknown	(000) No side contact
	(333) GIRHOWH	Code to the
	inches X 2.54 = centimeters	nearest centimeter
	Certaineters	(250) 250 centimeters or more
		(999) Unknown
30.	Top of Tire	
	Code to the	inches X 2.54 = centimeters
	nearest centimeter	
	(000) No side contact	26. Comparities as A Billion
	(200) 200 centimeters or more	36. Centerline to A-Pillar
	(999) Unknown	at Top of Windshield Code to the
		nearest centimeter
	inches X 2.54 = centimeters	(000) No side contact
		(250) 250 centimeters or more
21	Top of Wheel Well Opening	(999) Unknown
31.	Top of Wheel Well Opening  Code to the	
	nearest centimeter	inches X 2.54 = centimeter
	(000) No side contact	
	(250) 250 centimeters or more	
	(999) Unknown	37. Centerline to Maximum Side
	(1000)	View Mirror Protrusion
	inches X 2.54 = centimeters	Code to the
		nearest centimeter
32.	Bottom of A-Pillar at Windshield	(000) No side contact
	Code to the	(300) 300 centimeters or more (999) Unknown
	nearest centimeter	(999) (111110W11
	(000) No side contact	inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknown	
	(999) Olikilowii	
	inches X 2.54 = centimeters	Side Wrap Distance Measurements
	•	38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
	inches V 2 EA	inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
	_	000
34	Top of Side View Mirror	39. Ground to Hood Edge
•	Code to the	Code to the
	nearest centimeter	nearest centimeter (000) No side contact
	(000) No side contact	(500) No side contact (500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	1000/ Olikilowii
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
	•	

			<u> </u>	-
(000) N (700) 7	to Centerline of Hood Code to the learest centimeter lo side contact '00 centimeters or more Unknown	000	·	
41. Ground — C n (000) N (800) 8 (998) N (999) U	to Head Contact code to the earest centimeter lo side contact coo centimeters or more lo head contact	<u>COO</u>		
	inches X 2.54 =	centimeters		

Server

969.000000000000114450100001 49607P00000011 49607P00010012 B69.0010000000000103F72000 9.00 0000000000811414308011707413024003408030109600242009715 49607P00010021 1010000000010 9.00 00000000078902021170011222 49607P00010131 9.00 00000000078904021170811253 49607P00010231 9.00 00000000077902021177011233 49607P00010331 9.00 00000000077902021277011233 49607P00010431 9.00 00000000032902021177011233 49607P00010531 9.00 00000000032904021177011233 49607P00010631 9.00 00000000031604102077011233 49607P00010731 9.00 00000000037902021294711000 49607P00010831 9.00 00000000078902021294711000 49607P00010931 9.00 00000000038902021294711000 49607P00011031 99904809600132000001 9.00 000000000905103404YV1AABB44L 49607P01000041 61110180033201411210011 9.00 000000002651393112113414114320110350480770807908220021

PEDESTRIAN ASSESSMENT Occupant: 1 11 INTRA ERRORS

OHHO071 2 Given OVERALL HEIGHT PASO6 and PEDESTRIAN SEX PASO5, HH0072 PEDESTRIAN WEIGHT PAS10 is questionable. See Table A2.

O

PSU49 CASE 607P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY



	1BER OF LAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ö	Ö	1	Y
Pedestrian Injury	Ō	0	0	Υ
Pedestrian General Vehicle	Ō	0	0	Υ
Pedestrian Exterior Vehicle	0	o	0	Y
Total Inter Errors		0	0	
Total Case Errors	o	0	1	