



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU TZ CASE NO. GIBP TYPE OF ACCIDENT Light van / Podostrian / standing 1;

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle #1 entering a four lane, undivided roadway in lane 1, after completing a westbound, left hand turn. Pedestrian standing still, facing vehicle after exiting a parked vehicle on the north curb edge. Vahicle #1 contacted pedestrian on the front side with its own front end. Pedestrian was thrown straight forward 5 meters to fixel rest on roadway.

B. PEDESTRIAN PROFILE									
Pedestrian		-	Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)		
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	49	F	Hospitalized	Head	Organs	5	1007		


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VEH	ICLE PROFILI	E		
	Class		Most Severe Damage Based on Vehicle Inspection			
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description		
01	Large Van	1994 Ford Econoline 25%	Front	Moderale		

DO NOT SANITIZE THIS FORM

ACCIDENT COLLISION DIAGRAM NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

PSU No. <u>7</u> 2	Case Number—9	Stratum <u>6</u>	18P	Indicate North	
		, mai lbox			
		P 9			
	<u> </u>	R.P.			
	d beg?				
	460	3			
		<u> </u>			
			147		
		-			
<u> ' </u>		• ··· • ···••			
				, —	
		•			
	· ————————————————————————————————————	:]	Δ	<u> </u>	
			: : : : : : : : : : : : : : : : : : :	5,709	·
				51.9h	
	· · · · · · · · · · · · · · · · · · ·	1 1			
			Δ		
			IV. 1		
		e de la companya de l			
	<u></u>				
		:			





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 7 2		Case Nu	mber	-Stratum 6 1 B P
PEDESTRIAN ACCIDENT CO	LUSION DATA (COLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	<u>81+</u>	nor	th arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surfate Conditio	n <u>iry</u>		de measurements for all applicable dways
a) vehicle skid marks	Coefficient of Fr	iction <u>165</u>	sca inc	aled representations of the physical plant luding:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	isurement	a)	crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa b) between	m impact and 4/122	•~	all traffic controls (e.g., lights, signs) aled representations of the vehicle and destrian at pre-impact, impact, and final
d) location of pedestrian separation point from vehicle	final re	c	per res	physical evidence, or
final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	el Direction	a) b)	reconstructed accident dynamics
a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Vehicle Travel E Number of Trave	72	6)	reconstituted account dynamics
Reference Point: utility pole N curb edge	~ 7 0	Reference Line:	N	curb edge
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line
R, P		/		.4 m N
	-			
POI		311 m W		3.0 M S
Veh FRP PED FRP (E		311 m W 4,2 m W		<u> </u>
PED FRP	1000 work)	8.1 m W		3,3 m S
	····			

PEDESTRIAN ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1 Primary Sampling Unit Number 7.2	SPECIAL STUDIES - INDICATORS
1. Primary Sampling Unit Number	
2. Case Number - Stratum 6 18 P	Check (🗸) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION	studies and to for the special studies het shocked.
3. Number of General Vehicle	6SS15 Administrative Use0_
Forms Submitted <u>0 1</u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month,Day,Year) 6	8SS17 Impact Fires0_
5. Time of Accident 1 \$\phi\$ 5 \$\psi\$	9SS18
Code reported military time of accident.	10SS190_
NOTE: Midnight = 2400 Unknown = 9999	
	NUMBER OF EVENTS
	11. Number of Recorded Events

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 13	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> 0	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13)_→ Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

Na

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 2. Lase Number - Stratum 3. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (1) Fedestrian's Sex (1) Male (2) Female - pregnant-1st trimester (1st-3rd month) (3) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-3rd trimester (7th-9th month) (7) Female - pregnant-3rd trimester (7th-9th month) (8) Female - pregnant-3rd trimester (7th-9th month) (9) Unknown 4. Pedestrian's Nerell Height Code actual height to the nearest centimeter. (999) Unknown 4. Pedestrian's Sex (1) Male (2) Female - pregnant-3rd trimester (7th-9th month) (3) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-3rd trimester (7th-9th month) (7) Female - pregnant-3rd trimester (7th-9th month) (8) Female - pregnant-1st trimester (7th-9th month) (9) Unknown 12. Pedestrian Motion (1) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (99) Unknown 13. Pedestrian's Action Relative to Vehicle (100) Stopped (11) Crossing road, diagonally (12) Unknown 13. Pedestrian's Action Relative to Vehicle (13) Standing (20) Crouching (14) Bending at waist (15) Walking slowly (15) Walking slowly (16) Walking slowly (17) Falling/stumbling or rising (8) Other (specify): (99) Unknown (18) Unknown (19) Unknown (19) Unknown (20) Valking rapidly (21) Walking rapidly (22) Walking rapidly (23) Roteling (24) Hopping (25) Skipping (26) Stopped (27) Groad, diagonally (28) Offroad, approaching road order (29) Unknown (20) Unknown (31) Pedestrian's Action Relative to Vehicle (20) Stopped (20) Off road, approaching road order (20) Off road, origing away from the proachin	nal Highway Traffic Safety nistration	PEDESTRIAN CRASH DATA STUDY
2. Case Number - Stratum 3. Pedestrian Number 2. Le pounds X. 4536 = 97.97 kilog PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - pregnant-1st trimester (1st-3rd month) (3) Female - pregnant-2nd trimester (4th-6th month) (6) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-1serm unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 1. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, against traffic (04) Moving in road, against traffic (05) Off road, approaching road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, crossing driveway	7.0	
PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-2nd trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (4th-6th month) (6) Female - pregnant-3rd trimester (4th-6th month) (6) Female - pregnant-1st trimester (7th-9th month) (6) Female - pregnant-1st trimester (7th-9th month) (7) Falling/stumbling or rising (8) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 1 Inches X 2.54 = 1	. Case Number - Stratum 6 1 8 P	(999) Unknown
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-3rd trimester (7th-9th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 10) Valking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, diagonally (03) Moving in road, against traffic (04) Moving in road, against traffic (05) Off road, going away from road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, moving parallel (08) Off road, moving along driveway (19) Off road, moving along driveway (19) Off road, moving along driveway (19) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 15. Facign yeakiele	. Pedestrian Number01	$\frac{216}{\text{pounds X .4536}} = \frac{97.97}{\text{kilograms}}$
Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-1st trimester (1st-3rd month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, straight (03) Moving in road, with traffic (04) Moving in road, with traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, going away from road (07) Off road, moving parallel (08) Off road, moving parallel (08) Off road, crossing driveway (98) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking splwiy (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (99) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, diagonally (03) Moving in road, against traffic (04) Moving in road, against traffic (05) Off road, going away from road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (98) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
(1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-1st trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-3rd trimester (7th-9th month) (7) Female - pregnant-term unknown (8) Unknown (9) Unknown (9) Unknown (1)	Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older	 (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, moving parallel (08) Off road, moving parallel (08) Off road, moving along driveway (09) Off road, moving along driveway (14) Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (14) Pedestrian's Pedictive to Vehicle (09) Easing vehicle	 Male Female - not reported pregnant Female - pregnant-1st trimester (1st-3rd month) Female - pregnant-2nd trimester (4th-6th month) Female - pregnant-3rd trimester (7th-9th month) Female - pregnant-term unknown 	(0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown —	Code actual height to the nearest centimeter. (999) Unknown	(7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
centimeter. (999) Unknown inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle	7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest	(00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway
Code to the nearest centimeter. (999) Unknown (999) Unknown (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle	centimeter. (999) Unknown inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown	(99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle

DEDECTRIANIC AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation at Initial Impact
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	(01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
	19. Pedestrian's Leg Orientation at Initial Impact
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	(01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	ø	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	1-6-	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	7	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	Φ	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (32) Yes - blood given (34) Unknown if blood given (35) Unknown if blood given (36) Not injured (37) Injured, ABGs not measured or reported (38) ABGs reported, HCO3 unknown (39) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death up through 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	OS INCLUDED WITH INITIAL SUBMISSION? YES [] Property of the state o

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5.2	6. <u>8</u>	7. <u>9</u>	8. <u>04</u>	9. <u>0</u> 2	- 10. <u>/</u>	11.2	12.700) 13. <u>/</u>	14	15. <u>Z</u>	- 18. 2	172_
2nd	18. 2	19.7	20	21. <u>04</u>	22. <u>O Z</u>	_ 23.]	24.2	25. <u>70</u> 2	<u>L</u> 26. <u>l</u>	27. <u> </u>	28, 2	-29.2	30. 2
3rd	31	32. <u> </u>	7 <u>9</u>	34. <u>9</u> _4	35O_	<u>2</u> 36. <u>1</u>	372	- _{38.} <u>70</u>	2-39. _/	40	41	2422	-13.2
4th	44. 2	- _{45.} <u>7</u>	46. 2	47. <u>D</u> 4	48. <u>Ø</u> 2	<u></u>	50. <u>2</u>	· 51. <u>70</u>)	52. /	53. 👤	_{54.} <u>3</u>	55. <u>3</u>	_{56.} <u>3</u>
5th	57. <u>2</u>	- _{58.} <u>4</u>	₅₉ , <u></u>	60. <u>0</u> 2	<u>ئے۔</u>	62 <u>,</u>	· _{63.} 2	64. 70	} 65. <u> </u>	66 /	_{67.} <u>3</u>	68	£.e.
6th	70. <u>2</u>	- ₇₁ , <u>8</u>	72.	73. <u>04</u>	74.02	<u> </u>	76. <u> </u>	77. <u>70</u> 0	<u>)</u> 78. <u>/</u>	79. <u> </u>	80. <u>2</u>	- _{81.} _2	- _{82.} _2
7th	83. 2		7 85.9	860 Y	87. <u>0</u> 2	<u>88. </u>	89.	90. <u>70</u>	<u>)</u> 91. <u>/</u>	92	932	- _{94.} _2	952
8th	_{96.} <u>2</u>		7 98.9	<u> ۷ ن</u> وو	100. 0	2-101. <u> </u>	102. <u>/</u>	103. 70	<u>3</u> 104. <u>/</u>	109	106. 7	107. 3	108.
9th	109.	110	<u>)</u> 111. <u>5</u>	- 112. <u>O</u> 2	<u> 4</u> 113. <u>0 (</u>	<u>)</u> 114. <u>3</u>	115	7 _{116.} <u>72</u>	<u>0</u> 117. <u>/</u>	118, _	119.	2 _{120.} _3	121.
10th	122. 2	- 123. <u>/</u>	124. 9	125.02	_{Т26.} <u>О</u> Ч	<u> 127. 5</u>	- 128. <u>-</u>	7 _{129.} 77	<u>/ ۱۵۰</u>	131	132.	L_33. 3	134.

				PEDES	STRIA	N INJ	JRY DATA	7				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th <u>2</u> _	_1	<u>4</u>	06	20	<u>2</u>	2	770	<u>L</u>		2	- 3	3
12th <u>2</u>		<u> </u>	06	84	3	2	770	<u></u>	上	2	<u>3</u>	2
13th <u>2</u>	2	9	02	02	- <u>L</u>		947	1	1_	ھ	<u>a</u>	٥_
14th	_	_										
15th	_	_			—	_		_	—			
16th								_	—	_	_	_
17th	—	_			_	_		—		_		_
18th	—	-			—	—		-				
19th		_						_		—	_	
20th	_	<u></u>	<u> </u>		_	_		_		_	_	—
21st	_	_				-		—	—		—	—
22nd	—	-			_	_			<u></u> -		_	
23rd	—	-			_			_	<u></u>			
25th	_	— —			— —	_			— —	-	-	_

Certain Probable No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible medical records Unknown Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury Separated from vehicle Noncontact injury Emergency room records only (including Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact No residual damage UNOFFICIAL (5) Lay coroner report Surface only damage (6) E.M.S. personnel Crush depth >0 to 2 centimeters Rounded edge Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge Other (specify): (8) Other source (specify): Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Moderate injury Serious injury (06) Lumbar (2) Face Neck (06) Skin - Laceration (08) Skin - Avulsion Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury (4) (5) Thorax (5)Critical injury Abdomen Maximum (untreatable) Amputation (6) numbers beginning with 02 (6) Spine (10) Injured, unknown severity Burn **Upper Extremity** (7) (20)Crush Level of Injury (30) (8) Lower Extremity **Aspect** Degloving Injury - NFS Unspecified (40)injuries are ve two-digit assigned (50) Specific are Type of Anatomic Structure consecutive numbers Right Trauma, other than mechanical (90)beginning with 02. Left Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) To the extent possible, within the organizational framework of the AIS, 00 Central Vessels Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) Posterior (4) Organs (includes muscles/ Superior ligaments) Skeletal (includes joints) Head - LOC Inferior structure. 99 is assigned to any injury (9) Unknown Whole region NFS as to lesion or severity. **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 702 Front grille 746 D pillar 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 750 Right side door surface 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front crossmember 708 Turn signal/parking lights 753 Right side folding mirror 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan 809 Fuel tank 723 A2 pillar Back Components 760 Rear (back) bumper 810 Rear suspension 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components 740 Front fender side surface 949 Unknown object in environment 780 Hatchback 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna

788 Other top component (specify): ___

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

997 Noncontact injury source

999 Unknown injury source

Injury not from vehicle contact


SOURCE OF INJURY DATA

OFFICIAL

742 A1 pillar

743 A2 pillar

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)


Blood Alcohol Level

(mg/dl)

Glasgow Coma Scale Score

Units of Blood Given

Arterial Blood Gases



OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) CoD#2 2, 140684.3,9 (12)
Subarachnoid heniorrhage

NFS

CoD#1 2,140204.5,8 (10)

Severe brainstem

contusion 2,140620.3,3 (1) Contusions B Frontal lobes COD#3

dministration	OFFICIAL RECORDS
1. Primary Sampling Unit Number 72	
2. Case Number - Stratum 6 1 8 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above * No+
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): Pord Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 3 ♥ mph X 1.6093 = ⅓ ⅙ ½ kmph 11. Police Reported Alcohol Presence For Driver ♥
6. Vehicle Model (specify): Econoline 25b Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may be found on the back of this page.	performed, results unknown (98) No driver present (99) Unknown Source: PAR
8. Vehicle Identification Number FTFE2+XOL- 1	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 4,558 lbs x .4536 = 2, \$\psi 6.7\$ kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Device VIS Nowyer	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): Pelivery Van (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

0	
23. Critical Precrash Event 8 \$\phi\$	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	7.00
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	at an a landama Manager
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup) (04) Braking (lockup unknown)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown) interview (05) Releasing brakes
(19) Unknown travel direction Other Motor Vehicle In Lane	_
• • • • • • • • • • • • • • • • • • • •	(06) Steering left (07) Steering right
(50) Stopped	(08) Braking and steering left
(51) Traveling in same direction with lower speed	(09) Braking and steering light
(i.e., lower steady speed or decelerating) (52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in same direction with higher speed	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(55) 6111110411
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(a) Other vehicle loss-or-control (specify).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	2 3
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	1
unknown	(4) Vehicle stayed on roadway, not known it left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONMENTAL DATA					
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	\$	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown			
	(6) Unknown type of non-interchange(9) Unknown if interchange	•	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)			
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	1	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)			
29.	Number of Travel Lanes (1) One (2) Two (3) Three	2	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown			
	(4) Four(5) Five(6) Six(7) Seven or more(9) Unknown		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown			
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk			
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	1	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet			
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown 			

	197
	72-61%
	190 Ford 250 Va-
	99401=
	4340 64"
	216 **
	POIT to 1=RP 1.5 m = 4,92 ft
	f = 0,25
	V= 7(2) (4,92)(0,75-) (32,2)
	=15,4 fPS=10,5mph = 16,9 KPh
	IZKPh
-	
-	
1000 His	
Street Street Control	
` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	

proportional present in the con-

200 t

	,				
V	_		_	_	
us.	Departm	nent	of	Tran	sn

Administration

National Highway Traffic Safety

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
٠.	i initially	Sampling	Ollic	IAMILIDE

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 FTFEZ4Y OL

Model Year 9 \$\psi\$

Vehicle Make (specify): For 3

Vehicle Model (specify): Econoline 250

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steel		
	_	

cm cm

cm

cm

VERTICAL MEASUREMENTS

PEV16	Front Bumper-Bottom Height	

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

<u> 5 </u>	cm	/
()		

cm

cm

WRAP DISTANCES

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm cm

_		<u> </u>	C
!	٥	7	-

26	7

cm

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 111 cm

	PEDESTRIAN SIDE CONTACT WORK SHEE		,
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VEDTICAL BACACUDEBACNITO	ø.	
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height	 <u></u>	cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire	· ·	cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
DEV/2E	C. to A Billor at Battom of Windshield		
	C _L to A-Pillar at Bottom of Windshield		cm
	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39/	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm
, v			

ORIGINAL SPECIFICATIONS

Wheelbase	<u>1 3 8 . \$</u> inches	x 2.54 =	35 pm
Overall Length	$2 \phi 6.8$ inches	x 2.54 =	<u>525cm</u>
Maximum Width	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches	x 2.54 =	$2\phi 3$ cm
Curb Weight	4.5 5 8 pounds	x .4536 =	2. \$ 67 kg
Average Track	-68.4 inches	x 2.54 =	<u>1</u> <u>1</u> <u>4</u> cm
Front Overhang		x 2.54 =	\$ 6 3 cm
Rear Overhang	<u>4</u> <u>3</u> . <u>8</u> inches	x 2.54 =	
Undeformed End Width	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches	x 2.54 =	2 Ø Ø cm
Engine Size: cyl./displ.	6 c y 1 cc	x .001 =	491
	CID	x .0164 =	L

•	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front whee
701 Front lower valance/spoiler	745 C pillar	791 Right front whe
702 Front grille	746 D pillar	792 Left rear wheel
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear whee
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / ti
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown whee
706 Headlight	751 Right side door handle	•
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage compone
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross men
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assemi
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic conver
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarr
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown under
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface	•	820 Air scoop, defle
731 Left side door handle	Top Components	821 Cellular or CB ra
732 Left side mirror fixed housing	770 Hood surface	822 Emergency light
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessor
	776 Front header	020 01 100000
(specify):	777 Roof surface	Other Object or Vehicle
739 Unknown left side component	777 Roof surface 778 Backlight glazing	947 Ground
Bi-ba Cida Componente	778 Backingtit glazing 779 Rear header	948 Other object (sp
Right Side Components	779 Rear neader 780 Hatchback	949 Unknown object
740 Front fender side surface	780 Matchback	050 Unknown objec

781 Rear trunk lid

788 Other top component (specify): ___

789 Unknown top component

741 Front antenna

742 A1 pillar

743 A2 pillar


el / tire neel / tire l / tire el /tire tire (specify): el / tire nents ember mbly/Front suspension m pipe erter rriage component ercarriage component

820 Air scoop, deflector	
821 Cellular or CB radio antenna	
822 Emergency lights or bar	
823 Fog lights	
824 Luggage, ski, or bike rack	
825 Cargo (specify):	
826 Spare tire	
827 Spotlight	
828 Other accessory (specify):	
the Object of Melitals in Parliagness	

le in Environment

999 Unknown injury source

specify):_ 949 Unknown object in environment 959 Unknown object on contacting vehicle 997 Noncontact injury source



ES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _____

POINTS OF PEDESTRIAN CONTACT								
PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
A	plate	125-127	Ø	/	ley	black transer	(T)2 3 9.	
B	bunger	117	22	1	lower	seveleh/chia	1 (2)	Z
C	bumper	117	33	(lower	scretch/chip	1 ⊘3 9	3
D	bus per	112	9 12	1	leg	Scratch	O 11	4
141	1 awer 11	112	14	1	1e9	Swipe mark	— 1 2 3 9	5
F	YEST.	5	9	i em	ekest.	positiv dent	Ď	6
G	hood	63	ø	icm	chest	dent/mark	2 3 9	フ
H	hood	:7-51	5-2¢	3cm	heèd	Jert/ Warted		8
J	400 g	50-57	43	1	hand?	scratch	1 (2) 3 9	9
K	hood	17-54	14-13	1	hezi	seretek	①2 32 8	10
Φ	hood	43	-6	/	hezd?	scretches	1 2 3 9	11
	Lood	47 -57	27	1		scretck	Ģ	12
1	Hood	27-37	58-74	/		scrztches	1 2 (3) 9	13
3	Wiftrza	5	13-16	1		scretch	0:	14
4	hood	17-37	44-55	1		scratches	1 2 3 9-	15
5	Kood	7-10	2	1		scratch	1.0	16
Ь	hood	22-24	20000000000000000000000000000000000000	/		scretch		17
8	Lood	41-47	13-15	<u> </u> LM	Losd	dent / werk		18
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
						**	1 2 1 8	
		4				**	1 2 3 9 5	# #*

POINTS OF PEDESTRIAN CONTACT

	CHRONOLOGICAL ORDER OF CONTACTS						
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1	100	121	0	0	Contest L	seuff	O 2 3 9
2	702	900	70	0	Hank L	south none	Ã
3	702	- 4	در	L)	L. Hand	le	2 3 9
4	103	+44	+20	1-)-	272 5/2	L Land	D2 13
5	70)				D RIB FX	/ t	2 3 9
8	700	729	+30	D	12 725L	t _e	D 11
7	702	90 est	est	0-	Contision (2) elbow		⊕ 3 9
8	703	+44	+30	0-1	(2) 5/2/Ju	Jeit	O 2 1 1
9	770	35	430	0-1	Bestor Skull FK	scuts	1 3 9
10	770		ار	٧,	Bro - Ste	^ ~	D2 11
. 11					B Lobes	rebound.	1 2 3 9
12					hemorrh		2 3 9
13		200	V		abresian R. Finger	,—	2 3 9
14		,					1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19			·			·	1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening <u>l 7 2</u>
4. Original Wheelbase 3 5 Ø	Code to thenearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(999) Olikilowii
$\underline{138}.\underline{\phi}$ inches X 2.54 = $\underline{35}\underline{\phi}$ centimeters	
•	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 174	Pedestrian 2
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
(A 1/	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify): (9) Unknown	(3) Unknown if contacted by pedestrian - not
(9) Officiowii	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
	(9) Unknown if contacted by pedestrian -
(1) ()EM tactory installed hood	i ie i i i
(1) OEM factory installed hood (2) OFM replacement	unknown if damaged
(2) OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement(3) Non-OEM replacement(9) Unknown	FRONT CONTACT DAMAGE
(2) OEM replacement(3) Non-OEM replacement(9) Unknown	
(2) OEM replacement (3) Non-OEM replacement	FRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1 1 inches X 2.54 = 55 centimeter 9. Hood Width Forward Opening	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Le inches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Leinches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stevi (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Le inches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): See (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Leinches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): See (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Le inches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21 cinches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Leinches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 121 centimeters 10. Hood Width Midway	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Leinches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown (999) Unknown 10. Hood Width Midway Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown (999) Unknown (999) Unknown (999) Unknown (999) Unknown (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.3 inches X 2.54 = 17 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stevi (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown (999) Unknown (999) Unknown (999) Unknown (999) Unknown (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67. 3 inches X 2.54 = 11 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67.3 inches X 2.54 = 17 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stevil (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 21. Linches X 2.54 = 55 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 67. 3 inches X 2.54 = 11 centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Stevil (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 73. inches X 2.54 = 181 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 12 centimeters	25. I inches X 2.54 = 267 centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown Solution Solution Solution Solution Centimeters centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
· · · · · · · · · · · · · · · · · · ·	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown HH H inches X 2.54 = 1 1 3 centimeters 21. Ground to Front/Top Transition Point 3 3 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown Gode to the nearest centimeter 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) No front contact (400) Hood Centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

	Side Lateral Measurements
29. Centerline of Wheel Code to the	Side Edicidi Medzinemes
nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire Code to the nearest centimeter	inches X 2.54 = centimeters
(000) No side contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact	(999) Unknown
(000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(999) Unknown inches X 2.54 = centimeter
inches X 2.54 = centimeters	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters

40.	Ground to Centerline of Hood Ondo to the	
	Code to the	
	nearest centimeter (000) No side contact	
	(700) 700 centimeters or more	
	(999) Unknown	
	inches X 2.54 = centimeters	
41.	Ground to Head Contact	
	Code to the nearest centimeter	
	(000) No side contact	
	(800) 800 centimeters or more	
	(998) No head contact (999) Unknown	
	(999) Olikilowii	
	inches X 2.54 = centimeters	
		·



000000000000000 01 72618P00010012 **969.0410000000000114F72000** 9.04 000000004921634608613309810003001307040509670311026202 72618P00010021 9019910121113 9.04 00000000028904021270011222 72618P00010131 9.04 00000000027904021270211222 72618P00010231 72618P00010331 9.04 00000000027904021270211222 9.04 00000000027904021270311333 72618P00010431 9.04 00000000024502202270311333 72618P00010531 72618P00010631 9.04 00000000028904021170011222 72618P00010731 9.04 00000000027904021170211222 9.04 00000000027904021170311333 72618P00010831 9.04 00000000021502003877011233 72618P00010931 72618P00011031 9.04 00000000021402045877011233 9.04 00000000021406203377011233 72618P00011131 9.04 00000000021406843977011233 72618P00011231 9.04 00000000027902021194711000 72618P00011331 9.04 000000009012461211FTFE24Y0LHA 999904809670207005801 72618P01000041 71111080022231211210011 9.04 000000003501743105517117117220410500631031211313317318 72618P01000051

PSU72 CASE 618P CURRENT VERSION: 9.04

00000000000000

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/97

	MBER OF LLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	- o	0	Υ
Pedestrian Assessment	0	O	0	Υ
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicle	0	O	O	Υ
Total Inter Errors		0	o	
Total Case Errors	o ·	o	o	