



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 619HP

TYPE OF ACCIDENT MINIVAN VS. PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 stopped at an intersection westbound and made a left turn to proceed straight on a 2-way, 2-lane street. A pedestrian was walking across the street, westbound, and stopped and turned toward Vehicle #1 along with bracing both hands forward. The front of Vehicle #1 impacted the pedestrian and then came to a sudden stop as the pedestrian staggered backwards on his feet before falling to the ground on his back.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	24	Male	Hospitalized	Lower Extremity	Skeletal	3	Brecket		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity


	Class	C. VEH	CLE PROFILE	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Mini-van	96/Plymouth/Voyager	Front	Minor: scuffs, smears

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM

U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration Indid PSU No. Nort




6

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number			Case N	umber-	Stratum 6 19 P			
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM								
document reference point and reference line	Surface Type	Bi	tamien	• nor	th arrow placed on diagram			
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	, 0	F.A	grade measurements for all applicable roadways				
a) vehicle skid marks	Coefficient of Frid	tion	0990	* sca	led representations of the physical plant uding:			
b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement 0		 a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement mar parked vehicles, poles, signs, etc.) 				
c) vehicle/pedestrian point of impact (POI)	a) at impa	a <u>(19</u>	<u>y</u>	b)	all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) between final res	n impact and	35	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:				
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	Direction W	40	a) physical evidence, or				
documentation of the physical plant including:	Vehicle Travel Di	rection <u>So</u>	mp	b)	reconstructed accident dynamics			
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	Lanes	3					
b) all traffic controls (e.g., lights, signs)				ļ.,,				
Reference Point: Light at S.E. Reference Line:								
		Distance and Direction			Distance and Direction			
ltem		from Reference Point			from Reference Line			
M	ONE				-			
			· · · · · · · · · · · · · · · · · · ·					
			<u>-</u> _					
								

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

1

7. ✓SS16 Pedestrian Crash Data Study

8. ___SS17 Impact Fires 0

9. ____SS18 _____ 0

0 10. SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0 1</u>	14. \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

U.S. Department of Transportation National Highway Traffic Safety Administration

	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
211	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
$() \setminus)$	(01) At sides
	(02) Folded across chest
15. Pedestrian's First Avoidance Actions	(03) Hands clasped behind back
(00) No avo dance actions	· · ·
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(,	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify): Stopped, tumed	(98) Other (specify):
(99) Unknown to True Johnson	(99) Unknown
10000000 100000000000000000000000000000	
workled and Birch	19. Pedestrian's Leg Orientation
Hono	at Initial Impact
AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
1	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u></u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (4) Yes - blood given (5) Unknown if blood given (6) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (8) Not injured (8) ABGs reported, HCO3 unknown (97) Injured, details unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [,] UPDATE CANDIDATE	DS INCLUDED WITH INITIAL SUBMISSION? YES NO YES []

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

3. Pedestrian Number

2. Case Number - Stratum

1. Primary Sampling Unit Number

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury			_	•
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury	Source Confidence	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5.2	6.8	7. <u>5</u>	8. <u>7 4</u>	9. 22	10.3	11. /	12.718	Brecket	14	15.	16. 3	17
2nd	18. 2	19.6	20.5	21. <u>/6</u>	22. / 0	23.2	24. /	25. <u>718</u>	26	27. <u>]</u>	28. <u> </u>	29. 7	30. <u>3</u>
3rd	31.7	32	33. <u>9</u>	34. <u>0</u> 2	-35. <u>0</u> 2	- 36. <u>/</u>	37	38. <u>947</u>	39. <u>L</u>	40. <u>/</u>	41. <u>Ø</u>	42.0	49?_
4th	44.7	45. <u>7</u>	46. 9	47.02	48. 0 2	49. /	50.2	51. <u>947</u>	52. <u>/</u>	53.)	54. <u>D</u>	55. <u>0</u>	56.0
5th	57. 7	58	59. <u> </u>	60.02	61. <u>5</u> 2	62	63.	64. 947	65. /	66	67. <u>(</u>	68.0	. <u>O</u>
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	88	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	98	100	_ 101	102	103	104	105	106	107	108
9th	109	110	111	112	_113	_ 114	115	116	117	118	119	120	121
10th	122	123	_ 124	125	_126	_ 127	128	129	130	13t. <u> </u>	132	133	_ 134
1													

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.


					STRIAN							
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity As	spect	injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damag Depth
1th					·.						gerten in Sta <u>rte</u> n.	
2th		···	 _		· · · · · · · · · · · · · · · · · · ·		**************************************		_			
13th												
14th						•						
15th		_							· .			
6th												- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
17th		 ,										
18th		_									<u></u> .	
19th		***************************************									_	
20th	_											
21st												
22nd					·							
23rd					·			·	-			
24th									_	_		

INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE SOURCE OF INJURY DATA Injury not from vehicle contact (1) Certain (2) Probable OFFICIAL No damage/contact (1) (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible (3) medical records (9) Unknown (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY Cracked, fractured, shattered Separated from vehicle emergency room (e.g., discharge Direct contact injury summary) (6) Indirect contact injury Noncontact injury (3) Emergency room records only (including Noncontact injury Other specify: associated X-rays or other lab reports) Injured, unknown source Unknown (4) Private physician, walk-in or emergency STRIKING PROFILE clinic DAMAGE DEPTH Injury not from vehicle contact Fiat-Narrow (< 15 centimeters) Fiat-Wide (≥ 15 centimeters) Rounded (contoured) (0) (0) Injury not from vehicle contact (1) No residual damage UNOFFICIAL (5) Lay coroner report Surface only damage (6) E.M.S. personnel Crush depth >0 to 2 centimeters Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Sharp edge Crush depth >5 to 10 centimeters (8) Other source (specify): Other (specify): Other specify:_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Specific Anatomic Structure **Body Region** Spine (02) Cervical (04) Thoracic pine Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head (06) Lumbar Moderate injury Face (3) (4) Serious injury (3) Neck Severe injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration Thorax Critical injury (5) (08) Skin - Avulsion (5) Abdomen Maximum (untreatable) (6) (10) Amputation (6) Spine Injured, unknown severity (20) Burn **Upper Extremity** Level of Injury (30) Crush **Lower Extremity** Aspect (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Unspecified (9) assigned injuries Right consecutive two-digit beginning with 02. (1) numbers Type of Anatomic Structure (3) Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to (4)Central Vessels (2) (5) Anterior (3) Nerves Posterior Organs (includes muscles/ (10) Concussion (4) is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (7) Superior ligaments) Inferior (8) Skeletal (includes joints) Head - LOC (6)Whole region Skin **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing Undercarriage components 707 Retractable headlight door (Open/Closed) /753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 801 Steering assembly/Front suspension 718 Other front or add on object fe fee (specify): Lice se ple fe 754 Right side glazing forward of B pillar 802 Oil pan 755 Right side glazing rearward of B pillar 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): _ 769 Unknown back component <u>Accessories</u> 729 Left side roof rail 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): ___ 742 A1 pillar 999 Unknown injury source 789 Unknown top component

743 A2 pillar

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level

(mg/dl)

Glasgow Coma Scale Score

Units of Blood Given

Units =


Arterial Blood Gases


PO₂=

PCO,

HCO₃


2,851610.2,1.






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







S. Department of Transportation stional Highway Traffic Safety	PEDESTRIAN GENER	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
Iministration	\bigcirc 1	OFFICIAL RECORDS
1. Primary Sampling Unit Nun	nber 2d	ALA
2. Case Number - Stratum	6 14 P	9. Police Reported Travel Speed
3. Vehicle Number	_0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENT	IFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	f the model year	mph x 1.6093 = kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
Applicable odes are foun NASS PCDS Data Collection	d in your on, Coding and	30 mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver
(99) Unknown 6. Vehicle Model (specify):	442	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are foun NASS PCDS Data Collecti Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes m the back of this page.	on, Coding and $\underbrace{\mathcal{L}}$	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Num P + F + F + F + F 3 Left justify; Slash zeros a	10 11 12 13 14 15 16 17	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported
No VIN—Code all zeros Unknown—Code all nines		(8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after), Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWRI

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kas)
- (62) Single unit straight truck (8,850 kgs < GVWR s 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown (64)
- (65) Medium/heavy truck based motorhome
- Truck-tractor with no cargo trailer (67)
- Truck-tractor pulling one trailer (68)
- Truck-tractor pulling two or more trailers (69)
- Truck-tractor (unknown if pulling trailer) (70)
- Unknown medium/heavy truck type (78)
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- Moped (motorized bicycle) (81)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

lational Accident Sampling System-Crashworthiness Data	
VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Hos X 4536 =	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown
(450) 4,500 kilograms or more (999) Unknown bs X .4536 =, kgs	20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown (9) Unknown (9) Unknown (1) Going straight (10) Going straight (10) Slowing or stopping in traffic lane (10) Starting in traffic lane (10) Passing or overtaking another vehicle (10) Disabled or parked in travel lane (10) Leaving a parking position (10) Turning right
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify):

20	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	(89) Animal—unknown location
(specify):	(90) Object in roadway
(06) Traveling too fast for conditions	(91) Object approaching roadway
(08) Other cause of control loss (specify):	(92) Object—unknown location
	(98) Other critical precrash event (specify):
(09) Unknown cause of control loss	(38) Other Childer precrash event (specify).
This Vehicle Traveling	(99) Unknown
(10) Over the lane line on left side of travel lane	(aa) Ouknown
(11) Over the lane line on right side of travel lane	CA Assessed Assistance Management
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(O) December of hilling controllers
(67) From crossing street, across path	(9) Precrash stability unknown
	26. Precrash Directional Consequences of
direction	Avoidance Maneuver (Corrective Action)
(68) From crossing street, intended path not known	(0) No driver present
(70) From driveway, turning into same direction	(1) No avoidance maneuver
(71) From driveway, across path	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONMENTAL DATA								
2	7. Relation to Junction (0) Non-junction (1) Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 8. Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 9. Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 0. Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not forcessing) Regulatory or School Zone Sign (Not RR C) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (3) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown	(rossing)						
	(2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown 32. Roadway Surface Type (1) Concrete (2) Bituminous (asphalt)	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog							
	(3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	(8) Other (e.g., smog, smoke, blowing states dust, etc.) (specify):(9) Unknown	and or						

نحسم م	-	
	1 4 4	
	\mathbf{I}	Ŧ.
		V
	A	

82-619

196

1600

賞 25 Yom

96 Grand Vigager

5-7 Impart

POI to FRP = 1.5m = 4.92 ft f = 0,6

 $V = \sqrt{(2)(4.92)(0.4)(32.2)}$ = $\sqrt{190}$

= 13,8 fps = 9,4 mph = 15 KPh



U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration 0_1 3. Vehicle Number 1. Primary Sampling Unit Number 2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1846P

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm cm cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield


PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm cm cm cm cm cm

500m 043EV


VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

765






NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strictions, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axies) from the ground:

cm

PEDESTRIAN SIDE CONTACT	WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cn
VERTICAL MEASUREN	MENTS
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cn
PEV28 Side Bumper-Top Height	cn
PEV29 Centerline of Wheel	cn
PEV30 Top of Tire	cr
PEV31 Top of Wheel Well Opening	cr
PEV32 Bottom of A-Pillar at Windshield	cr
PEV33 Top of A-Pillar at Windshield	cr
PEV34 Top of Side View Mirror	cr
LATERAL MEASUREM	ENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cr
PEV36 C _L to A-Pillar at Top of Windshield	cr
PEV37 C _L to Maximum Side View Mirror Protrusion	cı
WRAP DISTANCE	s
PEV38 Ground to Side/Top Transition	c
PEV39 Ground to Hood Edge	c
PEV40 Ground to Centerline of Hood (ORIGIN)	c
PEV41 Ground to Head Contact	c

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

ORIGINAL SPECIFICATIONS inches $\times 2.54$ Wheelbase inches $\times 2.54$ CM Overall Length inches $\times 2.54$ Maximum Width pounds x .4536 =Curb Weight inches $\times 2.54$ CM Average Track inches \times 2.54 Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ Undeformed End Width \times .001 CC Engine Size: cyl./displ. ___ __ __ CID \times .0164 = INJURY SOURCE Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) 800 Front cross member 753 Right side folding mirror 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify):_ 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): _ 769 Unknown back component Accessories 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):____ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):___ 775 Windshield glazing 738 Other left side object 776 Front header Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify):_ 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): __ 742 A1 pillar 999 Unknown injury source 789 Unknown top component 743 A2 pillar

			POINTS	OF PEDEST	RIAN CONTA	CT		15.5. 31.	
PEDESTRIAN CONTACT WORKSHEET									
CONTACT ID LABEL	COMPONENT	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN - CENTIMETERS	SUSPECTED BOOT REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENC	
M	Bunger 1	6114	8		Play	suff head	2 3 9	1	
2	Bunker	100	98	0	() leg	Smeared	(1) 2 3 1	7	
K	4000 Edge	43	-4	0	R	Sno	1 2 3 9	3	
1	0 0,	\$ 4	-19	0	This	Tel	1 2 3 9	3	
L	Josep	73	-12	0	Oh	7	1 2 3 9	3	
K	Roselyc	85	15	0	DIM	Thereof	1(2)1.9	4	
2	Hood	76	-36	0	Shoulder	Remodel	1 2 3 9		
\mathcal{U}	10	709-	- 39	0	Day	Charles Com	1 2 3 9	ـــا	
S	Local	60	~ 3	0	Dhow	Fine Stow	1 2 3 9	5	
U	Ass.	52	9	0	gin on	W Long	2 3 8		
R	Hood	39	32	0	MRISTIN	Sware Sware	1 2 3 9	9	
8	Hook	38	34	0	Offer.	form (fin)	7 2 3 8		
<u>G</u>	Hood	47	'+O	0	1	Links/2/100	1 2 3 9	12	
<u></u>	Hood ()	23	-4	(1)	Hunlya.	Swinger,	1 2 1 9		
3		15	- 		1304	W Come	1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 3		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1							1 2 3 9	
2							1 2 3 9	
3							1 2 3 9	
4							1 2 3 9	
5							1 2 3 9	
6							1 2 3 9	
7							1 2 3 9	
ŧ							1 2 3 9	
9							1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
18							1 2 3 9	
17							1 2 3 9	
18							1 2 3 3	
19							1 2 3 9	
20							1 2 1 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	

Italional Population Camping System Statements	
VEHICLE DIMENSIONS	158
	11. Hood Width Rear Opening
4. Original Wheelbase 3 03	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(333) Ulkilowii	
1 9 Sinches V 2 54 -5 0 3 cantimaters	inches X 2.54 = centimeters
$\frac{1}{1} \frac{9}{3} \cdot \frac{3}{3} \cdot \frac{3}{3$	
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(185) 185 centimeters of more (999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
inches A 2.54 = centimeters	(8) Damage present, unknown if damage is from
~	pedestrian impact
S Hand Material	(9) Unknown
6. Hood Material	
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7 Used Original	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(9) Unknown	
8. Hood Length	Front Vertical Measurements
8. Hood Length Code to the	
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
(333) Olikilowii	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
Code to the	
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
(333) OTKIOWII	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
	(4) Other (specify):
10. Hood Width Midway \\ \frac{5}{2}	(9) Unknown
Code to the	1.2 - 1.2 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1.3 - 1
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
(000) Olikilottii	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
	(999) Unknown
	inches X 2 54 = centimeters
1	I INCHES X / DA P CONTINIOLOIS

(999) Unknown

____ . __ inches X 2.54 = ___ _ centimeters

(999) Unknown

_____ inches X 2.54 = ___ __ centimeters

20), Centerline of Wheel	Side Lateral Messurements
28	Code to the nearest centimeter	35. Centerline to A-Pillar
	(000) No side contact (150) 150 centimeters or more	at Bottom of Windshield
	(999) Unknown	(000) No side contact Code to the
		nearest centimeter
	inches X 2.54 = centimeters	(250) 250 centimeters or more
		(999) Unknown
30	D. Top of Tire	inches X 2.54 = centimeters
	Code to the	
	nearest centimeter (000) No side contact	
	(200) 200 centimeters or more	36. Centerline to A-Pillar at Top of Windshield
	(999) Unknown	Code to the
	Socker V.D.E.A contimeters	nearest centimeter
	inches X 2.54 = centimeters	(000) No side contact
		(250) 250 centimeters or more (999) Unknown
3	1. Top of Wheel Well Opening	(333) Chikhowh
	Code to the nearest centimeter	inches X 2.54 = centimeter
	(000) No side contact	26.
	(250) 250 centimeters or more	37. Centerline to Maximum Side
l	(999) Unknown	View Mirror Protrusion
	inches X 2.54 = centimeters	Code to the
	730	nearest centimeter (000) No side contact
3	2. Bottom of A-Pillar at Windshield	(300) 300 centimeters or more
	Code to the nearest centimeter	(999) Unknown
	(000) No side contact	inches X 2.54 = centimeter
	(250) 250 centimeters or more	
	(999) Unknown	Side Wrap Distance Measurements
	inches X 2.54 = centimeters	
	3 -	
3	3. Top of A-Pillar at Windshield	38. Ground to Side/Top Transition Code to the
-	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact (300) 300 centimeters or more	(400) 400 centimeters or more (999) Unknown
Ì	(999) Unknown	(999) Olikilowii
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
		39. Ground to Hood Edge
3	4. Top of Side View Mirror	Code to the
	Code to the nearest centimeter	nearest centimeter
	(000) No side contact	(000) No side contact (500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	contimotors
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
ı		

Ng ti	onal Accident Sampling System Stasint S			
	. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	00		
41	inches X 2.54 =cer . Ground to Head ContactCode to thenearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	ntimeters		
	inches X 2.54 = ce	ntimeters		

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LOCATION	LATERAL	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
M	emper	1-51	-8		Reg		2 3 9
) 2	Empa	1-56	86		Ulas.		1 2 3 9
K	Hood Ela	1-78	-4		Q VI	Patter	1 2 3 9
P T	11 11	1-78	419		July 2	The Stapp	1 2 3 9
1	Hood	F-92	-13-			70	1 2 3 9
TY	Hood Fly	T-80	15				1 2 3 9
2	Hord	40	- 3		Cond	,	1 2 3 9
D	Hood vides	I-79	-36		Q.		1 2 3 9
	Hood	69	-39		porq.		1 2 3 9
7	1/1200	59	9'		Toral O		1 2 3 9
R	1400	39	37		3.000	Moody	1 2 3 9
6	11570	23	-4				1 2 3 9
8	11 con	15	7				1 2 3 9
P	1 5:50	38	34				1 2 3 9
(X	1) -	42	70		Cilana		1/239
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
			. ·		·		1 2 3 9
							1 2 3 9
							1 2 3 9

>

ح



969.0000000000000116000100001

9.00 00000000077902021294711000

82619P00010531 9.00 00000000077902021194711000 9.00 0000000009609442201P4GP44R3TB1 99904809600171000001

51180115022231211212211

82619P00000011

82619P00010431

PSU82 CASE 619P CURRENT VERSION: 9.00

ERROR SUMMATU SCREEN PEDESTRIAN STUDY

		_		
		_	$^{\circ}$	
-	_		₽	0

96000000000

	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	O	0	0	Υ
Pedestrian Assessment	0	Ó	Ö	Ÿ
Pedestrian Injury	0	o	Ö	Υ
Pedestrian General Vehicle	0	O	Ö	Υ
Pedestrian Exterior Vehicl	e O	O	o	Y
Total Inter Errors		0	o	
Total Case Errors	0	0	o	