



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

82 PSU

CASE NO. 641 P

TYPE OF ACCIDENT CAR STRAIGHT/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was eastbound on a 2-lane, 2-way street and crossing through an intersection with no traffic control for east and west bound traffic. A pedestrian was crossing southbound in the east crosswalk of the intersection when the front of Vehicle #1 impacted the pedestrian. The pedestrian wrapped to the hood of Vehicle #1 and cracked the base of the windshield before being thrown forward to the ground, landing on her back. Driver of Vehicle #1 braked immediately to final rest slightly beyond the crosswalk.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	44	Female	Treated & released	Heca	contra, or	1	wiper Blede		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	Class	C. VEH	Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Compact	92/Honda/Civic	Front	Minor - small dents to hood - smudge, smears - small crack in windshield			

DO NOT SANITIZE THIS FORM




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration PSU No. 32 Case Number – Stratum Indicate North P Reference Line Reference Pt. Sidowolk Sidewolle 999998 Stop A Sign Brown





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 8 3		Case	• Number	r-Stratum 6 4 P
PEDESTRIAN ACCIDENT COL	LLISION DATA C	OLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	John	* no	orth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	" Ash		ade measurements for all applicable adways
a). vehicle skid marks:	Coefficient of Frid	ction		aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object			a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane
	Grade (v/h) Mea	~3/,5		markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	nct		all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final res	an impact and $\frac{3}{182}$	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction 50vth	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D		b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	al Lanes		
b) all traffic controls (e.g., lights, signs)				
Reference Point: Light pole S.E. coma (.55 of R.L	<u>a</u>	Reference Line: S	ttra	l'unt tedge
Item		Distance and Direct from Reference Po		Distance and Direction from Reference Line
beseas mote bont of I	whoch	3.0 N)	
, 00				
Final Root Front of	(II)	2.1 8	-	
~				
Redestrian Final fast)	3.5 E		

1

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

. Primary Sampling Uni	t Number	8	<u>ට</u>
		1	

2. Case Number - Stratum

<u>64 L P</u>


IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

7. SS16 Pedestrian Crash Data Study _1_

0 8. ___SS17 Impact Fires

_SS18 ____ _0_

0 10. SS19

NUMBER OF EVENTS

Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	General Class Of Area of Vehicle Damage		Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 02	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 6 4 P 3. Pedestrian Number 0 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown pounds X 4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
(1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	•
PEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
,	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
	(03) Hands clasped behind back
(00) No avoidance actions	(04) Hands on hips
(01) Stopped	
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	Our and health common
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
·	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
` '	
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN S UNIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	\sim \sim
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	\

National Accident Sampling System-Crashworthine	oo bata oye	INJURY CONSEQUENCES	1 age 0
OFFICIAL RECORDS		INJURY CONSEQUENCES	
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25.	Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	1
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	26.	(6) Died prior to accident (9) Unknown Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization	4
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	Ψ	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	- }
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27.	Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	<u></u>
	28.	Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospit (61) 61 days or more (99) Unknown	
	29.	Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident No working days lost 61) 61 days or more 62) Fatally injured 97) Not working prior to accident (99) Unknown	22

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given (1) No - blood not given (2) Yes - blood given (32. Arterial Blood Gases (ABG) – HCO3 (33. Time to Death — Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE	S INCLUDED WITH INITIAL SUBMISSION? YES [v] NO [1] YES []

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration FLDESTRIAN INJURY FUR

0 1

2. Case Number - Stratum

1. Primary Sampling Unit Number

641 P

3. Pedestrian Number

0 1

<u>_X _X</u>


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury		*****		
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>8</u>	77	<u>.02</u>	9. <u>02</u>	10. /	11	12. <u>710</u>	13. <u>/</u>	14./_	15. 3	16. 3	17.7
2nd	18.2	19. 8	_{20.} <u>9</u>	21.0_4	22.02	- 23. <u> </u>	24. <u> </u>	_{25.} <u>770</u>	26	27	28.3	29, 3	303
3rd	31.7	_{32.} <u>7</u>	33. <u>9</u>	34. <u>O</u> <u>Z</u>	35. <u>02</u>	- 36. <u>/</u>	37. 👤	_{38,} <u>770</u>	39. <u>/</u>	40./_	412	42	43. <u>~</u>
4th	44.7	45. 7	46. 9	47.02	48.02	- _{49.} <u>/</u>	50	_{51.} 7 7 0) _{52.} /_	53. <u>/</u>	54. <u>Z</u>	55. <u>Z</u>	٧ _{56.} _
5th	57. <u>7</u>	58. 🖊	59.9	60. <u>0 4</u>	61. <u>0</u> Z	- _{62.} <u>/</u> _	63. <u>6</u>	64. <u>724</u>	, 65. <u>/</u>	66	67.2	68. <u>3</u>	69
6th	70. 7	71. 7	72. 4	73. <u>0</u> <u>2</u>	74. <u>02</u>	75. <u>/</u>	78. <u>2</u>	71. <u>947</u>	78. <u>/</u>	79. /	80. <u>O</u>	81. <u>Q</u>	82.7_
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	. 101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

				PEDES	STRIA	ULNI N	RY DAT	A				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	_	_				_		_	_			_
12th	_	_			_			— —	-	<u> </u>	<u>-</u>	-
14th	_	_			_	_		_	_	_	_	_
16th	_	_				_		_	——————————————————————————————————————	_		_
17th	-	<u> </u>	 			_ _	—— ——	- -	_ 		<u> </u>	— —
19th	_	_			_	_		_	-	_	-	_
20th	— —	_			_ _	— —	 	— —	— —	— —	— —	— —
22nd	_	_			_	_		_	_	_	_	_
24th	_				_				_	_	_	_
25th						_				_		

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Certain Probable Injury not from vehicle contact No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5) Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including (2) Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: Injured, unknown source Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel (3) (4) Rounded (contoured) Rounded edge Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Interviewee (5) Sharp edge (8) Other source (specify): Other (specify): Crush depth > 5 to 10 centimeters (8) (5)Other specify: (9) Police Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure Abbreviated Injury Scale** Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury Moderate injury Face (06) Lumbar Neck (3) Serious injury (4) (5) <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Thorax (06) Skin - Laceration Severe injury (08) Skin - Avulsion Abdomen (5) Critical injury Maximum (untreatable) Injured, unknown severity (6) (10) Amputation (6) (7) Spine (20) Burn (7)Upper Extremity Lower Extremity (30) Crush Level of Injury (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical (9) Unspecified Aspect Specific injuries are assigned beginning with 02. Type of Anatomic Structure Right Left numbers Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 (4)Central (5) Anterior (3) Nerves (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to Posterior severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury ligaments) Skeletal (includes joints) (7) (8) Superior Inferior Head - LOC Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 791 Right front wheel / tire 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft **Left Side Components** 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface Top Components 770 Hood surface 731 Left side door handle 821 Cellular or CB radio antenna 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):____ 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowi area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): _ 999 Unknown injury source 743 A2 pillar 789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

SOURCE OF INJURY DATA

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Yes

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = _._

PO₂= ____

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





ational riignway Traffic Safety dministration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTE
Primary Sampling Unit Num	ther 83	OFFICIAL RECORDS
Case Number - Stratum	641 P	9. Police Reported Travel Speed
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENTI	FICATION	(160) 159.5 kmph and above (999) Unknown
	01	mph X 1.6093 = kmph
4. Vehicle Model Year Code the last two digits of	the model year	0 4 S
(99) Unknown	and model your	10. Speed Limit O00) No statutory limit
		Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):	<u>3</u> ±	(999) Unknown
Applicable codes are found	in your	<u> </u>
NASS PCDS Data Collection Editing Manual.	n, Coding and	A Direction of Alexander Brown See British
(99) Ünknown		11. Police Reported Alcohol Presence For Driver (0) No alcohol present
	1	(1) Yes alcohol present(7) Not reported
6. Vehicle Model (specify):	031	(8) No driver present (9) Unknown
Applicable codes are found		α (
NASS PCDS Data Collectio Editing Manual.	n, Coding and	12. Alcohol Test Result For Driver Code actual value (decimal implied
(999) Unknown	,	before first digit – 0.xx) (95) Test refused
7. Body Type	04	(96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may the back of this page.	y be found on	performed, results unknown (98) No driver present
the buck of this page.		(99) Unknown
8. Vehicle Identification Numb	oer ,	Source:
IHMEG86421	15	13. Police Reported Other Drug Presence For Driver
	רו 12 13 14 15 16 17	(0) No other drug(s) present
Left justify; Slash zeros and No VIN—Code all zeros	d letter Z (Ø and Z)	(1) Yes other drug(s) present (7) Not reported
Unknown-Code all nines		(8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result
		For Driver (0) No specimen test given
		(1) Drug not found in specimen (2) Drug found in specimen
		(specify):(3) Specimen test given, results
		unknown or not obtained (8) No driver present

(9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph)
Source:	(160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23.	Critical Precrash Event		เหล) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		,00	(specify):
	(01) Blow out or flat tire		184) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		,04	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		185	Pedalcyclist or other nonmotorist—unknown
	(specify):	1	(00	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obj	ect or Animal
	up) (specify):	İ	(87	Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)			Animal approaching roadway
	(specify):			Animal—unknown location
	(06) Traveling too fast for conditions			Object in roadway
	(08) Other cause of control loss (specify):			Object approaching roadway
		1		Object—unknown location
	(09) Unknown cause of control loss			Other critical precrash event (specify):
	This Vehicle Traveling	Ì	•	The state of the s
	(10) Over the lane line on left side of travel lane		(99)	Unknown
	(11) Over the lane line on right side of travel lane		,	~ 1
	(12) Off the edge of the road on the left side	24.	Atte	empted Avoidance Maneuver
	(13) Off the edge of the road on the right side	- ''		No driver present
	(14) End departure	l		No avoidance actions
	(15) Turning left at intersection			Braking (no lockup)
	(16) Turning right at intersection			Braking (lockup)
	(17) Crossing over (passing through) intersection			Braking (lockup unknown)
	(19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane	l		Steering left
	(50) Stopped	l		Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)			Braking and steering right
	(52) Traveling in same direction with higher speed			Accelerating
	(53) Traveling in opposite direction			Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing			Other action (specify):
	(59) Unknown travel direction of other motor vehicle	}		Unknown 1
	in lane		,,,,	
	Other Motor Vehicle Encroaching Into Lane	25.	Pred	rash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left		(0)	
	lane line		(1)	No avoidance maneuver
	(61) From adjacent lane (same direction) - over right		(2)	Tracking
	lane line		(3)	Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line			degrees
	(63) From opposite direction—over right lane line	l	(4)	Skidding laterally—clockwise rotation
	(64) From parking lane		(5)	Skidding laterally—counterclockwise rotation
	(65) From crossing street, turning into same direction		(8)	Other vehicle loss-of-control (specify):
	(66) From crossing street, across path		(9)	Precrash stability unknown
	(67) From crossing street, turning into opposite		(0)	1
	direction	26.	Prec	rash Directional Consequences of
	(68) From crossing street, intended path not known			idance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(0)	No driver present
	(71) From driveway, across path		(1)	No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known			maneuver was initiated
	(74) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details		141	where avoidance maneuver was initiated
	unknown		(4)	Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist			initiated
	(80) Pedestrian in roadway		(5)	
	81) Pedestrian approaching roadway			Avoidance maneuver initiated off roadway
	82) Pedestrian—unknown location		(9)	Directional consequences unknown

		ENVIRO	NME	NT	AL I	DATA
27	Pola	tion to Junction	3	22	Pos	adven Surface Condition
21.		Non-junction	<u> </u>	၁၁.	(1)	adway Surface Condition Dry
		Interchange area			(2)	Wet
	• • •				(3)	Snow and slush
		-Interchange		1	(4)	Ice
	(2)	Intersection				Sand, dirt or oil
		Intersection-related				Other (specify):
		Drive, alley access related Other non-interchange (specify):			(9)	Unknown
	(3)	other non-interchange (specify).				
	(6)	Unknown type of non-interchange		34.	Tra	ffic Control Device (()
		Unknown if interchange				No traffic control(s)
					(1)	Trafficway traffic control signal (not RR
		· -	ı			crossing)
28.		ficway Flow			0	mulataria an Oakaal Zama Sima (Not BB Canadina)
		Not physically divided (two way traffic) Divided trafficway - median strip without		ŀ		qulatory or School Zone Sign (Not RR Crossing) Stop sign
	(2)	positive barrier	•			Yield sign
	(3)	Divided trafficway - median strip with				School zone sign
		positive barrier				Other sign (specify):
		One way trafficway				
	(9)	Unknown				Unknown sign
			•			Warning sign (not RR crossing)
29	Num	ber of Travel Lanes	2		(8)	Miscellaneous/other controls including RR controls (specify):
20.		One	<u></u>			controls (specify).
		Two			(9)	Unknown
		Three			•	-0
	• •	Four			_	(1)
		Five		35.		ffic Control Device Functioning
	• • •	Six Seven or more				No traffic control
		Unknown				Not Functioning Functioning
	(0)			İ		Unknown
			4		, -,	
30.		dway Alignment	1			1
		Straight		36.		ht Conditions
		Curve right Curve left			(1)	Daylight
		Unknown			(2) (3)	Dark Dark, but lighted
	(0)	Olikilo Wil			(4)	Dawn
			2		(5)	Dusk
31.		dway Profile	<u> </u>		(9)	Unknown
		Level				ı
	(2) (3)	Uphill Grade (>2%) Downhill Grade (>2%)		27	۸tn	nospheric Conditions
		Hillcrest		37.		No adverse atmospheric related driving
	(5)	Sag			(' '	conditions
		Unknown			(2)	Rain
			_		(3)	Sleet
^^	_	Access Confess T	\mathcal{L}		(4)	Snow
32.		Iway Surface Type	<u>~</u>		(5)	Fog
		Concrete Bituminous (asphalt)		i		Rain and fog Sleet and fog
		Brick or Block				Other (e.g., smog, smoke, blowing sand or
	(4)	Slag, gravel or stone			, -,	dust, etc.) (specify):
	(5)	Dirt			(9)	
	(8)	Other (specify):				
	(9)	Unknown				
	(3)	CHRIDWII				
				1		

1/96 82-641 92 CIVIC 44 YOF 86 YO 1= POI to FRP = 5.5 m = 18 ft. f = 0.20 PRTINC = 1.0 Sec. $18 = 1 - V + \frac{V^2}{(2)(0.70)(32-2)}$ 1022V2 HIV -18=0 -1 t- V(1-)2-4) (0.022)(18) = 13.8 fPs = 9.3 mph =15-KPh. 15 KPh

	3	
	nt of Transportationsy Traffic Safety	n
Adminis	-,	

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 89
- 3. Vehicle Number

0_1

2. Case Number - Stratum

1. Primary Sampling Unit Number

64\ P

VEHICLE IDENTIFICATION

VIN JHMEG8642NS

Model Year 4

Vehicle Make (specify):

tonda

Vehicle Model (specify):

Stee

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

$\frac{131}{138} \text{ cm}$ $\frac{138}{141} \text{ cm}$ $\frac{141}{141} \text{ cm}$	Steel			
$\frac{\sqrt{3}}{\sqrt{4}} cm$		104		,
0 0 0		738		′
	Rubber	191	cm	•

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

037	cm	/
049	cm	√
<u>055</u>	cm	/
005	cm	

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

058

cm cm


171

cm

175

cmat (#

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

Hood Material		
Hood Length		cm
Hood Width-Forward Opening		cm
Hood Width-Midway		cm
Hood Width-Rear Opening	/	cm
		cm
Side Bumper-Bottom Height		cm
Side Bumper-Top Height		cm
Centerline of Wheel		cm
Top of Tire		cm
Top of Wheel Well Opening		cm
Bottom of A-Pillar at Windshield		cm
Top of A-Pillar at Windshield		cm
Top of Side View Mirror		cm
LATERAL MEASUREMENTS		
C. to A-Pillar at Bottom of Windshield		cm
		cm
		cm
Ct to Maximum Side View Millor 140th design		0
WRAP DISTANCES		
/		
Ground to Side/Top Transition		cm
Ground to Hood Edge		cm
Ground to Centerline of Hood (ORIGIN)		cm
Ground to Head Contact	/	cm
	Hood Width-Midway Hood Width-Rear Opening VERTICAL MEASUREMENTS Ground Clearance Side Bumper-Bottom Height Side Bumper-Top Height Centerline of Wheel Top of Tire Top of Wheel Well Opening Bottom of A-Pillar at Windshield Top of Side View Mirror	Hood Width-Midway Hood Width-Rear Opening VERTICAL MEASUREMENTS Ground Clearance Side Bumper-Bottom Height Side Bumper-Top Height Centerline of Wheel Top of Tire Top of Wheel Well Opening Bottom of A-Pillar at Windshield Top of A-Pillar at Windshield Top of Side View Mirror LATERAL MEASUREMENTS C _t to A-Pillar at Top of Windshield C _t to A-Pillar at Top of Windshield C _t to Maximum Side View Mirror Protrusion WRAP DISTANCES Ground to Side/Top Transition Ground to Hood Edge Ground to Centerline of Hood (ORIGIN)

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _____ cm

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
Ø	Bumker	97	-73	8	Leg	Stocaka	1 2 3 9	1
K	Book	69	-48	0	DELPOW		1 2 3 9	2
L	\	28	-45	Q	11	Strank	1 2 3 9	2
W	1000	58	-a6	9	1414	Mida Smad	1 2 3 8	3
4	1	p	-33	Θ	2	(panto)	1 2 3 9	ĝ
1	Book	9	4	e e	VA ST	Variance	1)2 1 9	4
4	Hood	35	-10	0	Body	meured speaks	1 2 3 9	5
7	**	78	1	Ø,	6:183) r .	2 3 9	5
R	Bood	50	13	0	(Buch)	(cueved speaks)	2 3 9	6
S	- 1	η) 2	ヲ	0	S Kons	Warsey)	1/2 3 9	6
P	Roof	36	Ø	041	(B) Arm	smear smudge	1)2 3 9	7
8	Hool	40	-61	0	110	24mm	1 2 3 9	8
6	17	0	-58	0	(Marine)	0000	1 2 3 9	8
7	على المراديات	-34	0	0	head	extune	D2 1 9	9
T	and individe	1 - 34	0	۵	Head	Smetrock	2 3 9	9
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

堪

	ORIGINAL SPECIFICATION	JNS
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\times 2.54 = \frac{2}{4} \frac{6}{2} \text{ cm}$
Fraire Size, and /disal		$\frac{1}{\sqrt{5}}$
Engine Size: cyl./displ	cc	$x .001 = \underbrace{1.5} $
	CID	x .0164 =L
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed)	TA4 B piller 744 B piller 745 C piller 746 D piller 748 Other piller (specify): 749 Right side roof rail	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel /tire 798 Other wheel / tire (specify):
705 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components 720 Front fender side surface	749 Right side roor rall 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify):	799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter
721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component	807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component
729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel	709 Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area	Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):
737 Rear entenna 738 Other left side object (specify): 739 Unknown left side component Right Side Components	774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header	827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment 947 Ground 948 Other object (specify):
740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	949 Unknown object in environment 959 Unknown object on contacting vehicle

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			POINTS	OF PEDEST	RIAN CONTACT		
			CHRONO	LOGICAL ORI	ER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Cirele)
1)	770	59	-14	0-2	R K.P	den	1) 2 3 9
2 /	770	54	3	D'E	A rip	†; -9	D 2.19
3 M	770	58	-24		K.	Smaga /stin	2 3 9
• 1	770	28	۲ ک	-	4 6 80	:x:-/;~-; x	D2 1 4
5	ファン	-34	0	0-1	Do Rend	action politics	Ø 2 3 9
	947	İ	١		1 Hr = 1	510m2,	1 2 3 4
7	510416						1 2 3 9
£							1 2 3 8
9							1 2 3 9
10							1 2 1 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 8
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25							1 2 3 9

	. \
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to thenearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
103.2 inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width 147	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
57.9 inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
$\underline{\hspace{1cm}}$ $\underline{\hspace{1cm}}$ $\underline{\hspace{1cm}}$ inches X 2.54 = $\underline{\hspace{1cm}}$ centimeters	(8) Damage present, unknown if damage is from
_	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
1	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	_
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
161	Front Vertical Measurements
8. Hood Length	2
Code to the	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
(000) 0111111111111111111111111111111111	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber (4) Other (specify):
121	(9) Unknown
9. Hood Width Forward Opening 1 3 1	1
Code to the	1
nooroet contimator	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(210) 210 centimeters or more	(0) No front contact (1) Steel
	(0) No front contact (1) Steel (2) Aluminum
(210) 210 centimeters or more	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(210) 210 centimeters or more (999) Unknowninches X 2.54 = centimeters	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters 10. Hood Width Midway	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(210) 210 centimeters or more (999) Unknown inches X 2.54 =centimeters 10. Hood Width Midway Code to the	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown -16. Front Bumper-Bottom Height Code to the
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown -16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wran Distance Measuraments	SIDE CONTACT DAMAGE
Front Wrap Distance Weasurements	SIDE CONTACT DAMAGE Side Vertical Measurements
Front Wrap Distance Measurements 20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening	

29	Centerline of Wheel	0003	Side Lateral Measurements
29.	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown	000	36. Centerline to A-Pillar at Top of Windshield Code to the
21	inches X 2.54 = Top of Wheel Well Opening	centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
31.	Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	220	37. Centerline to Maximum Side View Mirror Protrusion
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more	centimeters	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = centimeter
	(999) Unknown inches X 2.54 =	centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	90B	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000		
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact	centimeters		
	(999)	Unknown inches X 2.54 =	centimeters	,	

Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Vehicle Make (specify):

Vehicle Model (specify):

61

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Steel		
	104	cn

cm cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm

cm cm


cm

cm cm

cm




VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

WAR VEHICLE DAMAGESKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axides (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of strations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEE		
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cn
PEV27	Side Bumper-Bottom Height		cn
PEV28	Side Bumper-Top Height		сп
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		сп
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
PEV36	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
		\	

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

ORIGINAL SPECIFICATIONS inches $\times 2.54$ Wheelbase Overall Length inches $\times 2.54$ CM Maximum Width inches $\times 2.54$ CM Curb Weight pounds \times .4536 = Average Track inches $\times 2.54$ Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ CM Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. CC x .001 CID x . 0164 =**INJURY SOURCE** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 793 Right rear wheel /tire 748 Other pillar (specify):__ 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): ___ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):__ (specify): 776 Front header Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): _ 743 A2 pillar 999 Unknown injury source 789 Unknown top component

POINTS OF PEDESTRIAN CONTACT								
			PEDEST	RIAN CONTA	CT WORKSHI	ET		
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
0	Bumker	97	-53	8	Leg	Stocks	1 2 3 9	1
K	Book	しゅ	148	0	(2) Elbour	CUSDEN L	1 2 3 9	t
L	\	38	45	Q	11	Steart	1 2 3 9	8
M	Now	58	<u>ئ</u> م	0	14.19	Wido Swood	1 2 3 9	te.
4	1.	6	-23	Θ	,,1	(ponto)	1 2 3 9	W
1	Book	59	-14	051	Vasil	portion	1)2 2 9	1.
4	Hool	35	-10	9	Body	meured streaks	1 2 3 9	5
7	10	78	1	9	(4,3)	•	1 2 3 9	5
R	Bood	50	13	0	(Burd)	Evened Speaker	2 3 9	6
S	,	ام و	み	0	A Kak	Astaria (1/2 3 9	Ø
8	Brok	36	∞	4	& Arm	snear smudge	1 2 3 9	7
8	400	40	-61	0	(MA)	grand,	1 /2 3 9	8
6	17	0	-58	0		*************************************	1 2 3 9	δ
1	A010 din	-34	0	0	(Jas)	Externe	① 2 3 9	9
T	Sindon was	1 - 34	0	0	14 card	Smolrack	2 3 9	9
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

串

A118A1181 A1	710 44 AB	 CONTACT

					EROECONTACES		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>
1/1	770	53	-14	0-2	RHIP	dent	① 2 3 9
2 /	770	59	- 14	0.5	R + p	ca.	و 1 يول
3 M	770	58	-26		R. elòs w	smaga /stin	a 2 3 9
• 4	770	28	-45	+	4 elbow	5M1-1/5m2 35/2	①2 1 3
51	774	-34	0	0-1	Bern A	don+ wight for see WIS	7 2 3 9
÷	947		-	-	L. He- a	912-2	1 2 3 9
7	5,00.0						1 2 3 9
8							1 2 3 8
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 \$
15							1 2 3 9
16							1 2 3 8
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25							1 2 3 9

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN # 1							
	\$	 	P	EDESTRIAN	CONTACT	WORKSHEET PA	GE	
1	NTACT ID ABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION.	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	<u>ħ</u>	Bumpy	I-44	-23		1 an	Streaks	2 3 9
F)		Hood	63	-43		J	Riber Bead Streak	(P) 2 3 9
1		142 50	78	~45				1 2 3 9
M	1	4000	58	-26		I Velo 1	will smidge	1 2 3 9
1	7		2	792		100/	Strack	1 2 3 9
	\	Hood	to	-61		,	smened	1 2 3 9
	4	1(-0)	- G	- 28	0/1		area	1 2 3 9
_	. 4	11 0	59 35	-14	0<1	Knee	Jans means	1 2 3 9
	7	Moce	-18			HA	Speaked Streets	1 2 3 9
-	7	Who as	-34	9		110	3,400	1 2 3 9
R.	7	windship	11	14		head	les tel al	1 2 3 9
` ,	P	Hood	78	8	0<1	`	Smule a Chad-	1 2 3 9
``	2	11.0	50	13		BHand	June souls	1 2 3 9
4	5	1,000	63	7		W/Keyp-	WIScratte	1 2 3 9
							P	1 2 3 9
<u> </u>							,	1 2 3 9
-								1 2 3 9
 								1 2 3 9
 								1 2 3 9
-								1 2 3 9
-								1 2 3 9
-								1 2 3 9
-								1 2 3 9
<u> </u>				,				1 2 3 9

The second company of the second continuous parts	
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
<u></u>	inches X 2.54 = centimeters
5. Original Average Track Width 147	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)(3) Moderate crush (4-7 centimeters)
$\underline{57}.9$ inches X 2.54 = $\underline{}$ centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
3	(9) Unknown
6. Hood Material	707 01111111111
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
1	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	dikilowii ii daillaged
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	3
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber (4) Other (specify):
131	(9) Unknown
9. Hood Width Forward Opening 1 5 1	10, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
(939) Olikilowii	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
	(4) Other (specify):
10. Hood Width Midway \(\frac{1}{2}\frac{\delta}{2}\)	(9) Unknown
Code to the	16. Front Bumper-Bottom Height
nearest centimeter	Code to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
ingles V 0 E4	(150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
	inches X 2.54 = centimeters

17. Front Bumper-Top Height	
Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	CIDE CONTACT DAMACE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
	(999) Unknowninches X 2.54 = centimeters
21. Ground to Front/Top Transition Point 5 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening	

20	Centerline of Wheel	000	Side Lateral Measureme	ents
29.	Code to the	200		
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the	000
	inches X 2.54 =	_ centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown	
30.	Top of Tire Code to the nearest centimeter	000	inches X 2.54 =	centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the	000
	inches X 2.54 =	_ centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more	
31.	Top of Wheel Well Opening Code to the nearest centimeter	000	(999) Unknowninches X 2.54 =	centimeter
	(000) No side contact (250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	000
	inches X 2.54 =		Code to the nearest centimeter (000) No side contact	
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	200	(300) 300 centimeters or more (999) Unknown	
	(250) 250 centimeters or more (999) Unknown		inches X 2.54 =	centimeter
	inches X 2.54 =	_ centimeters	Side Wrap Distance Measur	ements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	900	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact	Da O
	(300) 300 centimeters or more (999) Unknown		(400) 400 centimeters or more (999) Unknown	
	inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters
	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	<u>DOO</u>
	, inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000		
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	centimeters		
		inches X 2.54 =	centimeters		
*					
					-



000000000000000 01 969.0010000000000102F72000 82641P00010012 9.00 000000004421654709813705111014063201030209600141000215 82641P00010021 1010000000006 82641P00010131 9.00 00000000038902021177011333 9.00 00000000038904021177011333 82641P00010231 82641P00010331 9.00 00000000077902021177011222 9.00 00000000077902021277011222 82641P00010431 82641P00010531 9.00 00000000071904021677411333

9.00 00000000077902021294711000 9.00 00000000923703104JHMEG8642NS 99904809600103000001 82641P01000041

51180117011131213210011

82641P00010631

82641P01000051 9.00 000000002621473110413113814122310390490550505806516517

00001000000000

PEDESTRIAN ASSESSMENT Occupant: 1 INTRA ERRORS

2 If TREATMENT PAS26 equals 0, 4 or 5, then OHH1091 HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

Ö

PSU82 CASE 641P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	1	Υ
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicle	∍ 0	0	0	Υ
Pedestrian Exterior Vehicl	le O	o	0	Υ
Total Inter Errors		0	0	
Total Case Errors	o	0	1	