



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 651P

TYPE OF ACCIDENTCar Straight / Pedestrian Running

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle one was eastbound in lane one of a 5 lane two way street and is the only lane to travel straight through an intersection. A pedestrian was running in the crosswalk which angles southeasterly across the street. The front of vehicle one impacted the right and back side of the pedestrian. The pedestrian wrapped and struck the windshield and flipped of the right side as vehicle one continued and then stopped in the middle of the intersection.

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/ (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	34	Male	Treated/ released	Head	Skin - other	1	windshield			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	Class	C. VEH	ICLE PROFIL	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	of Vehicle	of Year/Make/Model		Damage Description
01	Compact	92 / Honda / Civic	Front	Moderate: smears, scuffs, dents, and smashed holed windshield

DO NOT SANITIZE THIS FORM





U.S. Department of Transportation

HS Form 431B (8/95)

ACCIDENT COLLISION DIAGRAM

Scale: 1 centimeter = 2-5





U.S. Department of Transportation

National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration	MEAGONE		PEDESTRIAN CRASH DAT	TA STUDY					
Primary Sampling Unit Number \(\frac{1}{2} \) Case Number-Stratum \(\frac{6}{5} \) \(\frac{1}{2} \)									
PEDESTRIAN ACCIDENT CO	LLISION DATA COI	LECTION	SCALED DIAGRAM						
document reference point and reference line relative to physical features	Surface Type	kaphatto	north arrow placed on diagram						
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	- Wet	 grade measurements for all applic roadways 	abl e					
a) vehicle skid marks	Coefficient of Friction	<u>. 60</u>	 scaled representations of the physical including: 	sical plant					
b) pedestrian contacts with ground or object	Grade (v/h) Measun	ement \\\ \ZZ	 all road/roadway delineation (crosswalks, curb/edge lines, lamarkings, medians, pavement parked vehicles, poles, signs, 	ane t markings,					
c) vehicle/pedestrian point of impact (POI)	a) at impact	- 1 d d	b) all traffic controls (e.g., lights,	signs)					
d) location of pedestrian separation point from vehicle	b) between ir final rest	(42	 scaled representations of the vehic pedestrian at pre-impact, impact, a rest based upon either. 						
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel D	South Eust	a) physical evidence, or						
documentation of the physical plant including:	Vehicle Travel Direc	etion <u>Foo</u>	b) reconstructed accident dynam	nics					
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel La	anes							
b) all traffic controls (e.g., lights, signs)		•							
Reference Point: Light Pole &	<i>**</i>	Reference Line:	onth Cint Ed	ge 					
ltem		Distance and Direction from Reference Point	1						
Romb of Imfact		- 5.0 W	811						
Final Post of Ped									
and \$ lood 5		- 4.0 E	04 N						
~ Fral Root FROM	7								
40	D = +	- 152 E							

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration 1. Primary Sampling Unit Number Case Number - Stratum **IDENTIFICATION** Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999 **SPECIAL STUDIES - INDICATORS**

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ___ SS15 Administrative Use

7. _____ SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires 0_

9. SS18 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> <u>2</u>	15. <u> </u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number 2. Case Number - Stratum 6-5 / P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

	PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pede	estrian's Arm Orientation	01
		I	itial Impact	$\sim T$
	σ	I	At sides	
	15. Pedestrian's First Avoidance Actions	, , ,	Folded across chest	
	(00) No avoidance actions	1 \ ' '	Hands clasped behind back	
	(01) Stopped		Hands on hips	
	(02) Accelerated pace		Hands in pockets	
	(03) Ran away (along vehicle path)	(33)		
	(04) Jumped	One o	or both arms:	
	(05) Turned toward vehicle	1	Extended upward	
	(06) Turned toward vernicle		Extended to side	
	(07) Dove or fell away		Extended forward bracing	
	(01) Bote of ion away		Extended, holding object	
	Used hand(s) to :	(,	(briefcase, suitcase, etc.)	
	(11) Vault corner of vehicle	(10)	Holding object (young child,	
	(12) Vault onto vehicle		grocery bag, etc.) in arm(s)	
	(13) Brace against vehicle	(11)	Holding object (young child,	grocery
	(14) Crouched and braced hands against vehicle	` ′	bag, etc.) on shoulder(s) or	
	(98) Other (specify):	(98)	Other (specify):	
	(99) Unknown		Unknown	$\overline{0}$ 3
	(55) Cinaionii	` ′		~ ·
		19. Ped	estrian's Leg Orientation	0
		at In	itial Impact	T
	PEDESTRIAN'S ORIENTATION AT IMPACT		Together	'
	TEDESTRIANS ORIENTATION AT IMITAS		Apart-laterally	, le
		1/4/03	Apart-right leg forward	70
			Apart-left leg forward	Loly
	16. Pedestrian's Head Orientation	Ko. A. 105)	9	aline)
	at Initial Impact	0(06)	Left foot off the ground	Way 182
	(1) To front	(07) WG (08)	Right foot off the ground	039
	(2) To left			E-HOCC G
	(3) To right		Other (specify)	1031 July Leu
	(4) Up	(99)	Unknown	Top of
	(5) Down	20 Veh	icle/Pedestrian's Interaction	(1)
	(8) Other (specify):		Carried by vehicle, wrapped	position
	(9) Unknown		Carried by vehicle, slid to win	
			Carried by vehicle, position u	
1	7		Passed over vehicle top	
	17. Pedestrian's Body (Chest) Orientation		Thrown straight forward	
	at Initial Impact		Thrown forward and left of ve	ehicle
	(1) Facing vehicle		Thrown forward and right of	
١	(2) Facing away	(08)	Knocked to pavement, forwa	ırd
	(3) Left side to vehicle		Knocked to pavement, left of	
	(4) Right side to vehicle (8) Other (specify): Deth	, , ,	Knocked to pavement, right	
	(9) Unknown was faculty	(11)	Knocked to pavement, run o	ver or
	(a) Olikilowii		dragged by vehicle	
	through to	1 (12)	Shunted to left (corner impac	cts only)
	I lead ear		Shunted to right (corner impa	acts only)
	ang of sec		Bumped or pushed aside	
١	•	, , ,	Snagged, rotated	_
			Snagged, dragged by vehicle	е
		, , ,	Foot or legs run over	
			Other (specify):	
		(99)	Unknown	
1		I		

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	96	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained	_	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
(9) Unknown		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

lational Accident Sampling System-Crashworthiness Dates STOP - VARIABLES 30 THROUGH 37 AR	E COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (4) Yes - blood given (5) Unknown if blood given (6) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (90) Not injured (91) Injured, ABGs not measured or reported (92-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECOR NO [] UPDATE CANDIDATE	DS INCLUDED WITH INITIAL SUBMISSION? YES [/] ? NO [/] YES []

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

		•		AIS-90					Injury	Injury			
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>K</u>	7. <u>9</u>	8. <u>04</u>	9. <u>0 2</u>	- 10. <u>/</u>	11.2	· 12. <u>700</u>	13. 🖊	14. /	15. 2	16.2	17.2
2nd	18. <u>3</u>	19. 🔽	20. <u>2</u>	210_8	22. <u>0</u> }	- 23. <u> </u>	24. <u>/</u>	_{25.} 7 7 5	26. <u>/</u>	27. <u>/</u>	_{28.} <u>2</u> -	29.5_	30. —
3rd	31. <u>3</u>	32. <u>7</u>	33. <u>9</u>	34. <u>0 6</u>	35. <u>0</u> 2	- 36. <u>/</u>	37. <u>/</u>	38. <u>7 7 5</u>	39. <u>/</u>	40	41	-42.5	₹ 43
4th	44.3_	45. 7	46. <u>9</u>	47. <u>0</u> 2	48. <u>0</u> 2	- _{49.} <u>/</u>	50. <u>/</u>	51. <u>775</u>	52	53	54. <u>2</u>	55. <u></u>	<i>.</i> / 56
5th	57. 3	58. 7	_{59.} <u>9</u>	60. <u>D</u>	61. 0	2-62. <u> </u>	63. <u>/</u>	64. <u>775</u>	es	66. /_	672	- 68	U ∕ 69
6th	703	71	72.9	73. <u>06</u>	74. <u>6</u> 1	<u>) </u>	76. <u>/</u>	77. 775		79. <u>/</u>	80	81,5	82
7th	83. <u>3</u>	84. /_	85. <u>9</u>	86. <u>08</u>	87. O 🗸)_ ₈₈ , <u>/</u>	8 / _	90. <u>775</u>	91. /	92	93	- ₉₄ . <u>5</u>	95
8th	96. 3	97	98. 9	99. <u>12 b</u>	100. <u>6</u> 7	<u> 101. /</u>	102.6	103.725	104. /	105. /	106. 2	107.5	108
9th	109. 🔀	110. 7	111. 💆	112.0 6	113. <u>0</u> 2	<u>}</u> 114/	115. 1	118. 775	117	118./	119. 2	120.5	121. 3
10th	122. 3	123.2	124. 4	1250 2	_{126.} <u>O</u> Z	<u>*</u> 127. <u>L</u>	128. 7	129. 947	7 130/	131	132.	133)134.0_

					PEDES	STRIA	N INJL	IRY DAT	Α				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	—	_	_	——			_			_	_		_
12th									_		_	_	_
13th 14th		-	-	—— ——		_	_		_	_	_	_	_
15th	_	_	_				_			-		_	_
16th 17th		-	_			_	_			-		_	_
18th		— —	— —			_	_	—— ——	_	- -	-	<u> </u>	_
19th	—	_	_			_	-		_	—	_	_	_
20th 21st		_	_			_	_			_	_	_	=
22nd	_					_	<u> </u>		_	_	_	_	_
23rd	_	-	_			_	-		_	-	-	_	
24th 25th		-	-			_ _	— —			— —	— —	— —	-

(1) Autopsy records with or without hospital/ No damage/contact Scratch (Scuff, Cloth Transfer,Smear) Possible medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury (6)Separated from vehicle Indirect contact injury Emergency room records only (including (7) Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: (8) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report No residual damage (6) E.M.S. personnel Rounded (contoured) Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters Rounded edge Interviewee (3)Sharp edge (8) Other source (specify): Other (specify): (5) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) Face (06) Lumbar Moderate injury Neck Serious injury (4) (5) Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Severe injury Abdomen (08) Skin - Avulsion Critical injury Maximum (untreatable) (6) Spine (10) Amputation Upper Extremity (20) Burn (7) Injured, unknown severity (8) Lower Extremity Crush Level of Injury (40) Degloving (50) Injury - NFS Unspecified **Aspect** injuries assigned are Type of Anatomic Structure (90) Trauma, other than mechanical consecutive two-digit Right beginning with 02. (2) (3) Left Bilateral Whole Area Head - LOC (4) (5) (6) (7) Vessels (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the Central organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Nerves Anterior (4) Organs (includes muscles/ (10) Concussion Posterior ligaments) Skeletal (includes joints) Superior (8) Inferior Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. (9) (0) Unknown Skin Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 948 Other object (specify): 779 Rear header 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable TYPE OF DAMAGE

(0) Injury not from vehicle contact

SOURCE OF INJURY DATA

OFFICIAL

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __._

PO₂= ____

PCO₂ ____

HCO₃







raye

National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)








U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
٠.	1 minus	Camping	Ollit	Manne

2. Case Number - Stratum



3. Vehicle Number



VEHICLE IDENTIFICATION

4. Vehicle Model Year Code the last two digits of the model year (99) Unknown



5. Vehicle Make (specify):

Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown

6. Vehicle Model (specify):



Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown

7. Body Type Note: Applicable codes may be found on the back of this page.




8. Vehicle Identification Number



Left justify; Slash zeros and letter Z (0 and Z) No VIN-Code all zeros Unknown-Code all nines

OFFICIAL RECORDS

9. Police Reported Travel Speed



Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown

30 mph X 1.6093 = 048 kmph

10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown

30 mph X 1.6093 = ____ kmph

11. Police Reported Alcohol Presence For Driver



- (0) No alcohol present
 - (1) Yes alcohol present
 - (7) Not reported
 - (8) No driver present
 - (9) Unknown

12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit - 0.xx)

(95) Test refused

(96) None given

(97) AC (Alcohol Content) test performed, results unknown

(98) No driver present

(99) Unknown

Source:

13. Police Reported Other Drug Presence For Driver

(0) No other drug(s) present

- (1) Yes other drug(s) present (7) Not reported
- (8) No driver present
- (9) Unknown

14. Other Drug Specimen Test Result For Driver

- (0) No specimen test given
- (1) Drug not found in specimen
- (2) Drug found in specimen (specify):_
- (3) Specimen test given, results unknown or not obtained
- (8) No driver present
- (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA		
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown October 10	18. Impact Speed ——————————————————————————————————		
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA		
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown		

	2.0		
23.	Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew	ļ	Object or Animal
	up) (specify):		(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway
	(specify):		(89) Animal—unknown location
	(06) Traveling too fast for conditions		(90) Object in roadway
	(08) Other cause of control loss (specify):		(91) Object approaching roadway
			(92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		, , , , , , , , , , , , , , , , , , , ,
	(10) Over the lane line on left side of travel lane		(99) Unknown
	(11) Over the lane line on right side of travel lane		
	(12) Off the edge of the road on the left side	24.	Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		(00) No driver present
	(14) End departure	,	(01) No avoidance actions
	(15) Turning left at intersection		(O2) Braking (no lockup)
	(16) Turning right at intersection	l	(O3) Braking (lockup)
	(17) Crossing over (passing through) intersection		(04) Braking (lockup unknown)
	(19) Unknown travel direction		(05) Releasing brakes
	Other Motor Vehicle In Lane	İ	(06) Steering left
	(50) Stopped		(07) Steering right
	(51) Traveling in same direction with lower speed		(08) Braking and steering left
	(i.e., lower steady speed or decelerating)		(09) Braking and steering right
	(52) Traveling in same direction with higher speed		(10) Accelerating
	(53) Traveling in opposite direction		(11) Accelerating and steering left
	(54) In crossover		(12) Accelerating and steering right
	(55) Backing		(98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99) Unknown
	in lane		<i>\(\begin{array}{cccccccccccccccccccccccccccccccccccc</i>
	Other Motor Vehicle Encroaching Into Lane	25.	Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left		(O) No driver present
	lane line		(1) No avoidance maneuver
	(61) From adjacent lane (same direction) - over right		(2) Tracking
	lane line		(3) Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line		degrees
	(63) From opposite direction—over right lane line		(4) Skidding laterally—clockwise rotation
	(64) From parking lane		(5) Skidding laterally—counterclockwise rotation(8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction		(8) Other vehicle loss-of-control (specify):
	(66) From crossing street, across path		(9) Precrash stability unknown
	(67) From crossing street, turning into opposite		107 Troolasti Stability arikilovvii
	direction	26.	Precrash Directional Consequences of
	(68) From crossing street, intended path not known		Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		(O) No driver present
	(71) From driveway, across path		(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		maneuver was initiated
	(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
	unknown		(4) Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	(80) Pedestrian in roadway		initiated (5) Vehicle departed roadway
	(81) Pedestrian approaching roadway		(6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location		(9) Directional consequences unknown
			, -, co.looquolioco ullivilottii

		ENVIRO		NT	AL [DATA
27.		ition to Junction Non-junction	1	33.	141	dway Surface Condition
		Interchange area			(2) (3)	Dry Wet con wley www Snow and slush
		-Interchange			(4)	Ice
					(5)	Sand, dirt or oil
		Intersection-related Drive, alley access related				Other (specify): Unknown
		Other non-interchange (specify):	İ		(0)	dikilowii 4
	(0)			١	_	
		Unknown type of non-interchange Unknown if interchange		34.		ffic Control Device No traffic control(s)
	101	Official with the change				Trafficway traffic control signal (not RR
			- (• •	crossing)
28.		ficway Flow	1		D	whaten a School Zone Sim (Not BB Crossing)
		Not physically divided (two way traffic) Divided trafficway - median strip withou	t			ulatory or School Zone Sign (Not RR Crossing) Stop sign
		positive barrier	•			Yield sign
	(3)	Divided trafficway - median strip with				School zone sign
	141	positive barrier One way trafficway			(5)	Other sign (specify):
		Unknown			(6)	Unknown sign
					(7)	Warning sign (not RR crossing)
20	Num	nber of Travel Lanes	5		(8)	
23.	-	One	_			controls (specify):
	(2)	Two			(9)	Unknown
		Three				\sim
	(4) (5)	Four Five		35.	Traf	ffic Control Device Functioning
		Six		00.		No traffic control
		Seven or more				Not Functioning
	(9)	Unknown				Functioning Unknown
			4		(0,	CHRISTI
30.		dway Alignment				10 183
		Straight Curve right		36.	Ligr (1)	nt Conditions Daylight
		Curve left	,		(2)	Dark
	(9)	Unknown				Dark, but lighted
			1		(4) (5)	Dawn Dusk
31.	Road	dway Profile	((9)	Unknown
	(1)	Level				1
		Uphill Grade (>2%) Downhill Grade (>2%)		27	Λ+m	nospheric Conditions
				37.		No adverse atmospheric related driving
	(5)	Sag				conditions
	(9)	Unknown			(2)	Rain
					(3) (4)	Sleet Snow
32.		dway Surface Type	9		(5)	Fog
		Concrete	•		(6)	Rain and fog
	(2) (3)	Bituminous (asphalt) Brick or Block				Sleet and fog Other (e.g., smog, smoke, blowing sand or
	(4)	Slag, gravel or stone				dust, etc.) (specify):
	(5)	Dirt			(9)	Unknown
	(8)	Other (specify):				
	(9)	Unknown				
				ı		

92-65-1 35-70m 70" 37405 165-7 POIto J-RP = 20m = 66 ft. blog hors fr. shirt. Posting. + broking 30-35-ph Wit road Surface f = 0.60PRT = 0,5 Sec. 0.026V2 +0.5V - 66 = 0 -0.5 + NO.5)2 - (4) (0.026) (-66) レニ 0.051 = 41.7 fps = 28 mph = 45,7 Kph 46 KPh



U.S. Department of Transportation **National Highway Traffic Safety** Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

NIN ライクモイフェクナハイ

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cm

cm

cm cm

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

National Accident Sampling System-Crashworthiness Data Sy	stem: Pedestrian Exterior Vehicle Form Pege
VIN 246 EH 2362N H	Model Year 42
Vehicle Make (specify):	Vehicle Model (specify):
Hood Widths Rear Opening 140 Midway 140 Forward Opening 129	Front Bumper Cover Material Front Bumper Reinforcement Material Whood Length
	Bumper Lead
Windshield Base Windshield Base Work of the state of th	VERTICAL SE SE SE SE SE SE SE SE SE SE SE SE SE
NOTES: Sketch all pedcetrien contacts, include the size and depth in contineters. Loc (learnel) and the front cases dengitudinal in continuous denomination beaution of the origin (intercept point of the contactine and the front axios) from	to which might do useful in reconstructing the accident to.g., grace in

. .






NOTES:

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axides (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of structions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cn
PEV30	Top of Tire		cm
	Top of Wheel Well Opening		cm
	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		сп
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
	C _L to A-Pillar at Top of Windshield	<u> </u>	cm
	C _L to Maximum Side View Mirror Protrusion	\	cm
			0
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cn
	Ground to Hood Edge		cm
	Ground to Centerline of Hood (ORIGIN)		cm
	Ground to Head Contact		



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

ORIGINAL SPECIFICATIONS Wheelbase inches x = 2.54Overall Length inches x 2.54Maximum Width inches x = 2.54pounds x .4536 =Curb Weight Average Track inches $\times 2.54$ Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. x .001 CC CID x . 0164 =INJURY SOURCE FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 792 Left rear wheel / tire 746 D pillar 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 810 Rear suspension 724 B pillar 760 Rear (back) bumper 761 Tailgate 725 C pillar 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): _ 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 826 Spare tire 773 Cowl area 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

			POINTS	OF PEDEST	RIAN CONTA	CT		
			PEDEST	RIAN CONTA	CT WORKSHI	EET		
CONTACT ID LABEL	COMPONENT CONTACTED	LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	SEQUENCE .
UN- Mark	Bunterens	te 94	0+0-10	0	D Leg	Scuffe Bumba	① 2 3 9	1
	Borne	94	0 0	0	Balic	Seufer	① 2 3 B	9
Μ	tood	76	-20	8	Bottom	Black of	R 2 3 9	É
N	•	78	4	0	1.69	(Compaction of	1 2 3 3	3
8	7	73	-5	B	PShoe	Cure Rubber	7 2 3 9	3
4	408	30	35	041	OL 700" J000000000000000000000000000000000	small fund	Q 2 1 3	4
5	Hood	19	32	0 ≤ 1	Hip	wide over the	2 3 9 € 2 3 9	5
V	Hann	-6	Ę.	041	fay"	SHOWE SHO	2 1 1	5
T	Do off	-23	38	0	Air/Legs	Come exit sugter marks	1 2 3 9	Exit
4	Windshall	-70	98	57	P)A.	Sky/(m)	1 2 3 9	10
١	Washild	- 71	58(Body Shy	m	Blong	2 3 9	6
8	While Study	(-103	55	ty /2	Head	201 / S(400)	 Ž	
L	A-pillan	-77	70	0	@ ARm	Lesteral structure	2 3 9	8
2	, ,	-1 \ 6	58	0		rance stem	9	9
\ <u>\</u>	side pa	-49	88	Q	5 Yen	saffed	2 3 9	10
							1 2 3 9	
	_						1 2 3 9	
							1 2 3 9	
*************************							1 2 3 9	
							1 2 3 9	
							1239	
							1 2 1 9	
							1239	
							1 2 3 9	
							1 2 3 9	

nyk

- Control of the Cont	POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	
11	700	94	- 30	0	L. Leg	Smudge	① 2 3 9	
2 2	715	-70	28	2-5	£. £180 W	stein (crested)	Q _{2,1,9}	
3 7	y	<i>C</i> ,	÷	<i>د</i> ،	17	17	Q 2 3 9	
• 2	t.	ı	4	4	11	e	Q2 1 1	
5 2	(m	•	1.	11	* ~	E 1,	2 3 9	
• 2	**	- 4,	*	- 6	*,	10 10	O 2 3 8	
7 /	775	70-100	58-70	Scm	Heir (Blis)	Donnted + holad	1)239	
a /	11	•	•	ę.	t.erm		O2 3 8	
• 8	775	-103	55	1-2		Eleinf	1 💋 3 9	
10		900	له بر	-	L.aze		1219	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 \$	
15							1 2 3 9	
16							1 2 3 8	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN # 1 PEDESTRIAN CONTACT WORKSHEET PAGE						
		F	PEDESTRIAN	CONTACT	WORKSHEET PA	GE	
CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
$\frac{1}{2}$	Rompin	5D-52	-30				1 2 3 9
M	1	7-10	-50		(AK)		1 2 3 9
P	1000	(OFFT)	+2		Mol		1 2 3 9
5	4	₹	2-8	6 . 4	,		1 2 3 9
\	noon	-6	22	ا جي	James St	As Scald Up	1 2 3 9
T		30	75	001	n.	Snall Snall	1 2 3 9
N		-27	35	051	Cush		1 2 3 9
3	Wrdoh	- 01	- 0		Come 546		1 2 3 9
8	1122				()	M.	1 2 3 9
\					1700	Mari	1 2 3 9
	1 Landa	-77	170		Scatter		1 2 3 9
R	HILL	- 416	458		Sm	le	1 2 3 9
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Min 5rd	1 Ag	88		Sull	<u> </u>	1 2 3 9
		4			16		1 2 3 9
- 4	11						1 2 3 9
	21_8						1 2 3 9
(5							1 2 3 9
					10	ade o	1 2 3 9
	- OR	71			Com pe	Khaff Khaff	1 2 3 9
8	3	265-16-146			1	4	1 2 3 9
			28	S	Jan V	lead	1 2 3 9
7		+40- 177+39-146	> ひ			rox	1 2 3 9
		111751-170	28		Film 5	Kui ()	1 2 3 9
L							1 2 3 9

VEHICLE DIMENSIONS	11 Used Width Boar Opening
2-1	11. Hood Width Rear Opening Code to the
4. Original Wheelbase	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	
<u> 6 3 inches X 2.54 = centimeters</u>	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
57.9 inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact
Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward OpeningCode to the nearest centimeter (210) 210 centimeters or more (999) Unknowninches X 2.54 =centimeters 10. Hood Width Midway	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrap Distance Measuraments	SIDE CONTACT DAMAGE Side Vertical Measurements
Front Wrap Distance Measurements 20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	
20. Ground to Forward Hood Opening 65 Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Wheel	900	Side Lateral Messurements
Code to the nearest centimeter		35. Centerline to A-Pillar
(000) No side contact (150) 150 centimeters or more (999) Unknown		at Bottom of Windshield (000) No side contact
inches X 2.54 =	centimeters	Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire Code to the		inches X 2.54 = centimeters
nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the
inches X 2.54 =	centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more
31. Top of Wheel Well Opening Code to the	100	(999) Unknown
nearest centimeter (000) No side contact (250) 250 centimeters or more		000
(999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion Code to the
inches X 2.54 = 32. Bottom of A-Pillar at Windshield	centimeters	nearest centimeter (000) No side contact
Code to the nearest centimeter	<u></u>	(300) 300 centimeters or more (999) Unknown
(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 = centimeter
inches X 2.54 =	centimeters	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield Code to the nearest centimeter	<u>0</u> 00	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact
(000) No side contact (300) 300 centimeters or more (999) Unknown		(400) 400 centimeters or more (999) Unknown
inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	<u>O O O</u>	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000	
41.	(000) (800) (998)	inches X 2.54 = d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	centimeters	
		inches X 2.54 =	centimeters	
		·		



82651P00000011 369.0000000000000109080100001 00000000000000 01 82651P00010012 969.0010000000000102F72000 82651P00010021 9.00 000000003511785310116207513024001401030209600242000115 1010000000010 82651P00010131 9.00 00000000038904021270011222 82651P00010231 9.00 00000000038908021177511254 82651P00010331 9.00 00000000037906021177511254 82651P00010431 9.00 00000000037902021177511254 82651P00010531 9.00 00000000037906021177511254 82651P00010631 9.00 00000000037906021177511254 82651P00010731 9.00 00000000031908021677511254 82651P00010831 9.00 00000000031906021677511254 82651P00010931 9.00 00000000037906021177511253 9.00 0000000032902021794711000 82651P00011031 82651P01000041 9.00 000000009237031032HGEH2362NH 04804809600095000004

62110180011131511221211

82651P01000051

9.00 000000002571473110112914014112310430520610506507017117

0000000000000

PSU82 CASE 651P CURRENT VERSION: 9.00 ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	o	0	Υ
Pedestrian Assessment	0	Ō	Ö	Ý
Pedestrian Injury	O	0	O	Y
Pedestrian General Vehicl	e O	0	0	Υ
Pedestrian Exterior Vehic	le O	O	O	Υ
Total Inter Errors		0	0	
Total Case Errors	o	0	0	