



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



#### PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

PSU 82

**CASE NO. 652P** 

TYPE OF ACCIDENT Car straight / Pedestrian Running:

## A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle one was southbound in lane 2 of a five lane two way street and continue through an intersection when the front of V1 impacted the right side of a pedestrian who was running west across the street just south of the crosswalk and intersection. The pedestrian wrapped and struck the windshield and partially contacted the roof above the driver's door. The driver locked up the brakes and the pedestrian fell off the left side of V1 to the ground near the driver's door of V! at final rest.

	B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/		Severe Injury ETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source				
01	87	Female	Hospitalize Fatality	Head	Organ	5	windshield				

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Sub-compact	90/Ford/Escort	Front	Moderate - Smudges, smears, dents and a smashed windshield					

#### DO NOT SANITIZE THIS FORM





U.S. Department of Transportation

**ACCIDENT COLLISION DIAGRAM** 

NATIONAL ACCIDENT SAME PEDESTRIAN CRASH

National Highway Traffic Safety Administration SYSTEM A STUDY PSU No. 82 P Indicate North Reference Line Δ Reference Pt. 0 



HS Form 431B (1/96)

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM

CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety Administration Indicate PSU No. Case Number—Stratum North 2.6 RI 3,1 Sig 24 6.2 8.2 5.3 17 4.0 15,G 5.5


Scale: 1 centimeter = \_\_




U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 2	>		Case	Numbe	r-Stratum <u>6 52 P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA	OLLECTION			SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type		incrett	· no	orth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	n	MOT		ade measurements for all applicable adways
a) vehicle skid marks	Coefficient of Fri	ction	<u>.60</u>		aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	_ <b>_</b>	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	nct '	125	b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final res	n impact and st	-1/22	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:
<li>f) final resting points (FRP) for pedestrian and vehicle</li>	Pedestrian Trave	el Direction	West	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection	South	b)	reconstructed accident dynamics
<ul> <li>all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>	Number of Trave	i Lanes	<u>5</u>		
b) all traffic controls (e.g., lights, signs)					
Reference Point: Light Pole (16,9 M south of South	nwest Cor		rence Line:	No	ot lub Edge
		_ \ \			
Item			ance and Direction Reference Poin		Distance and Direction from Reference Line
Approximate font of a	imports -	1	2.7 7		5.6E
Final Root ~ of UI	-F. Dipa	7	21.		6,45
Trock tool ~ of UI	tolice				
Fral Rest Blood Str	ains_		.22		6.6E
of Legs tra	m Ped,				
					l
APolice Report BR	aking				
of Devier just of	aling				
	aking on P.O.T. Krip M	lark		ned	by Debocti
of Devier just of	kup M	lark	3 Mete	1s )	by Deboctri ock up Mark ock up Mark





National Highway Traffic Safety Administration	PEDESTRIAN A	CCIDENT FORM NATIONAL ACCIDENT SAMPLE PEDESTRIAN CRASH I	DATA STUD
Primary Sampling Unit Numbe	68	SPECIAL STUDIES - INDICATOR	S
Case Number - Stratum	652p	Check (🗸) each special study (SS15-SS19 below has been completed; code 1 for the checked studies and 0 for the special studies not checked	special
IDENTIFICA <sup>-</sup>	rion		
Number of General Vehicle     Forms Submitted	_0_1_	6SS15 Administrative Use	<u>.</u>
and the second s		7. <u>✓</u> SS16 Pedestrian Crash Data Study	1
4. Date of Accident (Month,Day,Year)	9 🔾	8SS17 Impact Fires	_0_
5. Time of Accident	0900	9SS18	0
Code reported military tim		10SS19	
NOTE: Midnight = 2400 Unknown = 9999			
OHNIOWI - 555:	<del>y</del>	NUMBER OF EVENTS	
		11. Number of Recorded Events	0_1

#### PEDESTRIAN STUDY CRITERIA

#### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14.	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>

## CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

## CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

#### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 5 4 P	kilogram. (999) Unknown
3.	Pedestrian Number 0 1	191_pounds X .4536 = 86.6_kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age	11. Pedestrian Attitude
	Code actual age at time of accident. (00) Less than one year old (specify by month):	(1) Standing
		(2) Crouching (3) Kneeling
	(97) 97 years and older (99) Unknown	(4) Bending at waist
	(99) Unknown	(8) Other (specify):
_	Pedestrian's Sex	(9) Unknown
] 3.	(1) Male	12. Pedestrian Motion
	(2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month)	(0) Not moving (1) Walking slowly
	(4) Female - pregnant-2nd trimester (4th-6th month)	(1) Walking slowly (2) Walking rapidly
	(5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown	(3) Running or jogging
	(6) Female - pregnant-term unknown (9) Unknown	(4) Hopping (5) Skipping
6	Pedestrian's Overall Height	(6) Jumping
0.	Code actual height to the nearest	(7) Falling/stumbling or rising
	centimeter. (999) Unknown	(8) Other (specify):(9) Unknown
	$65$ inches $\times 2.54 = 165$ . centimeters 4.7	01
	inches X 2.54 = 100 centimeters 4	13. Pedestrian's Action Relative to Vehicle (00) Stopped
7	Pedestrian's Height - Ground to Knee	(01) Crossing road, straight
l ''	Code to the nearest	(02) Crossing road, diagonally (03) Moving in road, with traffic
	centimeter. (999) Unknown	(04) Moving in road, with traffic
	5 27	(05) Off road, approaching road
	inches X 2.54 = centimeters	(06) Off road, going away from road (07) Off road, moving parallel
۵	Pedestrian's Height - Ground to Hip	(08) Off road, crossing driveway
"	Code to the nearest	(09) Off road, moving along driveway
	centimeter. (999) Unknown	(98) Other (specify):(
	γ ζ ζ	1 '
	inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation  Relative to Striking Vehicle Prior to
۵	Pedestrian's Height - Ground to Shoulder	Avoidance Actions
۱	Code to the nearest	(1) Facing vehicle (2) Facing away
	centimeter. \7 \ \(\frac{1}{2}\)	(2) Facing away (3) Left side to vehicle
		(4) Right side to vehicle
	inches X 2.54 = centimeters	(8) Other (specify):(9) Unknown
1		(-)

PEDESTRIAN'S AVOIDANCE ACTIONS  15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown  17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown  20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, bosition unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and left of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

Section 1

OFFICIAL RECORDS		INJURY CONSEQUENCES	
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	3
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released	-
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	$\varphi$	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown  27. Type Of Medical Facility	1
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained		(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	<u> </u>
(9) Unknown		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	<u>X</u>

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease	34. 1st Medically Reported Cause of Death  1
	DS INCLUDED WITH INITIAL SUBMISSION? YES [ ]
UPDATE CANDIDATE	

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

65<u>2</u>

3. Pedestrian Number

0\_1

2. Case Number - Stratum

4. Blank

<u>\_X\_X</u>

#### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

		AIS-90							Injury					
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth	
lst	5	6. 8	7. <u>9</u>	8. <u>0</u> 4	<u>s 02</u>	10. 1	11	12.700	13. 👤	14	152	182	17	
2nd	18. 1	19.	<sub>20</sub> . <u>5</u>	21. 3 4	22. 22	-23. <u>-</u> 2	24	25. <u>70</u>	) <sub>26.</sub> <u> </u>	27.	28. 2	29	· 30. <u>Z</u>	
3rd	31	32. <u>8</u>	<sub>33.</sub> <u>5</u>	34. <u>  6</u>	35. <u>D</u>	36. <u>2</u>	37. <u> </u>	38, <u>700</u>	39	40.	41	42. 2	ኒ 43	
<b>4</b> th	44	45. 🗲	46	4704	48. <u>U 2</u>	49	50	51. <u>7 0 C</u>	52. <u> </u>	53. <u>(</u>	54	-55. <u>2</u>	56. 2	
5th	57	58. <u>S</u>	-59. <u>-</u>	60. <u>3</u> 4	61. 2 7	2 <sub>62.</sub> <u>7</u>	63	64. <u>7 U C</u>	9 65	66	672	68.2	69	
6th	70. <u>†</u>	71	72.5	73. <u>/ 6</u>	74. <u>  D</u>	75	-78. <u> </u>	77. <u>70</u>	ر <sub></sub> ر	79	80	81	- 82. <u>-</u>	
7th	83. 1	B4. 8	85. 2	86. <u>04</u>	87. <u>0</u> 2	−88. <u> </u>	89. 🧘	90. <u>70</u>	3 <sub>91. </sub> <u>/</u>	92	93. 3	943	95. 💆	
8th	96. 1	97(	98. 2	99. <u>04</u>	<sub>100</sub> . <u>0 2</u>	<u>-101.                                   </u>	102. 2	103. <u>703</u>	2 104	105. 👤	108. 2	- <sub>107</sub> . <u>2</u>	108. 2	
9th	109./_	110.7	111. <u>9</u>	112. <u>04</u>	113. <u>0</u> 2	<u> </u>	115	118. 77	? 117. <u>/</u>	118. <u> </u>	119. 2	-120.	121. 2	
Oth	122	123. <u> </u>	124	125.02	ī <sub>26.</sub> <u>5(</u>	)127.3	128	129. 77	3 130. <u>/</u>	131. 🖊	132	. <sub>133.</sub> <u>3</u>	134.3	

				PEDES	STRIA	N INJU	JRY DATA					L		
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damag Depth		
11th <u>/</u>	7	<u>9</u>	<u>54</u>	<u>02</u>		1	773	<u></u>	<u></u>	2	_3	3		
12th <u>/</u>	7	5	26	<u>o 4</u>	3	<u></u>	223	<u> </u>	<u></u>	2	3	2		
13th <u>/</u>	4	7	<u>14</u>	50	4	3	723	<u>_/</u>	<u></u>	2	<u>&gt;</u>	2		
14th <u>                                    </u>	1	9	06	<u>02</u>	1		775	- <u>1</u>	<u></u>	2	5	5		
15th <u>                                    </u>	2	<u>_9</u>	<u>04</u>	<u>02</u>		1	7.75	<u></u>	<u>_</u>	<u> 2</u>	5	<u>5</u>		
16th <u>/</u>	<u>/</u>	2	04	02		<u></u>	7.25	<u>/</u>	1	_2	7	2		
17th <u>/</u>	<u>2</u>	<u>9</u>	04	02	- <u>1</u>	2	7.35			2	5	_ر		
18th <u>/</u>		5	<u>04</u>	<u>04</u>	<u>3</u>	<u></u>	725	<u></u>	<u>1</u>	2	<u>5</u>	5_		
19th <u>/</u>	1	<u>4</u>	<u>06</u>	<u>6</u> 6	5	<u></u>	7.25		<u>/</u>	_2_	5	5_		
20th <u>/</u>	<u></u>	<del>4</del>	06	<u> 78</u>	<u> </u>	L	7.75	/	1	2	<u>s_</u>	2		
21st <u></u>	<u></u>	生	<u>06</u>	44	′_4	<u>L</u>	225	/	<u></u>	2	<u></u>	工		
22nd <u>/</u>	<u>/</u>	<u>4</u>	<u>06</u>	26	5	3	725		<u></u>	_2	<u> </u>	<u>5</u>		
23rd <u>/</u>	_	<u>6</u>	08	20	<u>¥</u>	٥	775			2	5	<i>T</i> _		
24th <u>/</u>	<u>/</u>	4	06	<u>36</u>	5	L	725			2	<u>_</u> _	5_		
25th /	2	9	<u>04</u>	<u>0</u> 2	$\mathcal{I}$	<u></u>	725		<u></u>	2	<u>S</u>	4		

. . . .

PEDESTRIAN INJURY DATA													
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of	A.I.S. Severity	Aspect	injury Sourc <del>a</del>	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
21		<u>7</u> 7	9	04	0 2	<u>_</u>	1	77 <u>5</u>			<u>2</u> 2	5	4
2 43	y ,	7	<del>/</del> <del>9</del> <del>-</del>	06	02	<u>_</u>	<u>-</u>	774		<u>'</u>	<u>+</u>	3_	3
2	9 kh <u>/</u>	7	9	06	02	- <u>/</u>	<u>*                                    </u>	725			2	5	4
3 t	o /	7	9	04	٥2	- <u>-</u>	<u></u>	775		<u>/</u>	2	5	4
3		7	3	02	02	<u> </u>		775		· <u>/                                    </u>	2	5	3
} 17		7	9	04	02	- <u>1</u>		<u>77</u> 5	÷_/		2	5	3
3	1	<u>+</u>	9_	04	02	1	1	776	2	1	<u>3</u>	3	3
3,4 10	# _/	8	9	02	02			777	1	<u></u>	2	2	3
3 - 20	2 <u> </u>	8	9_	04-	02	<u>/</u>	2	777	<u>/</u>	/_	2	<u> </u>	2
*	<b>nd</b>												
3 <sup>41</sup> 261	th												



#### (3) **Possible** medical records Scratch (Scuff, Cloth Transfer, Smear) (9) Unknown (2) Hospital/medical records other than (3) Dent Large deformation emergency room (e.g., discharge (4) (5) **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (6) Emergency room records only (including (2) Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report (3) Surface only damage (6) E.M.S. personnel (4) (5) Rounded edge Crush depth >0 to 2 centimeters (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge Other (specify): (4)(8) Other source (specify): (8) (5) Other specify: (8) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure **Abbreviated Injury Scale** (02) Cervical (04) Thoracic (06) Lumbar Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration (O8) Skin - Avulsion Head Minor injury Face Moderate injury Serious injury (3) (4) Neck (3) Thorax Vessels, Nerves, Organs, Bones, Joints Severe injury (5) Abdomen are assigned consecutive two digit numbers beginning with 02 (5) Critical injury (6) Spine (10) Amputation Maximum (untreatable) Injured, unknown severity (6) **Upper Extremity** (7)(20) Burn (30) Crush Lower Extremity (8) Level of Injury Unspecified (40) Degloving Aspect (50) Injury - NFS Specific assigned numbers injuries are Type of Anatomic Structure (90) Trauma, other than mechanical consecutive two-digit Right Left (1) beginning with 02. Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion (3) Bilateral To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS set begins or severity. Vessels (4) Central (3) Nerves (5) Anterior (4) Organs (includes muscles/ Posterior ligaments) (7) Superior Skeletal (includes joints) (8)Inferior Head - LOC (6) Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 750 Right side door surface 751 Right side door handle 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 768 Other back component 728 Other pillar 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header Right Side Components 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

Probable

TYPE OF DAMAGE

No damage/contact

(0) Injury not from vehicle contact

**SOURCE OF INJURY DATA** 

(1) Autopsy records with or without hospital/

**OFFICIAL** 

#### OFFICIAL INJURY DATA — SKELETAL INJURIES

#### Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level depressed fx

Glasgow Coma Scale Score

Units of Blood Given

#### **Arterial Blood Gases**


Ph = 7.48


PO2= 402

PCO<sub>2</sub> 12

нсо₃ \_20

(laceration 82x6) Compound Lx Ptibia 1,853422.3,1 Psibula 1,851610.2,1





# OFFICIAL INJURY DATA - INTERNAL INJURIES Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

National Highway Traffic Safety Administration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTI
1 Primary Compliant Link N	aber 83	OFFICIAL RECORDS
<ol> <li>Primary Sampling Unit Num</li> <li>Case Number - Stratum</li> </ol>	5 3	999
2. Case Number - Stratum	<u> </u>	9. Police Reported Travel Speed
3. Vehicle Number	_0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTI	FICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit
5. Vehicle Make (specify):  Applicable codes are found NASS PCDS Data Collection	in your n, Coding and	Code posted or statutory speed limit in kmph (999) Unknown  Sometimes are a second sec
Editing Manual. (99) Unknown  6. Vehicle Model (specify): Applicable codes are found	<u>in von.</u>	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may the back of this page.	n, Coding and	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number    Family Page 1	11 12 13 14 15 16 17	Source:  13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

#### CODES FOR BODY TYPE

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms.  (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown    2442   lbs x .4536 = 1,0   7 kgs	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above
Source:  16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  bs X .4536 = kgs	(999) Unknown  19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

vational Accident Sampling System-Crashworthiness Di	ata System: Pedestrian General Vehicle Form Pa
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	, , , , , , , , , , , , , , , , , , , ,
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	- A
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(O1) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) – over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown


	ENVIRONMENTAL DATA								
27	Relation to Junction	2							
۷,,	(0) Non-junction	<u> </u>	33. Roadway Surface Condition (1) Dry						
	(1) Interchange area		(1) Div (2) Wet						
			(3) Snow and slush						
	Non-Interchange		(4) Ice						
	(2) Intersection (3) Intersection-related		(5) Sand, dirt or oil						
	(4) Drive, alley access related		(8) Other (specify):(9) Unknown						
	(5) Other non-interchange (specify):		(a) Olikilowii						
			J						
	(6) Unknown type of non-interchange		34. Traffic Control Device						
	(9) Unknown if interchange		(0) No traffic control(s)						
		1	(1) Trafficway traffic control signal (not RR crossing)						
28.	Trafficway Flow	]	or cooning,						
	(1) Not physically divided (two way traffic)		Regulatory or School Zone Sign (Not RR Crossing)						
	(2) Divided trafficway - median strip without positive barrier		(2) Stop sign						
	(3) Divided trafficway - median strip with		(3) Yield sign (4) School zone sign						
	positive barrier		(5) Other sign (specify):						
	(4) One way trafficway		(o) other digit topodity).						
	(9) Unknown		(6) Unknown sign						
	•		(7) Warning sign (not RR crossing)						
29.	Number of Travel Lanes	$\supset$	(8) Miscellaneous/other controls including RR						
	(1) One		controls (specify):						
	(2) Two		(9) Unknown						
	(3) Three								
	(4) Four (5) Five		OF THE SAME PARTY OF THE PARTY						
	(6) Six		35. Traffic Control Device Functioning (0) No traffic control						
	(7) Seven or more		(1) Not Functioning						
	(9) Unknown		(2) Functioning						
		4	(9) Unknown						
30.	Roadway Alignment	1	1						
	(1) Straight	—	36. Light Conditions						
	(2) Curve right		(1) Daylight						
	(3) Curve left		(2) Dark						
	(9) Unknown		(3) Dark, but lighted						
		1	(4) Dawn (5) Dusk						
	Roadway Profile	1	(9) Unknown						
	(1) Level								
	(2) Uphill Grade (>2%)		Jan 1. 1 1 2 11.						
	(3) Downhill Grade (>2%) (4) Hillcrest		37. Atmospheric Conditions (1) No adverse atmospheric related driving						
	(5) Sag		conditions						
	(9) Unknown		(2) Rain						
	1	.	(3) Sleet						
22	Pandway Surface Type		(4) Snow						
	Roadway Surface Type	·	(5) Fog (6) Rain and fog						
	(2) Bituminous (asphalt)		(7) Sleet and fog						
	(3) Brick or Block		(8) Other (e.g., smog, smoke, blowing sand or						
	(4) Slag, gravel or stone		dust, etc.) (specify):						
	(5) Dirt (8) Other (specify):		(9) Unknown						
	,0) Other (specify).								
	(9) Unknown								

<b>A</b> .
U.S. Department of Transportation National Highway Traffic Safety
Administration
Primary Sampling Unit N     Case Number - Stratum
2. Case Number - Stratum


Vehicle Make (specify):

S. Department of Transportation tional Highway Traffic Safety Iministration  PEDESTRIAN EXTER	IOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY							
1. Primary Sampling Unit Number	3. Vehicle Number01_							
2. Case Number - Stratum 652P								
VEHICLE IDEN	NTIFICATION							
IN 1 F A R R R R R R R R R R R R R R R R R R								
/ehicle Make (specify): FoRD	Vehicle Model (specify): Es con HB							
PEDESTRIAN FRONT CO	ONTACT WORK SHEET							
PEV06 Hood Material	Steel							
PEVOR Hood Width Forward Opening	$\frac{1}{2}$ cm $\frac{1}{2}$							
PEV09 Hood Width-Forward Opening PEV10 Hood Width-Midway	(30 cm							
PEV11 Hood Width-Rear Opening	$\frac{132}{132}$ cm							
PEV14 Front Bumper Cover Material	01							
PEV15 Front Bumper Reinforcement Material	Steel							
VERTICAL MEA	ASUREMENTS							
PEV16 Front Bumper-Bottom Height	040 cm							
PEV17 Front Bumper-Top Height	<u>053</u> cm /							
PEV18 Forward Hood Opening	<u>0 68</u> cm /							
PEV19 Front Bumper Lead	<u>0</u> 11 cm							
WRAP DISTANCES								
PEV20 Ground to Forward Hood Opening	077 cm /							
PEV21 Ground to Front/Top Transition Point	<u>0</u> 85 cm /							
PEV22 Ground to Rear Hood Opening	$\frac{190}{m}$ cm							
PEV23 Ground to Base of Windshield	$\frac{201}{201}$ cm							
PEV24 Ground to Top of Windshield	$\frac{\overline{a}}{\sqrt{5}}$ cm							

PEV25 Ground to Head Contact



#### VEHICLE DAMAGESKETCH




NOTES:

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axion (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of structions, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

#### **VEHICLE DAMAGE SKETCH**




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front exles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., gress in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	PEDESTRIAN SIDE CONTACT WORK SHEE	Γ	
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
PEV30	Top of Tire		cm
	Top of Wheel Well Opening		cm
	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror	<del></del>	cm
		<del></del>	
	LATERAL MEASUREMENTS		
PEV35	C <sub>L</sub> to A-Pillar at Bottom of Windshield		cm
PEV36	C <sub>L</sub> to A-Pillar at Top of Windshield		cm
PEV37	C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
			cm

#### VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

\_ cm

#### **ORIGINAL SPECIFICATIONS** Whee1base inches x 2.54CM Overall Length inches $\times 2.54$ CM Maximum Width inches $\times 2.54$ Curb Weight pounds x . 4536 =Average Track inches x 2.54Front Overhang inches $\times 2.54$ CM Rear Overhang inches $\times 2.54$ CM Undeformed End Width inches $\times 2.54$ CM Engine Size: cyl./displ. \_\_\_ \_\_ \_\_ $\times$ .001 CID x . 0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): \_ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 802 Oil pan (specify): 755 Right side glazing rearward of B pillar 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):\_ 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 997 Noncontact injury source 788 Other top component (specify): \_ 743 A2 pillar 789 Unknown top component 999 Unknown injury source

	POINTS OF PEDESTRIAN CONTACT  PEDESTRIAN CONTACT WORKSHEET									
	CONTACT ID LABEL	COMPONENT Contacted	LORGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE #	
	١	Bumper	re1 # 801	-10	Ø	(B) Lay	Scuffed, smaar	2 3 9	1	
4	<b>₽</b> 8	"	<b>v</b> , <b>v</b>	-17	0	4 V	15 15	1/2 3 9		
-	4	Bumfer	110	-65	Ø	(1) lay	smeared	2 3 9	2	
	K	Slock	89 <u>6</u> 94	4	0	\$ 1-	Scuffeel	(1)2 3 8	8	
	1	Hood Edge	- 80	-23	0	uppen	5 milys	1)2 3 9	4	
21,95	, W	to Feeder	0	1) 	0	1243	N 13	1/2 1 1	4	
	L	Hood	70	-29	1	Hip	Dent	2 3 9	5	
	ρ	11 0	2	<b>-27</b>	0	(lest)	100020	M233	6	
	u	Hood	-14	-35	0.	510	< will bed	1 2 3 9	6	
	R		-14	1	0	(11)	5,1420	1 2 3 %	6	
	h	Hood	-1	-12	0	Apriland	small smudge	1 2 3 9	7	
7832	q	3	-35	-30		Therebe	dent	; 2	8	
	7	wiper	-41	-27	Bend	Shoulla	Bent	1 2 3 9	9	
A.	0	Windshid	- 42	-30	Ŋ	Head	han Boothel	O 2 1 9	10	
	O	Windshield		-90	5	Head	More than who Rotating toom come	±⊕ 2 3 9	11	
	47	4004	-110 4130	-55+	Ø.		W. H. Time	(j) 2 3 9	19-	
	X	Root	-162	-50	O Die	Lower Leg	Splattered tissue been by	2 3 9	13	
						U	1 3	1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 3 9		
								1 2 1 9		
								1 2 3 9		

#### POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS COMPONENT LONGITUDINAL LATERAL CRUSH COMFIDENCE LEVEL OF CONTACT CONTACTED LOCATION LOCATION IN SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT CODE m CENTIMETERS . (X) BODY REGION (Circle) contisin Bungets 18 0 (D) 2 3 9 120 700 -17 2.103 Fisic 1862 2 7 1, 7. • M 2 3 8 11 Fibula 3 8 1 . 11 1. 11 (D2 3 9 1 , L. La wor • 4 -65 Ø 77 **D239** 70 D 120 144 FX 11 11 I, tibic (D) 2 3 9 0 F.E.L. 52228 ., . . ,, <u>44,239</u> contasi — " Lant 11 703 00 1-2 ① 2 3 9 -23 L. Hip Con #432 -186258 80 -63 703 e /// **D** 2 3 9 O L. Fortes m Contasin -9 6 @show Idor -30 1-2 1 2 3 9 773 -35 80 2, 5 10 G 773 -30 1-2-(T) 2 3 9 -35 EX Contusion -30 116 773 -35 (D239)1-2 R. uppercra FX. (R) سليل -35 773 \_ 30 12 (4. (1)2 3 9 1-2-Humerus B) Lacerot 11 1 , 13 G 11 ) , 1 2 3 9 1, Lower Lungs La c ٠, -30 -72 (TD 2 3 8 14 *(* ) 775 Scolp Contis ~ DFc. e 11 11 11 $\bigcirc 2 3 9$ 15 🔿 11 hemeroya. 17 11 1/ 1 1 (1)2 3 8 1. 167 Face. 11 11 11 11 11 17 🕡 11 $\bigcirc$ 2 3 9 5K41/ • ( t/ 1, 11 . 1 (D 2 3 9 18 🕜 FK Brai-11 1) LI 11 1. $\bigcirc$ 2 3 9 19 1) stem intraventrider, ý ., 1, v 20 / **D2 3 9** henorchese cerebrel 7 ļ ., ι, 1) 2 3 9 21 D contration Contract. 22 () . ٤, 1/ 11 (1) 2 3 8 cetebrum LOC 4 W 1, $\bigcirc$ 2 3 9 4 11 23 401 - 10. ٧. 11 1/ 7D:2-3-8 24 ١/ \* \* , emetom 10 Contru " R. elbon 1 2 3 9 -72 フフら -10 25

POINTS OF PEDESTRIAN CONTACT								
			CHRONO	LOGICAL ORI	DER OF CONTACTS			
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL - LOCATION	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT	
¥26	715	-72	-10	2-5	R. Forecom	wis and	<b>(1)</b> 2 3 9	
٧,7	S	1/	- 1/	٠,	Euri+	**	D2 2.9	
\$28	774	-72	-10	1-2	Puncturey R. Had	wire Blue	O 2 3 9	
4,29	775	-72	-10	2-5	e. Hal	w/s coch	Q2 1 8	
530	1 41	11	٤	CI	R. Frigel	١,	Ø2 3 9	
<b>\$</b> 31	775	-60	-50	1-3	Hand Hand	۶,	<b>()</b> 2 3 9	
132	. c1	h.	4	1	cont Lr Hend	11		
A33	776	-104	- 30	0-1	2 test	dant/51.15	10019	
3/34	777	-162	-50	0-1	R. Knee	dent meterial	O 2 3 9	
635	777	<b>+</b> //0	-60	0-1	Likue	7, 7,	(3221	
1							1 2 3 9	
:							1. 2. 1. 8	
13							1 2 3 9	
/14							1 :: 2 :: . 1 : 9	
15	_						1 2 3 9	
15.							1: Z 3 9	
170						,	1 2 3 9	
18							18,2, 1.9	
19							1 2 3 9	
20							p: 28 2 9	
21							1 2 3 9	
4							10,77,319	
23							1 2 3 9	
**							127 72 34.5	
25				•			1 2 3 9	

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN # 1							
		· · · · · · · · · · · · · · · · · · ·	PEDESTRIAN	CONTACT.	WORKSHEET PA	<u>GE</u>		
CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT	
8	Brooker	15-531.40.	-12		Rug	Souther	1 2 3 9	
K	Side Lamp	I-57	-62		Dley	Sonou	1 2 3 9	
M	Hood Edge	15-81	-03			Smilgt snews	1 2 3 9	
L Q	Hood	70	-29	1	Aip		1 2 3 9	
ů R	11000	-14	-35		Con the	loug Swan	1 2 3 9	
PO	Horal	-35	-19		Bom/	smiles smiles	1 2 3 9	
0	William	-41	-37	Rento	Should	\	1 2 3 9	
à	& Wind	-100	190	7	Head .	Rolling to DA Hark	1 2 3 9	
V	Prop	-109 -130	-50 -50	Perto	Loang L	Platter D	1 2 3 9	
					120 1	Tayley	1 2 3 9	
#1. T							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

vational Accident Sampling System-Crashworthiness Data	137
VEHICLE DIMENSIONS	11. Hood Width Rear OpeningCode to the
4. Original Wheelbase Sode to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(999) Unknown
$94.2$ inches $\times 2.54 = 239$ centimeters	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
centimeters	(4) Severe crush (>7 centimeters)
centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact (9) Unknown
6. Hood Material	197 Olikilowii
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
1 ~ 9	Front Vertical Measurements
8. Hood Length	Frank Aelitiza (Medani al Ilaitz
Code to the nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(O) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
Code to the	45. Sund Dunana Pointage and Maderial
nearest centimeter	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
10 Hand Width Midway 130	(4) Other (specify):(9) Unknown
10. Hood Width Midway	
Code to the	16. Front Bumper-Bottom Height
nearest centimeter (210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
	inches V 2 54 — centimeters

	,
17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 =centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	
	Side Vertical Measurements
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 =centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Wh		<u>Q</u>	Side Lateral Messureme	ints
Code to the nearest ce (000) No side co (150) 150 centin (999) Unknown	ntimeter ntact		Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more	000
30. Top of Tire  Code to the nearest ce (000) No side co (200) 200 centire (999) Unknown	ntimeter ntact	36.	(999) Unknown inches X 2.54 =  Centerline to A-Pillar at Top of Windshield  Code to the	centimeters
31. Top of Wheel We Code to the nearest ce (000) No side co (250) 250 centir	ne ntimeter ontact	ters	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknowninches X 2.54 =	centimeter
(999) Unknown	nes X 2.54 = centime ar at Windshield ne entimeter entact		Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	centimeter
	ne entimeter ontact	_	Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	Cements
(999) Unknown  incl  34. Top of Side View  Code to the search of t	ne entimeter ontact	<u> </u>	Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 =	<u>000</u>
incl	nes X 2.54 = centime	eters	IIICIOS ^ 2.54 =	

40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	000		
	inches X 2.54 =	centimeters		



وهواجات فالمحاورون والأفار

```
82652P0000001
00000000000000 01
82652P00010012 969.041000000000101F72000
82652P00010021
                  9.04 0000000008721654708713508713014013401030209600311016202
1201224222035
                  9.04 00000000018904021170011222
82652P00010131
82652P00010231
                  9.04 00000000018534223170011222
82652P00010331
                  9.04 00000000018516102170011222
82652P00010431
                  9.04 00000000018904021170011222
82652P00010531
                  9.04 00000000018534223170011222
82652P00010631
                  9.04 00000000018516102170011222
82652P00010731
                  9.04 00000000018904021170311333
82652P00010831
                  9.04 00000000017904021270311222
82652P00010931
                  9.04 00000000017904021177311233
82652P00011031
                  9.04 00000000014502503377311233
82652P00011131
                  9.04 00000000017904021177311233
82652P00011231
                  9.04 00000000017526043177311233
82652P00011331
                  9.04 00000000014414504377311233
82652P00011431
                  9.04 00000000011906021177511255
82652P00011531
                  9.04 00000000012904021177511255
82652P00011631
                  9.04 00000000011904021177511255
82652P00011731
                  9.04 00000000012904021777511255
82652P00011831
                  9.04 00000000011504043177511255
82652P00011931
                  9.04 00000000011406665177511255
82652P00012031
                  9.04 00000000011406784177511255
82652P00012131
                  9.04 00000000011406444177511255
82652P00012231
                  9.04 00000000011406265377511255
82652P00012331
                  9.04 00000000011608204077511255
                  9.04 00000000011406365177511255
82652P00012431
82652P00012531
                  9.04 00000000017904021177511254
82652P00012631
                  9.04 00000000017904021177511254
82652P00012731
                  9.04 00000000017904021177511254
82652P00012831
                  9.04 00000000017906021177411533
82652P00012931
                  9.04 00000000017906021177511254
82652P00013031
                  9.04 00000000017904021177511254
82652P00013131
                  9.04 00000000017902021177511253
                  9.04 00000000017904021177511253
82652P00013231
82652P00013331
                  9.04 00000000014904021177621333
82652P00013431
                  9.04 00000000018902021177711233
82652P00013531
                  9.04 00000000018904021277711233
82652P01000041
                  9.04 000000009012013031FAPP9099LW 99905609600102000004
91110180033231511121212
82652P01000051
                  9.04 000000002391413110912413013222110400530681107708519020
0000000000000
```

PSU82 CASE 652P CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY



	NUMBER DOLLAR	 LEVEL 1 ERRORS	LEVEL 2 ERRORS	NUMBER CONSISTENT
Pedestrian Accident	0	O	0	Y
Pedestrian Assessment	Ö	0	0	Υ
Pedestrian Injury	o o	0	0	Υ
Pedestrian General Vehicl	e O	0	0	Υ
Pedestrian Exterior Vehic		• <b>O</b>	O	Υ
Total Inter Errors		0	o	
Total Case Errors	o	o	o	

# "GRAPHIC" PHOTOGRAPHS and IMAGES

Several vivid photographs have been removed for this case.

These photographs contain highly graphic material which may be improper for the general audience.

PSU 82-652p (1996) Slides #1-6

If you would like a copy of these photographs and/or images please call or write to:

Marjorie Saccoccio at (617) 494-2640
VOLPE NATIONAL TRANSPORTATION SYSTEMS CENTER
55 Broadway
Cambridge, MA 02142