



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PSU\_00

Administration

CASE NO. 10069

## DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include

Processian injury mechanism and venicle interaction is the rocus, not pedestrian or driver culpability. Do not include any personal identifiers.) Driver of Vehicle #1 WAS driving North bound on Roadway. Pedestrian#1 WAS WALKING From EAST to west, stepped OFF Side WALIK onto Pedestrian Cross-WALIK And was struck By vehicle #1 And Knocked Approximately 2 meters From Point of impact. Jehicle #1 Came to Rest & mediately After Braker.

			B. PED	ESTRIAN PR	OFILE				
Pedestrian			Treatment/ Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex		Body Region	Ana. Struc.	AIS	Injury Source		
01	19	Female	TRANSPORT Released	delbow	abresion	)	400 L-		

Body Region	Type of Anatomic Structure
Head	Whole Area
Face	Vessels
Throat	Nerves
Chest	Organs
Abdomen/Pelvis	Skeletal
Spine	Head-LOC
Upper Extremity	Skin-Burn

## **Abbreviated Injury Scale**

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable) (7) Injured, unknown severity


		C. VEH	ICLE PROFILI	E
	Class		В	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Compact	TOYOTA CAMARY-LE	FRONT	Hood- SCRAPES, SCVATCHE Smudges/skin


Skin-Other

DO NOT SANITIZE THIS FORM

Lower Extremity

External








U.S. Department of Transportation

## **ACCIDENT COLLISION DIAGRAM**

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM



U.S. Department of Transportation National Highway Traffic Safety

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

02-15-94

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

ninistration		Case Nu	ımber-St	ratum <u>6 0 6 P</u>	
rimary Sampling Unit Number	-			SCALED DIAGRAM	
PEDESTRIAN ACCIDENT CO	Surface Type	Bit/Asplati	• north a	nrow placed on diagram	
document reference point and reference line relative to physical features	Surface Condition	DRY		measurements for all applicable	
documentation of all accident induced physical evidence including (if applicable):	Coefficient of Fricti	.65	* scaled	representations of the physical plant	
a) vehicle skid marks			includ a) al	ng: I road/roadway delineation (e.g., osswalks, curb/edge lines, lane	
b) pedestrian contacts with ground or object	Grade (v/h) Measu	arement	~	osswalks, contributed in the con	
c) vehicle/pedestrian point of impact (POI)	a) at impact	<b>~</b>		ll traffic controls (e.g., lights, signs)	
d) location of pedestrian separation point from	b) between final rest	impact and	nede	d representations of the vehicle and strian at pre-impact, impact, and final lased upon either:	
vehicle  f) final resting points (FRP) for pedestrian and	Pedestrian Travel	Direction E-W	a) p	hysical evidence, or	
vehicle documentation of the physical plant including:	Vehicle Travel Dir	rection	b) r	econstructed accident dynamics	
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles,	Number of Travel	Lanes			
signs, etc.) b) all traffic controls (e.g., lights, signs)					
Reference Point: CVACK THE CNB/NEW CVBS SWAL	_ K	Distance and Direction	n	Distance and Direction	
(ONCENE) Item		from Reference Poin	it	from Reference Line	
Drain (CVACK	EAST)	00	00		
FRONTR-SKID Veh#	1	-4 N	1.4 w		
L-F-T-51612 V-1		-4 N		3,0 W	
CrosswALIK Line	- (Becis)	1.3N		0.00	
	Ends	N	المنترا	0,6 W	
FYTR SKIJS VI (F	= 200)	5.0 N		1.5W	
L- ENT SICIO VILL	( )	5.0 N		3,0W	
Ped PATH (Cross	WALK)	10I 3.2 N		2.2 0	
Ped. FINAL REST S	8951,	5.5 N		2.3	
YCO. JINHI KENI	B LN.Wd			0.0 5	
And the state of t	R II I		5	DOE	

Grat Wit - 4,5 Work Work line (SB 11 11) With With His Form 0435F (8/95) Seen led Cross mything

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	HOM RESERVED FOR	Hom Relevance Line
		·
		·
· · · · · · · · · · · · · · · · · · ·		
	•	
· · · · · · · · · · · · · · · · · · ·		
1	<b></b>	

٠.

Administration

## PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	<b>Primary</b>	Sampling	Unit	Number
----	----------------	----------	------	--------

2. Case Number - Stratum

606P

#### **IDENTIFICATION**

3. Number of General Vehicle Forms Submitted

0 1

4. Date of Accident (Month, Dav, Year)



5. Time of Accident

205

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

## SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

8. SS17 Impact Fires

0

1

0

7. \_\_\_\_\_ SS16 Pedestrian Crash Data Study

SS18 0

10. SS19 0

## NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

#### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

**		PEDESTRIAN	ACCIDEN <sup>°</sup>	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> <u>7</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>  0  </u>

## CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

## CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

## J.S. Department of Transportation

**National Highway Traffic Safety** 

Administration

## PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown O pounds X .4536 = O O kilograms 3. Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown 13. Pedestrian's Action Relative to Vehicle (00)Stopped (01)Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08)Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09)Off road, moving along driveway Code to the nearest (98)Other (specify): centimeter. (99) Unknown (999) Unknown inches X 2.54 = 000 centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions 9. Pedestrian's Height - Ground to Shoulder (1) Facing vehicle Code to the nearest (2) Facing away centimeter. (3)Left side to vehicle (999) Unknown (4)Right side to vehicle (8)Other (specify): Unknown

ational Accident Sampling System-Crashworthness Da	ia System. Pedestrian Assessment Form Paye
PEDESTRIAN'S AVOIDANCE ACTIONS  15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify):	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(9) Unknown  17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	<ul> <li>(01) Carried by vehicle, wrapped position</li> <li>(02) Carried by vehicle, slid to windshield</li> <li>(03) Carried by vehicle, position unknown</li> <li>(04) Passed over vehicle top</li> <li>(05) Thrown straight forward</li> <li>(06) Thrown forward and left of vehicle</li> <li>(07) Thrown forward and right of vehicle</li> <li>(08) Knocked to pavement, forward</li> <li>(09) Knocked to pavement, left of vehicle</li> <li>(10) Knocked to pavement, run over or dragged by vehicle</li> <li>(11) Knocked to pavement, run over or dragged by vehicle</li> <li>(12) Shunted to left (corner impacts only)</li> <li>(13) Shunted to right (corner impacts only)</li> <li>(14) Bumped or pushed aside</li> <li>(15) Snagged, rotated</li> <li>(16) Snagged, dragged by vehicle</li> <li>(17) Foot or legs run over</li> <li>(98) Other (specify):</li> <li>(99) Unknown</li> </ul>

OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian <ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	0 2	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	2	(5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian <ul> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	0	<ul> <li>(4) Transported and released</li> <li>(5) Treatment at scene - non-transported</li> <li>(6) Treatment later</li> <li>(8) Treatment - other (specify):</li> <li>(9) Unknown</li> </ul>
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	2	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	2	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident  (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify):  (99) Unknown
33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal (96) Fatal - ruled disease (99) Unknown	Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries  (97) Injured, details unknown  (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[]	
UPDATE CANDIDATE?	NO[] YES[]

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

## **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

2nd 18. <u> </u>	Bo   Reg	6 2 2	20. <u>9</u> 33. <u>5</u> 46. <u>9</u>	21.02 34.06	22. <u>0 2</u> 35. <u>20</u>		24. <u>/</u> 37. <u>/</u>	Injury Source  12. 703  25. 770  38. 770  51. 770	26. <u>/</u> 39. <u>/</u>	27. <u>/</u>	28. <u>2</u>	29. <u>2</u>	30. <u>2</u>
2nd 18. <u> </u>	6 7 32. 6 45.	7 2 2	20. <u>9</u> 33. <u>5</u> 46. <u>9</u>	21.02 34.06	22. <u>0 2</u> 35. <u>20</u>		24. <u>/</u> 37. <u>/</u>	25. <u>770</u> 38. <u>770</u>	26. <u>/</u> 39. <u>/</u>	27. <u>/</u>	28. <u>2</u>	29. <u>2</u>	30. <u>2</u>
3rd 31 4th 44	7 32. <u>6</u> 45.	2 2	33. <u>5</u> 46. <u>9</u>	34. <u>06</u>	35. <u>20</u>	36. <u>/</u>	37. 🔼	зв. <u>77 о</u>	39. 🖊	40./_	41. 2	- <sub>42.</sub> <u>2</u> -	43
4th 44. <u>-</u>	<u>6</u> 45.	2	46. <u>9</u>										
				47.02	78. <u>02</u>	<b>4</b> 9. <u>/</u>	50.2	51. <u>77</u> 0	52,	53	<sub>54.</sub> 2	- <b>2</b> -	2-
5th 57	58.												
			59	60	61	62	63	64	65	66	67. <u> </u>	68	69
6th 70	71.		72	73	74	75	76,	77	78	79	80	81	82
7th 83	84.		85	86	87	88	89	90	91	92	93:	94	95
8th 96	97.	_	98	99	100	101	102	103	104	105	106	107	108
9th 109.	110	, <u> </u>	131	112	113	114	115	116	117	118	119	120	121
Oth 122.	123	<u> </u>	124	125	126	127	128	129	130	131	132	133	134

	·				PEDES	STRIA	ILNI V	JRY DAT	Ā				
of Ir	urce njury ata	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th _	—		<del></del>	——				——	—				—
12th _	_					<del></del>			—				
13th _													
	_					<del></del>				_	_		
14th _		<del></del>	—		<del></del>	_	—			_			
15th	_					_							
16th _	_						<del></del>		—	—	—		
17th _	_	<u> </u>				_			-				_
18th _			<del></del>			_		<del></del>	<del></del>	_	<del></del>		
19th _			<del></del>						—	<u> </u>		—	_
20th _													
									<del></del>				
21st _			<u> </u>					<u></u>	_		-		—
22nd _									_		<u></u>	_	
23rd _									—				<del></del>
24th _	_		<u>-</u>			——————————————————————————————————————	<u> </u>		_	<u> </u>		—	-
25th													

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### (0) Injury not from vehicle contact (1) No damage/contact (2) Probable (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury Separated from vehicle (3) Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source Unknown (4) Private physician, walk-in or emergency clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact **UNOFFICIAL** No residual damage (5) Lav coroner report Rounded (contoured) Surface only damage (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Rounded edge (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Other specify: (9) Police Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale <u>Spine</u> (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head Minor injury Moderate injury Face (3) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) Thorax (4) Severe injury (5) (08) Skin - Avulsion (5) Abdomen Critical injury (10) Amputation Maximum (untreatable) Spine Upper Extremity (7) (20) Burn (7)Injured, unknown severity (30) Crush Level of Injury Lower Extremity (8) Unspecified (40) Degloving Aspect Injury - NFS Specific injuries consecutive two (50)are assigned Type of Anatomic Structure two-digit (90) Trauma, other than mechanical Right numbers beginning with 02. (2) Left Whole Area Head - LOC (3) Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 (4) (5) (2) Vessels Central Anterior (3) Nerves Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to Posterior (6) severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) (7) (8) Superior Skeletal (includes joints) Inferior Head - LOC (9) Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): \_ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 825 Cargo (specify): 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_\_ 997 Noncontact injury source 789 Unknown top component 999 Unknown injury source 743 A2 pillar

INJURY SOURCE CONFIDENCE LEVEL

Certain

TYPE OF DAMAGE

SOURCE OF INJURY DATA

**OFFICIAL** 

oct	:	 47

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

\_\_ <sup>Yes</sup> unavailable.)

## Blood Alcohol Level

(mg/dl)

BAL = \_\_\_\_

Glasgow Coma Scale Score

GCSS = \_\_\_\_

Units of Blood Given

Units = \_\_\_\_


#### **Arterial Blood Gases**


Ph = \_.\_\_

PO<sub>2</sub>= \_\_\_\_

PCO<sub>2</sub>

HCO<sub>3</sub>







. egc

National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

## OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

## PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

		90	OFFICIAL RECORDS	
	Primary Sampling Unit Number	70	9 9 9	$\widehat{}$
2. 0	Case Number - Stratum <u>6</u>	<u>606 p</u>	9. Police Reported Travel Speed	2
3. V	Vehicle Number  VEHICLE IDENTIFICATION	<u>0</u> 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown	
C	Vehicle Model Year Code the last two digits of the model y (99) Unknown	<u>89</u> year	OO mph X 1.6093 = OOO kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph	2
Ā	Vehicle Make (specify):  TOYOTA  Applicable codes are found in your  NASS PCDS Data Collection, Coding a  Editing Manual.	<u>49</u>	(999) Unknown  25 mph x 1.6093 = 0 + 0 kmph  11. Police Reported Alcohol Presence For Driver	2
6. V	CAMAYY-LE	040	(0) No alcohol present (1) Yes alcohol present (7) Not reported	<b></b>
Ā N E	Applicable codes are found in your NASS PCDS Data Collection, Coding a Editing Manual. (999) Unknown	ind	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given	6
١	Body Type Note: Applicable codes may be found o the back of this page.	on 04	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown	
	Vehicle Identification Number		Source: PAR	^
1 Z	$\frac{1}{2} \frac{1}{3} \frac{5}{4} \frac{\sqrt{2}}{5} \frac{2}{6} \frac{1}{7} \frac{1}{8} \frac{1}{9} \frac{1}{10} \frac{11}{11} \frac{12}{13}$ Left justify; Slash zeros and letter Z ( $\emptyset$ No VIN—Code all zeros Unknown—Code all nines		13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	<u>ン</u>
			14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown	2

## **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms.  (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  22,689 lbs x .4536 = 4,220 kgs	18. Impact Speed  ——————————————————————————————————
Source:  16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown  OO,OOO kgs	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates
!	PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(09) Unknown cause of control loss	(92) Object—unknown location
This Vehicle Traveling	(98) Other critical precrash event (specify):
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(33) Olikilowii
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver 03
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing (59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(aa) Ouknown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking (3) Skidding longitudinally—rotation less than 30
lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction (66) From crossing street, across path	
(67) From crossing street, across path  (67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	P	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		(4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	<ul><li>(6) Unknown type of non-interchange</li><li>(9) Unknown if interchange</li></ul>	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	<ul> <li>Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One	2	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	(2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>
	(9) Unknown		

	496
	90-606
	89 Camry 1940F
	67 Yo/=
:	POI to FRP = 2.3m = 10.5 ft.
	f = 0.6-
	braking
	V= 1(2)(10,5)(0,65-)(32,2)
	= 20.9 l fPs = 14mph = 22,9 15Ph
	23 KPh
	5

### PEDESTRIAN EXTERIOR VEHICLE FORM

1. Primary Sampling Unit Number

90

3. Vehicle Number

2. Case Number - Stratum

## **VEHICLE IDENTIFICATION**

VIN UTISV22E6KU

Vehicle Make (specify): ToyoTA

Vehicle Model (specify): Laman V-LE

## PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

STEEL

## **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

#### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm


cm

cm

cm

cm

## **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:



PEDESTRIAN SIDE CONTACT WORK SHEE		
Hood Material		_ /
Hood Length		cm
Hood Width-Forward Opening		cm
Hood Width-Midway		cm
Hood Width-Rear Opening		cm
VERTICAL MEASUREMENTS		
Ground Clearance		cm
Side Bumper-Bottom Height		cm
Side Bumper-Top Height		cm
Centerline of Wheel		cm
Top of Tire		cm
Top of Wheel Well Opening		cm
Bottom of A-Pillar at Windshield		cm
Top of A-Pillar at Windshield		cm
Top of Side View Mirror	<u>.                                    </u>	cm
LATERAL MEASUREMENTS		
C <sub>L</sub> to A-Pillar at Bottom of Windshield		cm
C <sub>L</sub> to A-Pillar at Top of Windshield		cm
C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES		
Ground to Side/Top Transition		cm
		cm
		cm
		cm
,		····
	Ground Clearance Side Bumper-Bottom Height Side Bumper-Top Height Centerline of Wheel Top of Tire Top of Wheel Well Opening Bottom of A-Pillar at Windshield Top of A-Pillar at Windshield Top of Side View Mirror  LATERAL MEASUREMENTS  C <sub>L</sub> to A-Pillar at Top of Windshield C <sub>L</sub> to A-Pillar at Top of Windshield C <sub>L</sub> to Maximum Side View Mirror Protrusion	Hood Length Hood Width-Forward Opening Hood Width-Midway Hood Width-Rear Opening  VERTICAL MEASUREMENTS  Ground Clearance Side Bumper-Bottom Height Side Bumper-Top Height Centerline of Wheel Top of Tire Top of Wheel Well Opening Bottom of A-Pillar at Windshield Top of A-Pillar at Windshield Top of Side View Mirror  LATERAL MEASUREMENTS  C <sub>L</sub> to A-Pillar at Bottom of Windshield C <sub>L</sub> to A-Pillar at Top of Windshield C <sub>L</sub> to Maximum Side View Mirror Protrusion  WRAP DISTANCES  Ground to Side/Top Transition Ground to Hood Edge Ground to Centerline of Hood (ORIGIN)

## ORIGINAL SPECIFICATIONS

Wheelbase	102.4 inches	x 2.54 =	260 cm
Overall Length	/ $8$ $2$ $/$ inches	x 2.54 =	<u> 462</u> cm
Maximum Width	067.3 inches	x 2.54 =	<u>/ 7 / cm</u>
Curb Weight $\underline{\mathcal{O}}$	2.690 pounds	x .4536 = /	. 2 2 0 kg
Average Track	057.7 inches	x 2.54 =	<u>/ 4 6</u> cm
Front Overhang	036.6 inches	x 2.54 =	093 cm
Rear Overhang	042.9 inches	x 2.54 =	<u>/ 0 9</u> cm
Undeformed End Width	inches	x 2.54 =	cm
Engine Size: cyl./displ.	<u>9300</u> cc	× .001 =	<u>9.3</u> L
	<u> 567</u> cid	× .0164 =	<u>9.3</u> L

## **INJURY SOURCE**


FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

Right Side Components
740 Front fender side surface

741 Front antenna 742 A1 pillar 743 A2 pillar

744	B pillar
745	C pillar
746	D pillar
748	Other pillar (specify):
749	Right side roof rail
750	Right side door surface
751	Right side door handle
	Right side mirror fixed housing
753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component
Back C	omponents
760	Rear (back) bumper
761	Tailgate
762	Hatchback, vertical surface
768	Other back component
	(specify):
769	Unknown back component
	mponents
	Hood surface
771	Hood surface reinforced by under hood
	component
	Front fender top surface
	Cowl area
	Wiper blade & mountings
	Windshield glazing
	Front header
	Roof surface
	Backlight glazing
	Rear header
	Hatchback
	Rear trunk lid
	Other top component (specify):
789	Unknown top component

Wheels / tires
790 Left front wheel / tire
791 Right front wheel / tire
792 Left rear wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):
826 Spare tire
827 Spotlight
828 Other accessory (specify):
Other Object or Vehicle in Environment
947 Ground
948 Other object (specify):
949 Unknown object in environment
959 Unknown object on contacting vehicle
997 Noncontact injury source
999 Unknown injury source



bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	POINTS OF PEDESTRIAN CONTACT  PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL - LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
B-D	Bumper	+47	+40	0	Le65	Smears Smidge	3 9	/
A-B	Hood	<del>186</del>	+02	0	HALLS	SCIATCHES	1 2 30	
		-/32					1 2 3 9	
<u>J-//</u>	Edge n	180	-55	0	Arms	Smerrs	<u> </u>	2
+/	Hood	+15	-55	0	Aem 5	Smears	2 3 9	ک
A-F	Hood	482	+29	0	Horak	Tronsfer	<b>D</b> 2 1 9	4
E-11	Hood	+75	F24	D	Elbow	SKIN TRANSPER	(D2 3 9	5
E	11	+108	-22	0	BACK	Smudge	1)2 3 9	6
K-))	Hood	+139	-42	0	BACK	Sundge	2 3 9	7
2-/+	Hood	-27	-22	0	Aens	Smudge	<b>△</b> 239	8
E-K	Hood	-25	-66	6	HEMS	Smudge	3 9	9
2.6	Hood	-50	-66	0	Hams Itand	Smerr Smudge	O:	10
						,	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 2 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONSIDENCE LEVEL OF CONTACT POINT (Circle)
1	700	+47	+40	O <sub>r</sub>	Leg5	Smears Scratches	1 2 3 9
2	770	786	+07	0	HANTS	Scroperes	1210
3	703	+80	-55	D	Hanrigo	seratches	1 2 3 9
4	770	+15	755	0	AGANS	Smeans	<b>△219</b>
5	770	+82	+29	0	ARMS	TRANSFEY	2 3 9
6	770	<del>* 75</del>	+24		ARMS	SICIN- TYANSFEY	<b>Q</b> 11
7	770	+108	-22/		BACK	Smears Smudges	2 3 9
8	770	+139	$\mathcal{A}\mathcal{F}$	O	ARMS	Smudges	Q(11
9	770	-27/	<b>/22</b>	0	ANDONS	Smudges	<b>.</b>
10	770	725	-66	<u>\Q</u>	774	Smudges	O211
11	779/	-50	-66	0	THANKS	amidges	2 3 9
12	4				0		1219
# # 1	703	75	0-20	Ð	Beck	5mecr	1)2 3 9
HAZ	770	75	-24	0	+ i / h 1 w	5 × 17/5 × 1.11	<b>D238</b>
<b>23</b>	770	75	-21	V		, , , , , , , , , , , , , , , , , , ,	2 3 9
254	770	80	+55	0	F. 600 M	Smerr Sm-4	02:1
17							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25							1 2 3 9

E E

VEHICLE DIMENSIONS	145
4. Original Wheelbase 260  Code to the nearest centimeter	11. Hood Width Rear Opening  Code to the  nearest centimeter  (210) 210 centimeters or more  (999) Unknown
(999) Unknown  \( \begin{align*} \omega & \omega	(999) Unknown  057.0 inches x 2.54 = 145 centimeters  12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown  7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged
(9) Unknown  8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  OHIOS inches X 2.54 = 109 centimeter  9. Hood Width Forward Opening	FRONT CONTACT DAMAGE  Front Vertical Measurements  14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
9. Hood Width Forward Opening  Code to the nearest centimeter  (210) 210 centimeters or more (999) Unknown  D 5 5 1 inches x 2.54 = 1 40 centimeters  10. Hood Width Midway  Code to the nearest centimeter  (210) 210 centimeters or more (999) Unknown  D 5 5 9 inches x 2.54 = 1 4 centimeters	15. Front Bumper Reinforcement Material  (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  Office X 2.54 = Office Centimeters
	11 1 X T

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  Old of inches x 2.54 = 0.55 centimeters  18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  Old of inches x 2.54 = 0.63 centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  OSO 3 inches X 2.54 = 204 centimeters  24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  OSO 2 inches X 2.54 = 275 centimeters  25. Ground To Head Contact  2998
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 090 5 inches x 2.54 = 023 centimeters	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  OOO Onches X 2.54 = OOO centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening  Code to the nearest centimeter  (000) No front contact  (200) 200 centimeters or more  (999) Unknown  233.0 inches × 2.54 = 0.84 centimeters  21. Ground to Front/Top Transition Point 0.81  Code to the nearest centimeter  (000) No front contact  (180) 180 centimeters or more  (999) Unknown  231.8 inches × 2.54 = 0.81 centimeters  22. Ground to Rear Hood Opening  Code to the nearest centimeter  (000) No front contact  (400) 400 centimeters or more  (999) Unknown  26.3 inches × 2.54 = 1.94 centimeters	26. Ground Clearance  Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  OOOO Ooc inches X 2.54 = OOOO centimeters  27. Side Bumper-Bottom Height  Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  OOOO Ooc inches X 2.54 = OOO centimeters  28. Side Bumper-Top Height  Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO

20	Contacting of Wheel	000	Side Lateral Measuremer	nts
29.	Centerline of Wheel  Code to the  nearest centimeter			
	(000) No side contact (150) 150 centimeters or more		35. Centerline to A-Pillar at Bottom of Windshield	000
	(999) Unknown	_	(000) No side contact Code to the	
	$Q Q Q$ . $Q$ inches $\times 2.54 = Q Q$	_	nearest centimeter (250) 250 centimeters or more (999) Unknown	
30.	Top of Tire Code to the	000	<u> </u>	2 centimeters
	nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the	000
	$\underline{O} \underline{O} \underline{O}$ . $\underline{O}$ inches $\times 2.54 = \underline{O} \underline{O}$	2 centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more	
31.	Top of Wheel Well Opening Code to the	000	(999) Unknown	2
	nearest centimeter (000) No side contact .		000. O inches X 2.54 = $000$	∠ centimeter
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	000
,	OOO. O inches X 2.54 = OO	centimeters	Code to the nearest centimeter	
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter	000	(000) No side contact (300) 300 centimeters or more (999) Unknown	
	(000) No side contact (250) 250 centimeters or more (999) Unknown		<u> </u>	2 centimeter
	<u>C D D</u> . <u>O</u> inches X 2.54 = <u>O D</u>	2 centimeters	Side Wrap Distance Measure	ments
33.	Top of A-Pillar at Windshield Code to the	000	38. Ground to Side/Top Transition Code to the	000
	nearest centimeter (000) No side contact		nearest centimeter (000) No side contact (400) 400 centimeters or more	
	(300) 300 centimeters or more (999) Unknown		(999) Unknown	_
	<u>O O O</u> . <u>O</u> inches X 2.54 = <u>O O 1</u>	centimeters	<i>QQQ</i> . <i>Q</i> inches X 2.54 = <u><i>QQQ</i></u>	2 centimeters
34.	Top of Side View Mirror Code to the	000	39. Ground to Hood Edge Code to the	000
	nearest centimeter (000) No side contact		nearest centimeter (000) No side contact (500) 500 centimeters or more	
	(300) 300 centimeters or more (999) Unknown		(999) Unknown	
	<u> </u>	2 centimeters	<i>OOO</i> . <i>O</i> inches X 2.54 = <i>OOO</i>	2 centimeters

40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more	000		
(999) Unknown $\bigcirc \bigcirc $	<b>2</b> centimeters		
41. Ground to Head Contact  Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	000	·	
$\underline{\mathcal{O}}\underline{\mathcal{O}}\underline{\mathcal{O}}$ . $\underline{\mathcal{O}}$ inches X 2.54 = $\underline{\mathcal{O}}\underline{\mathcal{O}}$	<u>O</u> centimeters		



90606P00000011 969.00000000000112050100001

96000000000

00000000000000 01

90606P00010012 969.001000000000102F72000

90606P00010021 9.00 00000000192999999999999911013001301040109600241009902

1010000000004

9.00 00000000076406781870312322 90606P00010131 9.00 00000000067902021177011222 90606P00010231 9.00 00000000077506201177011222 90606P00010331 90606P00010431 9.00 00000000067902021277011222

9.00 000000008949040044T1SV22E6KHAMMA99904009600122000002 90606P01000041

31120180033201211210011

9.00 0000000002601463110914014214510310460550832308408119420 90606P01000051 

00001000000000

PEDESTRIAN GENERAL VEHICLE Vehicle: 1

11

INTRA ERRORS

OGG6171 2 MODEL YEAR PGV04 should not be less than 90.

Ö

PSU90

CASE 606P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

A STATE OF THE PARTY OF THE PAR	
796	
4 TO 1 TO 1	

• • •	JMBER OF DLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	Ö	Ö	Ō	Υ
Pedestrian Injury	O	0	O	Υ
Pedestrian General Vehicle	0	o	1	Υ
Pedestrian Exterior Vehicle	e O	0	O	Y
Total Inter Errors		O	0	
Total Case Errors	0	0	1.	