



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



National Highway Traffic Safety

PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration

CASE NO. LONO

DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) e # | WAS Traveling NorTh DN The

IN) A EASTE

		B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	No. Age Sex		Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	08	,,,,,,	TRANSPORTS TRETENSED	dupper Extrenity	Skin- other	1	Hood		

Body Region

Head Face Throat Chest Abdomen/Pelvis

Spine **Upper Extremity**

Lower Extremity External

Type of Anatomic Structure

Whole Area . Vessels Nerves Organs Skeletal Head-LOC

Skin-Burn Skin-Other

Abbreviated Injury Scale

(1) Minor injury

(2) Moderate injury (3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity


C. VEHICLE PROFILE

	Class		В	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Sub Compact	11990 Frabe	Kront	Smudges, Scratches, Scrapes.



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM



ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT PEDESTRIAN PSU No. 0 OCCASE Number - Stratum ped → shoulder -- K.L. CZ1 1/1 R.M. רא 141

... 250 maran

The state of the s

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 90	Case Numbe	r-Stratum <u>6</u> <u>l</u> <u>G</u> P
PEDESTRIAN/ACCIDENT COLLISION/DATA/	COLLECTION-	* SCALED DIAGRAM
document reference point and reference line	311/A5/4. · n	orth arrow placed on diagram
documentation of all accident induced physical Surface Conditions of all accident induced physical evidence including (if applicable):		rade measurements for all applicable nadways
Coefficient of F (a) Vehicle skid marks		caled representations of the physical plant cluding:
b) pedestrian contacts with ground or object Grade (v/h) Me.	1	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI) a) at imp	act b	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from b) between final re	pst. p	caled representations of the vehicle and edestrian at pre-impact, impact, and final est based upon either:
f) final resting points (FRP) for pedestrian and Pedestrian Trav	rel Direction <u>40 - E</u> a)	physical evidence, or
documentation of the physical plant including: Vehicle Travel I	· · · · · · · · · · · · · · · · · · ·	reconstructed accident dynamics
all road/roadway delineation (e.g., Number of Trav crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked	e canes	
vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)		
Reference Point: Apex/SouTh Example CORNER	Reference Line: EAST	-curbline
	5: / 15: /:	Di la constantina
Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
DRZIN	0.0	0.0
V#1, R-Front beging skids	9:7 N	1.0 w
V#1, K-Front beging skids V#1, L-Front beging skids	9,7.N	2.4 w
Pedestrian#1 P.O.I. Pedestrian#1 F.R.P. V#1 R. Front Ending Skids	33.5 N	1.1 ~
Pedestrian #1 F.R.P.	32.7 N	2.2 E
V#1 R. FrONT Ending SKids	34.4 N	1,1 E
U#1, L- Front Ending Skids	34,4 N	1,5 E
)		

; Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	nom released form	
		,
		,

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

in This Accident

0 1

ministration		FEDESTRIAN CRASH DATA S	7100
Primary Sampling Unit Number	90	SPECIAL STUDIES - INDICATORS	
Case Number - Stratum	6/6P	Check () each special study (SS15-SS19 below) the has been completed; code 1 for the checked special studies and 0 for the special studies not checked.	
IDENTIFICATIO	N	otacios ana s los tilo special otacios not enconcer.	
Number of General Vehicle Forms Submitted	0 1	6SS15 Administrative Use	0
Politis Submitted	<u> </u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	9 4	8SS17 Impact Fires	0
5. Time of Accident	1710	9SS18	0
Code reported military time of NOTE: Midnight = 2400	accident.	10SS19	0
Unknown = 9999		NUMBER OF EVENTS	
•		11. Number of Recorded Events	

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's <u>only</u> impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 0	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

· ·

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

À

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety PEDESTRIAN CRASH DATA STUDY Administration 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown $O_{\text{pounds X }.4536} = 226$ kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping 138 (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):___ centimeter. (9) Unknown (999) Unknown inches X 2.54 = $\frac{138}{2}$ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03)Moving in road, with traffic centimeter. (04)Moving in road, against traffic (999) Unknown (05) Off road, approaching road $\frac{1}{6}$ inches $\times 2.54 = \frac{4}{2}$ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): centimeter. (99) Unknown (999) Unknown $\frac{27}{1}$ inches X 2.54 = $\frac{27}{1}$ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder ___ Facing vehicle (1) Code to the nearest (2) Facing away centimeter. (3) Left side to vehicle (999) Unknown (4)Right side to vehicle inches X 2.54 = / (8)Other (specify):

Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	
, ,	(05) Hands in pockets
(03) Ran away (along vehicle path)	One or both arms:
(04) Jumped (05) Turned toward vehicle	One or both arms:
• •	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
Head hand(s) to	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	04
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	~ ^
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(o) Chidiowh	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(a) Olivioali	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
•	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
1	, / - - / · · · · · · · · · · · · · · · · · ·

0.550.000.000.000			
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	2
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	<u>4</u>
		Nonfatal	
Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u> </u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	<u></u>
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	97

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER						
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (specify units): (9) Unknown if blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured						
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION? NO[] YES[] UPDATE CANDIDATE? NO[] YES[]							

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

3. Pedestrian Number

0 1

2. Case Number - Stratum

1. Primary Sampling Unit Number

4. Blank

XX

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


			 	AIS-90		······································			Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
st	5.3	6. <u>8</u>	7. <u>9</u>	80 <u>2</u>	, <u>o</u> t	10	11:/_	12.7/8	-Le +B, 13. 1	14. <u> </u>	15. 2	- _{16.} <u>3</u>	173
nd	18. 7	19. 8	_{20.} <u>7</u>	21.0 4	22. <u>0</u> 2	- _{23.} <u>/</u>	24	25. <u>7 0 C</u>	26	27	28. 2	_{29.} 2	30
ard .	31 <u>. 7</u>	32. <u>8</u>	33. <u>9</u>	34. <u>04</u>	35. 02	-3 6. <u> </u>	37. <u> </u>	38. <u>7</u> 7() _{39:} <u>/</u>	40. <u>/</u>	41. 3	42. 2	. 43
e th	44. 3	45. <u></u>	46. 7	47. <u>0</u> 2	48. <u>O</u> 2	-49. <u> </u> [50. <u> </u>	51. <u>77</u>	O 52	53. <u>/</u>	543	65.	- 56. <u> </u>
£h	57. 3	58. 7	59. 9	60D2	61.02	- _{62.} <u>/</u> _	63. <u>/</u>	64.77	> _{65.} <u>/</u>	66	_{67.} <u>2</u>	68. <u> </u>	69. <u>3</u>
th	70. 7	717	72. <u>9</u>	73.D 4	74. <u>02</u>	- 75. <u> </u>	76. <u>2</u>	· 17.7	/ _{78.} <u> </u>	79. 🔟	80. <u>3</u>	81.2	82: _
th	83	84:	85	86	87	88	89	90	91	92	93	94	95
th	96	97	98	99	100	101	102	103	104	105	106	107	108
th	109	110	111	1121	113	114	115	116	117	118	119	120	121
th	122	123	124	1251	26	127	128	129	130.	131.	132.	133	134

HS Form 04351 (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th 12th 13th						<u>-</u>						
4th												
9th												
20th		-				_ 		_ 			- - -	
3rd 4th							 		— —		_	

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



(1) Certain (2) Probable Injury not from vehicle contact OFFICIAL No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (6) (3) Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact (5) Lay coroner report No residual damage Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded (contoured) (6) E.M.S. personnel (4) (5) (3) Rounded edge (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) (3) (4) Face (06) Lumbar Moderate injury Neck (3) Serious injury Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) Severe injury (5) Abdomen (08) Skin - Avulsion (5) Critical injury (6) (7) Spine (10) Amputation (6) Maximum (untreatable) (20) Burn Upper Extremity (7)Injured, unknown severity Lower Extremity (8) Crush Level of Injury (40) Degloving (50) Injury - NFS Unspecified **Aspect** Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure (90) Trauma, other than mechanical (1) Right Left numbers (2) Whole Area Head - LOC (02) Length of LOC (3) Bilateral To the extent possible, within the organizational framework of the AIS, 00 Vessels (4) (5) Central Anterior (04, 06, 08) Level of Consciousness (4)Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to (6) Posterior ligaments) Skeletal (includes joints) severity or where only one injury is given in the dictionary for that anatomic (7) (8) Superior Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. (6) Head - LOC Unknown Whole region **INJURY SOURCE** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object Plete (specify): 1/2. × 1/2. × 719 Unknown front object + Brechet 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission <u>Left Side Components</u> 720 Front fender side surface 758 Other right side object 805 Drive shaft (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):__ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 777 Roof surface 739 Unknown left side component Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 780 Hatchback 740 Front fender side surface 949 Unknown object in environment 781 Rear trunk lid 741 Front antenna 959 Unknown object on contacting vehicle

788 Other top component (specify): _

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

997 Noncontact injury source

999 Unknown injury source


SOURCE OF INJURY DATA


742 A1 pillar

743 A2 pillar

OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1. Primary Sampling Unit Number 90	OFFICIAL RECORDS
2. Case Number - Stratum 6 16 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number 0 1	Code to the nearest kmph (NOTE: 000 means
	less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown HD mph X 1.6093 = 4.3 kmph 11. Police Reported Alcohol Presence For Driver
(99) Unknown 6. Vehicle Model (specify): Control of the specify of the specific of the specifi	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present
8. Vehicle Identification Number	(99) Unknown Source:
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained
	(8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (O2) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blázer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 02,73 / lbs x .4536 = /,238 kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
	1
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

9 - /	To a contract to the contract
23. Critical Precrash Event <u>& O</u>	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction (54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right
(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(O) Proceed stability walls are
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated (5) Vahiala departed readyway
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway (6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	R	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) 		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing)
	 (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		(2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three	4	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	 (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 	1	35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

90-616

94 Probe

2140m

Lock-Up

8 Yom

f = 0,65

PO I to FRP = 1.5m = 4,9 ft.

V = 1(2)(5)(f)(g) V = 7(2)(4.9)(0.65)(32.2)

= 14,3 fPS = 9,7 mph = 15,7 KPh

16 KPh



Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 12 V9 T2 14 0 6 5

Model Year

Vehicle Make (specify): FORD

Vehicle Model (specify): PROBE

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Siee 1 cm cm

cm

cm

VERTICAL MEASUREMENTS

			*
PEV16	Front	Bumper-Bottom	Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

のフス

cm

060 2


cm

cm

cm

cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEV06 Hood Material PEV08 Hood Length PEV09 Hood Width-Forward Opening PEV10 Hood Width-Midway	cm cm cm
PEV08 Hood Length	cm/
PEV09 Hood Width-Forward Opening	cm/
	cm
	/
<u> </u>	cm
PEV11 Hood Width-Rear Opening	
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm.
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
PEV35 C _t to A-Pillar at Bottom of Windshield	c m
PEV36 C _L to A-Pillar at Top of Windshield	cm
	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
NAME AR DISTANCES	
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

ORIGINAL SPECIFICATIONS 250 cm q inches x 2.54 = Wheelbase inches \times 2.54 = Overall Length inches $\times 2.54 =$ Maximum Width pounds x .4536 = 1.23Curb Weight inches $\times 2.54 =$ Average Track inches x 2.54 Front Overhang 36.2 inches x 2.54 = Rear Overhang 9 inches x 2.54 = Undeformed End Width Engine Size: cyl./displ. 3 000 cc × .001 183 CID \times .0164 = **INJURY SOURCE ERONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 702 Front grille 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of 8 pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): _ 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle

734 Left side glazing forward of 8 pillar 735 Left side glazing rearward of B pillar

736 Left side back fender or quarter panel

737 Rear antenna

738 Other left side object (specify):

739 Unknown left side component

732 Left side mirror fixed housing

733 Left side folding mirror

Right Side Components

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

Top Components

770 Hood surface

771 Hood surface reinforced by under hood component

772 Front fender top surface

773 Cowl area

774 Wiper blade & mountings

775 Windshield glazing

776 Front header

777 Roof surface

778 Backlight glazing

779 Rear header

780 Hatchback

781 Rear trunk lid 788 Other top component (specify):

789 Unknown top component

821 Cellular or CB radio antenna

822 Emergency lights or bar

823 Fog lights

824 Luggage, ski, or bike rack

825 Cargo (specify):___

826 Spare tire

827 Spotlight

828 Other accessory (specify):___

Other Object or Vehicle in Environment

947 Ground

948 Other object (specify):


949 Unknown object in environment


959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground: \underline{I}

POINTS OF PEDESTRIAN CONTACT										
	PEDESTRIAN CONTACT: WORKSHEET									
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE		
4	Bunge	+124	+50				1 2 3 9	1 1 2 1		
2	•	+124	+28				1 2 3 9.			
J		+55					1 2 3 9			
6		+93					1 2 3 9			
0		+76	+09				1 2 3 9			
£		+79					1 2 3.9			
D		+55	+08				1 2 3 9			
J,		+55					1 2 3 9			
F			+36				1 2 3 9			
G.		+25					1 2 3 g.			
ß		-08					1 2 3 9			
H		-08	+67				1 2 3 9			
				·			12391			
E		+107 +100	+06				1 2 3 9			
\mathcal{H}		+100	+57				1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9	2		
							1 2 3 9			
							1 2 3 9	£.		

7 17

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

				POINTS	OF PEDEST	RIAN CONTACT		
				CHRONO	LOGICAL ORE	ER OF CONTACTS		
	CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	COMFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
\(\)	Or AL	718	144	ro	0-1-	(P) Lower	But Licer st	1 2 3 9
الهرا	- 28	700	124	15	0	Knede	5 mudge	O2 11
ادر	けるす	770	90	20	0	chest	smilye	O 2 3 9
Ye	ow.F	770	30	+45	0-1	F- 2 (\$0 W	dent	D 211
	5 + +	770	-8	+67	0-1	L-slowlde	dest	⊘ 239
	6							1 22 3 9
	7		·					1 2 3 9
	8							1 Z. 3 g
	9							1 2 3 9
	10							1: 72: 1: 9
	11							1 2 3 9
	12							1 2 1 9
	13							1 2 3 9
	14							1 2 3 9
	15							1 2 3 9
	16							1 2 3 9
	17							1 2 3 9
	18							1 2 1 9
	19							1 2 3 9
	20							1. 2. 3. 9
	21							1 2 3 9
	22							1 2 3 9
	23							1. 22. 3. 9
	24							1 2 3 9
	25	•			ŀ			1 4, 3 5

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 4 (o
4. Original Wheelbase 250 Code to the nearest centimeter	Code to the nearest centimeter (210) 210 centimeters or more
(999) Unknown	(999) Unknown $0.57.4 + \text{inches} \times 2.54 = 1.46 \text{ centimeters}$
098.4 inches $\times 2.54 = 250$ centimeters	
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown 257 Hinches x 2.54 = 146 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length $//9$	Front Vertical Measurements
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown $0.46.8 \text{ inches } \times 2.54 = 1.9 \text{ centimeter}$ 9. Hood Width Forward Opening $0.8 = 0.8 $	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 0322 inches X 2.54 = 002 centimeters	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 055.9 inches × 2.54 = 447 centimeters	(9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown
	$O/8$ f inches $\times 2.54 = O48$ centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 2 / 6 inches x 2.54 = 255 centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 2 8 3 inches x 2.54 = 2 7 centimeters 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 2 1 2 3 inches x 2.54 = 2 7 3 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 22. 3 inches × 2.54 = 199 centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown 27. 4 inches × 2.54 = 273 centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown 200 Dinches × 2.54 = 000 Centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
7	Side Vertical Measurements
20. Ground to Forward Hood Opening $\frac{0.7}{2}$ Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown $\frac{0.28.3}{2}$ inches $\times 2.54 = \frac{0.72}{2}$ centimeters	Side Vertical Measurements 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown O 28.3 inches x 2.54 = D 7.2 centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel Code to the	Side Lateral Measurements
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 = centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown	36. Centerline to A-Pillar at Top of Windshield Code to the
	inches X 2.54 = centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
31.	Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact	inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknowninches X 2.54 = centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the
	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact	nearest centimeter
	(250) 250 centimeters or more (999) Unknown	Side Wrap Distance Measurements
	inches X 2.54 = centimeters	
	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
,	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 =
-	inches X 2.54 = centimeters	inches X 2.54 = centimeters

				 	
40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000		
	<u></u>	inches X 2.54 =	_ centimeters		
41.	Groun	d to Head Contact Code to the nearest centimeter	000		
	(800) (998)	No side contact 800 centimeters or more No head contact Unknown			
		inches X 2.54 =	centimeters		
		•			
					•
					•
			:		
					·
					,



90616F0000001 10 36 369.00000000000117100100001 96000000000 000000000000000 01 90616P0001001244333969.00100000000000101F72000 9.00 000000000811384207111202313014003407040109600242009715 90616P00010021 10100000000006 9.00 00000000038902021171811233 90616P00010131 9.00 00000000078904021170011222 90616P00010231 9.00 00000000078904021177011322 90616P00010331 90616P00010431 9.00 00000000034902021177011322 9.00 00000000037902021177011233 90616P00010531 9.00 00000000077904021277111322 90616P00010631 9.00 0000000009012018021ZVPT21U0L5 99906409600124000001 90616P01000041 51110180033201411210011 9.00 0000000002501463111908214214610310480550720407206019319 90616P01000051

PSU90 CASE 616P CURRENT VERSION: 9.00

00000000000000

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

Commence of the Commence of th	٠.,	,
· ·	9	\Box

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	O	O	O	Υ
Pedestrian Injury	0	O	0	Y
Pedestrian General Vehicl	e 0	0	O	Υ
Pedestrian Exterior Vehic	le O	O	0	Υ
Total Inter Errors		0	o	
Total Case Errors	O	0	0	