



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PSU 90

CASE NO. 627P

TYPE OF ACCIDENTLIGHTTVNEC

DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) Vehicle #1 was Traveling South, on The Roadway and fedes Trian #1 was expossing The Roadway in a westerly direction. The Front OF Vehicle #1 contacted fedes Trian #1 on his Right side. The fedes Trian was Knocked Foreward and came to Rest in The Roadway. The Vehicle came to Rest in The Roadway. The Vehicle came to Rest in mediately prior to The Final Rest of The Pedes Trian. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include

B. PEDESTRIAN PROFILE									
Pedestrian No.		Sex	Treatment/ Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
	Age			Body Region	Ana. Struc.	AIS	Injury Source		
01	11	male	Treated Trasported	LOWER EXTREM.	SKÉLETAL	2	Bumper		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VEH	ICLE PROFIL	E			
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	SMALL. CONVENTIONA PICK-UP	1 Cheverlot 5-10 (4x2)	Front	BYBILEN Crill Scratches, 5 mudges			

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAM SYSTEM PEDESTRIAN CRASH LA STUDY

National Highway Traffic Safety Administration Indicate PSU No. Case Number - Stratum 6 27 P North Δ Ø **(S)** 0 <u>_RP</u> $1 \Delta 1$

	<u> </u>	<u>U</u>	Case	Number-	-Stratum	63	1	<u>Y</u>		Indicate North	\bigcirc
						5				Pad	#178-10.
										Pec	#1 729-10. 000 M [#2,4.0
										Vel	1 # 1 p
				· · · · · · · · · · · · · · · · · · ·							= 12 P 2.5 S 2.0 E
											L , v
								t			
						$^{\prime}$					
											(2
					· · · · · · · · · · · · · · · · · · ·				9	1 Pol.	14,0 mark)
											<u> </u>
								(3	201 2012 PAIC	\$ 10,013	Good
								\'*		L Ped	- Cur
					- - - - -	1	1		內	7.5	2.6
									12+0	(mark	Police
· · · · · · · · · · · · · · · · · · ·	∌	0	0		0			, 0		ZP.	1-2.1
						1		,	<u></u> 1	1	
						1					
			1					$\widehat{\mathbf{k}}$	Λ		
				/				1			



Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Case Number-Stratum 6 2 7 Primary Sampling Unit Number PEDESTRIAN/ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line Surface Type north arrow placed on diagram relative to physical features: documentation of all accident induced physicals Surface Condition documentation or an according (if applicable) grade measurements for all applicable roadways a) w vehicle skid merts Coefficient of Friction scaled representations of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane b) pedestrian contacts with ground ocobject markings, medians, pavement markings, parked vehicles, poles, signs, Grade (v/h) Measureme b) all traffic controls (e.g., lights, signs) c) vehicle/pedestrian point of impact (POI). a) at impact b) between impact and final rest. scaled representations of the vehicle and d) location of pedestrian separation point from pedestrian at pre-impact, impact, and final vehicle rest based upon either: " ()" final resting points (ERP) for pedestrian and Pedestrian Travel Direction physical evidence, or vehicle documentation of the physical plant including: Vehicle:Travel Direction reconstructed accident dynamics a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked Number of Travel Lanes vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs): Reference Line: West Curb Line Reference Point: \ Distance and Direction Distance and Direction Item from Reference Point from Reference Line RAINAGEDITCH

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line

		-
	·	
	W	

.

0 1

Administration	PEDES I KIAN A	PEDESTRIAN CRASH	I DATA STUD
Primary Sampling Unit Numbe	90	SPECIAL STUDIES - INDICATOR	RS
2. Case Number - Stratum	627 P	Check (✓) each special study (SS15-SS19 be has been completed; code 1 for the checke	d special
IDENTIFICAT	TION	studies and 0 for the special studies not check	ea.
Number of General Vehicle Forms Submitted	0 1	6SS15 Administrative Use	_0_
4. Date of Accident	6	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
(Month, Day, Year)	/ 9 /	8SS17 Impact Fires	
5. Time of Accident	1157	9SS18	
Code reported military time	e of accident.		
NOTE: Midnight = 2400 Unknown = 9999		10SS19	0
Olikilowii – 3333		NUMBER OF EVENTS	
		11. Number of Recorded Events	•

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage					
12 0 1	13. 0 1	14. 1 5	15. F	16. 7 2	17 0 0	18. <u>0</u>					
12	70.	14	10	10. <u>1 2</u>	11. <u>0</u> <u>0</u>						

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

14.14.24

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10 Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum (999) Unknown ____ pounds X .4536 = ____ kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):____ centimeter. (9) Unknown (999) Unknown inches X 2.54 = ___ _ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road __ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): _____ centimeter. (999) Unknown (99) Unknown _____ inches X 2.54 = ____ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder _ (1) Facing vehicle Code to the nearest (2) Facing away centimeter. (3) Left side to vehicle (999) Unknown Right side to vehicle Other (specify): Unknown

itional Accident Sampling System-Crashworthiness Da	ta System: Pedestrian Assessment Form Page
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation at Initial Impact
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	(01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up	(04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify):
(5) Down (8) Other (specify):(9) Unknown	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u>0</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	<u> 7</u>	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>o</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility	34. 1st Medically Reported Cause of Death O 35. 2nd Medically Reported Cause of Death
 (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	(00) Not fatal or no additional causes(96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	
NO []	159[]
UPDATE CANDIDATE?	NO[] YES[]

Administration

U.S. Department of Transportation
National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number		3. Pedestrian Number	_0_1		
2. Case Number - Stratum	_6P	4. Blank	<u> </u>		

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				•
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	5. 2-	- 68	7. <u>5</u>	8. <u>/ </u>	9. <u>1 4</u>	10.3	11.2	12.70C) 13. <u>/</u>	14	15	16	17.2
nd	18	19, 8	20. <u>9</u>	21,02	22. <u>O L</u>	- _{23.}	24. <u>/</u>	25. <u>703</u>		27. <u>/</u>	28.2	29,2	30. <u>3</u>
ird	31.7	32.7	33. <u>9</u>	34 <u>0 4</u>	_{35.} <u>0</u> <u>2</u>	- 36. <u>/</u>	37	38, <u>70 3</u>	2 39. <u>/</u>	40./_	41. 3	42. <u>3</u>	43. <u>Z</u>
4h	447	45. <u>7</u>	46. <u>9</u>	47. <u>O</u> 6	48. <u>U</u> Z	-49. <u>/</u>	50. <u>/</u>	51. <u>70</u>)	<u>}</u> 52. <u> </u>	53	_{54.} <u>Z</u>	55. <u>\$</u>	56. <u>3</u>
th	57. <u>3</u>	58. 7	59. <u> </u>	60. <u>D</u> <u>2</u>	61. <u>0</u> 2	62. <u>/</u>	63/	64. 70	3 _{65.} <u>/</u>	66./_	67. <u>Z</u>	68.2	<u>5</u> .e ₆₉
th	70. 3	71. <u>8</u>	72. <u>Ĝ</u>	73. <u>0 4</u>	74. <u>0</u> Z	75. <u>/</u>	76, 2	77.7.01	O 78. <u>/</u>	79. /	80. 2	_81 <u>2</u> _	. ₈₂ <u>2</u>
th	837	84. 7	85. 2	86. <u>0</u> 4	87. <u>0</u> 2	- 88. <u>/</u>	89.2	90.947	91	92./_	93. 🔼	94. 💆	95. <u>C</u>
th	96.7	97. 5	98. <u>9</u>	99. <u>0</u> 4	100. <u>0</u> 2	101. <u> </u>	102.9	103.947) ₁₀₄ , /	105	106.	107. 🛆	108.
£h	109. 3	110. <u>4</u>	111.9_	112.02	i13, <u>0</u> 7	414.7	115. <u>0</u>	947	<u> </u>	118	119. 0	120. 💆	121. <u>O</u>
th .	122. 3	123.7	124, 7	125, 0 2	126. <u>O 2</u>	127[128	947	130. /_	131.	132. 🙆	133. 0	134!)_

HS Form 04351 (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely

			AIS-90				JRY DA	Injury				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1th 2	,	9	04	02	1	/_	947	1	1	٥	Ð	O
1til <u>6</u>	<u> </u>	<u> </u>	<u>~</u>	——	L	· 	<u></u>	_	<u>. </u>			
2th <u>Z</u>	<u></u>	2	<u>06</u>	02	· <u>/</u>	<u></u>	947	<u></u>	<u></u>	D	<u>Ø</u>	70
	-		- 7			<i>3</i> /	۔. د	1			.	_
3th <u>7</u>	7	9_	04	07	<u> </u>	~	947		7	<u>D</u>	<u>0</u>	<u>ر</u>
4th <u>7</u>	6	9	02	02	- 1	ð	947	1	1	0	۵	0
4m <u>/</u>	-		<u>0 -</u>		<i>L</i>	—	— <u> </u>	—				
5th												
6th	—							_				
7th					-				-			
8th												
9th		_				_		-				
Oth										_		
1st												
2nd		—			—			—	—			
3rd		—			—			_		-		—
4th												
		—			—			_				
5th												

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

1 cm (B) PARIETAL (1) C EPHALOHEMATOMA (B) TENPORAL-PARIETAL 2,190402.1,1 7,790402.1, 2 1x1cm ABRASION SHOULDEL 3,790202.1,1 ABRASIONS (HFD) 3490202.1,0 SUPERFICIAL ASRASION & BRUISE TO STOMACH (NFO) P 7,590402.1,9 ANTERIOR ILIAC SAINE 2,890202.1,1 LARGE HEMATOMA ANT. LAT DISTAL BRUISE (SFD) 3 7,790402.1,1 (THIGH 3,890402.1,2 (6)

Page

INJURY SOURCE CONFIDENCE LEVEL **TYPE OF DAMAGE SOURCE OF INJURY DATA OFFICIAL** Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ (2) Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation (4) **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered Separated from vehicle (5) summary) Direct contact injury Emergency room records only (including (2) Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Injury not from vehicle contact No residual damage UNOFFICIAL (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel (3) (4) Rounded (contoured) Rounded edge Interviewee (5) Sharp edge Other (specify): Crush depth > 2 to 5 centimeters Other source (specify): Crush depth >5 to 10 centimeters (5) (8) Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (06) Lumbar Moderate injury Serious injury Face (2) (3) Neck (4) (5) (6) (06) Skin - Laceration (08) Skin - Avulsion Severe injury Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Abdomen (5)Critical injury Amputation (10) Spine Maximum (untreatable) (6)Upper Extremity (7) Injured, unknown severity Lower Extremity Unspecified (30) Crush (40) Degloving (50) Injury - NFS Level of Injury (8) Aspect Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure (90) Trauma, other than mechanical Right (2) (3) Left Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area Central To the extent possible, within the (3) (4) Nerves organizational framework of the AIS, 00 (5) Anterior Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (10) Concussion (6) (7) Posterior ligaments) Superior Skeletal (includes joints) (6) (9) Head - LOC (9) Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 750 Right side door surface 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 818 Other undercarriage component 725 C pillar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface Top Components 770 Hood surface 731 Left side door handle 732 Left side mirror fixed housing 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 772 Front fender top surface 735 Left side glazing rearward of B pillar 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowi area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 740 Front fender side surface 779 Rear header 949 Unknown object in environment 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 788 Other top component (specify): _ 997 Noncontact injury source 742 A1 pillar 789 Unknown top component 999 Unknown injury source 743 A2 pillar

Restrained?

___No___Yes

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = 15


Units of Blood Given

Units =

Arterial Blood Gases


 $PO_{2} = PCO_{4}$


HCO3 ____



OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1. Primary Sampling Unit Number 90	OFFICIAL RECORDS
0.1	3 3 3
	9. Police Reported Travel Speed 9. 9. Police Reported Travel Speed
3. Vehicle Number 0 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	in kmph (999) Unknown 40 mph X 1.6093 = 064 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify): 47/ Applicable codes are found in your	(1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blázer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 04,200 lbs x .4536 = 1,905 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify):	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

and the state of t	ta dystem: 1 desemble demonstrative mode 1 offit
23. Critical Precrash Event This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway
	(specify):
(O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(55) 511.5. 52255 51 5511.51 1555 (565511).	(92) Object—unknown location
(09) Unknown cause of control loss	
	(98) Other critical precrash event (specify):
This Vehicle Traveling	100)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	n '
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	
(52) Traveling in same direction with higher speed	(09) Braking and steering right
	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	
	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
1021 I GUESTIIGH-UNKNOWN IOCALION	(9) Directional consequences unknown

	ENVIRO	NME	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
20	(6) Unknown type of non-interchange (9) Unknown if interchange	/	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	5	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	7	(4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

		96
(90-627	
	90-628	
	91-510 PU (627	[12 yom
	6240m	75-14
	20-30	5-6"
	10-20 1-pot	
	f = 0,60	
	POIT FORP = 5.5m = 18ft	
	V = 7(2)(18)(0,60)(32,2)	
	= 26.4 fps = 17.9 mph	= 28.8 KPh
	29 KPh	
	29 KPh	
	2	

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 3. Vehicle Number

2. Case Number - Stratum

1. Primary Sampling Unit Number

VEHICLE IDENTIFICATION

VIN 16 CC5 1420M8

Model Year 9 /

Vehicle Make (specify): ChevorLeT

Vehicle Model (specify): 5-/0

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

STEEL

PEV08 Hood Length

100

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

cm

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

082

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

cm

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

266 cm

PEV25 Ground to Head Contact

cm

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 156 cm

	PEDESTRIAN SIDE CONTA	CT WORK SHEET
PEV06	Hood Material	
	Hood Length	cm
	Hood Width-Forward Opening	<u></u>
PEV10	Hood Width-Midway	cm
PEV11	Hood Width-Rear Opening	cm
	VERTICAL MEASUR	EMENTS
	Ground Clearance	/ cm
	Side Bumper-Bottom Height	cm
	Side Bumper-Top Height	cm
PEV29	Centerline of Wheel	cm
PEV30	Top of Tire	cm
PEV31	Top of Wheel Well Opening	cm
PEV32	Bottom of A-Pillar at Windshield	<u> </u>
PEV33	Top of A-Pillar at Windshield	cm
PEV34	Top of Side View Mirror	cm
	LATERAL MEASURE	MENTS
PEV35	C _L to A-Pillar at Bottom of Windshield	cm
PEV36	C _L to A-Pillar at Top of Windshield	cm
PEV37	C _L to Maximum Side New Mirror Protrusion	cm
	WRAP DISTANC	EES
PEV38	Ground to Side/Top Transition	cm
PEV39	Groupe to Hood Edge	cm
PEV40	Ground to Centerline of Hood (ORIGIN)	cm
	Ground to Head Contact	cm

ORIGINAL SPECIFICATIONS

Wheelbase	108.2 inches	x 2.54 =	275cm
Overall Length	178.2 inches	x 2.54 =	453 cm
Maximum Width	0.64.5 inches	x 2.54 =	1 6 Fcm
Curb Weight $\underline{\mathcal{O}}$	4.200 pounds	x .4536 =	1.905kg
Average Track	0 63.0 inches	x 2.54 =	160 cm
Front Overhang	<u>0</u> 3 <u>0</u> 7 inches	x 2.54 =	<i>O</i> 78 cm
Rear Overhang	039.3 inches	x 2.54 =	
Undeformed End Width	0 6 0.6 inches	x 2.54 =	<u>/ 54</u> cm
Engine Size: cyl./displ.	2500 cc	x .001 =	2.5 L
	<u> 152</u> cid	x .0164 =	2.5 L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	•
729 Left side roof rail	769 Unknown back component	<u>Accessories</u>
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	, , , , ,
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

781 Rear trunk lid

788 Other top component (specify): _


789 Unknown top component

741 Front antenna

742 A1 pillar

743 A2 pillar

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACTWORKSHEET							
CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
H	Grill	785	+46	0			1 2 3 9	
D	1.1	+ 89	+26	0			1 2 3 9.	
A		+50	+09	0			1 2 3 9	ilon ilon B
F	//	+74	+63				1 2 3 9	
Ai		+60	+64				1 2 3 9	
A 2		+63	to 8				1 7 2 9	
A	HETTE	+50	+10				1 2 3 9	
H	Hook	£35	+24				1 2 3 9	
2	Hood	+25	+08				1 2 3 9	
2	1+000		-21				1 2 3 9	
e	Hood		-1/6				1 2 3 9	
E	work		-07				1 2 3 9	
D	Elige	+64	-08	Zem Zem			1 2 3 9	
A	14000	+61	-76	rem			1 2 3 9	
	V						1 2 3 9	
							1 2 3 9	
							1239	
							1 2 3 9	
							1 2 3 9-	
							1 2 3 9	
							1 2 3 9	
							1 2 2 9	
							1 2 3 9	
							1 2 3 99	
							1 2 3 9:	

	POINTS OF PEDESTRIAN CONTACT						
	CHRONOLOGICAL ORDER OF CONTACTS						
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL - LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1	700	106	+46	0	Leg Ex	dy now it s	O 2 3 9
2	703	66	46	2-3	hip	ent	Orns.
3	703	11	4	(arm	4	6 _{2 3 9}
4.	703	4	9		er	*1	0219
5 .	703	le	*7	1	arm	y	P ₂ 3 9
6	700	106	50	0	Russ	Are Lynnis	D 2 2 2
7	7-14	gra	und	co	tests		1 2 3 9
8.					,		11: 21:3:8
9							1 2 3 9
10							1/- 2/- (39
11							1 2 3 9
12							1. 2 3 9
13							1 2 3 9
14							1 : 2 : 3 : 9
15							1 2 3 9
16							1: 2: 3:9
17							1 2 3 9
18							2.3.3
19							1 2 3 9
20							1.253.3
21							1 2 3 9
22							10.27(30.9)
23							1 2 3 9
24							17,27,319
25							1 2 3 9

VEHICLE DIMENSIONS 2. 7. 1	11. Hood Width Rear Opening Code to the
4. Original Wheelbase	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
centimeters	inches X 2.54 = centimeters
5 0 1 1 A 5 1 MEN / /a 0	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width / 6 O	Pedestrian <u>2</u>
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hand Massaial	(9) Unknown
6. Hood Material (1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - not damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement	unknown ii damaged
(3) Non-OEM replacement	FRONT CONTACT DARMACE
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length / O O	Front Vertical Measurements
Code to the	
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact (1) Plastic
(999) Unknown	(2) Fiberglass
. inches X 2.54 = centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening 139	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
. inches X 2.54 = centimeters	(3) Stainless Steel
	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the	16. Front Bumper-Bottom Height D44
nearest centimeter	Code to the
(210) 210 centimeters or more (999) Unknown	nearest centimeter
1000) CHANGANI	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
inches X 2.54 = centimeters	

F	
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	Side Vertical Measurements
	GIGG TO HOM BROADESHINGHE
20. Ground to Forward Hood Opening O 8 2 Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more

		·····		
29.	Centerline of Wheel	000	Side Lateral Measureme	nts
	Code to the		1	
	nearest centimeter		35. Centerline to A-Pillar	000
	(000) No side contact		ŧ.	<u> </u>
1	(150) 150 centimeters or more		at Bottom of Windshield	
l	(999) Unknown		(000) No side contact	
'			Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
			(250) 250 centimeters or more	
			(999) Unknown	
20	Ton of Tire	000		
30.	Top of Tire	200	inches X 2.54 =	centimeters
1	Code to the			
	nearest centimeter			•
	(000) No side contact		36. Centerline to A-Pillar	000
	(200) 200 centimeters or more			<u> </u>
	(999) Unknown		at Top of Windshield	
İ			Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		_ = 00111111101010	(000) No side contact	
			(250) 250 centimeters or more	
24	Ton of Mhaal Mall Oncoins	000	(999) Unknown	
31.	Top of Wheel Well Opening	000	•	
l	Code to the		inches X 2.54 =	centimeter
	nearest centimeter			certaineter
1	(000) No side contact			
	(250) 250 centimeters or more		07.0	\sim
	(999) Unknown		37. Centerline to Maximum Side	000
l			View Mirror Protrusion	
l	inches X 2.54 =	contimotore	Code to the	•
•	Inches X 2.54	_ centimeters	nearest centimeter	
22	Detter of A Diller at Windshield	0 00	(000) No side contact	
32.	Bottom of A-Pillar at Windshield	<u>800</u>	(300) 300 centimeters or more	
	Code to the		(999) Unknown	
	nearest centimeter		(000) 0	
•	(000) No side contact		inches X 2.54 =	aantimatar
	(250) 250 centimeters or more		Inches x 2.54 =	centimeter
	(999) Unknown			
			Side Wrap Distance Measur	ements
	inches X 2.54 =	centimeters	Dide High Distance Highan	Cincina
		_		
			20 Cround to Cido/Tour Tour states	\circ
33	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition	000
00.	Code to the	<u> </u>	Code to the	
			nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
			inches X 2.54 =	centimeters
	inches X 2.54 =	_ centimeters		
			30 Ground to Hood Edge	000
34	Top of Side View Mirror	000	39. Ground to Hood Edge	000
57.	Code to the		Code to the	
	nearest centimeter		nearest centimeter	
			(000) No side contact	
	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
			inches X 2.54 =	centimeters
	inches X 2.54 =	centimeters		

40.		to Centerline of Hood Code to the	000		
	(000) (700)	nearest centimeter No side contact 700 centimeters or more Unknown			
		inches X 2.54 =	centimeters		
41.		to Head Contact Code to the nearest centimeter	000		
	(800) (998)	No side contact 800 centimeters or more No head contact Unknown			•
		inches X 2.54 =	centimeters		
				•	



969.040000000000111570100001 90627P00000011 970 9600000000 000000000000000 01 90627P00010012 969.0410000000000115F72000 90627P00010021 9.04 000000001211474208913903913014003406031009670332039715 1010000000014 90627P00010131 9.04 00000000028518143270011222 9.04 00000000028902021170311333 90627P00010231 90627P00010331 9.04 00000000077904021170311333 9.04 00000000077906021170311333 90627P00010431 90627P00010531 9.04 00000000037902021170311333 90627P00010631 9.04 00000000038904021270011222 90627P00010731 9.04 00000000077904021294711000 9.04 00000000075904021994711000 90627P00010831 90627P00010931 9.04 00000000034902021094711000 9.04 00000000037902021194711000 90627P00011031 90627P00011131 9.04 00000000021904021194711000 90627P00011231 9.04 00000000031906021194711000 90627P00011331 9.04 00000000077904021294711000 90627P00011431 9.04 00000000036902021094711000 90627P01000041 9.04 000000009120471301GCCS14Z0MB 39906409670191000002 91110180022201511210011 9.04 000000002751603110013914314620310440550840808209019019 90627P01000051 0000000000000

PSU90 CASE 627P CURRENT VERSION: 9.04 ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

التفاقي	Mark Comme	ÿ	q	7	

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	Ö	Ö	Ý
Pedestrian Injury	0	0	Ö	Ý
Pedestrian General Vehicl	e 0	0	Ó	Ý
Pedestrian Exterior Vehic	le O	0	Ō	Y
Total Inter Errors		٥	0	
Total Case Errors	o	o	0	