



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

CASE NO. 639 PSU 90

TYPE OF ACCIDENT CAR- PEDESTRIAN - CROSSING Rend - diagon

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) Vehicle#1 was TRAVELING EASTON The ROAD WAY AND PEDESTRIAN #1 WAS CROSSING THE ROADAWAY IN A NORTHERLY direction. The Front of Vehicle #1 CONTACTED PEDE STRIAN #1 ON her LEFT Side. Vehicle And Scid into wind shield. The Pedestrian UPF The hood of The Wind shield. The Pedestrian OFF The hood of The Vehicle And Cameto Rest on The Roadway. The Vehicle came to Rest immeditely prior to The Final Rest of The Pedestrian. The Four! I read way is a one way EAST-Bound, roadway.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	, , , , , , , , , , , , , , , , , , , ,					
No.	No. Age Sex Mortality		Body Region	Ana. Struc.	AIS	Injury Source			
01	52	FEMALE	Hospitalized	upper Extremity	Skeletal	3	windshreld		

Type of Anatomic Structure **Body Region Abbreviated Injury Scale** Head (1) Minor injury Whole Area Face (2) Moderate injury Vessels Throat (3) Serious injury Nerves Chest (4) Severe injury Organs Abdomen/Pelvis (5) Critical injury Skeletal Spine (6) Maximum (untreatable) Head-LOC Upper Extremity (7) Injured, unknown severity Skin-Burn Lower Extremity Skin-Other External

	C. VEHICLE PROFILE							
	Class		В	Most Severe Damage ased on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Sub Compact	1993 MERCURY TRACER	FRONT	CRACICED Windshield Smudges, dents Scratches				



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration PSU No. 90 Case Number—Stratum 639P Indicate. > sidewalk $\overline{\Delta}$ RP 0 0 Ø




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathcal{G}}$	-	Case N	umber	-Stratum <u>6</u> <u>3</u> <u>9</u> <u>P</u>		
PEDESTRIAN ACCIDENT CO	LLISION DATA (COLLECTION		SCALED DIAGRAM		
 document reference point and reference line relative to physical features 	Surface: Type	BT/AsphALT	* noi	th arrow placed on diagram		
 documentation of all accident induced physical evidence including (if applicable); 	Surface Conditio	n Dry		de measurements for all applicable dways		
a) vehicle skid marks	Coefficient of Fri	ction , 63		aled representations of the physical plant luding:		
b) pedestrian contacts with ground or object	Grade (v/h) Mea	isurement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)		
c) vehicle/pedestrian point of impact (POI)	a) at impa	act	b)	all traffic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) betwee final re	en impact and st	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final it based upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	a)	physical evidence, or		
documentation of the physical plant including:	Vehicle Travel D	lirection <u>E</u>	b)	reconstructed accident dynamics		
a) all road/roadway delineation (e.g., crosswalks,	Number of Trave	el Lanes <u> </u>				
curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)						
b) all traffic controls (e.g., lights, signs)						
Reference Point: STREET Sicon Side WALK-NORTH	Curb	Reference Line: No	, , , , ,	h Curb Line		
ltem		Distance and Direction from Reference Point	ŀ	Distance and Direction from Reference Line		
Ped#I POI		2.2m(E)	5.0 m(s)			
Ped#I FRP		10.8m (E)	5.6 m (s)			
DRIGIN (STREETS	(د، ن، ن	0.0		2.5 m (N)		
Veh#I FRP		7.2m(E))	4.2 m(5)		
Ped PATh		5,0 m (w)				
Veh Stap Line		19, m (E)	0,0			
Ped LYDSS WALK (begins		24.6m (E)	0,0			
Ped Cross WALK (ENds)		29.3 m (E)	0.0			
drive way begin si	<u>با الر</u>	4.3 m (E)		0.0		
h /						
\bigcup_{i}						

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

9 0	SPECIAL STUDIES - INDICATORS
1. Primary Sampling Unit Number 2. Case Number - Stratum 6 3 9 P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION	Studies and 0 for the special studies not checked.
Number of General Vehicle	6SS15 Administrative Use0
Forms Submitted <u>0 1</u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month, Day, Year) 9	8SS17 Impact Fires0_
5. Time of Accident <u>0815</u>	9SS18 <u>0</u>
Code reported military time of accident.	
NOTE: Midnight = 2400	10SS19
Unknown = 9999	NUMBER OF EVENTS
•	11. Number of Recorded Events in This Accident 0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 0 /	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90 2. Case Number - Stratum 639 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown 45 pounds X .4536 = 66 kilograms
3. Pedestrian Number <u>0 1</u>	<u> </u>
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
inches X 2.54 = centimeters \ \ \ \ \ \ \ \ \ \ \ \ \	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

, , , , , , , , , , , , , , , , , , , ,	ago
PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	7	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	<u> </u>	(9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	- <u>7</u>	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (specify units): (9) Unknown if blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES[]

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0_1

2. Case Number - Stratum

<u>639</u> P

4. Blank

BEST AVAILABLE COPY

X X

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				s.
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	e.&	7. <u>7.</u>	p4	9. <u>02</u>	- _{10.} _/	112=	12.718	13. 🔼	14. /_	15. 2	- _{16.} <u>2</u> -	-17.2-
2nd	18. 3	19. 8	20. <u>9</u>	21. <u>04</u>	22.02	-23. <u>/</u>	24./_	10% 510P 25.718	26	27	28	-29. 2	30
-3rd	31. <u>7</u>	32. <u>5</u>	33. <u>9</u>	34. <u>0 4</u>	35. <u>6</u> 2	<36. <u>/</u>	37.2	38. <u>77</u> 0	39. <u> </u>	40./	41	42. <u>3</u>	43.
4th	44.2	45. 7	46. <u>≤</u>	47.26	48. <u>DY</u>	493	50.2	51. <u>775</u>	52	53	54. <u>2</u>	_{55.} <u>5</u>	56. <u>4</u>
5th	57. 7	58. 2	59. 9	60. <u>04</u>	61. <u>0</u> 2	- _{62.} <u>/</u>	63.8	64. 7 7 5	65/	66.	67. <u>Z</u>	68	- <i>4</i> 69
6th	70	71. 2	72.5	73. <u>1 4</u>	74. <u>() 2</u>	- 75. <u>/</u>	76. 8	<u>,,,775</u>	78	79	80.	81. <u></u>	B2. <u></u>
7th	83	84. <u>2</u>	85. <u> </u>	86.D 6	87. <u>62</u>	88	89. <u>E</u>	90. <u>775</u>	91	92	93. <u>Z</u>	94.	95. <u> </u>
8th	96.7	97.2	98.7	99. <u>D</u> 6	100. <u>0 2</u>	-101. <u>/</u> _	102.7	103. <u>7 7 5</u>	104	105	106. 2	107.	108
9th	109.2	110.7	111.9_	112.02	113.02		115.2	118.547	117. <u>/</u>	118.	119	_{120.} <u>O</u>	12P
10th	122. 7	123. <u>6</u>	124.9	125. 02	26. <u>0 2</u>	127	128. <u>8</u>	_{129:} <u>947</u>	130. <u>/</u>	131./	132	ليودا	13Q

	PEDESTRIAN INJURY DATA												
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th						_	_		<u> </u>		_	_	_ _
13th 14th 15th													
16th 17th 18th													
19th 20th													
21st 22nd						-				<u>-</u>	- -	_	_
23rd 24th 25th											_	_	=

....

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



National Accident Sampling System-Crashworthiness System: Pedestrian Injury Form

(1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) **Possible** medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Cracked, fractured, shattered Direct contact injury summary) Separated from vehicle Indirect contact injury Emergency room records only (including (2) Noncontact injury Noncontact injury (3) associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE clinic DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage (3) (4) Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge Interviewee (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Specific Anatomic Structure Spine (02) Cervical (04) Thoracic **Body Region** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Moderate injury (06) Lumbar Face (3) Serious injury (3) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints (4) Severe injury (4) (5) Thorax (5) Critical injury are assigned consecutive two digit numbers beginning with 02 (08) Skin - Avulsion Abdomen Maximum (untreatable) (10) Amoutation Spine Upper Extremity (20) Burn Injured, unknown severity Level of Injury Lower Extremity (30) Crush (8) (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect Unspecified Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure numbers Right (2) Left Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Whole Area (4) (5) Central To the extent possible, within the Vesseis organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Anterior Nerves (3) (6) Posterior Organs (includes muscles/ (10) Concussion Superior ligaments) (8) Inferior Skeletal (includes joints) (5) Unknown Head - LOC Whole region **INJURY SOURCE** Wheels / tires **FRONT** 744 B pillar 790 Left front wheel / tire 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing Undercarriage components 707 Retractable headlight door (Open/Closed) 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 718 Other front or add on object (specify): 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 719 Unknown front object 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank Back Components 723 A2 pillar 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component Accessories 820 Air scoop, deflector 729 Left side roof rail 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle **Top Components** 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 825 Cargo (specify):____ 734 Left side glazing forward of B pillar component 772 Front fender top surface 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing

779 Rear header

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

780 Hatchback

INJURY SOURCE CONFIDENCE LEVEL

Certain

Probable

SOURCE OF INJURY DATA

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

OFFICIAL

TYPE OF DAMAGE

947 Ground

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

- N. 181

No damage/contact

(0) Injury not from vehicle contact

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

__ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/di)

BAL = O

Glasgow Coma Scale Score


gcss = 15

Units of Blood Given

Units =


Arterial Blood Gases


Ph = _.-PO₂ = ___ PCO₂ HCO₃



OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration FLDESTITIATE GETTER	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 90	OFFICIAL RECORDS
2. Case Number - Stratum 6 3 9 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit
5. Vehicle Make (specify): WER CURU Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown 30 mph x 1.6093 = 048 kmph 11. Police Reported Alcohol Presence For Driver
(99) Unknown 6. Vehicle Model (specify): 036 TRACER	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAK
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)(78) Unknown medium/heavy truck type
- (79) Unknown medium/neavy truck type (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve
	 (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	, · · · · · · · · · · · · · · · · · · ·
(specify):(06) Traveling too fast for conditions	(89) Animal—unknown location
	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(OO) Halanana of control loss	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	$\hat{\rho}$
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(O4) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	,
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(2)
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	OS Brown Birrational Community
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action) (0) No driver present
(71) From driveway, across path	(0) No driver present (1) No avoidance maneuver
•	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown
	· ·

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic)	4	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing)
	 (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		 (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	4	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		(9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	<u>J</u>	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

0,02348 12 +0,51 - 34,4 = 6 -0.5 + MO.5)2 - (4) 0.024 (-34.4) (2) (0.024) = 28.9 fps = 19.6 mph = 31.6 KPh

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 3 MAPMID JIPA

Model Year 93

Vehicle Make (specify): MERCURY

Vehicle Model (specify): TRACER

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06	Hood	Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

0	3	8	cm

054 cm

069 cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

cm

PEV22 Ground to Rear Hood Opening

cm cm

PEV23 Ground to Base of Windshield


PEV24 Ground to Top of Windshield

cm

PEV25 Ground to Head Contact

cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground: $\frac{1}{2}$ $\frac{4}{2}$ cm

	PEDESTRIAN SIDE CONTACT WORK SHEE		
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VEDTICAL BACA CUIDERACRITO		
	VERTICAL MEASUREMENTS		
	Ground Clearance	<i></i>	cm
PEV27	Side Bumper-Bottom Height		cm
-	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
	C _L to A-Pillar at Bottom of Windshield		cm
1	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cn
PEV40	Ground to Centerline of Hood (ORIGIN)		cn
PEV41	Ground to Head Contact		cn

ORIGINAL SPECIFICATIONS 098.4 inches x 2.54 = 250 cm Wheelbase 120.9 inches x 2.54 = 434 cm Overall Length 06.7 inches x 2.54 = 16.7 cm Maximum Width 02.344 pounds x .4536 = 1.063 kg Curb Weight 0 + 9.1 inches x 2.54 = 1.25 cm Average Track 0.33.9 inches x 2.54 = 0.86 cm Front Overhang 0.39.0 inches x 2.54 = 0.99cm Rear Overhang Undeformed End Width 0.58.2 inches x 2.54 = 1.48 cm Engine Size: cyl./displ. 4000 cc x .001 = 1.9 L 19 L <u>/ / 3</u> CID x .0164 =

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	•	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface	•	820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowi area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source

VEHICLE DAMAGE SKETCH



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

		**** **** ****	POINTS	OF PEDEST	RIAN CONTA	СТ		
			PEDEST	RIAN CONTA	CT WORKSHE	:3 1		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	SEQUENCE #
4	Bumpek	+66	+97	0	legs		1) 2 3 9	1
C	14000	+47	ا در ب	0	4624	SCHATCHES SANKLESS	①2.3.8	<u> 2</u>
\mathcal{D}	H000.7	67	+51	0	chest AREA	11	1 2 3 9	2
H	-1700	+17	-45	0	BACK	t/	O 2 3 8	2-
/<	Wiper	+ 43	-47	0	BACK	BeNT	1 2 3 9	3
4	Hood	-/ 3	-46	0	chest	Scrattenes Smudges	(T)2 1 9	4
4	14000	-/3	-07	0	BACK	11	2 3 9	4
2	Windshie	- 4	-09	2	shoulde	CANCICED	O2 1 8	3
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
			-				1 2 3 9	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 1 9	5
							1 2 3 9	# #
							1 2 3:50	
							1 2 3 9	(編) (A) (T) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A

Page 6

					RIAN CONTACT PER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>
1	718	110	+15 +	0	L. L28	Nove les Print	3 039
2	77 <u>0</u>	-33	->0	0	f in		9211
3	770	65	+5	1-2	Lip L-	det/smidge	4 2 3 9
4	715	-61	-9	4-5	4+5k#/4	hale in Wis	0211
5 /	775		e				1 2 3 9
8	" (10	4	5		1 2 3 9
7	()		10				1 2 3 9
. 1	* *		1		-		1 2 3 3
9	947				ser	, ,	Q 2 3 9
10	941				¥	L. elbow	4 2.2.3
11							1 2 3 9
12							1 2 1 3
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 9
17							1 2 3 9
18							1 2 3 5
19							1 2 3 9
20							1 22.10%
21							1 2 3 9
22							172.3.9
23							1 . 2 3 9
24							10 2 3 5
25							1 27 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 142
4. Original Wheelbase 250 Code to the	Code to thenearest centimeter
nearest centimeter (999) Unknown	(210) 210 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width _/ _2 _5Code to thenearest centimeter (185) 185 centimeters or more (999) Unknowninches X 2.54 =centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from
6. Hood Material <u>3</u>	pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact
(999) Unknown	(1) Plastic (2) Fiberglass (3) Rubber
9. Hood Width Forward Opening / 36	(4) Other (specify):(9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel (4) Other (specify): PIASTIC
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown . inches X 2.54 = centimeters

18.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Front Bumper Lead	23. Ground to Base of Windshield Code to thenearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknowninches X 2.54 =centimeters 24. Ground to Top of WindshieldCode to thenearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknowninches X 2.54 =centimeters 25. Ground To Head ContactCode to the
	(00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = centimeters Front Wrap Distance Measurements	nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknowninches X 2.54 =centimeters SIDE CONTACT DAMAGE
	From Frap distance weastrements	Side Vertical Measurements
20	Ground to Forward Hood Opening 075	
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
-	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

 $\cdots = \sum_{i=1}^{n} \hat{X}_i \hat{X}_$

	Contaction of Wheel	000	Skie Lateral Measurements
29.	Centerline of Wheel Code to the	000	
	nearest centimeter		
	(000) No side contact		35. Centerline to A-Pillar OOO
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
			Code to the nearest centimeter
	inches X 2.54 =	centimeters	(250) 250 centimeters or more
			(999) Unknown
		Ω	(000) Chikhowh
30.	Top of Tire	000	. inches X 2.54 = centimeters
	Code to the		
	nearest centimeter		
	(000) No side contact		36. Centerline to A-Pillar OOO
	(200) 200 centimeters or more		at Top of Windshield
	(999) Unknown		Code to the
	inches X 2.54 =	contimeters	nearest centimeter
	Inches X 2.54 =	centimeters	(000) No side contact
			(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
• • • • • • • • • • • • • • • • • • • •	Code to the	<u> </u>	
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side
	(999) Unknown		View Mirror Protrusion
	•		Code to the
	inches X 2.54 =	centimeters	nearest centimeter
		000	(000) No side contact
32.	Bottom of A-Pillar at Windshield	000	(300) 300 centimeters or more
	Code to the		(999) Unknown
	nearest centimeter (000) No side contact		
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	(000) 0		Side Wrap Distance Measurements
	inches X 2.54 =	_ centimeters	
		^ ^ ^	38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(999) Unknown		1 W 2 T 4
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
		~ ^ ~	39. Ground to Hood Edge OOO
34.	Top of Side View Mirror	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(500) 500 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(999) Unknown		
	:b V 2 E4 -	continuators	inches X 2.54 = centimeters
	inches X 2.54 =	— caurimarata	ng a ka nn

40. Ground to Centerline of Hood Code to the	000		
nearest centimeter (000) No side contact (700) 700 centimeters or more			
(999) Unknown			
inches X 2.54 =			
41. Ground to Head Contact Code to the nearest centimeter	000		
(000) No side contact		,	
(800) 800 centimeters or more (998) No head contact (999) Unknown			
inches X 2.54 =	centimeters		
	·		. •



96000000000 90639P0000001 🛍 969.0400000000000108150100001 0000000000000000 01 **2**969.0410000000000101F72000 90639F00010012 9.04 000000005221634608613306613023001310030279670331096115 90639P00010021 1010000000010 9.04 00000000038904021271811222 90639P00010131 9.04 00000000038904021171811222 90639P00010231 9.04 00000000075904021277011333 90639P00010331 9.04 00000000027526043277511254 90639P00010431 9.04 00000000072904021877511254 90639P00010531 9.04 00000000072514021877511254 90639P00010631 9.04 00000000072906021877511254 90639P00010731 9.04 00000000072906021777511254 90639P00010831 9.04 00000000027902021294711000 90639P00010931 9.04 00000000076902021894711000 90639P00011031 9.04 0000000009314036043MAPM10J1PR 39904809670106000003 90639P01000041 21110180011104411210011 9.04 0000000002501253109413614214222140380540691007508317117 90639P01000051 00000000000000

PSU90 CASE 639P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	JMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	ŏ	ō	ò	Y
Pedestrian Injury	o	0	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicle	e O	O	0	Υ
Total Inter Errors		0	0	
Total Case Errors	0	O	o	