



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.



PEDESTRIAN CRASH DATA STUDY

CASE NO. 6286 PSU 40

TYPE OF ACCIDENT CAR /PEDESTRIAN CROSSING ROAD STRAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) UEhICLE # 1, Which WAS TRAVELING NORTH ON A DIVIDED HIGHWAY, WHEN A FEDESTRIAN COMING FROM THE MEDIAN AND CROSSING ROAD STRAIGHT FROM WEST TO EAST, RAN OUT INTO THE THURL LANE WHERE VEHICLE #1 WAS TRAVELING, TURNED AROUND TO TRY TO GO BACK TOWARDS THE MEDIAN, WAS THEN STRUCK BY VEHICLE # 1 WITH THE LEFT FRONT OF VEHICLE, AND KNOCKED TO THE GROUND TO THE LEFT FROM OF VEHICLE AND LANDING IN THE MEDIAN, PED WAS TRANSPORTED TO MEDICAL CENTER

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	39	1	3	Lower Leg	fracture	3	Front Burpar

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE						
	Class		В	Most Severe Damage ased on Vehicle Inspection		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description		
01	SUBCOMPACT	97 VOLKSWAGEN/ JETTA GLS	FRONT	MODERATE		

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Case Number-Stratum 628 Indicate PSU No. 40 North 111 H 46.1 1 HS Form 431B (1/95)

Scale: 1 centimeter = 1/550 meters

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Case Number-Stratum 6 28 P PSU No. 40 Indicate North HS Form 431B (1/95)

Scale: 1 centimeter =///00

U No. 4		per — Stratu		28 CB	P	NAL ACCIDENT S RASHWORTHIN Indicate North	
)						
							Control of the Contro
	Ø						1.0
	X)					
(.0							
$+\Theta$							a. January and the state of the
			7				
	, , , O		7.0		3.7		
A	410	~ a-					
		1		7		->	
			/ / .			2.	9 🚽

HS Form 431B (1/95)

Scale: 1 centimeter =

___ meters

DAM.

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 4 0 Case Number-Stratum 6 2 8 P							
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM							
document reference point and reference line relative to physical features	Surface Type		* noi	th arrow placed on diagram			
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	n		de measurements for all applicable dways			
a) vehicle skid marks	Coefficient of Fri			aled representations of the physical plant luding:			
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)			
c) vehicle/pedestrian point of impact (POI)	a) at impa	ct	b)	all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) betwee final res	tween impact and al rest		aled representations of the vehicle and destrian at pre-impact, impact, and final t based upon either:			
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	a)	physical evidence, or			
documentation of the physical plant including:	Vehicle Travel D		b)	reconstructed accident dynamics			
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles,	Number of Trave	i Lanes					
signs; etc.) b) all traffic controls (e.g., lights, signs)							
Reference Point: MILE POST MI	aricer N	Reference Line: <u>KoA</u>	JWA	toge Bastside			
ltem		Distance and Direction		Distance and Direction			
		from Reference Point		from Reference Line			
RiP		A.D		2,9 E			
Poss. POI		14.1 W		10,2 W			
		· · · · · · · · · · · · · · · · · · ·					

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	Hom Reference Fount	HOITI Reference Line
·		
		L

T

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

0 1

	•		OII DAIA 310
1. Primary Sampling Unit Number	40	SPECIAL STUDIES - INDICATO	DRS
2. Case Number - Stratum	628 p	Check () each special study (SS15-SS19 has been completed; code 1 for the check	ked special
IDENTIFICATION		studies and 0 for the special studies not chec	cked.
3. Number of General Vehicle		6SS15 Administrative Use	_0
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month,Day,Year)	/ 97	8SS17 Impact Fires	_0
5. Time of Accident	115	9SS18	0
Code reported military time of accident	dent.		
NOTE: Midnight = 2400		10SS19	0
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events in This Accident	0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDEN [*]	TEVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14. <u>Ø /</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety Administration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number 2. Case Number - Stratum 6	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number	0 1 / 55 pounds X .4536 = $0 7 0$ kilograms
PEDESTRIAN'S CHARACTERISTIC	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd mon (4) Female - pregnant-2nd trimester (4th-6th mon (5) Female - pregnant-3rd trimester (7th-9th mon (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	th) (2) Walking slowly (3) Walking specially
7 inches X 2.54 = /80 centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = 53 centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown 51 inches X 2.54 = 145 centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	Page
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, right of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment
 (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	(1) Fatal (2) Fatal - ruled disease (specify):
Source:	Nonfatal (3) Hospitalization
Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	 (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

Strole Variables confirmered at	
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES [/]

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

6 28 P

3. Pedestrian Number

0 1

2. Case Number - Stratum

P 4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


Source		Tunna	AIS-90					Injury				
of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1 CO OM E	6.8	7.5	8. <u>34</u>	9. <u>08</u>	10.3	112	700 12 <u>77</u> 0	- 13. <u>/</u>	14/	15. 2	_	•
18:8 200 Jest	19. 7	20. <u>5</u>	21. <u>32</u>	22. <u>04</u>	23. <u>3</u>	24. 🕰	25. <u>77c</u>) _{26.} <u>/</u>	27. 🖊	28.		
Her her!	32. <u>8</u>	33. <u>2</u>	34. <u>O Le</u>	35. <u>04</u>	36. <u>2</u>	37. <u>3</u>	38. <u>7.08</u>	39. —	40. 🗘	41. 2	42.5	<u>ئە</u> 43.
4th 44. 2	45. 8	46. <u>A</u>	47. <u>D</u> <u>B</u> .	18. <u>O A</u>	49. 🔁	50.2	51. <u>708</u>	52	53/_	54. <u>2</u>	-55. 5	56. 2
15-6 ⁰⁰⁰ 57.3	58.5	59. 9	60 <u>O D</u> 6	31. <u>03</u>	62	63. <u>B</u>	64. <u>770</u>	65/	66.	67.	68. 2	69. 2
1641/10. <u>a</u> W 1892 18	71. <u>D</u> パラ	72	73. <u>/ (r</u>	4. <u>0 l</u> e	75. <u>A</u>	76. 2	77. <u>708</u>	78	79. <u>/</u>	80. 2	ع. 1. <u>ح</u>	82. 2
3, COLES	84. <u>Ø</u>	85. 9	86. <u>Ø 4</u> 8	7. <u>02</u>	88	вэ. 🧘	708	91	92	93 <u>2</u>	94. 5	95. <u>2</u>
8th 96. <u>2</u> ((25)6(15)	17. 9	98. 4	99. <u>02</u> ,0	0. <u>00</u>	101. 🛴 1	02.9 1	03. <u>770</u>	1041	05. <u>/</u>	106. 2	07. 🔰 1	os. <u>3</u>
4000 3 1	10. <u>5</u> 1	111. <u>9</u> 1	12. <u>04</u> 11	a. <u>02</u> 1	14. 1	15. <u>8</u> 1	16. <u>770</u>	117.] 1	18. 🖊	1191	20. 3 1	21. <u>3</u>
1000 122 <u>3</u> 1. WHO!	23. 🗍 1	24. 9 1	25. <u>04</u> 12	6. <u>Q Z</u> 1	27. 1	28. 🕰 1	770	1301	31, 🖊	132.2	33. 3 1	34 <u>3</u>

	PEDESTRIAN INJURY DATA											
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS.90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th								_				
12th		_			_			_				
13th	_	_			_					_		
14th		_						_	_	_	—	
16th												
17th	_	_			_			_	-	_	_	
18th		_			_	_		_	_	_		_
19th		_				_			_		_	_
20th		_								_	_	
22nd												
23rd	_	_			_			_		_	_	
24th	_				_	_				_	_	_
25th						_				-	_	—

Page 2

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report (6) E.M.S. personnel Surface only damage Crush depth >0 to 2 centimeters Rounded (contoured) Rounded edge (7) Interviewee Other source (specify): Sharp edge Crush depth > 2 to 5 centimeters Other (specify): Crush depth >5 to 10 centimeters (9) Police Other specify:_ (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (2) Face Neck (06) Lumbar (2) (3) Moderate injury (3) Thorax Serious injury (06) Skin - Laceration (08) Skin - Avulsion Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Critical injury (5)Abdomen (5)(6) Spine (10)Amputation numbers beginning with 02 (7) (6) Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity (8) Lower Extremity (30) Crush Level of Injury Unspecified (40) Degloving **Aspect** (50)Injury - NFS Specific injuries consecutive two assigned Type of Anatomic Structure Trauma, other than mechanical (90) consecutive two-digit beginning with 02. numbers Right Whole Area (2) (3) (2) (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral To the extent possible, within the organizational framework of the AIS, 00 Central (3) Nerves (4) (5) Anterior Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (6) Posterior ligaments) (7) Superior Skeletal (includes joints) (8) (6)Head - LOC Inferior (9) Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 723 A2 pillar 808 Floor pan Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 733 Left side folding mirror 822 Emergency lights or bar 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 823 Fog lights component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable

Possible

DIRECT/INDIRECT INJURY

Direct contact injury

Noncontact injury

Indirect contact injury

(9) Unknown

(2)

TYPE OF DAMAGE

(3) Dent

(7)

181

No damage/contact

Large deformation

Noncontact injury

Other specify:

Separated from vehicle

(0) Injury not from vehicle contact

Cracked, fractured, shattered

Scratch (Scuff, Cloth Transfer, Smear)

SOURCE OF INJURY DATA

medical records

summary)

(1) Autopsy records with or without hospital/

Hospital/medical records other than

(3) Emergency room records only (including

associated X-rays or other lab reports)

emergency room (e.g., discharge

OFFICIAL

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

___ Yes

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ___

Units of Blood Given

Units = ____


Arterial Blood Gases

Ph = __.__

PO₂=


PCO₂ ____

HCO₃ ____



OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 40	OFFICIAL RECORDS
2. Case Number - Stratum 6 P	9. Police Reported Travel Speed 9999
3. Vehicle Number VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): VOLKSWAGEN Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	in kmph (999) Unknown 55 mph X 1.6093 = 88.5 kmph 11. Police Reported Alcohol Presence For Driver (0) No clooked presence For Driver
6. Vehicle Model (specify): Applicable codes are found in your	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06)Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after), Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (< 4,500 kgs GVWR)
- Van based other bus (≤ 4,500 kgs GVWR) (25)
- Other van type (Hi-Cube Van, Kary) (specify): (28)
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45)Other light conventional truck type
- Unknown light truck type
- (49)Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR < 8,850 (61) kgs)
- (62)Single unit straight truck (8,850 kgs < GVWR s 12,000 kgs)
- Single unit straight truck (> 12,000 kgs GVWR)
- (64)Single unit straight truck, GVWR unknown
- Medium/heavy truck based motorhome
- (67)Truck-tractor with no cargo trailer
- Truck-tractor pulling one trailer
- Truck-tractor pulling two or more trailers (69)
- Truck-tractor (unknown if pulling trailer) (70)
- Unknown medium/heavy truck type (78)
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- Other motored cycle (minibike, motorscooter) (88)(specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3,954 lbs x .4536 = 1,340 kgs	18. Impact Speed +
Source: MVMA 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23.	Critical Precrash Event & D	(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:	(specify):
	(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
	up) (specify):	(87) Animal in roadway
•	(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	(specify):	(89) Animal—unknown location
	(06) Traveling too fast for conditions	(90) Object in roadway
	(08) Other cause of control loss (specify):	(91) Object approaching roadway
		(92) Object—unknown location
	(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
	This Vehicle Traveling	
	(10) Over the lane line on left side of travel lane	(99) Unknown
	(11) Over the lane line on right side of travel lane	
	(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver \mathcal{O} \mathcal{T}
	(13) Off the edge of the road on the right side	(00) No driver present
	(14) End departure	(01) No avoidance actions
	(15) Turning left at intersection	(02) Braking (no lockup)
	(16) Turning right at intersection	(03) Braking (lockup)
	(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
	(19) Unknown travel direction	(05) Releasing brakes
	Other Motor Vehicle In Lane	(06) Steering left
	(50) Stopped	(07) Steering right
	(51) Traveling in same direction with lower speed	(08) Braking and steering left
	(i.e., lower steady speed or decelerating)	(09) Braking and steering right
	(52) Traveling in same direction with higher speed(53) Traveling in opposite direction	(10) Accelerating
	(54) In crossover	(11) Accelerating and steering left
	(55) Backing	(12) Accelerating and steering right
	(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):
	in lane	(99) Unknown
	Other Motor Vehicle Encroaching Into Lane	25 Droproch Carbillan Art. A. 11
	(60) From adjacent lane (same direction)—over left	25. Precrash Stability After Avoidance Maneuver (0) No driver present
	lane line	(1) No avoidance maneuver
	(61) From adjacent lane (same direction)—over right	(2) Tracking
	lane line	(3) Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line	degrees
	(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
	(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
	(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
	(66) From crossing street, across path	(O) D
	(67) From crossing street, turning into opposite	(9) Precrash stability unknown
	direction	26 Prograph Directional Consequence
	(68) From crossing street, intended path not known	26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction	(0) No driver present
	(71) From driveway, across path	(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known	maneuver was initiated
	(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
	unknown	(4) Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was initiated
	(80) Pedestrian in roadway	initiated (5) Vehicle departed roadway
	(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	(9) Directional consequences unknown
		1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

		AAIKOMME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	04	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way to positive barrier (3) Divided trafficway - median strip to positive barrier (4) One way trafficway (9) Unknown	raffic) without	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	<u>3</u>	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
32.	(1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete	2	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog
	(2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):		 (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

U.S. Department of National Highway	f Transportation
	Trailic Safety
A-imisistration	

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

A. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 3 VW 5 B 8 1 H 9 VM

Vehicle Make (specify): VOLKSWAGEN

Vehicle Model (specify): JETTA

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	STEEL
PEV08 Hood Length	95 cm
PEV09 Hood Width-Forward Opening	$\frac{129}{129}$ cm
PEV10 Hood Width-Midway	$\frac{7}{4} \frac{1}{6} \frac{1}{6}$ cm
PEV11 Hood Width-Rear Opening	7.4.5 cm
PEV14 Front Bumper Cover Material	PLASTIC
PEV15 Front Bumper Reinforcement Material	STEEL


VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	_37 cm
PEV17 Front Bumper-Top Height	52 cm
PEV18 Forward Hood Opening	74 cm
PEV19 Front Bumper Lead	—— /
	———— cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	77	cm
PEV21 Ground to Front/Top Transition Point	- 	cm
PEV22 Ground to Rear Hood Opening		
PEV23 Ground to Base of Windshield	157	cm
PEV24 Ground to Top of Windshield	415	cm
PEV25 Ground to Head Contact	252	cm
FOR THE PROPERTY OF THE PROPER	448	cm

HS Form 0435K (Rev. 10/95)



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 150 cm

	PEDESTRIAIN SIDE CONTACT WORK SHEE	:	
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
٠	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		
	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
			cm
	Centerline of Wheel		cm
	Top of Tire		cm
	Top of Wheel Well Opening		cm
	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		em.
	C _L to A-Pillar at Top of Windshield		cm
	C _L to Maximum Side View Mirror Protrusion		cm
			cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		
	Ground to Head Contact		cm
			cm

VEHICLE DAMAGE SKETCH NOTES:

ES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ______cr

inches x 2.54 = 24 $\sqrt{2}$ cm Wheelbase inches x 2.54 = 4 + 0 cmOverall Length inches x 2.54 = $\frac{169}{2}$ cm Maximum Width pounds x .4536 = /, $\stackrel{>}{\sim}$ $\stackrel{\checkmark}{\smile}$ 0 kg Curb Weight Average Track inches $\times 2.54 =$ Front Overhang inches $\times 2.54$ 3 inches x 2.54 Rear Overhang Undeformed End Width inches x 2.54 Engine Size: cyl./displ. 2.8 L \times .001 CC CID x .0164 =MVMA **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

				POINTS	OF PEDEST	RIAN CONTA	CT		
				PEDEST	RIAN CONTA	CT WORKSHI	Ħ		
	CONTACT ID LABEL	COMPONENT	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE
	40	TURNSIG LENS	40	45		LEG	M1551NG	1 2 3 9	21
	WN	TURNSIA LENS	47	66		4	CRIWA	1 2(3)9	20
	WY	Hood	77	34		LEG	CLOTA	<u>(1)</u> 2 3 9	8
	Yr	Hood	86	61		41	SCRARUES	∂) 2 3 8	9
\int	WT	FENDER	91	45		TORSO	PAINT Chipped CRIMPED	1 2 3 9	6
Ц	YT	FENGER	/33	68		10RS0	-		7
1	YR	Hood	//	60	0,3cm	TORSO	DENT	<u>(1)</u> 2 3 9	3
	Y2	Hood	11)	57,	,	toeso	DENT	D 2 3 9	4
4	-W W	Hood	127	44		TORSO	DENT	7)239	5
-		FE NOTE /	84	69		70/46	SCRATCHES	<u>(1)</u> 2 3 9	70
\int	WF	FINDER	93	87	1cm	LEG	DENT	(D 2 3 9	1
4	YJ	FENDER	134	80		LEG	DENT	D739	2
	YW	Sidi MIRNON	205	86		TORSO	SMULGE	1 2 3 9	11
	YE	A PILLAR	213	74			SCRATULES	O2 1 9	11
	WA	MIRRON	214	83		ł	S-CRATCHES	1)2 3 g	16
	4	MINON	210	102			MUJGE	12)11	18'
	WL	MILY SIGE	235	74		JORSO	SCRATCHES	1 2 3 9	14
		PIDE CULDON LT SIDE DOOR	252	76		77/150	FERATEUT.	Ò. i i	15
	WH	DOOR	278	86		TORSO	DENT &	O 2 3 9	13
		Malon		70		70698	14 1551NG	1 20 2 8	19
	$\mathcal{W}_{\mathcal{C}}$	A ALLAN	7-78	69		PKSO	ERATCH	7) 2 3 9	12
				ı			Ì	1 2 3 9	
								1 2 3 9	
								1 2 3 9	
						,		1 2 3 9	

POINTS OF PEDESTRIAN CONTACT									
					DER OF CONTACTS				
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)		
1	720	93	87) cm	IE4	DENT	1 2 3 9		
2	120	134	80	+1	LEG	DENT	0219		
3	770	100	60	O. 3cm	TORSO	DENT	(1) 2 3 9		
4	770	111	57	*1	70KS0	DENT	D2 3 9		
5	770	127	64	11	TORSO	DENT	<u>(1)</u> 2 3 9		
6	720	91	65		70850	A.J. C. PR. 4 :	√ 5)2 3 9		
7	120	133	68		TORSO	CAMPED PHINT CHIPPED & CRIMPED	6 2 3 9		
8	770	77	34		LEG	CLOTA	D2 3 3		
9	770	86	61		HIP	SCRATCHES	1 2 3 9		
10	120	84	69		TORSO	SERATEUES	() 2 - 1 - 9		
11	122	213	74		TORSO.	SCRATCHES	<u>1</u> 2 3 9		
12	722	228	69		TOUSO	SCHATCHES	0233		
13	730	278	86		TORSO	DENT AND SCRATCH	1 2 3 9		
14	734	<i>735</i>	74		70 <i>R</i> S0	SCRATCHES	()2 3 9		
15		252	76		TORSO	SCRATCHES	<u>1</u> 2 3 9		
16		214	83		TORSO	SCRATCHES	∂)2:3:8		
17	735	205	86		TORSO	SMUDGE	1 ② 3 g		
18	132	210	102		10KS0	SMULIGE	1 🖉 1.9		
19 20	732	228	80		TORSO	MISSING	1 2 3 9		
21	708	47	66		LES	CRACKEL	1 2 (3) 9		
27	708	40	45		LEG	MISSING	1 2 3 9		
23							1 2 3 9		
24							1 2 3 9		
25							1 2 3 9		
23							1 2 3 9		

VEHICLE DIMENSIONS	1//5
4. Original Wheelbase Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
27. Linches X 2.54 = 247 centimeters 5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown 56. Linches X 2.54 = 144 centimeters	inches X 2.54 = // Scentimeters 12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	pedestrian impact (9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT-CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 37. 4 inches X 2.54 = 95 centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
nearest centimeter (210) 210 centimeters or more (999) Unknown	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(999) Unknown $\underline{55.} \text{inches X 2.54} = \underline{\cancel{140}} \text{ centimeters}$	nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

l -	T	
17.	Front Bumper-Top Height 052	23. Ground to Base of Windshield / 7 6
t	Code to the nearest centimeter	Code to the
	(000) No front contact	nearest centimeter (000) No front contact
l •	(150) 150 centimeters or more	(400) 400 centimeters or more
1	(999) Unknown	(999) Unknown
	inches X 2.54 = Centimeters	-49.3 inches X 2.54 = 126 centimeters
۱.		
18.	Forward Hood Opening Code to the	24. Ground to Top of Windshield 252
		Code to the
	nearest centimeter (000) No front contact	nearest centimeter
	(200) 200 centimeters or more	(000) No front contact (500) 500 centimeters or more
1	(999) Unknown	(999) Unknown
	791	
	$=$ $\frac{29}{4} \cdot \frac{1}{4}$ inches X 2.54 = $\frac{19}{4}$ centimeters	-992 inches X 2.54 = 252 centimeters
		25. Ground To Head Contact 998
19.	Front Bumper Lead	Code to the
l	(00) No front contact	nearest centimeter
	Code to the nearest centimeter	(000) No front contact
1	(30) 30 centimeters or more	(400) 400 centimeters or more
	(99) Unknown	(998) No head contact (999) Unknown
1		
1		inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
		Side Vertical Measurements
1		
	·	
20.	Ground to Forward Hood Opening 077	-
20.	Ground to Forward Hood Opening	26. Ground Clearance
20.	nearest centimeter	Code to the
20.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter
20.	nearest centimeter	Code to the nearest centimeter (000) No side contact
20.	code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
20.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 30.3 inches X 2.54 = 77 centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 30.3 inches X 2.54 = 77 centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact
	Ground to Front/Top Transition Point Code to the nearest centimeter Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact
	Ground to Front/Top Transition Point Code to the nearest centimeter Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Ground to Front/Top Transition Point Code to the nearest centimeter Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown 3 4 9 inches X 2.54 = 8 1 centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29.	. Centerline of Wheel	000	Side Lateral Measurements
	Code to the nearest centimeter		
	(000) No side contact		35. Centerline to A-Pillar
	(150) 150 centimeters or more (999) Unknown		at Bottom of Windshield (000) No side contact
			Code to the
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more
30	. Top of Tire	~	(999) Unknown
30.	Code to the	000	inches X 2.54 = centimeters
	nearest centimeter		centimeters
	(000) No side contact (200) 200 centimeters or more		36. Centerline to A-Pillar
	(999) Unknown		at Top of Windshield
	inches X 2.54 =	gaptimet	Code to the nearest centimeter
		centimeters	(000) No side contact
31.	Top of Wheel Well Opening	$\phi \wedge \phi$	(250) 250 centimeters or more (999) Unknown
	Code to the	000	
	nearest centimeter (000) No side contact		inches X 2.54 = centimeter
	(250) 250 centimeters or more		
	(999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion
	inches X 2.54 =	_ centimeters	Code to the
32.	Bottom of A-Pillar at Windshield	000	nearest centimeter (000) No side contact
	Code to the	000	(300) 300 centimeters or more
	nearest centimeter (000) No side contact		(999) Unknown
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	inches X 2.54 =	_ centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield		38. Ground to Side/Top Transition
	Code to the	000	Code to the
	nearest centimeter (000) No side contact		nearest centimeter (000) No side contact
	(300) 300 centimeters or more		(400) 400 centimeters or more
	(999) Unknown		(999) Unknown
	inches X 2.54 =	_ centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror	000	39. Ground to Hood Edge
	Code to the	1000	Code to the
	nearest centimeter (000) No side contact	-	nearest centimeter (000) No side contact
	(300) 300 centimeters or more (999) Unknown		(500) 500 centimeters or more
			(999) Unknown
	inches X 2.54 =	_ centimeters	inches X 2.54 = centimeters

1

PSU40 CASE 628P 1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)
5. Time of Accident (military time)

2115

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

01

PSU40 CASE 628P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage
	**** **** **** **** ****				***************************************	
12. 01	13. 01	14. 01	15. F	16. 72	17. 00	18. 0

01

PSU40 1997 PEDESTRIAN ASSESSMENT FORM CASE 628P VEHICLE 01 PEDESTRIAN 01

PEDE	ESTRIAN'S CHAF	RACTERISTICS	
4,	Pedestrian's	Age	39
5.	Pedestrian's	Sex	1
Б.	Pedestrian's	Overall Height	180
7.	Pedestrian's	Height - Ground to Knee	53
8.	Pedestrian's	Height - Ground to Hip	100
9.	Pedestrian's	Height - Ground to Shoulder	145
10.	Pedestrian's	Weight	070
PEDE	ESTRIAN'S PRE-	-AVOIDANCE ACTIONS	
11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	2
13.	Pedestrian's	Actions Relative to Vehicle	01
14.	Fedestrian's	Body (Chest) Orientation Relative	
	to Striking \	/ehicle Prior to Avoidance Actions	3

PEDESTRIAN'S AVUIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	೦೦
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	1 3 01 04 09
OFFICIAL RECORDS	
21. Police Reported Alcohol Presence For Pedestrian	1
22. Alcohol Test Result For Pedestrian	96
23. Police Reported Other Drug Presence For Pedestrian	7
24. Other Drug Specimen Test Result For Pedestrian	0

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	3
26. Treatment - Mortality	3
27. Type of Medical Facility (for Initial Treatment)	1.
28. Hospital Stay	24
29. Working Days Lost	97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	14
31. Was the Pedestrian Given Blood?	9
32. Arterial Blood Gases	01
33. Time to Death	OO.
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	10

PSU40 CASE 628P

1997 FEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

	Source of Inj. Data	-	Type of Anat. Struc.	Spec. Anat. Struc.	Lev. of Inj.	AIS Sev.	Asp.	Inj. Source	Inj. Source Conf. Level	Dir./ Indir. Inj.		Type of Dmg.	Dmg.
01.	2	8	5	34	08	3	2	700	1	1	2	<u> </u>	2
02.	2	7	5	32	() c]	3	2	770	1	1	2	3	3
03.	2	8	2	06	04	2	2	708	1	1	2	5	2
()4.	2	8	2	08	02	2	2	708	1	1	2	5	2
05.	3	5	9	02	02	1	8	770	Ī	1	2	2	2
06.	2	8	5	16	06	2	2	708	1	1	2	5	2
07.	3	8	9	04	02	1	1	708	i	1	2	5	2
O8.	3	9	9	02	00	1.	9	770	1	1	2	3	3
09.	3	5	9	04	02	1	8	770	1	1	2	3	3
10.	3	7	9	04	02	1	2	770	1	i.	2	3	3

1997 PEDESTRIAN GENERAL VEHICLE FORM

01

VEHICLE IDENTIFICATION	
4. Vehicle Model Year	97
5. Vehicle Make	30
6. Vehicle Model	040
7. Body Type	04
8. Vehicle Identification Number	3VWSB81H9VM
	•
OFFICIAL RECORDS	
9. Police Reported Travel Speed	999
10. Speed Limit	089
11. Police Reported Alcohol Presence For Driver	7
12. Alcohol Test Result For Driver	96
13. Police Reported Other Drug Presence	0
14. Other Drug Specimen Test Result for Driver	0

VEHICLE WEIGHT ITEMS 15. Vehicle Curb Weight 16. Vehicle Cargo Weight	1,340 9,990
OTHER DATA 17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed 19. Accuracy Range of Impact Speed Estimate 20. Data Source of Impact Speed	+999 9
PRECRASH DATA 21. Driver's Attention to Driving	1

22. Pre-Event Vehicle Movement

PRECRASH DATA (continued) 23. Critical Precrash Event 24. Attempted Avoidance Maneuver 25. Precrash Stability After Avoidance Maneuver 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 2

ENVIRONMENTAL DATA	
27. Relation to Junction	()
28. Trafficway Flow	3
29. Number of Travel Lanes	Э
30. Roadway Alignment	1.
31. Roadway Profile	1
32. Roadway Surface Type	2
33. Roadway Surface Condition	2
34. Traffic Control Device	\circ
35. Traffic Control Device Functioning	0
36. Light Conditions	3
37. Atmospheric Conditions	2
01	

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

VEHICLE DIMENSIONS

4.	Original Wheelbase	247
5.	Original Average Track Width	144
6.	Hood Material	3
7.	Hood Original Equip. Manufactu	rer i
8.	Hood Length	095
9.	Hood Width Forward Opening	129
10.	Hood Width Midway	140
11.	Hood Width Rear Opening	145
12.	Hood/Fender Vertical/Lateral	
	Crush From Fedestrian	2
13.	Windshield Contact Damage From	
	Pedestrian Contact	O

FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS

14. Front Bumper Cover Material	1	15.	Front	Bumper Reinforcement Mat.	1
16. Front Bumper-Bottom Height	037	17.	Front	Bumper-Top Height	052
18. Forward Hood Opening	074	19.	Front	Bumper Lead	07
FRONT WRAP DISTANCE MEASUREMENTS					

20.	Ground	to	Fwd. How	od Opening	077	21.	Ground	to	Front	:/Top	Transition	Pt	081
22.	Ground	to	Rear Ho	od Opening	171	23.	Ground	to	Base	of W	indshield	£	176
24.	Ground	to	Top of (Windshield	252	25.	Ground	to	Head	Cont	act		998

SIDE CONTACT DAMAGE

SIDE VERTI	CAL MEASUREMENTS	
26. Ground		000
27. Side B	umper-Bottom Height	000
	umper-Top Height	000
	line of Wheel	000
30. Top of		000
	Wheel Well Opening	000
	of A-Pillar at Windshield	000
	A-Pillar at Windshield	000
34. Top of	Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE	LATERAL	MEDGI	IREMENTS

35.	Centerline	$t \circ$	A-Pillar	at	Bottom	of	Windshield	000
36.	Centerline	to	A-Pillar	at	Top of	Win	ndshield	000
37.	Centerline	to	Maximum 3	Side	. View M	dir.	or Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	$t \circ$	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000
. .				

0

40628P00010012 4## 9710.010000000000101F72000	
40628P00010021 10.0 000000000391180531001450701201300130104091967033124971	4
901000000010	
40628P00010131 10.0 00000000028534083270011222	
4062 8P000 10231	
40628P00010331 10.0 00000000028206042270811252	
40628P00010431 10.0 00000000028208022270811252	
40628P00010531 10.0 00000000035902021877011222	
40628P00010631 10.0 00000000028516062270811252	
40628P00010731 10.0 00000000038904021170811252	
40628P00010831 10.0 00000000039902001977011233	
40628P00010931 10.0 00000000035904021877011233	
40628P00011031 10.0 00000000037904021277011233	
40628P01000041 10.0 0000000009730040043VWSB81H9VM 990897960013499909	9
99010180072203311220032	
40628P01000051 10.0 000000000247144310951291401452011037052074070770811711	7
62529980000000000000000000000000000000000	
40628P9999999900000000000000000000000000000	្
000000000000	

98 9700000000

40628P00000011 9710.0000000000012115010000 97

PSU40 CASE 628P CURRENT VERSION: 10.0 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

•	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
	,-s	0	;=.	V
Pedestrian Accident	Ō	Ŷ	<u> </u>	1
Pedestrian Assessment	<u>.</u>	O	O	Υ
Pedestrian Injury	0	\circ	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicl	e O	0	0	Υ
Total Inter Errors		0	0	
Total Case Errors	0	0	0	