400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

**PSU** 49

CASE NO. 604P

TYPE OF ACCIDENT

Car/Pedestrian running across road

#### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was traveling westbound in the third lane of three lanes on a six lane divided roadway. The pedestrian was running from north to sough on the same roadway. The right side of vehicle 1 collided with the pedestrian who tumbled forward approximately four meters.


B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)		
No. Age Sex M		Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	13	Female	Treated and Released	Left Forearm	Contusion	1	Windshield		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head	Whole Area	(1) Minor injury
Face	Vessels	(2) Moderate injury
Throat Chest	Nerves	(3) Serious injury (4) Severe injury
Abdomen/Pelvis	Organs Skeletal	(5) Critical injury
Spine	Head-LOC	(6) Maximum (untreatable)
Upper Extremity  Lower Extremity	Skin-Burn	(7) Injured, unknown severity
External	Skin-Other	

C. VEHICLE PROFILE								
	Class		В	Most Severe Damage ased on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Intermediate	93/Oldsmobile/ Cutlass Ciera	Right	Broken antenna, cracked windshield				



# U.S. Department of Transportation National Highway Traffic Safety Administration





# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathcal{Y}}$	_	Case N	lumber	-Stratum <u>6</u> <u>O</u> <u>Y</u> <u>P</u>
PEDESTRIAN ACCIDENT CO	LISION DATA COLLECT	ION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	_(MY_	* nor	th arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	1/M Trav-14		de measurements for all applicable dways
a) vehicle skid marks	Coefficient of Friction			aled representations of the physical plant luding:
b) pedestrian contacts with ground or object	Grade (v/h) Measurement	Olog	а)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impact	<u> </u>	b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between impact a final rest	and 0/112	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final t based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction	· <u> </u>	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel Direction	<u> </u>	b)	reconstructed accident dynamics
<ul> <li>all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>	Number of Travel Lanes	3		
b) all traffic controls (e.g., lights, signs)		į.		
Reference Point: Uhlity Pole 75	F	Reference Line:/	V Cu	nh we fedhitte
Item	i	Distance and Direction from Reference Point		Distance and Direction from Reference Line
Poj.		8,0	6.9	
FRP		4.7	6.5	
FR V.		70,6	8,0	
		` .		

Administration

#### PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	•	49
		~ OU ~

### SPECIAL STUDIES - INDICATORS

Case Number - Stratum

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.


#### **IDENTIFICATION**

SS15 Administrative Use 0

3. Number of General Vehicle Forms Submitted

7. SS16 Pedestrian Crash Data Study \_1

4. Date of Accident



8. SS17 Impact Fires

**SS18** 0

5. Time of Accident

Code reported military time of accident.

SS19

0

NOTE: Midnight = 2400 Unknown = 9999

### NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

0

#### PEDESTRIAN STUDY CRITERIA

#### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 0 3	15. <u>R</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>  0  </u>		

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety

O.M.B. No. 2127-0021
NATIONAL ACCIDENT SAMPLING SYSTEM

ministration	FEDESTRIAN CRASH DATA STODY
1. Primary Sampling Unit Number <u>4</u> 9	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum	kilogram. (999) Unknown
3. Pedestrian Number0_1_	$9 \mod X$ .4536 = $4 \mod K$ kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	<ul><li>(6) Jumping</li><li>(7) Falling/stumbling or rising</li><li>(8) Other (specify):</li><li>(9) Unknown</li></ul>
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
inches X 2.54 =centimeters  9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

#### PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (03) Hands clasped behind back (00) No avoidance actions ped insulie (04) Hands on hips (01) Stopped (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (06) Turned away from vehicle of 50 (07) Dove or fell away (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object Used hand(s) to: (briefcase, suitcase, etc.) (10) Holding object (young child, (11) Vault corner of vehicle (12) Vault onto vehicle grocery bag, etc.) in arm(s) (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle bag, etc.) on shoulder(s) or head (98) Other (specify): \_ (98) Other (specify): (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify): (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify):\_ (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):\_ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated

(16) Snagged, dragged by vehicle

(17) Foot or legs run over (98) Other (specify):\_\_\_\_\_

(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Heapitalization
	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood?  (1) No - blood not given  (2) Yes - blood given  (specify units):  (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured  (01) Injured, ABGs not measured or reported  (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown  (97) Injured, details unknown  (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal  (96) Fatal - ruled disease  (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[]	S INCLUDED WITH INITIAL SUBMISSION? YES [ ]
UPDATE CANDIDATE?	NO[] YES[]

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X</u> <u>X</u>

### INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury	5		<b>-</b>	
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. 2	<u>,9</u>	8. <u>0</u> 2	9. <u>0</u> <u>}</u>	10. 1	11.8	12. <u>741</u>	13. 🛴	14	15. 3	16. 6	17.8
2nd	18. 3	19. 7	20.9	2P_4	22. <u>D</u> Z	~23. <u>/</u>	24. 2	- <sub>25.</sub> <u>77\$</u>	26. <u>/</u>	27. /_	28. 3	29. 5	30. 3
3rd	31. <u>Z</u>	32	33	34. <u>/ D</u>	35. <u>2</u> 0	36. <u>/</u>	37	38. <u>7.7. </u>	√39. <u> </u>	40.2	41. 3	42. <u>5</u>	43. <u>\$</u>
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59.	60	61	62	63	64	65	66	67. <u> </u>	68	69
6th	70	71,	72	73	74	75	76	77	78	79	80,	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102.	. 103	_ 104	105	106	_ 107	108
9th	109	110	111	112	_113	114	115.	116	_ 117	118	119	_ 120	_ 121
10th	122	123	124	125	126.	127	_ 128	129	130	131	132	_ 133	134

Body   Anatomic   Evel of   A.I.S.   Injury   Confidence   Indirect   Striking   Confidence   Injury   Profile   Data   Confidence   Injury   Profile   Data   Injury   Profile   Data   Injury   Injur					A	YDAI	INJUR	TRIAN	PEDES			
12th	f Damage	Type Of Damage		Indirect	Source Confidence		Aspect			Specific Anatomic	Anatomic	of Injury
12th												
13th											· .	 h
14th												 h
14th											4	
15th											, <del></del> .	
16th												<b>h</b>
16th												<b>h</b>
17th												
17th		iin <u>iis</u> 					용 ( <u>) - 기</u> 등 변환 () - 기 등 대표한 () - 기 등 대표한					h
19th												h
19th												
20th												h <u></u>
21st		-	<u>—</u>									dh Tagairtí
21st												
22nd												
		<u></u>	-	_								st
				<u></u>								nd
#####################################												
23rd												ird
24th												th
25th												

. .

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### **SOURCE OF INJURY DATA** (0) Injury not from vehicle contact Certain Probable OFFICIAL No damage/contact (1) Autopsy records with or without hospital/ 121 Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Dent Hospital/medical records other than Large deformation Cracked, fractured, shattered Separated from vehicle DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Direct contact injury summary) Indirect contact injury (2) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage Flat-Wide (≥ 15 centimeters) (5) Lay coroner report Surface only damage Rounded (contoured) Rounded edge (6) E.M.S. personnel Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Crush depth > 5 to 10 centimeters (7) Interviewee (5) Sharp edge (8) Other source (specify): Other (specify): Other specify: -(9) Police (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic **Body Region** Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Moderate injury Serious injury (06) Lumbar (2) (3) Face (3) Neck Vessels, Nerves, Organs. Bones, Joints are assigned consecutive two digit Severe injury (06) Skin - Laceration (08) Skin - Avulsion (4) Thorax (5) Critical injury Abdomen Amputation numbers beginning with 02 (6)Maximum (untreatable) (6)Spine Injured, unknown severity (20) Burn Upper Extremity (7)Level of Injury Crush Lower Extremity (30)Degloving Injury - NFS **Aspect** (40) Unspecified assigned Specific injuries (50) are Trauma, other than mechanical consecutive two-digit Right Type of Anatomic Structure beginning with 02. Left (2) Bilateral (3)Whole Area (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the Central Vessels organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (5)Anterior (3) Nerves Posterior (6) (10) Concussion Organs (includes muscles/ (4) (7) (8) Superior ligaments) Skeletal (includes joints) Head - LOC Inferior (9) Unknown (6) Whole region **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 798 Other wheel / tire (specify): \_ 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 723 A2 pillar 810 Rear suspension 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

780 Hatchback 740 Front fender side surface 781 Rear trunk lid 741 Front antenna 742 A1 pillar 743 A2 pillar

737 Rear antenna

(specify):

738 Other left side object

Right Side Components

739 Unknown left side component

788 Other top component (specify): \_\_\_ 789 Unknown top component

774 Wiper blade & mountings

775 Windshield glazing

778 Backlight glazing

776 Front header

777 Roof surface

779 Rear header

Other Object or Vehicle in Environment 947 Ground 948 Other object (specify): 949 Unknown object in environment

828 Other accessory (specify):\_

827 Spotlight

959 Unknown object on contacting vehicle

997 Noncontact injury source 999 Unknown injury source

### OFFICIAL INJURY DATA — SKELETAL INJURIES

#### Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

### Blood Alcohol Level

(mg/dl)

BAL = \_\_\_\_

#### Glasgow Coma Scale Score

GCSS = \_\_\_\_

#### Units of Blood Given

Units = \_\_\_\_


#### Arterial Blood Gases


Ph = \_.\_\_

PO<sub>2</sub> = \_\_\_\_

PCO<sub>2</sub>


HCO<sub>3</sub> \_\_\_\_






### OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

## PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1 Primary Sampling Unit Number	OFFICIAL RECORDS
1. Primary Sampling Unit Number  2. Case Number - Stratum  6 0 4 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01_	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):  OldSMODIC  Applicable codes are found in your  NASS PCDS Data Collection, Coding and Editing Manual.	(999) Unknown  3 S mph X 1.6093 = S 6 kmph  11. Police Reported Alcohol Presence For Driver
6. Vehicle Model (specify):	<ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(8) No driver present</li> <li>(9) Unknown</li> </ul>
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source:
8. Vehicle Identification Number	
Left justify; Slash zeros and letter Z (0 and Z)  No VIN—Code all zeros  Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (O1) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (< 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

#### Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- Other light conventional truck type (45)
- (48) Unknown light truck type
- (49)Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850
- Single unit straight truck (8,850 kgs < GVWR ≤ (62)12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown (64)
- (65)Medium/heavy truck based motorhome
- Truck-tractor with no cargo trailer (67)
- Truck-tractor pulling one trailer (68)
- Truck-tractor pulling two or more trailers (69)
- Truck-tractor (unknown if pulling trailer) (70)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

#### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  — 7, 86 lbs x .4536 = 1, 309 kgs	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates  PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn
ARE COMPLETED BY THE ZONE CENTER	(12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

80	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):(84) Pedalcyclist or other nonmotorist approaching
(01) Blow out or flat tire	roadway (specify):
(02) Stalled engine	(85) Pedalcyclist or other nonmotorist—unknown
(O3) Disabling vehicle failure (e.g., wheel fell off) (specify):	location (specify):
(O4) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	24. Attempted Avoidance Maneuver
(12) Off the edge of the road on the left side	(00) No driver present
(13) Off the edge of the road on the right side	(01) No avoidance actions
(14) End departure	(O2) Braking (no lockup)
(15) Turning left at intersection	(03) Braking (lockup)
(16) Turning right at intersection	(04) Braking (lockup unknown)
(17) Crossing over (passing through) intersection	(05) Releasing brakes
(19) Unknown travel direction	(06) Steering left
Other Motor Vehicle In Lane	(07) Steering right
<ul><li>(50) Stopped</li><li>(51) Traveling in same direction with lower speed</li></ul>	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	\ \tag{\tag{\tag{\tag{\tag{\tag{\tag{
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver (2) Tracking
(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	an D. H. Directional Consequences of
direction	26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
(68) From crossing street, intended path not known	(0) No driver present
(70) From driveway, turning into same direction	(1) No avoidance maneuver
(71) From driveway, across path	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway (78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
redestrial of redaily unst, of Other Normitetonic	initiated

(80) Pedestrian in roadway

(81) Pedestrian approaching roadway (82) Pedestrian-unknown location

(5) Vehicle departed roadway

(6) Avoidance maneuver initiated off roadway

(9) Directional consequences unknown


ENVIRONMENTAL DATA				
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify):	
00	(6) Unknown type of non-interchange (9) Unknown if interchange	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)	
	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown  Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		Regulatory or School Zone Sign (Not RR Crossing)  (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown	
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk	
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	<u></u>	(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog	
	(1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):		<ul> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>	

National Highway Traffic Safety  Administration  PEC	ESTRIAN EXTER	RIOR VEHICLE FORM NAT	TIONAL ACCIDENT S PEDESTRIAN CR	AMPLING SYSTEM ASH DATA STUD
Primary Sampling Unit Number	49	3. Vehicle Number		0 1
2. Case Number - Stratum	604P		,	
	VEHICLE IDE	NTIFICATION		
VIN 163 AG54	NSP		Model Y	ear <u>9 }</u>
Vehicle Make (specify):	do	Vehicle Model (specify):	Cull	ass_
PEDEST	RIAN FRONT C	ONTACT WORK SHEE		
PEV06 Hood Material		Two (	Netalli	<u>e</u>
PEV08 Hood Length			104	cm to Book
PEV09 Hood Width-Forward Op	ening		143	cm
PEV10 Hood Width-Midway			145	cm
PEV11 Hood Width-Rear Openin	g	olt	147	cm .
PEV14 Front Bumper Cover Mat	erial	Masky		
PEV15 Front Bumper Reinforcer	nent Material			
	VERTICAL ME	EASUREMENTS		
PEV16 Front Bumper-Bottom He	eight		<u> 28</u>	cm
PEV17 Front Bumper-Top Heigh	t		<u> 44</u>	cm
PEV18 Forward Hood Opening			73	cm
PEV19 Front Bumper Lead				cm
	WRAP D	ISTANCES		
PEV20 Ground to Forward Hoo	d Openina		97	cm
PEV21 Ground to Front/Top Tra			74	cm
PEV22 Ground to Rear Hood Op			193	cm (0°)
PEV23 Ground to Base of Wind				cm 140+6
PEV24 Ground to Top of Winds				cm 140+19

cm

PEV25 Ground to Head Contact

## **VEHICLE DAMAGE SKETCH**




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT W	ORK SHEET				
PEV06 Hood Material	< 100				
PEV08 Hood Length	10 4 cm				
PEV09 Hood Width-Forward Opening	$\frac{10}{9}$ cm				
PEV10 Hood Width-Midway	145 cm				
PEV11 Hood Width-Rear Opening					
1 LV 11 11000 VIIII TIOU OPENING					
VERTICAL MEASUREMENT	TS				
PEV26 Ground Clearance	$-\frac{19}{2}$ cm				
PEV27 Side Bumper-Bottom Height	cm				
PEV28 Side Bumper-Top Height	<u>4</u> 8 cm				
PEV29 Centerline of Wheel	cm				
PEV30 Top of Tire	<u>\$</u> cm				
PEV31 Top of Wheel Well Opening	-62 cm				
PEV32 Bottom of A-Pillar at Windshield	<b>g_</b> _& cm				
PEV33 Top of A-Pillar at Windshield					
PEV34 Top of Side View Mirror					
LATERAL MEASUREMENTS	•				
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	<del>7_</del> S cm				
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	<u>5</u>				
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	95 cm				
WRAP DISTANCES					
PEV38 Ground to Side/Top Transition	<u>8_6</u> cm				
PEV39 Ground to Hood Edge	$\frac{-90}{}$ cm , $\epsilon$	/			
PEV40 Ground to Centerline of Hood (ORIGIN)	165 cm	フ			
PEV41 Ground to Head Contact	cm				

#### **ORIGINAL SPECIFICATIONS** 104.9 inches x 2.54 = Whee 1 base 190.3 inches x 2.54 = Overall Length $\leq$ inches x 2.54 Maximum Width 2.886 pounds x .4536 = Curb Weight .9 inches x 2.54 Average Track \_\_\_ \_\_.\_\_inches x 2.54 = Front Overhang inches x = 2.54 =Rear Overhang \_ \_\_\_.\_\_ Undeformed End Width inches $\times$ 2.54 = Engine Size: cyl./displ. \_\_\_ \_\_ \_\_ $\times .001 =$ CC $\times .0164 =$ CID INJURY SOURCE Wheels / tires FRONT 744 B pillar 790 Left front wheel / tire 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify):\_\_ 798 Other wheel / tire (specify): \_ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) 753 Right side folding mirror 800 Front cross member 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 802 Oil pan (specify):\_ 755 Right side glazing rearward of B pillar 803 Exhaust system pipe 756 Rear antenna 719 Unknown front object 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): \_ 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 725 C pillar 761 Tailgate 762 Hatchback, vertical surface (specify): \_ 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): \_ (specify): 769 Unknown back component Accessories 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):\_\_\_\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):\_\_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 788 Other top component (specify): \_\_\_ 742 A1 pillar 999 Unknown injury source 743 A2 pillar 789 Unknown top component

### **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
A	Anlenna	- 36	75	0	·	Antenna Breken	7 2 3 9	
							1 2 3 9	
15	w5	47	72	Q	elvir	Centle inters	2 3 9	
							1 2 3 9	
C	Anller	-102	63	0	?.	Scuff	1 2 3 9	
	A 1						1 2 3 9	
D	RUMINOR	- 59	93	0	7.	Scotch	1 2 3 5	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

1 2 3 9

#### POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF COMPONENT SUPPORTING PHYSICAL EVIDENCE SUSPECTED LOCATION LOCATION IN CONTACT POINT CONTACT CONTACTED CENTIMETERS BODY REGION (Circle) CODE (Y) Face torn 75 -36 1) 2 3 9 1 **(y)** 2 3 9 -41 12 ① 2 3 9 3 1 2 3 9 4 1 2 3 9 5 1 2 3 9 6 1 2 3 9 7 1 2 3 9 8 1 2 3 9 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 1 2 3 9 16 1 2 3 9 17 1 2 3 9 18 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 1 2 3 9 24

25

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 147
4. Original Wheelbase 2 6 6 code to the nearest centimeter	Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
(999) Unknown $\frac{\sqrt{999}}{\sqrt{999}} \cdot \frac{9}{\sqrt{999}} \cdot $	inches X 2.54 = centimeters
5. Original Average Track Width  Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown  STINICHES X 2.54 = 147 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown  7. Hood Original Equipment Manufacturer (OEM)	13. Windshield Contact Damage From Pedestrian Contact  (0) Not contacted by pedestrian  (1) Contacted by pedestrian - not damaged  (2) Contacted by pedestrian - damaged  (3) Unknown if contacted by pedestrian - not damaged  (4) Unknown if contacted by pedestrian - damaged
<ul> <li>(1) OEM factory installed hood</li> <li>(2) OEM replacement</li> <li>(3) Non-OEM replacement</li> <li>(9) Unknown</li> </ul>	(9) Unknown if contacted by pedestrian - unknown if damaged  FRONT CONTACT DAMAGE  Front Vertical Measurements
8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeter  9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters	(9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown
	. inches X 2.54 = centimeters

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
18.	Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
		SIDE CONTACT DAMAGE
	Front Wrap Distance Measurements	
20.	Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Side Vertical Measurements  26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Ground to Forward Hood OpeningOOOCode to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Side Vertical Measurements  26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters  Ground to Front/Top Transition Point  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

20	Centerline of Wheel	Side Lateral Measurements
23.	Code to the	
	nearest centimeter	25. Gardanii - 45. A. Billan
	(000) No side contact	35. Centerline to A-Pillar
	(150) 150 centimeters or more	at Bottom of Windshield
	(999) Unknown	(000) No side contact
		Code to the nearest centimeter
	inches X 2.54 = centimeters	(250) 250 centimeters or more
	Top of Tire	(333) CHAILOWH
30.		inches X 2.54 = centimeters
	Code to the	centimeters
	nearest centimeter	~ ~ ~
	(000) No side contact	36. Centerline to A-Pillar
	(200) 200 centimeters or more	at Top of Windshield
	(999) Unknown	Code to the
		nearest centimeter
	inches X 2.54 = centimeters	(000) No side contact
		(050) 050
	Top of Wheel Well Opening	(999) Unknown
31.		(333) OHKHOAAH
	Code to the	. inches X 2.54 = centimeter
	nearest centimeter	Centimeter
	(000) No side contact	
	(250) 250 centimeters or more	37. Centerline to Maximum Side
	(999) Unknown	View Mirror Protrusion
		Code to the
	inches X 2.54 = centimeters	nearest centimeter
	$\alpha$	7
32.	Bottom of A-Pillar at Windshield	(300) 300 centimeters or more
	Code to the	(999) Unknown
	nearest centimeter	(000) 0
	(000) No side contact	. inches X 2.54 = centimeter
	(250) 250 centimeters or more	
	(999) Unknown	
	•	Side Wrap Distance Measurements
	inches X 2.54 = centimeters	
		N
	Top of A Billon of Mindohiold	38. Ground to Side/Top Transition
33.	Top of A-Pillar at Williashleid	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
	V0.54	inches X 2.54 = centimeters
1	inches X 2.54 = centimeters	
1	$\sim$ 0	090
١	T (8:4) View Minus	39. Ground to Hood Edge
34.	Top of Side View Mirror	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
1		

•	• • • • • • • • • • • • • • • • • • • •	iai Addiadite dampining dystem sid		· · · · · · · · · · · · · · · · · · ·	
		Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	165		
		Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters q9_8		
		inches X 2.54 =	centimeters		