



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*





# PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

**PSU** 72

CASE NO. 629P

TYPE OF ACCIDENT Van/Ped/Crossing Road - Straight

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle #1 was traveling northbound in the first lane of a two-lane, undivided roadway. The pedestrian was walking eastbound, while in a crosswalk, with a straight path of travel. The vehicle contacted the pedestrians' right side with its own front end. The pedestrian came to rest on the ground 3.8 meters north of the point of impact. The vehicle traveled to the curb edge facing west at the northwest corner of the intersection.

B. PEDESTRIAN PROFILE									
Pedestrian	_	_	Treatment/	Most Severe Injury / (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	28	Female	Hospitalized	HIP	Fracture	3.	Hood edge		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn	(1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity
Lower Extremity	Skin-Other	

C. VEHICLE PROFILE							
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	of Year/Make/Model		Damage Description			
01	Passenger Van	1993 Ford Club Wagon	Front	Minor			







U.S. Department of Transportation

National Highway Traffic Safety

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Administration Case Number—Stratum 6 29 P Primary Sampling Unit Number 12 PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM 1 document reference point and reference line Surface Type \* north arrow placed on diagram relative to physical features documentation of all accident induced **Surface Condition** physical evidence including (if applicable): grade measurements for all applicable roadwavs. a) vehicle skid marks Coefficient of Friction b) pedestrian contacts with ground or scaled representations of the physical plant obiect: including: Grade (v/h) Measurement c) vehicle/pedestrian point of impact (POI) a) all road/roadway delineation (e.g., a) at impact crosswalks, curbs/edge lines, lane d) location of pedestrian separation point b) between impact markings, medians, pavement markings, from vehicle and final rest parked vehicles, poles, signs, etc.) f) final resting points (FRP) for pedestrian b) all traffic controls (e.g., lights, signs) and vehicle Pedestrian Travel Direction documentation of the physical plant scaled representations of the vehicle and including: pedestrian at pre-impact, impact, and final Vehicle Travel Direction rest based upon either: a) all road/roadway delineation (e.g., crosswalks, curbs/edge-lines, lane Number of Travel Lanes markings, medians, pavement markings, a) physical evidence, or parked vehicles, poles, signs, etc.) b) reconstructed accident dynamics b) all traffic controls (e.g., lights, signs) Reference line: E corb edge Reference Point: v+1;+y pole SE corner Distance and Direction Distance and Direction Item from Reference Line from Reference Point .9 m E PED FRI 19.6 m W 4.5 m N CROSSWALK 2.5 m N

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
·		
	·	
· · · · · · · · · · · · · · · · · · ·		

#### PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

<u>0 1</u>

		- I EDECTRIAN CRASH DATA	4010
Primary Sampling Unit Number	72	SPECIAL STUDIES - INDICATORS	
Case Number - Stratum	6 <b>29</b> P	Check (✓) each special study (SS15-SS19 below) has been completed; code 1 for the checked special study (SS15-SS19 below)	
IDENTIFICATION		studies and 0 for the special studies not checked.	
Number of General Vehicle     Forms Submitted	0 1	6SS15 Administrative Use	_0
roms Submitted	0_1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month,Day,Year)	/ 9 <del>4</del>	8SS17 Impact Fires	_0
5. Time of Accident 2	<u> </u>	9SS18	_0
Code reported military time of a	ccident.		
NOTE: Midnight = 2400 Unknown = 9999	* .	10SS19	_0
Challowit - 3333		NUMBER OF EVENTS	

#### PEDESTRIAN STUDY CRITERIA

11. Number of Recorded Events

in This Accident

#### **Pedestrian Definition:**

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### **Case Selection Criteria:**

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>1 3</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>		

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

#### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

#### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

**National Highway Traffic Safety** 

NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 72 1. Primary Sampling Unit Number <u>\$54</u> 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 6 29 P 2. Case Number - Stratum (999) Unknown pounds X .4536 = 54 kilograms 3. Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 28 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown O I 69 inches X 2.54 = 172 centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (999) Unknown (04) Moving in road, against traffic (05) Off road, approaching road \_\_\_ inches X 2.54 = \_\_\_ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): \_\_\_\_\_ centimeter. (99) Unknown (999) Unknown \_\_\_\_ inches X 2.54 = \_\_\_ \_\_ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest Facing away (2) centimeter. Left side to vehicle (999) Unknown (3) Right side to vehicle (4) inches X 2.54 = \_\_\_\_ centimeters

(8)

Unknown

Other (specify):

DEDECTRIANIC AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS  15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
(99) Unknown PEDESTRIAN'S ORIENTATION AT IMPACT	(99) Unknown  19. Pedestrian's Leg Orientation at Initial Impact (01) Together
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown  17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	(02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown  20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown  22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx)	25. Injury Severity (Police Rating)  (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown
(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: RAK MOC	Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
(9) Unknown	27. Type Of Medical Facility 2
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	(for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
I	1

National Accident Sampling System-Crashworthiness Da							
STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER						
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given  32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured						
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?  NO [ ** YES [ ]  UPDATE CANDIDATE? NO [ ] YES [ **)							

#### PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

3. Pedestrian Number

2. Case Number - Stratum

1. Primary Sampling Unit Number

4. Blank


#### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				!
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <b>3</b>	6. <u>&amp;</u>	7. <u>9</u>	8 <u>0 <b>2</b></u>	9. 02	10	11/	12. 700	13	14. <u>/</u>	15. 2	16. 2	17.2
2nd	18. 2	19. 5	20. 9	21. <u>04</u>	, 22. <u>0</u> <u>2</u>	~ 23	24. <u>/</u> Leg	25. 70, 510p	<b>?</b> <sub>26.</sub> ∠	27. /_	28. 3	29	. <sub>30.</sub> _ <b>Z</b>
3rd	er and the second						-	зв. 946			.41	42. 🛆	43. 0
4th	442	- <sub>45.</sub> <b>F</b>	46. 5	47. <b>26</b>	48. 0 4	49. 3	ح.50	51. <b>70</b> J	52. /	53. (_	54. <u>\$</u>	55. <b>_</b>	56. 2
5th	57. 2	58. 8	59.	60. 26	61. <u>U</u> Z	- <sub>62.</sub> _Z	- <sub>63.</sub> _/	64. 7 03	65. /	66. /	67. <u> </u>	68	69
6th	70. <u>2</u>	71. <u>8</u>	72.	73. <u>2</u> 8	74. <u>0</u> 0	<sub>75.</sub> <u>3</u>	76. <u>4</u>	77.703	78. <u>/</u>	79	80	81	82
7th	83. 3	84. 💆	85. <b>9</b>	86. <u>DZ</u>	87. <u>0</u> 2	88. /	·89. <u>2</u>	90. 947	91	92. /	93. <b></b> C	94. 🛆	95. <u>0</u>
8th	96	97	98	99 1	00	101	102	103	104	105	106	107	108
9th	109	110	111	1121	13	114	115	116	117	118	119	120	121
10th	122	123	124	1251	26	127	128	129	130	131	132	133	134

	PEDESTRIAN INJURY DATA												
۰	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th										-			
12th					-				_	_			_
13th							_						
14th								·	<del>-</del> .	<u>.                                    </u>	<del>;</del>	<del></del> :	
15th	<u></u>												_
16th		-	_			_	_		-				
17th	·								<u> </u>			· .	_
18th	`								_				_
20th										<del></del>			
21st										_	_		
22nd			_				_		_		_		
23rd	_								_				
24th			_			_	_		_				_
25th	_		_								_		<del></del>

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### INJURY SOURCE CONFIDENCE LEVEL SOURCE OF INJURY DATA TYPE OF DAMAGE OFFICIAL (1) (2) Certain (0) Injury not from vehicle contact Probable No damage/contact (1) Flutopsy records with or without hospital/ (3) Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (6) Indirect contact injury (3) Emergency room records only (including Noncontact injury (7) Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥15 centimeters) Rounded (contoured) UNOFFICIAL (0) Injury not from vehicle contact (1) (1) No residual damage (5) Lay coroner report (2) (3) Surface only damage (6) E.M.S. personnel (4) Rounded edge(5) Sharp edge(8) Other (specify): Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (3) (7) interviewee (8) Other source (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration Head (1) Minor injury Face (06) Lumbar (2) Moderate injury (3) (4) (5) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Critical injury Thorax (4)(08) Skin - Avulsion (5) Abdomen (10)Amputation numbers beginning with 02 Maximum (untreatable) **Upper Extremity** (20) Burn (7) injured, unknown severity Lower Extremity (30) Crush Level of Injury (8) (40) Degloving (50) Injury - NFS Unspecified **Aspect** Specific injuries assigned Type of Anatomic Structure Trauma, other than mechanical two-digit consecutive (1) numbers Right beginning with 02. Left Whole Area Head - LOC (02) Length of LOC 111 (3) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 (2) (4) Central (04, 06, 08) Level of Consciousness (5) Anterior Organs (includes muscles/ (4) (10) Concussion is assigned to an injury NFS as to (6) Posterior severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury ligaments) (7) Superior (5) Skeletal (includes joints) (8) Inferior (6) Head - LOC Unknown Skin NFS as to lesion or severity. (0) Whole region INJURY SOURCE FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 798 Other wheel / tire (specify): \_ 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): \_ 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under nood 823 Fog lights 734 Lett side glazing forward of B pillar component 824 Luggage, ski, or bike rack 825 Cargo (specify):\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_\_\_\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 947 Ground 948 Other object (specify): 65 5/e p 949 Unknown object in environment Right Side Components 779 Rear header 740 Front tender side surface 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle

788 Other top component (specify): \_

789 Unknown top component

997 Noncontact injury source

999 Unknown injury source

742 A1 pillar

743 A2 pillar

#### OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = K

Units of Blood Given

Units =

Arterial Blood Gases


Ph = ....


PO, =

PCO,

HCO,









### OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

### PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 2 9 P	9. Police Reported Travel Speed qqq
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year 9 3 Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):	(999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	26 mph X 1.6093 = 49.2 kmph
(99) Unknown  6. Vehicle Model (specify):	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
E 35th Super Club Warm Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	<ul> <li>(96) None given</li> <li>(97) AC (Alcohol Content) test performed, results unknown</li> <li>(98) No driver present</li> <li>(99) Unknown</li> </ul>
8. Vehicle Identification Number	Source:
1 F B J S 3 1 H X P H  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17  Left justify; Slash zeros and letter Z (Ø and Z)  No VIN—Code all zeros  Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

### **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

10	
15. Vehicle Curb Weight  Code weight to nearest	Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16. Vehicle Cargo Weight  Code weight to nearest  10 kilograms.  (000) Less than 5 kilograms	. Accuracy Range of Impact Speed Estimate  (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  . Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance	(Prior to Recognition of Critical Event)  (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present

- Control of the cont	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00) 01:10: 04400 0: 00:11:10: (00:01:1);	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(ob) Strict Strictal products Stelle (openity).
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	100) Onknown
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning left at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	
· · · · · · · · · · · · · · · · · · ·	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	(0) No driver present
(60) From adjacent lane (same direction)—over left	(1) No avoidance maneuver
lane line	(2) Tracking
(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	1
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

(9) Directional consequences unknown

	ENVIRONMENTAL DATA							
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	¥	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown					
28.	(6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow	<u>\</u>	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)					
	<ol> <li>Not physically divided (two way traffic)</li> <li>Divided trafficway - median strip without positive barrier</li> <li>Divided trafficway - median strip with positive barrier</li> <li>One way trafficway</li> <li>Unknown</li> </ol>		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):  (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR					
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six	*	controls (specify):  (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control					
	(7) Seven or more (9) Unknown		(1) Not Functioning (2) Functioning (9) Unknown					
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk					
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	1	(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet					
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):  (9) Unknown	<u></u>	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>					

72-629

5940m

'93 c/Lb wayow

マッソッド しょ" 120 #

POI to FRP = 26m = 85 ft

7=0,60

PRT= 1,5

podol broking 0,35

85= 1,5V + V2 (2)(0,35)(32-2)

0,04412 +15V -85 = 0

V= -15+7(1,5)2-(4)(0,04)(-85)

= 30 fPS = 20,4 mph = 33 KPh

33 KPh

# PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1	Primary	Sampling	Unit	Number
Ι.	rilliary	Samping	Ullit	Number

72

3. Vehicle Number

0 1

2. Case Number - Stratum

6 29 P

#### **VEHICLE IDENTIFICATION**

VIN I F B J S 3 1 H X P H B

Model Year 9 3

Vehicle Make (specify): Ford

Vehicle Model (specify): \_\_\_\_Club Wayon

#### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

Steel

PEV08 Hood Length

964 cm

PEV09 Hood Width-Forward Opening

cm

PEV10 Hood Width-Midway

cm

PEV11 Hood Width-Rear Opening

cm

PEV14 Front Bumper Cover Material

steel

PEV15 Front Bumper Reinforcement Material

steel

#### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height

046 cm

PEV17 Front Bumper-Top Height

068

PEV18 Forward Hood Opening

103 cm

PEV19 Front Bumper Lead

**0** 13 cm

#### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

106 cm

PEV21 Ground to Front/Top Transition Point

123 cm

PEV22 Ground to Rear Hood Opening

178

200

cm cm

cm

PEV23 Ground to Base of Windshield PEV24 Ground to Top of Windshield


290

cm

PEV25 Ground to Head Contact

cm

# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:  $\mu \in \mathcal{L}$  cm

	PEDESTRIAN SIDE CONTACT WORK SHEET	
PEV06	Hood Material	
PEV08	Hood Length	_ cm
PEV09	Hood Width-Forward Opening	_ cm
PEV10	Hood Width-Midway	cm
PEV11	Hood Width-Rear Opening	cm
	VERTICAL MEASUREMENTS	
PEV26	Ground Clearance	cm
PEV27	Side Bumper-Bottom Height	cm
PEV28	Side Bumper-Top Height	cm
PEV29	Centerline of Wheel	cm
PEV30	Top of Tire	cm
PEV31	Top of Wheel Well Opening	cm
PEV32 I	Bottom of A-Pillar at Windshield	cm
PEV33	Top of A-Pillar at Windshield	cm
PEV34	Top of Side View Mirror	cm
	LATERAL MEASUREMENTS	
PEV35 (	C <sub>L</sub> to A-Pillar at Bottom of Windshield	cm
PEV36	C <sub>L</sub> to A-Pillar at Top of Windshield	cm
PEV37 (	C <sub>L</sub> to Maximum Side View Mirror Protrusion	cm
	WRAP DISTANCES	
PEV38	Ground to Side/Top Transition	cm
PEV39	Ground to Hood Edge	cm
PEV40	Ground to Centerline of Hood (ORIGIN)	cm
PEV41	Ground to Head Contact	cm

## **ORIGINAL SPECIFICATIONS**


Wheelbase	137.1	inches	x 2.54	=	3 5 Ø cm
Overall Length	231.8	inches	x 2.54	=	<u>589</u> cm
Maximum Width	79.5	inches	x 2.54	=	2 0 2 cm
Curb Weight	2,138	pounds	x .4536	=	_1.2 4 L kg
Average Track		inches	x 2.54	=	cm
Front Overhang	<u> </u>	inches	x 2.54	=	<u>1</u> 1 cm
Rear Overhang	63.7_	inches	x 2.54	=	<u>1 6 2</u> cm
Undeformed End Width		inches	x 2.54	=	cm
Engine Size: cyl./displ.	8 cy1_	СС	x .001	=	<u>5.8</u> L
		CID	x .0164	=	L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	• •	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	and a sum and a sum a sum porton.
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface	·	820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	_ 997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source

789 Unknown top component

999 Unknown injury source

# VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

## POINTS OF PEDESTRIAN CONTACT

#### PEDESTRIAN CONTACT WORKSHEET

CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE #
A	bumper face	+130 h	-41	/	leg	scretch l gouge	1 🗷 3 9	
В	bumper face	+135	-17	1		dark hansfer/	1031	
С	bumper lead	+120	-10 to -20	1		ccvatches	1 🕢 3 9	
D	hepallight lead	+75	- 30	•		marked	1 2 🕦 9	
E	grille	+80 to +85	-10 to -30	,		marke d	1 ② 3 9	
F	Lood	+70 +	-20 h -25			warked / ?	1011	
G	Loch	+43 h +54	-14 to -26	,		scratches	1 ② 3 9	
H	kand	+40 %	-L.o. ** -40	,		cuiped class	10011	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

***************************************	POINTS OF PEDESTRIAN CONTACT							
			CHRONO	LOGICAL ORI	DER OF CONTACTS			
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	
173	700	135	-17	0	P.leg	50-58- Se-38-	2 3 9	
2 F	707	70	-25	9	P. Hip	シャナ	02:11	
3	Les	5	10P			·	1 2 3 9	
4	703	70	3	0	Fromus	//	O 2 3 9	
5	11	4	۶	"	IShlum	1,	2 3 9	
6		*	ė	**	ر ج م	,,	<b>△</b> 2 3 9	
7	91	oun	1 -				1 2 3 9	
£							1 2 3 9	
9							1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 9	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	

VEHICLE DIMENSIONS	44 11 114711 5 6
	11. Hood Width Rear Opening 173
4. Original Wheelbase 3 5 9	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
$\underline{}$ 1 inches X 2.54 = $\underline{3}$ 5 $\underline{6}$ centimeters	6_8 inches X 2.54 =1 7_3 centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 9999	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
,	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	annie vii ii damagea
(3) Non-OEM replacement (9) Unknown	
(9) Onknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
8. Hood Length  Code to the	
Code to the	Front Vertical Measurements  14. Front Bumper Cover Material
Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact
Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  2 5 . L inches X 2.54 = 6 4 centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown  15. Front Bumper Reinforcement Material
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown  25.1 inches x 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown  2	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  66.5 inches X 2.54 = 169 centimeters  10. Hood Width Midway	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  66.5 inches X 2.54 = 169 centimeters  10. Hood Width Midway Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  66.5 inches X 2.54 = 169 centimeters  10. Hood Width Midway Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  25.1 inches X 2.54 = 64 centimeter  9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  66.5 inches X 2.54 = 169 centimeters  10. Hood Width Midway Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steet (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): Steel (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	$\underline{\underline{Up}}$ . $\underline{\underline{5}}$ inches X 2.54 = $\underline{\underline{Ip}}$ centimeters	inches X 2.54 = centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
		inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
		Side Vertical Measurements
21.	Ground to Forward Hood Opening  Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  Ground to Front/Top Transition Point  Code to the nearest centimeter  (000) No front contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Code to the nearest centimeter  (000) No front contact  (200) 200 centimeters or more  (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

			Side Lateral Measurements
29.	Centerline of Wheel	-\$-\$-\$	VING EUGGE HICHTHIGHIGHIG
	Code to the nearest centimeter	·	
	(000) No side contact		35. Centerline to A-Pillar
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
			Code to the
	inches X 2.54 =	centimeters	nearest centimeter
			(250) 250 centimeters or more
	_		(999) Unknown
30.	Top of Tire	\$ \$ B	inches X 2.54 = centimeters
	Code to the		Centimeters
	nearest centimeter (000) No side contact		
	(200) 200 centimeters or more		36. Centerline to A-Pillar
	(999) Unknown		at Top of Windshield
	(000) Chikhowh		Code to the
	inches X 2.54 =	centimeters	nearest centimeter
			(000) No side contact
			(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
	Code to the	•	inches X 2.54 = centimeter
	nearest centimeter		Centimeter
	(000) No side contact		
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side
	(999) CHRIOWH		View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the
		00//(////000000	nearest centimeter
32.	Bottom of A-Pillar at Windshield	<b>D D D</b>	(000) No side contact
	Code to the	<del></del>	(300) 300 centimeters or more
	nearest centimeter		(999) Unknown
	(000) No side contact	-	inches X 2.54 = centimeter
	(250) 250 centimeters or more		Certaineter
	(999) Unknown		
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements
		_ 00/////////	
			38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	<b>D D D</b>	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more (999) Unknown		(999) Unknown
	(999) Olikilowii		
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
•		_ 00.11.11101010	
			39. Ground to Hood Edge
34.	Top of Side View Mirror	10 TO 0	Code to the
	Code to the	•	nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(500) 500 centimeters or more
	(300) 300 centimeters or more (999) Unknown		(999) Unknown
,	1999) OHKHOWH		
_	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
		_	

40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more	<b>-Q-&amp;</b>	
(999) Unknown		
inches X 2.54 =	centimeters	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	<del></del>	
inches X 2.54 =	centimeters	·
		·



'2629P0000001 9710.000000000000120300100001 97 9700000000 1000000000000000 01 '2629P0001001 **9710.010000000000113F72000** '2629P00010021 10.0 000000002821724909114105412014001401070500070332111315 20100000000007 10.0 00000000038902021170011222 '2629P00010131 '2629P00010231 10.0 00000000025904021170311322 '2629P00010331 '2629P00010431 10.0 00000000028904021194811000 10.0 00000000028526043570311322 '2629P00010531 10.0 00000000028526022170311322 '2629P00010631 10.0 00000000028528003670311322 '2629P00010731 10.0 00000000038902021294711000 10.0 000000009312461211FBJS31HXPH '2629P01000041

32120117011131311211211

'2629P01000051 10.0 0000000003509991106416917117310410460681031310612317820 

>00000000000000

PSU72 CASE 629P CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

797

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	o	0	
Pedestrian Assessment	o	Ö	Ö	, V
Pedestrian Injury	0	0	ō	, V
Pedestrian General Vehic	le O	0	ō	·
Pedestrian Exterior Vehi	cle O	O	ō	Ý
Total Inter Errors		o	o	
Total Case Errors	0	o	o	