



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 72 CASE NO. 630P TYPE OF ACCIDENT Car/Ped/Crossing Road - Straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)


Vehicle #1 was traveling southbound in the first lane of a one-lane, one-way street. The pedestrian was running eastbound with a straight path of travel. The pedestrian ran into the vehicles' passenger side view mirror with the right hand. The driver of the vehicle applied the brakes to final rest in the same lane. The pedestrian stopped at the point of impact and was not knocked to the ground.

	B. PEDESTRIAN PROFILE							
Pec	destrian	Most Severe Injury Treatment/ (TO BE COMPLETED BY ZONE CENTER)						
	No. Age Sex Mortality		Body Region	Ana. Struc.	AIS	Injury Source		
	01	13	Female	Treated and Released	Forehead	Laceration	1	Right side A-pillar

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit

C. VEHICLE PROFILE						
	Most Severe Damage Class Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description		
01	Compact	1994 Chevrolet Cavalier	Right	Minor		
	DO NOT SANITIZE THIS FORM					







PEDESTRIAN ACCIDENT COLLISION

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY **MEASUREMENT TABLE**

U.S. Department of Transportation National Highway Traffic Safety Administration

Primary Sampling Unit Number 7 2 Case Number — Stratum 6 3 4 P							
PEDESTRIAN ACCIDENT CO	LISION DATA COLL	ECTION		SCALED DIAGRAM			
' document reference point and reference line relative to physical features	Surface:Type	bit_	* north a	rrow placed on diagram			
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	dry	1 -	neasurements for all applicable			
a) vehicle skid marks	Coefficient of Friction	· 65	roadwa	ys.			
b) pedestrian contacts with ground or object	Grade (v/h) Measure	ment ,	* scaled includir	representations of the physical plant ng:			
c) vehicle/pedestrian point of impact (POI)	a) at impact	\$ 122	1	road/roadway delineation (e.g.,			
d) location of pedestrian separation point from vehicle	b) between impac and final rest	et <u>0 122</u>	ma	sswalks, curbs/edge lines, lane rkings, medians, pavement markings, ked vehicles, poles, signs, etc.)			
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Dir	rection <u>E</u>	b) all	traffic controls (e.g., lights, signs)			
 documentation of the physical plant including: 	Vehicle Travel Direct	cion <u>S</u>	* scaled representations of the vehicle and pedestrian at pre-impact, impact, and final				
 a) all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 	Number of Travel La	nes		sed upon either:			
b) all traffic controls (e.g., lights; signs)			b) i	reconstructed accident dynamics			
Reference Point: light pol	edge			Distance and Direction			
ltem		Distance and Direct from Reference P	1	from Reference Line			
R.P		/		1-9 m E			
Poj			15	48 mW			
		10, d m 5		4,8 mm			
PED FCP		12.5 m	5	2.7 n W			
1							

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	I. Primary Sampling Unit Number					
2.	2. Case Number - Stratum6_					
	IDENTIFICATION					
3.	Number of General Vehicle Forms Submitted	_0_	_1_			
4.	Date of Accident (Month, Day, Year)	9_	7 ¥			
5.	Time of Accident	4.5				
	Code reported military time of accident.					

NOTE: Midnight = 2400

Unknown = 9999

	SPEC	IAL	STUD	IES -	INDI	CAT	ORS
--	------	-----	------	-------	------	-----	-----

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

- 6. SS15 Administrative Use
- 7. _____SS16 Pedestrian Crash Data Study 1
- 8. ___SS17 Impact Fires
- SS18 0
- 10. SS19 _0_

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>Ø 2</u>	15. <u>R</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER	OR OBJECT	CONTACTED
--------------------------	-----------	-----------

Collision with Nonfixed Object

(72) Pedestrian

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN ASSESSMENT FORM U.S. Department of Transportation National Highway Traffic Safety Administration

 Primary Sampling Unit Number Case Number - Stratum Pedestrian Number 1 1 2 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging
(9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 6. S inches X 2.54 = centimeters	 (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown —inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS	
TEBESTRIAN SAVOISANSE ASTISTES	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions \mathcal{D} Φ	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(01) Bove of left away	(09) Extended forward bracing (09) Extended, holding object
Head band(a) to	
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(,	
	19. Pedestrian's Leg Orientation
·	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	
	(02) Apart right has forward
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
, , e	(99) Unknown
(4) Up	
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
İ	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content)	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal
test performed, results unknown (99) Unknown if test given Source:	(2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) You blood given (30) Score Score at medical facility (31) No - blood given (32) You blood given (33) Through 37 ARE COMPLETED BY THE ZONE CENTER 34. 1st Medically Reported Cause of Death (35) 2nd Medically Reported Cause of Death (36) 3rd Medically Reported Cause of Death (36) 3rd Medically Reported Cause of Death (37) Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (38) Mode of death given but specific	National Accident Sampling System-Crashworthiness Da		Page
(at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific	STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER	
(2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease	35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown	
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION? NO [] YES []			
UPDATE CANDIDATE? NO [X] YES []		(

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

630_P

3. Pedestrian Number

0 1

2. Case Number - Stratum 6 2 P 4. Blank

<u>X</u> <u>X</u>

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				2
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6.2	7. <u>9</u>	8. <u>06</u>	9. <u>0 }</u>	- _{10.} <u>/</u>	11	12.74	13	14.]	15. 3	16. <u>8</u>	17.4
2nd	18.7	197	20. 9	21. <u>06</u>	_{22.} 0 <u>)</u>	-23. <u>l</u>	24.2	25. 75 6	<u>}</u> 26. <u> </u>	27. 1	28. 3	29. 8	30.4
3rd	317	32. <u> </u>	33. <u>9</u>	34. D 6	35. <u>8</u> 2	36. <u>/</u>	_{37.} <u>5</u>	- 38. <u>74</u>	<u> 2</u> 39. <u>L</u>	40.	41. <u>3</u>	42.2	43. 2
4th	447	45. 1	46. 9	47 D 6	48. <u>02</u>	49. [50. <u>6</u>	51.947) _{52.} <u>)</u>	53. /	54. 7	<u>55</u> 2_	50_
5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70. <u> </u>	71	72	73	74	75	76	77:	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99 1	100	101	102	103	104	105	106	107	108
9th	109	110	111	1121	13	114	115	116	117	118	119	120	121
10th	122	123	124	1251	26	127	128	129	130	131	132	133	134

•				PEDES	STRIA	LNI V	URY DAT	Α				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ ' Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
						:			1 (st			
11th												
13th												
15th		_										·
16th												
18th												
19th										4 () - (<u>A++</u>) - ()		
20th											-	
21st									_			
22nd		_						· ——	_			
23rd	_											_
24th	. -	_										
25th												

v

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

Page

(0) Injury not from vehicle contact **OFFICIAL** Probable (1) Autopsy records with or without hospital/ No damage/contact Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters Rounded edge (4) Interviewee Sharp edge Other source (specify): Other (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Moderate injury (06) Lumbar (2) (2) Face (3) Serious injury Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration (08) Skin - Avulsion (4) (4)Severe injury Thorax (5) Critical injury (5) Abdomen (10) Amputation Maximum (untreatable) Spine (6) Upper Extremity (20) Burn (7)Injured, unknown severity (30) Crush (40) Degloving (50) Injury - NFS Level of Injury Lower Extremity Aspect Unspecified (9) injuries are consecutive two-digit beginning with 02. assigned (1) Right Left Type of Anatomic Structure (90) Trauma, other than mechanical numbers (2) (3) (4) (5) Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Central Anterior (3) Nerves (6) (7) (8) Organs (includes muscles/ ligaments) (10) Concussion Posterior (4)Superior Inferior Skeletal (includes joints) Head - LOC (9) Unknown (6) NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 721 Front antenna 807 Muffler 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 725 C pillar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): _ (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):__ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify): 738 Other left side object 775 Windshield glazing (specify): 776 Front header Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components

780 Hatchback

781 Rear trunk lid

789 Unknown top component

788 Other top component (specify): _____

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

TYPE OF DAMAGE

949 Unknown object in environment

997 Noncontact injury source 999 Unknown injury source

959 Unknown object on contacting vehicle

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

___ Yes

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ____


Units of Blood Given


Units = ____

Arterial Blood Gases

PO₂ = ____


HCO₃






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	OFFICIAL RECORDS
1. Primary Sampling Unit Number	
2. Case Number - Stratum 6 P P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify); 2 9	(999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	25 mph X 1.6093 = 492 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify):	(8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4.500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event $\underline{\vartheta} oldsymbol{\phi}$	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
· ·	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane (60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(o) Trooragin stability anialown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated (4) Vehicle stayed on roadway, not known if left
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown


	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	\$	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow	<u>4</u>	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 	1	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 7 2	3. Vehicle Number0_1_								
2. Case Number - Stratum 6 3 ϕ P									
VEHICLE IDE	NTIFICATION								
VIN 161JC 5447 R7	Model Year 9 4								
Vehicle Make (specify): Chevrolet									
PEDESTRIAN FRONT CONTACT WORK SHEET									
PEV06 Hood Material									
PEV08 Hood Length	cm								
PEV09 Hood Width-Forward Opening	cm								
PEV10 Hood Width-Midway	cm								
PEV11 Hood Width-Rear Opening	cm								
PEV14 Front Bumper Cover Material									
PEV15 Front Bumper Reinforcement Material									
VERTICAL ME	A CLIDEMENTO								
VERTICAL WE	ASUREINEN I S								
PEV16 Front Bumper-Bottom Height	cm								
PEV17 Front Bumper-Top Height	cm								
PEV18 Forward Hood Opening	cm								
PEV19 Front Bumper Lead	cm								
WDAD DI	77411070								
WRAP DIS	STANCES								
PEV20 Ground to Forward Hood Opening	cm								
PEV21 Ground to Front/Top Transition Point	cm								
PEV22 Ground to Rear Hood Opening	cm								
PEV23 Ground to Base of Windshield	cm								
PEV24 Ground to Top of Windshield	cm								
PEV25 Ground to Head Contact	cm								

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

	PEDESTRIAN SIDE CONTACT	WORK SHEET	, age c
	TEDESTITIAN SIDE CONTACT	WORK SHEET	
PEV06	Hood Material	Steel	
PEV08	Hood Length	121	cm
PEV09	Hood Width-Forward Opening	131	cm
PEV10	Hood Width-Midway	137	cm
PEV11	Hood Width-Rear Opening	139	cm
	VERTICAL MEASUREME	ENTS	
PEV26	Ground Clearance	23	cm
PEV27	Side Bumper-Bottom Height	35	cm /
PEV28	Side Bumper-Top Height	<u> </u>	cm /
PEV29	Centerline of Wheel	_31	cm /
PEV30	Top of Tire	<u>_60</u>	cm
PEV31	Top of Wheel Well Opening	_64	cm
PEV32	Bottom of A-Pillar at Windshield	<u> 8 </u>	cm
PEV33	Top of A-Pillar at Windshield	129	cm
PEV34	Top of Side View Mirror	<u>95</u>	cm
	LATERAL MEASUREMEN	NTS	
PEV35	C _L to A-Pillar at Bottom of Windshield	_68	cm
PEV36	C _L to A-Pillar at Top of Windshield	_6	cm
PEV37	C _L to Maximum Side View Mirror Protrusion	_92	cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition	<u> </u>	cm
PEV39	Ground to Hood Edge	<u>9</u> •	cm
PEV40	Ground to Centerline of Hood (ORIGIN)	<u>158</u>	cm
PEV41	Ground to Head Contact	129	cm

ORIGINAL SPECIFICATIONS Whee 1 base <u>1</u> ϕ 1.3 inches x 2.54 = 257 cm Overall Length 9.3.2 inches x 2.54 = 4 9 Ø cm Maximum Width inches x = 2.54 =_1_8 8 cm 3, 2 4 7 pounds x .4536 = 1, 4 7 2 kg Curb Weight $6 \, \varphi .65 \, \text{inches} \, \times 2.54 =$ _1 5 4 cm Average Track ___ inches x 2.54 = Front Overhang ___ cm ___ __.__ inches x 2.54 = Rear Overhang ___ cm __ __ inches x 2.54 = Undeformed Fnd Width ____ cm Engine Size: cyl./displ. ____c \ cc x .001 =2.2 L x . 0164 =___._L CID **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):____ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 825 Cargo (specify):____ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):___ (specify): _ 776 Front header 739 Unknown left side component 777 Roof surface

Right Side Components

742 A1 pillar

743 A2 pillar

740 Front fender side surface 741 Front antenna

778 Backlight glazing

779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): ___

789 Unknown top component

Other Object or Vehicle in Environment

947 Ground

948 Other object (specify):_


949 Unknown object in environment

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
A		- 82	89-91)	hrni	skipe Seperated	1 2 3 🕟	
B	A-piler	-50 to	73-79			Seperated	702 3 9	
C	Apilar	-106	6 P	/		dent	1 2 3 9	
D	Apillar	-1403	15-6g			mericed	1 2 D	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1	141	-30	79	2.4	Hone	Bentena	2 3 9
2	752	-82	-91	2-4	L. Hord	Smith A	0223
4				_		Loose git	⊘ 2 3 9
2 3	フリン	-106	70	0	Head	smile_	0:,
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 g
15			-				1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21					·		1 2 3 9
22							1 2 3 B
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening <u>i 3 9</u>
4. Original Wheelbase 2 5 7	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
$1 \pm 1 \cdot 3$ inches X 2.54 = $2 \cdot 5 \cdot 7$ centimeters	<u>54</u> .1_ inches X 2.54 = 2 centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width Code to the	Pedestrian (O) Net demand
nearest centimeter	(U) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material	(9) Unknown
6. Hood Material (1) Plastic	
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	1
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass (3) Rubber
	(3) Rubber (4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
Code to the	
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel (2) Aluminum
12.	(2) Aluminum (3) Stainless Steel
<u>5_1</u> . <u>\$</u> inches X 2.54 = <u>3_4</u> centimeters	(4) Other (specify):
10. Hood Width Midway 13 1	(9) Unknown
Code to the	
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter (000) No front contact
r 2 4	(150) 150 centimeters or more
$\underline{53}.\underline{4}$ inches X 2.54 = $\underline{137}$ centimeters	(999) Unknown
i de la companya de	

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = centimeters	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 =
	·
F 141 Disa 88	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE SONTAGE DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (1000) No front contact	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 10 2 3 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 13 . 1 inches x 2.54 = 3 centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact 10 2 3 Centimeters

	Side Lateral Measurements
29. Centerline of Wheel Code to the	
nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown 123.6 inches X 2.54 = 60 centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = 4 centimeters	(250) 250 centimeters or more (999) Unknown
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = 38 centimeters	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 5	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown 33. Ginches X 2.54 = 86 centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 127. Hinches X 2.54 = centimeters	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown 35. 4 inches X 2.54 = 9 centimeters

· • · · · · · · · · · · · · · · · · · ·	, ago 10
40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	
inches X 2.54 = centimeters	
·	
•	

Smal

72630P00010012 3710.010000000000102R72000

72630P00010021 10.0 0000000001321654708713504513011001106051409670242009702

1010000000004

72630P00010131 10.0 0000000077906021174111384 72630P00010231 10.0 0000000077906021275211384 72630P00010331 10.0 0000000071906021574211322 72630P00010431 10.0 0000000071906021694711000

72630P01000041 10.0 0000000009420016041G1JC5447R7

91110180022204111210051

0000000023035053031060064088129095068061092086090158129

PSU72 CASE 630P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

497

	MBER OF LLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0.	0	0	Υ
Pedestrian Assessment	0	0	0	Υ
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicle	0	o ·	0	· Y
Total Inter Errors		0	o	
Total Case Errors	o	o	o	