



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

72 PSU

CASE NO. <u>6</u>50P

TYPE OF ACCIDENT Van/Pedestrian straight path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was eastbound in lane 2 of a 3-lane undivided road approaching an intersection. The pedestrian was crossing southbound not in a crosswalk. The pedestrian was struck in the head by the left side mirror of vehicle 1. The pedestrian came to rest on the ground near the point of impact. Vehicle 1 applied brakes and came to rest in same lane.


	B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source				
01	O1 60 Female		Treated & Released	Scalp	Contusion	1	Left Mirror				

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit

	Class		Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description				
01	Passenger Van	96 Ford E250	Left	Mirror				

DO NOT SANITIZE THIS FORM







U.S. Department of Transportation

PEDESTRIAN ACCIDENT COLLISION
MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

Primary Sampling Unit Number	L	Са	se Number-Stratum <u>6 5 p</u> P
PEDESTRIAN ACCIDENT CO document reference point and reference line relative to physical features documentation of all accident induced physical evidence including (if applicable): a) vehicle skid marks b) pedestrian contacts with ground or object c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and vehicle documentation of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Surface Type Surface Type Surface Condition Coefficient of Fric Grade (v/h) Measural at impact b) between impand final res Pedestrian Travel I Vehicle Travel Dire	tion SS rement pact	SCALED DIAGRAM north arrow placed on diagram grade measurements for all applicable roadways. scaled representations of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: a) physical evidence, or b) reconstructed accident dynamics
S (-	rb edge	_ Reference line: Distance and Direc	S curb ed
Item L. Y.		from Reference Po	
PED FOR	1 44	8.3 n W 3.2 n W	5.4mN 5.4mN 3.5mIV
Cro Sw2	k wley Elay	15.E 2.8 mE	

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	72	SPECIAL STUDIES	- INDICATORS	
2. Case Number - Stratum	6 5 9 P	Check (✓) each special study has been completed, code	for the checked s) that pecial
IDENTIFICATION		studies and 0 for the special s	tudies not checked.	
Number of General Vehicle Forms Submitted	0 4	6SS15 Administrative	Use	_0
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Cra	sh Data Study	_1
4. Date of Accident (Month,Day,Year)	7 9 4	8SS17 Impact Fires		_0
5. Time of Accident	45	9SS18		0
NOTE: Midnight = 2400	lent.	10SS19		_0_
Unknown = 9999		NUMBER OF	EVENTS	
		11. Number of Recorded Event in This Accident	~	0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 1 3	15. <u>L</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

	TESESTIMAN GRASH BATA STORY
1. Primary Sampling Unit Number 72	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 5 p	kilogram. (999) Unknown
3. Pedestrian Number0_1	
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
inches X 2.54 =centimeters 2 8 9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

vational Accident Sampling System-Crashworthiness Da	ata System: Pedestrian Assessment Form Page
15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (08) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

INJURY CONSEQUENCES
25 Injury Severity (Believ Betiev)
26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Nonfatal (3) Hospitalization
(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
27. Type Of Medical Facility (for Initial Treatment)
(0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
28. Hospital Stay
(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

CTOD WIDING OF THEOLIGINATION	rage
STOP - VARIABLES 30 THROUGH 37 AP	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death
 (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown
(96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease	(97) Injured, details unknown (99) Unknown if injured
(99) Unknown	
ARE ALL APPLICABLE MEDICAL RECORDS	S INCLUDED WITH INITIAL SUBMISSION? YES[]
UPDATE CANDIDATE?	NO[] YESY/J



Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

72

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 50 P

4. Blank

<u>X</u> X


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90			lnjury							
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth	
1st	5. Z	6. <u>L</u>	7.9	8. <u>04</u>	9. <u>0 2</u>	10. <u>/</u>	11	12. <u>7 3 3</u>	13. <u>/</u>	14	15.3	16. 2	- _{17.} 2	
2nd	18. 2	19.)	20. 6	21,04	22. <u>0</u> 2	- _{23.} <u>/</u>	24, _O	25. <u>73 }</u>	26	27	28. 3	29	ر 30	
3rd	31	32	33	.34	35	36	37	38	39	40	41	42	43	
4th	44	45	46	47	48	49	50	51	52	53	54	55	56	
5th	57	58	59	60	61	62	63	64	65. <u> </u>	66	67	68	69	
6th	70	71	72	73	74	75	76,	77	78	79	80	81	82	
7th	83	84	85. <u> </u>	86	87	88	89	90	91	92	93	94	95	
8th	96	97	98	99	100.	101	102	103	104	105	106	107	108	
9th	109	110	111. 	112.	113.	114	115	116	117	118	119	120.	121.	
Oth	122	123	124	125	126	127	128	129.	130	131	132	133	134	

					PEDES	TRIA	V INJ	URY DAT	Α				
	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th			_			_	_		<u></u>	_		_	_
12th	_	—	-			-	_			_	—		_
13th	_		<u>-</u>			_						—	
14th						—	_			—	—	_	<u></u>
15th 16th		_				_	_		— —		-	-	
17th			—			_	_			_	_	_	
18th	_		<u>-</u>			_	_		_			-	<u></u>
19th	_	<u> </u>	<u>-</u>			_			_		 -		
20th									_				
21st 22nd									·				
23rd													
24th													
25th													

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Indirect contact injury Emergency room records only (including Noncontact injury associated X-rays or other lab reports) Noncontact injury (8) Other specify: (7) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters (6) E.M.S. personnel Rounded (contoured) Rounded edge (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Sharp edge (8) Other source (specify): Other (specify): (5) Other specify: (9) Police Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Minor injury Moderate injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head (06) Lumbar (2) Face Neck (3) Serious injury (3) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration (08) Skin - Avulsion (4) (5) Severe injury Critical injury Maximum (untreatable) Thorax (5) Abdomen Amputation (6) Spine Upper Extremity (20) Burn Injured, unknown severity Level of Injury Lower Extremity (30)Crush Unspecified Degloving Aspect (40) injuries are ve two-digit (50) Injury - NFS Specific assigned consecutive Type of Anatomic Structure (1) Right numbers (90) Trauma, other than mechanical beginning with 02. (2) (3) (4) (5) (6) (7) (8) Bilateral Central Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 Vessels Anterior (3) Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Organs (includes muscles/ Posterior Superior ligaments) Skeletal (includes joints) Inferior (9) Head - LOC structure. 99 is assigned to any injury Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires **FRONT** 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 793 Right rear wheel /tire 748 Other pillar (specify): 703 Hood edge and/or trim 749 Right side roof rail 704 Hood ornament (fixed) 798 Other wheel / tire (specify): 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank **Back Components** 723 A2 pillar 760 Rear (back) bumper 810 Rear suspension 724 B pillar 818 Other undercarriage component 725 C pillar 761 Tailgate 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle 821 Cellular or CB radio antenna Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 823 Fog lights 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):_ 738 Other left side object (specify): 776 Front header Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 740 Front fender side surface 949 Unknown object in environment 780 Hatchback 781 Rear trunk lid 959 Unknown object on contacting vehicle 741 Front antenna 788 Other top component (specify): ____ 997 Noncontact injury source 742 A1 pillar

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable

Possible

(9) Unknown

(2)

SOURCE OF INJURY DATA

(2) Hospital/medical records other than

medical records

(1) Autopsy records with or without hospital/

OFFICIAL

743 A2 pillar

TYPE OF DAMAGE

Large deformation

999 Unknown injury source

(1)

(2)

(3) Dent

(0) Injury not from vehicle contact

No damage/contact Scratch (Scuff, Cloth Transfer,Smear)

OFFICIAL INJURY DATA - SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score


Units of Blood Given


Units = ___

Arterial Blood Gases

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 72	OFFICIAL RECORDS
2. Case Number - Stratum 6 5 P P	
3. Vehicle Number01 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify):	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	mph X 1.6093 = 482 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
6. Vehicle Model (specify): E 250 Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type	(9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
Note: Applicable codes may be found on the back of this page. 8. Vehicle Identification Number	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source: PAR
FTFS24Y5TH 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (O) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
	•
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	The resident sumpling system stabilities but	1 0 7 3 1	
23.	Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	1	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85) Pedalcyclist or other nonmotorist—unknown
	(specify):	1	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):	1	<u> </u>
			(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway
	(specify):	1	(89) Animal—unknown location
	(06) Traveling too fast for conditions	1	(90) Object in roadway
	(08) Other cause of control loss (specify):		91) Object approaching roadway
			92) Object—unknown location
	(09) Unknown cause of control loss	,	98) Other critical precrash event (specify):
	This Vehicle Traveling	l	
	(10) Over the lane line on left side of travel lane		99) Unknown
	(11) Over the lane line on right side of travel lane	i	•
	(12) Off the edge of the road on the left side	24	Attempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		00) No driver present
	(14) End departure		01) No avoidance actions
	(15) Turning left at intersection	1	
			02) Braking (no lockup)
	(16) Turning right at intersection		O3) Braking (lockup)
	(17) Crossing over (passing through) intersection		04) Braking (lockup unknown)
	(19) Unknown travel direction		05) Releasing brakes
	Other Motor Vehicle In Lane		06) Steering left
	(50) Stopped	1	07) Steering right
	(51) Traveling in same direction with lower speed	(08) Braking and steering left
	(i.e., lower steady speed or decelerating)	(09) Braking and steering right
	(52) Traveling in same direction with higher speed) (10) Accelerating
	(53) Traveling in opposite direction	i (11) Accelerating and steering left
	(54) In crossover		12) Accelerating and steering right
	(55) Backing		98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		99) Unknown
	in lane	l '	1
	Other Motor Vehicle Encroaching Into Lane	25. 1	Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left		O) No driver present
	lane line		1) No avoidance maneuver
			2) Tracking
	(61) From adjacent lane (same direction)—over right		3) Skidding longitudinally—rotation less than 30
	lane line	'	degrees
	(62) From opposite direction—over left lane line	Ι (4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line		5) Skidding laterally—counterclockwise rotation
	(64) From parking lane	-	8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction	,	·
	(66) From crossing street, across path	l (9) Precrash stability unknown
	(67) From crossing street, turning into opposite	,	1
	direction	26. F	Precrash Directional Consequences of
	(68) From crossing street, intended path not known		Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction		O) No driver present
	(71) From driveway, across path		No avoidance maneuver
	(72) From driveway, turning into opposite direction	l i	2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		maneuver was initiated
	(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details	·	where avoidance maneuver was initiated
	unknown	(4) Vehicle stayed on roadway, not known if left
		,	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist		initiated
	(80) Pedestrian in roadway	(5) Vehicle departed roadway
	(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONMENTAL DATA							
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown					
29.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		34. Traffic Control Device (O) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted					
32.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	_	(4) Dawn (5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown					
	(9) Unknown							

96 E250 C. Vo~

しのソのト タデリ 140年

POI to FRP = 6m = 20 ft f=0.55Portio L broking 0.25 = fPR T = 0.5 Sec $20 = 0.5V + \frac{V^2}{(12)(0.25)(82.2)}$

0.062V2 + 0.5V - 20 = 0

 $V = \frac{-0.5 \pm \sqrt{(0.5)^2 - (4)(0.06)(-20)}}{7.12}$


v= 14.36 fps = 9.7 mph = 15,7 KPh



cm

Administration PEDES I RIAN EXTER	RIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTI				
1. Primary Sampling Unit Number 72	3. Vehicle Number0_1_				
2. Case Number - Stratum 6 5 Ф Р					
VEHICLE IDE	NTIFICATION				
VIN 1 F T F S 24 Y 5 T H Model Year 96					
Vehicle Make (specify): Ford	Vehicle Model (specify): £ 250 Van				
PEDESTRIAN FRONT C	ONTACT WORK SHEET				
PEV06 Hood Material					
PEV08 Hood Length	cm				
PEV09 Hood Width-Forward Opening	cm				
PEV10 Hood Width-Midway	cm				
PEV11 Hood Width-Rear Opening	cm				
PEV14 Front Bumper Cover Material					
PEV15 Front Bumper Reinforcement Material					
VERTICAL ME	ASUREMENTS				
PEV16 Front Bumper-Bottom Height	cm				
PEV17 Front Bumper-Top Height	cm				
PEV18 Forward Hood Opening	cm				
PEV19 Front Bumper Lead	cm				
WRAP DIS	STANCES				
PEV20 Ground to Forward Hood Opening	cm				
PEV21 Ground to Front/Top Transition Point	cm				
PEV22 Ground to Rear Hood Opening	cm				
PEV23 Ground to Base of Windshield	cm				
PEV24 Ground to Top of Windshield	cm				
PEV25 Ground to Head Contact	ст				

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

VORK SHEET
eel
6 cm
<u> 1 7 Φ</u> cm
111 cm
174 cm
ITS
_ <u>37</u> cm ~
60 1 cm
_ <u>36</u> cm
$\frac{73}{2}$ cm
_ <u>8</u> _8 cm
141 cm
194 cm
157 cm
s
95 cm
<u>&_</u> cm
$\frac{129}{1}$ cm
<u>132</u> cm
138 cm
<u>1 18</u> cm
<u> </u>

	ORIGINAL SPECIFIC	CATIONS
Wheelbase	<u>138</u> .ø ind	ches x 2.54 = 350 cm
Overall Length	23 1.B inc	ches $\times 2.54 = \underline{5} \underline{8} \underline{8} \text{ cm}$
Maximum Width	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inc	ches $\times 2.54 = 201$ cm
Curb Weight		unds x $.4536 = 2, 3 = 1 \text{ kg}$
Average Track	inc	ches x 2.54 = cm
Front Overhang	inc	ches x 2.54 = cm
Rear Overhang	inc	ches x 2.54 = cm
Undeformed End Width	inc	ches x 2.54 = cm
Engine Size: cyl./displ	. <u>6 c y 1</u> cc	x .001 = 4.9 L
	CIC	D x .0164 = L
FRONT 700 Front bumper	INJURY SOUR	Wheels / tires
701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed)	744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing	798 Other wheel / tire (specify):
708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object Left Side Components	753 Right side folding mirror 754 Right side glazing forward of E 755 Right side glazing rearward of 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object	
720 Front fender side surface 721 Front antenna 722 A1 pillar 723 A2 pillar 724 B pillar 725 C pillar 726 D pillar 728 Other pillar (specify):	(specify):	806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify):
729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar	769 Unknown back component Top Components 770 Hood surface 771 Hood surface reinforced by uncomponent 772 Front fender top surface	Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar nder hood 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):
736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component	773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing	826 Spare tire 827 Spotlight 828 Other accessory (specify):
Right Side Components 740 Front fender side surface 741 Front antenna 742 A1 pillar 743 A2 pillar	779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify) 789 Unknown top component	948 Other object (specify): 949 Unknown object in environment 959 Unknown object on contacting vehicle

VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 228 cm

POINTS OF PEDESTRIAN CONTACT									
	PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #	
A	side	-5 \$	-11# to	1	hezd	swipe Swipe	2 3 9		
8	door toxes	-900 ha -140		1	1	Stipe	0 231		
C	dooryerel	-130 to	-164	/	1	swipe	Q 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
		,					1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
		,					1 2 2 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		

POINTS OF PEDESTRIAN CONTACT

		ī	CHRONO	COLICAL ORI	ER OF CONTACTS		
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>
1 A	133	-50 -50	110	0	Scol P	+ Ser Just	Q 2 3 9
2 A	133	, 50	ر د)	20	4510/300	1 2 3 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7			·				1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 2 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
19							1 2 2 2
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23				•			1 2 3 9
24							1 2 3 8
25							1 2 3 9

VEHICLE DIMENSIONS	
	11. Hood Width Rear Opening Code to the
4. Original Wheelbase 3 5 6	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
13 g. mo inches X 2.54 = 3 5 pc centimeters	68 5 inches X 2.54 = 174 centimeters
5. Original Average Track Width 9999	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian 6
nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
inches V 2 EA	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
A	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel (4) Aluminum	(O) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7.11.10.11	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE From: Vertical Measurements
(3) Non-OEM replacement	Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1.5. \(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. 1 inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. 1 inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. 1 p centimeters 10. Hood Width Midway	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. 1 inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. 1 p centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. 1 inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. 1 p centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. 1 inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. 1 p centimeters 10. Hood Width Midway Code to the	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. Inches X 2.54 = 17 p centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. Inches X 2.54 = 17 pcentimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown 1. Inches X 2.54 = 64 centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 1. Inches X 2.54 = 17 p centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

47 F & D. Too Helinka	
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	inches X 2.54 = centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Linis sach mistaine aleasmentains	
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 14.5 inches X 2.54 = 31 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 17.3 inches X 2.54 = 44 centimeters

29. Centerline of Wheel	Side Lateral Measurements
nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown	37. inches X 2.54 = 95 centimeters 36. Centerline to A-Pillar at Top of Windshield
	Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more	
(999) Unknown 34 . 6 inches X 2.54 =9	37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter (000) No side contact
Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(300) 300 centimeters or more (999) Unknown
	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 1	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown 1 3 2 centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches x 2.54 = 157 centimeters	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown 3 inches X 2.54 = 138 centimeters

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	228	
	8	9 . 7 inches X 2.54 = 22	centimeters	
41.	Groun (000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	<u> 3 P</u>	
		1 . 1 inches X 2.54 = 13	b	
		inches X 2.54 = 1	centimeters	
				·
				·
				·
		•		