400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration 82 PSU

CASE NO. 631 P

TYPE OF ACCIDENT CAR STRAIGHT/PEDESTRIAN RUNNING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was westbound on a 2-lane, 2-way street. A pedestrian was northbound and was struck on the right side by the front of Vehicle #1. The pedestrian wrapped and slid to windshield and flipped off the right side of Vehicle #1. Vehicle #1 then braked toa stop.

	B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/		Most (TO BE COMPLI	Severe	Injury 7 ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	5	Male	Treated & released	Right ulbon	abresion	1	Hood surface			


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	Class			Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Compact	95/Acura/Integra	Front	Minor scratches, smudges

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM





U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration Case Number - Stratum 631 Indid S A 0 9 V



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

						
Primary Sampling Unit Number 8 2	_		C	ase Numb	er-Stratum <u>6</u>	<u>3 P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTIO	ON _		SCALED DIA	GRAM
 document reference point and reference line relative to physical features 	Surface Type		Concreta		north arrow placed on d	iagram
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condit	tion	May	· '	grade measurements for oadways	r all applicable
a) vehicle skid marks	Coefficient of F	riction	,60-,7	.] ' {	scaled representations on notuding:	of the physical plant
b) pedestrian contacts with ground or object	Grade (v/h) Me	esurement	9/	'	 all road/roadway del crosswalks, curb/ed markings, medians, parked vehicles, pol 	ge lines, lane pavement markings
c) vehicle/pedestrian point of impact (POI)	a) at imp	pact	122		all traffic controls (e.	g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betwe final r	en impact and est	195	. P	caled representations o edestrian at pre-impact est based upon either:	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	vel Direction	North	a)	physical evidence, o	r
documentation of the physical plant including:	Vehicle Travel I	Direction	Most	b)	reconstructed accide	ent dynamics
 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 	Number of Trav	vel Lanes	7			
b) all traffic controls (e.g., lights, signs).		*				
Reference Point: Light Pole sile of street/whersouts	m Sont	A Ref	erence Line: _	Snt	& Coul E	dye
item	Relativ		tance and Dire m Reference F		Distance an	
= P. OI.			9.0 E	•	5.81	J
= Fral lest Pe	2	3.0 B			7.41	Θ
> Final Root (1))		13.11	ω		·
Ber Davier						
= Final Rest ((V)		8.0 W	~ Ç	elt he wa	24
Lidmo dan Sk	he start	locat	(in)#	Full	car longt	In past
				Fral	Rot Pel	Q
- Long Reaction tim	و ج 88	Sodo	ly pos	b fi	teed lon	Ped.
			· -			
						, o <u>a</u>

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

0

7. ✓ SS16 Pedestrian Crash Data Study

1

SS17 Impact Fires

0

___SS18 _____

0

10. SS19

0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. \$ 2	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (< 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

amin	istration	PEDESTRIAN CRASH DATA STUDY
1.	Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 2 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown Pedestrian's Overall Height	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping
7	Code actual height to the nearest centimeter. (999) Unknown Contimeters Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters Code to the nearest centimeter.	(7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions
9	Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
	18. Pedestrian's Arm Orientation
- W	at Initial Impact (01) At sides
OV	(02) Folded across chest
15. Pedestrian's First Avoidance Actions	(03) Hands clasped behind back
(00) No avoidance actions	(04) Hands on hips
(01) Stopped	(05) Hands in pockets
(02) Accelerated pace	(66) Hallas III positions
(03) Ran away (along vehicle path) (04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned toward vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(01) 2010 01 101 211 21	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(04) Taradhan
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
10. D. J. J. Hand Orientation	(02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact (1) To front	(07) Right foot off the ground
(2) To left	(00) Both feet on the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(Carried by vehicle, position unknown
	(04) Passed over vehicle top – ?
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle— ≺
(2) Facing away (3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
(-)	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(\$8) Other (specify):
	(99) Unknown

INJURY CONSEQUENCES OFFICIAL RECORDS 21. Police Reported Alcohol Presence 25. Injury Severity (Police Rating) For Pedestrian (0) O - No injury (0) No alcohol present (1) C - Possible injury (1) Yes alcohol present (2) B - Nonincapacitating injury (7) Not reported (3) A - Incapacitating injury (9) Unknown (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident 22. Alcohol Test Result For Pedestrian (9) Unknown Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given 26. Treatment - Mortality (0) No treatment (97) AC (Alcohol Content) (1) Fatal test performed, results unknown (2) Fatal - ruled disease (specify): (99) Unknown if test given Nonfatal Source: _ (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported 23. Police Reported Other Drug Presence (6) Treatment later For Pedestrian (8) Treatment - other (specify): (0) No other drug(s) present (1) Yes other drug(s) present (9) Unknown (7) Not reported (9) Unknown 27. Type Of Medical Facility (for Initial Treatment) 24. Other Drug Specimen Test Result (0) Not treated at a medical facility For Pedestrian (1) Trauma center (0) No specimen test given (2) Hospital (1) Drug not found in specimen (3) Medical clinic (2) Drug found in specimen, (4) Physician's office (specify): (5) Treatment later at medical facility (3) Specimen test given, (8) Other (specify): results unknown or not obtained (9) Unknown (9) Unknown 28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility)	34. 1st Medically Reported Cause of Death
(00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility	35. 2nd Medically Reported Cause of Death
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(97) Injured, details unknown (99) Unknown if injured	number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause
(specify units):(9) Unknown if blood given	of death. (specify): (97) Other result (includes fatal ruled disease)
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported	(specify):(99) Unknown
(02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown	37. Number of Recorded Injuries for
(97) Injured, details unknown (99) Unknown if injured	This Pedestrian Code the actual number of injuries recorded for this pedestrian.
33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
(00) Not fatal (96) Fatal - ruled disease (99) Unknown	
(99) OHAIIOWII	
ARE ALL APPLICABLE MEDICAL RECOR	OS INCLUDED WITH INITIAL SUBMISSION?
UPDATE CANDIDATE	? NO√ YES[]

U.S. Department of Transportation

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X</u> <u>X</u>

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u>8</u>	7. 9	8. <u>0 2</u>	.9. <u>0</u> 2	10. <u> </u>	11	Licerse 12. <u>718</u>	13. <u>/</u>	14	15. 2	- _{16.} <u>3</u>	173
2nd	18. 7	19. <u>7</u>	₂₀ , <u>9</u>	21. <u>0</u> <u>2</u>	22.0 2	23. 🖊	24. <u>/</u>	25. <u>77</u> C	O 26. 1	27. 📜	28. 2	- _{29.} <u>3</u>	30.
								38. <u>7</u> 7 (
								51. <u>77</u> 4					
								64. <u>774</u>					
								77. <u>7</u> 20		.			
								90.774					
								103.774					
								116.779					
10th	122	123	124	125	126	_ 127	128	129	_ 130	131	132	133	134

		· •		PEDES	STRIA	JUNI N	JRY DAT	Α				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1.1th												
12th									_	<u> </u>		
14th						_		<u>—</u>				
15th		— —				— —		_		— -	— —	— —
17th						_		_	_	<u> </u>		_
19th	-					_		_	<u></u>		_	_
20th	_	<u> </u>	—— ——		— —	— —	 	-	<u></u>	<u> </u>	— —	_
22nd		_ 			_ _			— —		— ·	— —	— —
24th			<u> </u>		<u> </u>	_		-	-	_		

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source



(1) (2) Certain Probable **OFFICIAL** (0) Injury not from vehicle contact No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent Hospital/medical records other than (4)Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report No residual damage (3) (4) (5) Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head Minor injury Face (06) Lumbar Moderate injury (3) (4) (5) (6) (7) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Severe injury Thorax Skin - Avulsion Critical injury Abdomen Spine (10)Amputation (6)Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity (8) (9) Lower Extremity (30) Level of Injury Crush Degloving Injury - NFS Unspecified (40) Aspect Specific (50)injuries are assigned consecutive two-digit beginning with 02. Type of Anatomic Structure Trauma, other than mechanical numbers Right (2) Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Central Whole Area (3) To the extent possible, within the (2) Vessels organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (3) Anterior (4)Organs (includes muscles/ (10) Concussion (6)Posterior Superior ligaments) Skeletal (includes joints) Inferior (6) (9) structure. 99 is assigned to any injury NFS as to lesion or severity. Head - LOC (9) Unknown Skin Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 721 Front antenna 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 740 Front fender side surface 949 Unknown object in environment 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 788 Other top component (specify): _ 742 A1 pillar 997 Noncontact injury source

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

999 Unknown injury source

SOURCE OF INJURY DATA

743 A2 pillar

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score


Units of Blood Given


Units =

Arterial Blood Gases

Ph = .


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation

ational Highway Traffic Safety dministration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTE PEDESTRIAN CRASH DATA STUD
	81	OFFICIAL RECORDS
1. Primary Sampling Unit Num		0.00
2. Case Number - Stratum	<u>631 P</u>	9. Police Reported Travel Speed $999999999999999999999999999999999999$
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 1,59.5 kmph and above
VEHICLE IDENTI	FICATION	(999) Inknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	95	10. Speed Limit (000) No statutory limit
5. Vehicle Make (specify): Applicable codes are found NASS PCDS Data Collectio Editing Manual. (99) Unknown		Code posted or statutory speed limit in kmph (999) Unknown mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
Applicable codes are found NASS PCDS Data Collection Editing Manual.	in your n, Coding and	 (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes mathe back of this page.	y be found on	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	per ,	Source: V VV
Left justify; Slash zeros and No VIN-Code all zeros Unknown-Code all nines		13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown bbs X .4536 = 1,192 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:_ 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown lbs X .4536 = kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

		·	
00.000		,,,	n O-d-lli-++l
23. Critical Precrash		(83	3) Pedalcyclist or other nonmotorist in roadway
	s of Control Due To:	10.4	(specify):
(01) Blow out or		(04	 Pedalcyclist or other nonmotorist approaching roadway (specify):
(02) Stalled engi		105	i) Pedalcyclist or other nonmotorist—unknown
-	ehicle failure (e.g., wheel fell off)	100	location (specify):
(specify):	ng vehicle problem (e.g., hood flew	Oh	iect or Animal
			') Animal in roadway
up) (specify	onditions (puddle, pot hole, ice, etc.)		3) Animal approaching roadway
	bilditions (puddle, pot hole, ice, etc.)) Animal approaching roadway
(specify):	oo fast for conditions		Object in roadway
	e of control loss (specify):	l .) Object approaching roadway
(00) Other cause	s of control loss (specify).		2) Object—unknown location
(OO) Hakaaya a	ause of control loss	•	Other critical precrash event (specify):
		'30	of Other Chical preciasir event (specify).
This Vehicle Tra	ne line on left side of travel lane	100	Unknown
·	ne line on right side of travel lane	100	ON I
	e of the road on the left side	24 Δ++	empted Avoidance Maneuver
	e of the road on the right side	4)) No driver present
(14) End departu	_	2) No avoidance actions
(15) Turning left			2) Braking (no lockup)
	nt at intersection		B) Braking (lockup)
	ver (passing through) intersection		Braking (lockup unknown)
(19) Unknown ti			i) Releasing brakes
Other Motor Vel		1	S) Steering left
(50) Stopped	note in Lane	I .	7) Steering right
• •	same direction with lower speed		B) Braking and steering left
	steady speed or decelerating)	1	Braking and steering right
	same direction with higher speed	1)) Accelerating
_	opposite direction) Accelerating and steering left
(54) In crossove			2) Accelerating and steering right
(55) Backing		1	B) Other action (specify):
	ravel direction of other motor vehicle		9) Unknown
in lane			
Other Motor Vel	hicle Encroaching Into Lane		ecrash Stability After Avoidance Maneuver
(60) From adjace	ent lane (same direction) - over left	1	No driver present
lane line		(1)	
(61) From adjace	ent lane (same direction) - over right	(2)	<u> </u>
lane line		(3)	Skidding longitudinally—rotation less than 30 degrees
(62) From oppos	site direction—over left lane line	(4)	
	site direction—over right lane line	(5)	
(64) From parkir	_	(8)	
	ing street, turning into same direction		
	ing street, across path	(9)	Precrash stability unknown
	ing street, turning into opposite		1
direction			ecrash Directional Consequences of
	ing street, intended path not known	I .	oidance Maneuver (Corrective Action)
	way, turning into same direction	(0)	•
	way, across path	(1)	
	way, turning into opposite direction	(2)	Vehicle stayed in travel lane where avoidance maneuver was initiated
	way, intended path not known	(3)	Vehicle stayed on roadway but left travel lane
	nce to limited access highway	(3)	where avoidance maneuver was initiated
	ent by other vehicle—details	(4)	Vehicle stayed on roadway, not known if left
unknown	delevelled as Oakaa Alexander	``'	travel lane where avoidance maneuver was
	dalcyclist, or Other Nonmotorist		initiated
(80) Pedestrian i		(5)	
	approaching roadway	(6)	
(02) redestrian-	unknown location	(9)	Directional consequences unknown

	ENVIRONMENTAL DATA								
	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without	<u> </u>	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign						
29	positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One	7	 (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): 						
	 (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown)	(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown						
30	 Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown 	+	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk						
3	 Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown 	1	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow						
3:	. Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	+	 (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown 						



82-631

195 Intyr

17 YOM

5 You 40 7

10-15 3 mp h

POIT TO FRP = 22,5m = 74 ft. t = 0,6 +=0,26

PRT = 1.5

 $74 = 1.5 V + \frac{V^2}{(2)(6.25)(32.2)}$

0. 062V2 +1.5V -74 = 0

V= -1.5 + 7(1.5)2-(4) (0.062)(-74)

N= 24 fDE = 16 mph = 26,4 KPL

.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Model Yea

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

100	cm
(99	

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

<u>VEO</u>	cm
C1 9	om.

cm cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm

cm

cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 154 cm

PEDESTRIAN SIDE CONTACT W	ORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cn
PEV09 Hood Width-Forward Opening	cn
PEV10 Hood Width-Midway	cn
PEV11 Hood Width-Rear Opening	cn
VERTICAL MEASUREMENT	rs
PEV26 Ground Clearance	cn
PEV27 Side Bumper-Bottom Height	cn
PEV28 Side Bumper-Top Height	cn
PEV29 Centerline of Wheel	cn
PEV30 Top of Tire	cn
PEV31 Top of Wheel Well Opening	cr
PEV32 Bottom of A-Pillar at Windshield	cr
PEV33 Top of A-Pillar at Windshield	cr
PEV34 Top of Side View Mirror	cr
LATERAL MEASUREMENTS	3
PEV35 C _L to A-Pillar at Bottom of Windshield	cr
PEV36 C _L to A-Pillar at Top of Windshield	cr
PEV37 C _L to Maximum Side View Mirror Protrusion	cr
\	<u> </u>
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cr
PEV39 Ground to Hood Edge	cr
PEV40 Ground to Centerline of Hood (ORIGIN)	CI
PEV41 Ground to Head Contact	CI

ORIGINAL SPECIFICATIONS inches $\times 2.54$ Wheelbase inches x 2.54Overall Length inches $\times 2.54$ Maximum Width CMpounds x . 4536 =Curb Weight kg Average Track inches \times 2.54 Front Overhang inches $\times 2.54$ CMRear Overhang inches $\times 2.54$ CMUndeformed End Width inches $\times 2.54$ CMEngine Size: cyl./displ. x .001 CC CID \times .0164 = **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 745 C pillar 701 Front lower valance/spoiler 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar

755 Right side glazing rearward of B pillar

757 Rear fender or quarter panel 758 Other right side object (specify):

759 Unknown right side component

702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object

(specify):

741 Front antenna

742 A1 pillar

743 A2 pillar

Right Side Components

740 Front fender side surface

739 Unknown left side component

760 Rear (back) bumper	
761 Tailgate	
762 Hatchback, vertical surface	
768 Other back component	
(specify):	
769 Unknown back component	
Top Components	
770 Hood surface	
771 Hood surface reinforced by	under hood
component	
772 Front fender top surface	
773 Cowl area	
774 Wiper blade & mountings	
775 Windshield glazing	
776 Front header	
777 Roof surface	
778 Backlight glazing	
779 Rear header	
780 Hatchback	
781 Rear trunk lid	
788 Other top component (speci	fy):
789 Unknown top component	

756 Rear antenna

Back Components


750 Left from Wheel / the
791 Right front wheel / tire
792 Left rear wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):
826 Spare tire
827 Spotlight
828 Other accessory (specify):
Other Object or Vehicle in Environment
947 Ground
948 Other object (specify):
949 Unknown object in environment
one to the state of the state o

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL Location . (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
1	hi8 (etc	120	-14	0	Bent	Ley	2 3 9	1
S	Spile	<u>63</u> /	<u>/-1+</u>	Ø	W/600	b Steake	<u></u>	0
K	To Bumbo	84	-18	0	Food	Scutch	1 2 3 9	3
1	Hord	65	0	05	Am	dust	O 2 3 9	U
7	book	56	33	0	lep	stock	2 3 9	٤
W	Book	-29	53	0K1	Fice	لمو	Q 2 3 9	
1	Con	-37	55	0	Fuce	Smudge fra	2 3 9	7
P	Wibor	-41	50	0	Face	Smulge	(b) 2 3 9	8
1	Fender	-39	24	Q	Shorthe	navor	2 3 9	9
	126						1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
					<u> </u>		1 2 3 9	

POINTS OF PEDESTRIAN CONTACT								
CHRONOLOGICAL ORDER OF CONTACTS								
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	
1 N	718	124	-14	1-2	R. leg	Bent	(D2 3 9	
2 L	770	65	0	0-1	Pielbow	don't	O 2 3 9	
3 M	770	-29	52	0-1	Showber	Jant ,	1 3 9	
• 6	774	-41	50	2	Liftusia.	displaced	2 3 9	
5	1.7	1	1		Chicsian	Bent	2 3 9	
6					Leeret,	5mo egu	2 3 9	
7					Jow tusion		2 3 9	
a V				Y	R. Fore,		2 3 B	
96	774	-41	50	V	Contrain	<u> </u>	2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 9	
17							1 2 3 9	
18							1 2 3 9	
19								
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	


VEHICLE DIMENSIONS	11. Hood Width Rear Opening
262	Code to the
4. Original Wheelbase	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(SSS) STIKING WIT
△3 . 1 inches X 2.54 = centimeters	inches X 2.54 = centimeters
(A.)	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian
Code to the	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush(2) Minor crush (1-3 centimeters)
(999), Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
5	(9) Unknown
6. Hood Material (1) Plastic	Ø
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
	Front Vertical Measurements
8. Hood Length Code to the	1
nearest centimeter	14. Front Bumper Cover Material \(\sum_{\text{V}}\) (0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber (4) Other (specify):
O Hand Width Farmand Opening 199	(9) Unknown
9. Hood Width Forward Opening Code to the	1
nearest centimeter	15. Front Bumper Reinforcement Material /
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
,inches X 2.54 = centimeters	(3) Stainless Steel (4) Other (specify):
10. Hood Width Midway	(9) Unknown
10. Hood Width Midway Code to the	V 7.0
nearest centimeter	16. Front Bumper-Bottom Height Odde to the
(210) 210 centimeters or more (999) Unknown	nearest centimeter
(093) Olikilowii	(000) No front contact
	/1EO\ 1EO contimotoro or more
inches X 2.54 = centimeters	(150) 150 centimeters or more (999) Unknown
inches X 2.54 = centimeters	(150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters

20. 0	Sectoring of Wheel	000	Side Lateral Measureme	ents
- ((Centerline of Wheel Code to the nearest centimeter OOO) No side contact 150) 150 centimeters or more 999) Unknown inches X 2.54 =	centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown	<u>000</u>
- (Top of Tire Code to the nearest centimeter 000) No side contact 200) 200 centimeters or more 999) Unknown inches X 2.54 =	centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more	centimeters
32.	Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more	centimeters	(999) Unknown inches X 2.54 = 37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	<u>0</u> 90
1	(999) Unknown	centimeters	Side Wrap Distance Measu	rements
	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	<u>000</u>	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	<u> </u>
34.	Top of Side View Mirror Code to the nearest centimeter	OOO	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact	centimeters
	(000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	centimeters	(500) 500 centimeters or more (999) Unknown inches X 2.54 =	centimeters


	1		i
40. Ground to Centerline of Hood Code to the	<u>000</u>		
nearest centimeter			
(000) No side contact (700) 700 centimeters or more			
(999) Unknown			
inches X 2.54 =	centimeters		
41. Ground to Head Contact	000		
Code to the nearest centimeter			
(000) No side contact			
(800) 800 centimeters or more (998) No head contact			
(999) Unknown			
inches X 2.54 =	centimeters		
		·	
		·	
			·
	-		
	-		

VEHICLE DAMAGE SKETCH

VINJHYDB7658SS




Hood Material



S7-eel

Bumper Gover Type



Bumper Reinforcement Material

Hood Widths

Rear Opening 143

Midway \39


Front Opening 129

<u> </u>Bumper lead

Wraps

Top Windshield Bottom Windshield 40+43

Transition <u>63</u>
Front Hood



/ertical Heights

Forward Hood Opening


Bumper Top

Bumper Bottom

Location of Origin (Intercept) / 50+14

Head Wrap Measurement

100 +3V Between M + T



ŧ

.

-

POINTS OF PEDESTRIAN CONTACT -- PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LONGITUDINAL	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	Dec Yluta	J-34	-44,	0	Book Lys	Buf	1 2 3 9
3	Buspoile	4- 35	-17	0	Lay feed	50 Speak	1 2 3 9
	4 sel	05	Ø	0 </td <td>#Rm/</td> <td></td> <td>1 2 3 9</td>	#Rm/		1 2 3 9
m	party	50	33	0	Seri	Total san	1 2 3 9
	1000	d. \	5		Folg	Doorb	1 2 3 9
N.	-olur	-37	55	0	Vare	ome de ton	1 2 3 9
(0	Film,	\$ -41	50	9	- Just	Steeah	1 2 3 9
	Genda Top	739	74	0	Stephan	nama stouck	1 2 3 9
	Brupen 1 H	12-70	- 18	Q	Feel	Secutes	1 2 3 9
	· V						1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
ļ							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9
							1 2 3 9

Final

10.0 00000000072904021877411133 10.0 00000000071904021177411133

82631P00000011 (1) 9710.00000000000114470100001 (1) 97 (1) 00000000000000 01 82631P000100120 9710.010000000000102F72000 10.0 000000000510912604807401813014001401080209600241009715 82631P00010021 1010000000009 82631P00010131 10.0 00000000038902021171811233 82631P00010231 10.0 00000000077902021177011233 10.0 00000000077904021177011233 82631P00010331 82631P00010431 10.0 00000000032904021877411133 10.0 00000000032902021877411333 82631P00010531 82631P00010631 10.0 00000000032906021877411133 10.0 00000000072904021877411133 82631P00010731

82631P01000041 10.0 000000000955403104JH4DB7658SS00280499904809600120000002 72110180011101211110011

PSU82 CASE 631P

82631P00010831

82631P00010931

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/97

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	o	0	Υ
Pedestrian Assessment	O	O.	Ö	Ÿ
Pedestrian Injury	Q	0	0	Υ
Pedestrian General Vehicl	e O	O	0	Ÿ
Pedestrian Exterior Vehic	le 0	0	O	Υ
Total Inter Errors		0	0	
Total Case Errors	0	o	o	