



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 607P

TYPE OF ACCIDENT Light Truck/Ped/Crossing road - straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was traveling south on a two way undivided roadway attempting a left hand turn (east). Pedestrian #1 was crossing the roadway from south to north, and in a crosswalk at the intersection. Vehicle #1 contacted the pedestrian on her left side while she was in the crosswalk. The impact knocked the pedestrian down, about 1.5 meters from point of impact. Vehicle #1 stopped .9 meters prior to final rest of the pedestrian.

| B. PEDESTRIAN PROFILE | | | | | | | |
|-----------------------|-----|--------|--|-------------|-------------|------------------------|---------------|
| Pedestrian | | | Most Severe Injury Treatment/ (TO BE COMPLETED BY ZONE CENTER) | | | Injury ZONE CENTER) | |
| No. | Age | Sex | Mortality | Body Region | Ana. Struc. | AIS | Injury Source |
| 01 | 42 | Female | Transported & Released | Left hip | Contusion | -1 | Hood edge |

| Body Region | Type of Anatomic Structure | Abbreviated Injury Scale |
|--|---|--|
| Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External | Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other | (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit |

| | C. VEHICLE PROFILE | | | | |
|----------------|--------------------|-------------------|---|-----------------------------|--|
| | Class | | Most Severe Damage Based on Vehicle Inspection | | |
| Vehicle No. | of Vehicle | Year/Make/Model | Damage Plane | Damage Description | |
| 01 | Pickup Truck | 1996 Ford F250 | Front | Scrapes, scratches, smudges | |






ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY




| | , - | | |
|------|------------|----|----------------|
| u.s. | Department | of | Transportation |

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration Indicate PSU No. Case Number – Stratum 60North V#1+P#1POI-P-POI=5.0N-2.0n 1-FRP-4.5~-4.5W P-FRP-5.0N-4.5W Ped Cross WALK

Ped Wall Signal 62 Ø 6.0 12.8



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration Primary Sampling Unit Number Case Number-Stratum PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line Surface Type north arrow placed on diagram relative to physical features documentation of all accident induced physical **Surface Condition** grade measurements for all applicable evidence including (if applicable); roadways scaled representations of the physical plant Coefficient of Friction vehicle skid marks including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane pedestrian contacts with ground or object markings, medians, pavement markings, Grade (v/h) Measurement parked vehicles, poles, signs, etc.) vehicle/pedestrian point of impact (POI) b) all traffic controls (e.g., lights, signs) at impact between impact and scaled representations of the vehicle and d) location of pedestrian separation point from final rest pedestrian at pre-impact, impact, and final vehicle rest based upon either: Pedestrian Travel Direction final resting points (FRP) for pedestrian and physical evidence, or vehicle documentation of the physical plant including: Vehicle Travel Direction reconstructed accident dynamics all road/roadway defineation (e.g., crosswalks, Number of Travel Lanes curb/edge lines, lane markings, medians, pavement markings; parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs) Reference Line: Distance and Direction Distance and Direction Item from Reference Point from Reference Line

| Itom | Distance and Direction | Distance and Direction |
|------|------------------------|------------------------|
| Item | from Reference Point | from Reference Line |
| | | |
| | | |
| | | |
| | | |
| | | |
| · | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | · | |
| | | |
| | | |
| | | |
| · | | |
| | | |
| | | |
| | | |
| | | |
| | | |

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number Case Number-Stratum 6 PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line Surface Type north arrow placed on diagram relative to physical features documentation of all accident induced physical Surface Condition grade measurements for all applicable evidence including (if applicable): roadways Coefficient of Friction scaled representations of the physical plant vehicle skid marks including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane pedestrian contacts with ground or object markings, medians, pavement markings, Grade (v/h) Measurement parked vehicles, poles, signs, etc.) at impact vehicle/pedestrian point of impact (POI) b) all traffic controls (e.g., lights, signs) c) between impact and scaled representations of the vehicle and d) location of pedestrian separation point from final rest pedestrian at pre-impact, impact, and final vehicle rest based upon either. physical evidence, or final resting points (FRP) for pedestrian and Pedestrian Travel Direction vehicle Vehicle Travel Direction documentation of the physical plant including: reconstructed accident dynamics all road/roadway delineation (e.g., crosswalks, Number of Travel Lanes curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) Reference Line: Reference Point: U01 A Distance and Direction Distance and Direction Item from Reference Point from Reference Line

| | Distance and Direction | Dietones and Dissetion |
|------|------------------------|--|
| Item | from Reference Point | Distance and Direction from Reference Line |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | · · · · · · · · · · · · · · · · · · · |
| | | |
| | | |
| | | |



PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

| dministration | | PEDESTRIAN CRASH DAT | ASIUU |
|--|--------------|---|-------|
| Primary Sampling Unit Number | 90 | SPECIAL STUDIES - INDICATORS | |
| 2. Case Number - Stratum | 607P | Check () each special study (SS15-SS19 below) has been completed; code 1 for the checked sp studies and 0 for the special studies not checked. | |
| IDENTIFICATIO | N | otagios ana si or ano oposiai statisto not ententen | |
| Number of General Vehicle | | 6SS15 Administrative Use | 0 |
| Forms Submitted | 0 1 | 7. <u>✓</u> SS16 Pedestrian Crash Data Study | _1 |
| 4. Date of Accident (Month, Day, Year) | / 9 7 | 8SS17 Impact Fires | _0_ |
| 5. Time of Accident | 0800 | 9SS18 | 0 |
| Code reported military time of NOTE: Midnight = 2400 | accident. | 10SS19 | 0 |
| Unknown = 9999 | | NUMBER OF EVENTS | |
| | | Number of Recorded Events in This Accident | 1_1_ |

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

| PEDESTRIAN ACCIDENT EVENTS | | | | | | |
|--------------------------------------|-----------------------|-----------------------|------------------------------|--|-----------------------|------------------------------|
| Accident Event Sequence Number | Vehicle Number | Class Of Vehicle | General Area of Damage | Vehicle Number or Object Contacted | Class Of Vehicle | General Area of Damage |
| 12. <u>0</u> <u>1</u> | 13. <u>0</u> <u>1</u> | 14. <u>l</u> <u>5</u> | 15. <u>F</u> | 16. <u>7</u> <u>2</u> | 17. <u>0</u> <u>0</u> | 18. <u>0</u> |

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

| 1. Primary Sampling Unit Number 2. Case Number - Stratum 6 0 1 P 3. Pedestrian Number | 10x Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown 110 pounds x .4536 = 077 kilograms |
|--|---|
| | |
| PEDESTRIAN'S CHARACTERISTICS | PEDESTRIAN'S PRE-AVOIDANCE ACTIONS |
| 4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex | 11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown |
| (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown | 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): |
| 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown I S inches X 2.54 = H Centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown | 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown |
| 33 inches X 2.54 = 084 centimeters 9. Pedestrian's Height - Ground to Shoulder 137 Code to the nearest centimeter. (999) Unknown 54 inches X 2.54 = 137 centimeters | 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown |

| lational Accident Sampling System-Crashworthiness Da | ata System: Pedestrian Assessment Form | Pag |
|---|---|-----|
| PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): | 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): | 9 |
| (99) Unknown PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down | (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown | 3 |
| (5) Down (8) Other (specify): (9) Unknown 17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown | 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown | 8 |

| | INJURY CONSEQUENCES | |
|-----|--|---|
| 0 🗴 | 25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown | |
| 96 | (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): | _ |
| | Nonfatal | |
| 0 🗡 | (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown | |
| 0 | 27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown | |
| | 28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown | - |
| | 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown | |
| | 0 X 0 X | 25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment later (8) Treatment - other (specify): (9) Unknown 27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown 28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown 29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident |

| STOP - VARIABLES 30 THROUGH 37 AL | RE COMPLETED BY THE ZONE CENTER |
|---|--|
| 30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured | 34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to |
| 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given | this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) |
| 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured | (specify):(99) Unknown 37. Number of Recorded Injuries for |
| Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown | (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured |
| ARE ALL APPLICABLE MEDICAL RECORDS NO [] | |
| UPDATE CANDIDATE? | NO[] YES[] |
| | |

Administration

National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

| | Source | | Type of | AIS-90 Specific | | | | | Injury Source | Direct/ | | Туре | |
|---------------------|-------------------|----------------|-----------------------|-----------------------|---------------------------|-----------------------|--------|------------------|---------------------|--------------------|---------------------|--------------|-------------------|
| | of Injury Data | Body Region | Anatomic Structure | Anatomic Structure | Level of Injury | A.I.S. Severity | Aspect | Injury Source | Confidence Level | Indirect Injury | Striking Profile | Of Damage | Damage Depth |
| 1st | 5. <u>3</u> | 6. <u>8</u> | 7. <u>9</u> | 8. <u>04</u> | 9. <u>0</u> 2 | T10. <u>/</u> | 11. 2 | 12. 7 <u>0</u> 2 | - 13. <u>/</u> | 14 | 15.2 | - 16 | - <mark>17</mark> |
| 2nd | 18 | 19.5 | 207 | 21. <u>04</u> | _{22.} <u>0</u> 2 | - 23. <u>/</u> | 24 | 25. <u>70</u> 2 | ~ 26. <u>/</u> | 27 | 28 | 29. 2 | 30 |
| 3rd | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 |
| 4th | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 |
| 5 th | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 |
| 6th | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 |
| 7th | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
| 8th | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 |
| 9th | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 |
| Oth | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 |

| 01 | Source f Injury Data | Body Region | Type of Anatomic Structure | Specific Anatomic Structure | Level of Injury | A.I.S. Severity | Aspect | Injury Source | Injury Source Confidence Level | Direct/ Indirect Injury | Striking Profile | Type Of Damage | Damage Depth |
|------------|----------------------------|----------------|----------------------------|-----------------------------------|--------------------|--------------------|----------|------------------|---|-------------------------------|---------------------|----------------------|-----------------|
| 1th | | | _ | | | | | | _ | | | | |
| 2th | _ | <u>—</u> | _ | | | _ | | | - | | | | |
| 3th 4th | | | | | | | | | | | | | |
| 5th | | | _ | | | _ | | | | | | | |
| 6th | _ | <u> </u> | | | | | | | _ | | | | |
| 'th Ith | | <u> </u> | _ | | | _ | | | — — | <u> </u> | | | |
| th | | | | | | | <u> </u> | | _ | | | | |
|)th | | | | | | | | | | | | | <u> </u> |
| st | — | _ | | | | _ | | | | <u> </u> | | | _ |
| ad | _ | | _ | | | | _ | | | _ | | | _ |
| rd | | | <u></u> - | | | _ | | | - | _ | | <u>-</u> | <u> </u> |
| th | _ | - | <u>—</u> | | | | _ | | | _ | | | |

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF, INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE OFFICIAL Certain Probable Injury not from vehicle contact No damage/contact (1) Autopsy records with or without hospital/ Possible medical records (2) Scratch (Scuff, Cloth Transfer, Smear) Unknown (9)(2) Hospital/medical records other than (3) Dent (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5)Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury (6) Emergency room records only (including (2) Indirect contact injury Noncontact injury associated X-rays or other lab reports) (3) Noncontact injury Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (1) (5) Lay coroner report (1) No residual damage (6) E.M.S. personnel Rounded (contoured) Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (3) (4) Rounded edge (7) Interviewee (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical Abbreviated Injury Scale Head Thoracic Whole Area Minor injury (2) (3) Face (02) Skin - Abrasion (04) Skin - Contusion (06) Lumbar Moderate injury Neck (3) Serious injury (4) (5) (6) Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit (4)Severe injury Critical injury Abdomen (08) Skin - Avulsion (5) Spine (10) Amputation numbers beginning with 02 (6) Maximum (untreatable) Upper Extremity Burn (20)(7)Injured, unknown severity Lower Extremity Unspecified (8) (30) Crush Level of Injury Degloving Injury - NFS Trauma, other than mechanical (40) (9) Aspect (50) Specific injuries are consecutive two-digit are assigned Type of Anatomic Structure numbers Right beginning with 02. Whole Area Head - LOC (3) Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion Vessels To the extent possible, within the (4)Central (3) Nerves organizational framework of the AIS, 00 Anterior (4) Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) Posterior ligaments) Superior (5) Skeletal (includes joints) (8) Inferior Head - LOC (6) structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar (specify):_ 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper-blade & mountings 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source


OFFICIAL INJURY DATA - SKELETAL INJURIES


| | OTTOTAL INJUNIES |
|------------------------------|--|
| Restrained? | |
| No | Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and |
| Yes | Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) |
| | |
| Blood Alcohol Lev (mg/dl) | vel |
| | $\left(\right) = \left(\right)$ |
| BAL = | |
| Glasgow Coma | |
| Scale Score | |
| GCSS = | |
| | |
| Units of Blood Given | |
| Units = | |
| Onits – | |
| Arterial Blood Gas | |
| Ph = | |
| PO ₂ = | |
| PCO ₂ | |
| HCO ₃ | \\\\\/// |
| | Markey Control |
| | $\langle h \rangle \langle h $ |
| | |
| | \W\/\\ <i>\</i> \\/ |
| | |
| | |

1 090

OFFICIAL INJURY DATA -- INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

| 1. 1 | Primary Sampling Unit Number 90 | OFFICIAL RECORDS |
|----------------|---|---|
| . 2. (| Case Number - Stratum 601 P | 9. Police Reported Travel Speed |
| <u>∡</u> 3. \ | Vehicle Number01_ | Code to the nearest kmph (NOTE: 000 means |
| <u> </u> | | less than 0.5 kmph) (160) 159.5 kmph and above |
| | VEHICLE IDENTIFICATION | (999) Unknown |
| (| Vehicle Model Year Code the last two digits of the model year (99) Unknown | mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit |
| 7 N E | Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown | in kmph (999) Unknown 30 mph x 1.6093 = 0 48 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present |
| . 7 | Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. | (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied |
| 7. E N t | Body Type Note: Applicable codes may be found on the back of this page. | before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown |
| 1 F | Vehicle Identification Number THX 25 F 0 T E 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Jnknown—Code all nines | 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown |
| | | 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown |
| | | |

جز

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

| VEHICLE WEIGHT ITEMS | RECONSTRUCTION DATA |
|---|---|
| 15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. 1045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 157 158 159 159 159 159 159 159 159 | Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown |
| Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown bs X .4536 =, kgs | 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates |
| | PRECRASH DATA |
| OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER | 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown |

| | | 7 | |
|-----|---|-----|---|
| 23. | Critical Precrash Event / 5 | İ | (83) Pedalcyclist or other nonmotorist in roadway |
| | This Vehicle Loss of Control Due To: | 1 | (specify): |
| | (01) Blow out or flat tire | | (84) Pedalcyclist or other nonmotorist approaching |
| | (02) Stalled engine | İ | roadway (specify): |
| | (03) Disabling vehicle failure (e.g., wheel fell off) | | (85) Pedalcyclist or other nonmotorist—unknown |
| | (specify): | | location (specify): |
| | (04) Non-disabling vehicle problem (e.g., hood flew | | Object or Animal |
| | up) (specify): | | (87) Animal in roadway |
| | (05) Poor road conditions (puddle, pot hole, ice, etc.) | | (88) Animal approaching roadway |
| | (specify): | İ | (89) Animal—unknown location |
| | (06) Traveling too fast for conditions | | (90) Object in roadway |
| | (08) Other cause of control loss (specify): | | (91) Object approaching roadway |
| | | İ | (92) Object—unknown location |
| | (09) Unknown cause of control loss | | (98) Other critical precrash event (specify): |
| | This Vehicle Traveling | | |
| | (10) Over the lane line on left side of travel lane | | (99) Unknown |
| | (11) Over the lane line on right side of travel lane | | 2 7 |
| | (12) Off the edge of the road on the left side | 24 | 4. Attempted Avoidance Maneuver |
| | (13) Off the edge of the road on the right side • | | (00) No driver present |
| | (14) End departure | İ | (01) No avoidance actions |
| | (15) Turning left at intersection | | (02) Braking (no lockup) |
| | (16) Turning right at intersection | | (03) Braking (lockup) |
| | (17) Crossing over (passing through) intersection | | (04) Braking (lockup unknown) |
| | (19) Unknown travel direction | | (05) Releasing brakes |
| | Other Motor Vehicle In Lane | | (06) Steering left |
| | (50) Stopped | | (07) Steering right |
| | (51) Traveling in same direction with lower speed | ŀ | (08) Braking and steering left |
| | (i.e., lower steady speed or decelerating) | İ | (09) Braking and steering right |
| | (52) Traveling in same direction with higher speed | l | (10) Accelerating |
| | (53) Traveling in opposite direction | İ | (11) Accelerating and steering left |
| | (54) In crossover | ŀ | (12) Accelerating and steering right |
| | (55) Backing | | (98) Other action (specify): |
| | (59) Unknown travel direction of other motor vehicle | | (99) Unknown |
| | in lane Other Motor Vehicle Encroaching Into Lane | 25. | 5. Precrash Stability After Avoidance Maneuver |
| | (60) From adjacent lane (same direction)—over left | | (0) No driver present |
| | lane line | | (1) No avoidance maneuver |
| | (61) From adjacent lane (same direction) – over right | | (2) Tracking |
| | lane line | | (3) Skidding longitudinally—rotation less than 30 |
| | (62) From opposite direction—over left lane line | | degrees |
| | (63) From opposite direction—over right lane line | | (4) Skidding laterally—clockwise rotation |
| | (64) From parking lane | | (5) Skidding laterally—counterclockwise rotation |
| | (65) From crossing street, turning into same direction | | (8) Other vehicle loss-of-control (specify): |
| | (66) From crossing street, across path | | (9) Precrash stability unknown |
| | (67) From crossing street, turning into opposite | | to, Troolasti Stability antiloven |
| | direction | 26. | 6. Precrash Directional Consequences of |
| | (68) From crossing street, intended path not known | | Avoidance Maneuver (Corrective Action) |
| | (70) From driveway, turning into same direction | | (0) No driver present |
| | (71) From driveway, across path | | (1) No avoidance maneuver |
| | (72) From driveway, turning into opposite direction | | (2) Vehicle stayed in travel lane where avoidance |
| | (73) From driveway, intended path not known | | maneuver was initiated |
| | (74) From entrance to limited access highway | | (3) Vehicle stayed on roadway but left travel lane |
| | (78) Encroachment by other vehicle—details | | where avoidance maneuver was initiated |
| | unknown | | (4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was |
| | Pedestrian or Pedalcyclist, or Other Nonmotorist | | initiated |
| | (80) Pedestrian in roadway | | (5) Vehicle departed roadway |
| | (81) Pedestrian approaching roadway | | (6) Avoidance maneuver initiated off roadway |
| | (82) Pedestrian—unknown location | | (9) Directional consequences unknown |
| | I | | • |

| | ENVIRONME | NTAL DATA |
|-------|---|--|
| . 27. | Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): | 33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown |
| | (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One (2) Two (3) Three (4) Four | 34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown |
| | (5) Five (6) Six (7) Seven or more (9) Unknown Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown | 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk |
| 31. | Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown | (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow |
| 32. | Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown | (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown |

96 Ford F-250

42 40 1=

t=0.40-partial braking

4740 m

POI to J=RP = 1.5 m = 4,9 f+

V= 7(2)(5)(+)(9)

V= 7(2)(4,9)(0,4)(32,2)

V= 11,2 fps = 7,6 mph = 12 XPh

JZKPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

| ١. | Primary | Sampling | Unit | Number | |
|----|---------|----------|------|--------|--|

3. Vehicle Number

0 1

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 FTHX25FOTE

Model Year 96

Vehicle Make (specify):

Vehicle Model (specify): F- 250 Crew CAB

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

8942

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

84x2

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point


PEV22 Ground to Rear Hood Opening


PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm





NQTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

790cm


| | | PEDESTRIAN SIDE CONTACT WORK SHEET | |
|---|---------|---|---|
| | 551/00 | | |
| | | Hood Material | — / |
| | PEV08 | Hood Length | cm |
| | . PEV09 | Hood Width-Forward Opening | cyn |
| | PEV10 | Hood Width-Midway | cm . |
| | PEV11 | Hood Width-Rear Opening | cm |
| | | VERTICAL MEASUREMENTS | |
| | PE\/26 | Ground Clearance | cm |
| | | <i></i> | |
| | | Side Bumper-Bottom Height | cm |
| | | Side Bumper-Top Height | cm |
| | | Centerline of Wheel | cm |
| | | Top of Tire | cm |
| | | Top of Wheel Well Opening | cm |
| | | Bottom of A-Pillar at Windshield | cm |
| | | Top of A-Pillar at Windshield | cm |
| | PEV34 | Top of Side View Mirror | cm |
| | | | |
| | | LATERAL MEASUREMENTS | |
| - | PEV35 | C, to A-Pillar at Bottom of Windshield | cm |
| | PEV36 | C _L to A-Pillar at Top of Windshield | cm |
| | | C _L to Maximum Side View Mirror Protrusion | cm |
| | | | a de la companya de la companya de la companya de la companya de la companya de la companya de la companya de |
| | | WRAP DISTANCES | |
| | | | |
| | PEV38 | Ground to Side/Top Transition | cm |
| | PEV39 | Ground to Hood Edge | cm |
| | PEV40 | Ground to Centerline of Hood (ORIGIN) | cm |
| | PEV41 | ground to Head Contact | cm |
| | | | |
| | | | |
| í | / | | |

| | INJURY SOURCE | |
|--|---|--|
| FRONT | | Wheels / tires |
| 700 Front bumper | 744 B pillar | 790 Left front wheel / tire |
| 701 Front lower valance/spoiler | 745 C pillar | 791 Right front wheel / tire |
| 702 Front grille | 746 D pillar | 792 Left rear wheel / tire |
| 703 Hood edge and/or trim | 748 Other pillar (specify): | 793 Right rear wheel /tire |
| 704 Hood ornament (fixed) | 749 Right side roof rail | 798 Other wheel / tire (specify): |
| 705 Hood ornament (spring loaded) | 750 Right side door surface | 799 Unknown wheel / tire |
| 706 Headlight | 751 Right side door handle | • |
| 707 Retractable headlight door (Open/Closed) | 752 Right side mirror fixed housing | Undercarriage components |
| 708 Turn signal/parking lights | 753 Right side folding mirror | 800 Front cross member |
| 718 Other front or add on object | 754 Right side glazing forward of B pillar | 801 Steering assembly/Front suspension |
| (specify): | 755 Right side glazing rearward of B pillar | 802 Oil pan |
| 719 Unknown front object | 756 Rear antenna | 803 Exhaust system pipe |
| | 757 Rear fender or quarter panel | 804 Transmission |
| Left Side Components | 758 Other right side object | 805 Drive shaft |
| 720 Front fender side surface | (specify): | 806 Catalytic converter |
| 721 Front antenna | 759 Unknown right side component | 807 Muffler |
| 722 A1 pillar | • | 808 Floor pan |
| 723 A2 pillar | Back Components | 809 Fuel tank |
| 724 B pillar | 760 Rear (back) bumper | 810 Rear suspension |
| 725 C pillar | 761 Tailgate | 818 Other undercarriage component |
| 726 D pillar | 762 Hatchback, vertical surface | (specify): |
| 728 Other pillar | 768 Other back component | 819 Unknown undercarriage component |
| (specify): | (specify): | • |
| 729 Left side roof rail | 769 Unknown back component | Accessories |
| 730 Left side door surface | | 820 Air scoop, deflector |
| 731 Left side door handle | Top Components | 821 Cellular or CB radio antenna |
| 732 Left side mirror fixed housing | 770 Hood surface | 822 Emergency lights or bar |
| 733 Left side folding mirror | 771 Hood surface reinforced by under hood | 823 Fog lights |
| 734 Left side glazing forward of B pillar | component | 824 Luggage, ski, or bike rack |
| 735 Left side glazing rearward of B pillar | 772 Front fender top surface | 825 Cargo (specify): |
| 736 Left side back fender or quarter panel | 773 Cowl area | 826 Spare tire |
| 737 Rear antenna | 774 Wiper blade & mountings | 827 Spotlight |
| 738 Other left side object | 775 Windshield glazing | 828 Other accessory (specify): |
| (specify): | 776 Front header | , , , , , , , , , , , , , , , , , , , |
| 739 Unknown left side component | 777 Roof surface | Other Object or Vehicle in Environment |
| | 778 Backlight glazing | 947 Ground |
| Right Side Components | 779 Rear header | 948 Other object (specify): |
| 740 Front fender side surface | 780 Hatchback | 949 Unknown object in environment |
| 741 Front antenna | 781 Rear trunk lid | 959 Unknown object on contacting vehicle |
| 742 A1 pillar | 788 Other top component (specify): | 997 Noncontact injury source |

789 Unknown top component

999 Unknown injury source

743 A2 pillar



1 2 3 9

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET LATERAL CRUSH CONFIDENCE LEVEL OF CONTACT COMPONENT LONGITUDINAL SEQUENCE LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT 10 CONTACTED LOCATION 131 LABEL CENTIMETERS BODY REGION (Circle) (X) 2 3 9 0 rupek **/**}2 3 9 Ó 0 Ches7 2 0 9 e 2 Screenes ARMS **∕**1⊃2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9

POINTS OF PEDESTRIAN CONTACT

| | | | CHRONO | LOGICAL ORI | DER OF CONTACTS | | |
|---------|--------------------------------|---------------------------------|----------------------|----------------------------|--------------------------|------------------------------|--|
| CONTACT | COMPONENT CONTACTED CODE | LONGITUDINAL LDCATION (X) | LATERAL LOCATION (Y) | CRUSH IN CENTIMETERS | SUSPECTED BODY REGION | SUPPORTING PHYSICAL EVIDENCE | CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i> |
| 1 | 102 | 100 | -20 | . 0 | + Aist | 5 milse | Q 2 3 9 |
| 2 | 702 | 110 | - 34 | 0 | - A.s.L | C. |) 2 3 9 |
| 3 | | | | | | | 1 2 3 9 |
| 4 | | | | | | | 1 2 3 9 |
| 5 | | | | | | | 1 2 3 9 |
| 6 | | | | | | | 1 2 3 9 |
| 7 | | | · | | | | 1 2 3 9 |
| 8 | | | | | | | 1 2 3 9 |
| 9 | | | | | | | 1 2 3 9 |
| 10 | | | | | | | 1 2 3 9 |
| 11 | | | | | | | 1 2 3 9 |
| 12 | | | | | | | 1 2 3 9 |
| 13 | | | | | | | 1 2 3 9 |
| 14 | · | | | | | | 1 2 3 9 |
| 15 | | | | | | | 1 2 3 9 |
| 15 | | | | | | | 1 2 3 9 |
| 17 | | | | | | . | 1 2 3 9 |
| 18 | | | | | | | 1 2 3 9 |
| 19 | | | | | | | 1 2 3 9 |
| 20 | | | | | | | 1 2 1 9 |
| 21 | | | | | | | 1 2 3 9 |
| 22 | | | | | | | 1 2 3 8 |
| 23 | | | | | | | 1 2 3 9 |
| 24 | | | | | | | 1 2 3 9 |
| 25 | | | | | | | 1 2 3 9 |

| VEHICLE DIMENSIONS | 14 Used Mildel Base Opening |
|--|--|
| 201 | 11. Hood Width Rear Opening Code to the |
| 4. Original Wheelbase | nearest centimeter |
| Code to the 394 | (210) 210 centimeters or more |
| nearest centimeter > 1 | (999) Unknown |
| (999) Unknown | |
| $\frac{1.55}{1.0} \cdot \frac{1.55}{1.0} \cdot 1.$ | inches X 2.54 = centimeters |
| inches X 2.54 = certuineters | l <u></u> |
| 5. Original Average Track Width 9999 | 12. Hood/Fender Vertical/Lateral Crush From |
| Code to the | Pedestrian / |
| nearest centimeter | (0) Not damaged |
| (185) 185 centimeters or more | (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) |
| (999) Unknown | (3) Moderate crush (4-7 centimeters) |
| | (4) Severe crush (>7 centimeters) |
| inches X 2.54 = centimeters | (8) Damage present, unknown if damage is from |
| | pedestrian impact |
| 3 | (9) Unknown |
| 6. Hood Material | |
| (1) Plastic (2) Fiberglass | 13. Windshield Contact Damage $\underline{\mathcal{O}}$ |
| (3) Steel | From Pedestrian Contact |
| (4) Aluminum | (0) Not contacted by pedestrian |
| (5) Stainless Steel | (1) Contacted by pedestrian - not damaged |
| (8) Other (specify): | (2) Contacted by pedestrian - damaged |
| (9) Unknown | (3) Unknown if contacted by pedestrian - not damaged |
| 1 | (4) Unknown if contacted by pedestrian - |
| 7. Hood Original | damaged |
| Equipment Manufacturer (OEM) | (9) Unknown if contacted by pedestrian - |
| (1) () LNA tactory increased bood | |
| (1) OEM factory installed hood (2) OEM replacement | unknown if damaged |
| (2) OEM replacement | unknówn if damaged |
| (2) OEM replacement (3) Non-OEM replacement | |
| (2) OEM replacement(3) Non-OEM replacement(9) Unknown | FRONT CONTACT DAMAGE |
| (2) OEM replacement (3) Non-OEM replacement | |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the | FRONT CONTACT DAMAGE Front Vertical Measurements |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 160 centimeters or more | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 160 centimeters or more | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the | FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 160 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 1-80 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 160 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 160 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact |
| (2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = | Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more |

| 17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown | 23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown |
|--|--|
| 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown | 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown |
| 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown | 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown |
| inches X 2.54 =centimeters | inches X 2.54 = centimeters |
| Front Wrap Distance Measurements | SIDE CONTACT DAMAGE Side Vertical Measurements |
| | , |
| 20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters | 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown |
| Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown | Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown |
| Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown | Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more |

| 20 | Contading of Mhaal | 000 | Side Lateral Measurem | ents |
|-----|---|-------------------------------------|--|---------------------------|
| 29. | Centerline of Wheel Code to the | 000 | | |
| | nearest centimeter | | | $\sim \sim \sim$ |
| | (000) No side contact | | 35. Centerline to A-Pillar | 000 |
| • | (150) 150 centimeters or more | | at Bottom of Windshield | |
| • | (999) Unknown | | (000) No side contact | |
| • | | | Code to the nearest centimeter | • |
| | inches X 2.54 = | centimeters | (250) 250 centimeters or more | |
| | | | (999) Unknown | |
| ~~ | | 000 | (000) Officiality | |
| 30. | Top of Tire | 000 | inches X 2.54 = | centimeters |
| | Code to the | | | |
| | nearest centimeter (000) No side contact | | | \sim |
| | (200) 200 centimeters or more | | 36. Centerline to A-Pillar | 000 |
| | (999) Unknown | | at Top of Windshield | |
| | (000, 0 | | Code to the | |
| | inches X 2.54 = | centimeters | nearest centimeter | |
| | | | (000) No side contact (250) 250 centimeters or more | |
| | | $\sim \sim \sim$ | (999) Unknown | |
| 31. | Top of Wheel Well Opening | 000 | (333) Olikiloviii | |
| | Code to the | | inches X 2.54 = | centimeter |
| | nearest centimeter (000) No side contact | | | • ******** |
| | (250) 250 centimeters or more | | | |
| | (999) Unknown | | 37. Centerline to Maximum Side | 000 |
| | (999) CHRIGWII | | View Mirror Protrusion | |
| | inches X 2.54 = | centimeters | Code to the | |
| | | | nearest centimeter | |
| 32. | Bottom of A-Pillar at Windshield | 000 | (000) No side contact | |
| | | | 1 12010 200 continuatore or more | |
| | Code to the | | (300) 300 centimeters or more | |
| | Code to the nearest centimeter | | (300) 300 centimeters or more (999) Unknown | |
| | Code to the nearest centimeter (000) No side contact | | (999) Unknown | centimeter |
| | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more | | 1 | centimeter |
| | Code to the nearest centimeter (000) No side contact | | (999) Unknown inches X 2.54 = | |
| | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown | | (999) Unknown | |
| | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more | | (999) Unknown inches X 2.54 = | |
| | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknowniinches X 2.54 = | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu | rements |
| | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield | | (999) Unknown inches X 2.54 = | rements |
| | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknowninches X 2.54 = Top of A-Pillar at Windshield Code to the | centimeters | (999) Unknown inches × 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = | centimeters | (999) Unknowninches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = | rements OOO |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact | centimeters | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO centimeters |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 = Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more | centimeters OOO centimeters OOOO | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO centimeters |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown | centimeters OOO centimeters OOOO | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO centimeters |
| 33. | Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown | centimeters OOO centimeters OOOO | (999) Unknown inches X 2.54 = Side Wrap Distance Measu 38. Ground to Side/Top Transition Code to the | rements OOO centimeters |

| | | | <u> </u> |
|---|---|------------------|----------|
| • | Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown inches X 2.54 = Ground to Head Contact Code to the | OOO centimeters | |
| | nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown | | |
| | inches X 2.54 = | _ centimeters | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | *s | |
| | | | |
| | | | |
| | · | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

BEST AVAILABLE

90607P00000011 9710.00000000000108000100001 97

97 9700000000

90607P00010012 9710.01000000000115F72000

101000000002 90607P00010131 10.0 00000000038904021270211222

90607P00010231 10.0 00000000075904021270211222

90607P01000041 10.0 00000000096124B1311FTHX25F0 0699904B0960021500000:

10.0 0000000004221634608413707711013002309030809600142000301

21111015022231411211211

90607P01000051 10.0 0000000003949993111318818217810310590741131211512122224

00001000000000

90607P00010021

PEDESTRIAN ASSESSMENT Occupant: 1

11

INTRA ERRORS

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then

HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

- 0

PSU90

CASE 607P CURRENT VERSION: 10.0 ERROR SUMMARY SCREEN PEDESTRIAN STUDY

Levol

/97

| FORM NAME | NUMBER OF DOLLAR SIGNS | NUMBER OF LEVEL 1 ERRORS | NUMBER OF LEVEL 2 ERRORS | VERSION NUMBER CONSISTENT |
|------------------------------------|---------------------------|---------------------------------------|--------------------------------|---------------------------------|
| Pedestrian Assistant | ÷* | e e e e e e e e e e e e e e e e e e e | <u> </u> | */ |
| The Bout of Asset Of the Comment | Ş | Ó | · • | Ÿ |
| | Ö | Ö | Ô | \ \{\tau} |
| 化建筑 医乳头 医二氏性肠炎蛋白质 医皮肤皮肤 | 12 | Ä | ė. | 17 |
| Pedia Library Company Constitution | | | | |
| to the transfer of the contract of | | | | |
| | | | | |