



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 609P

TYPE OF ACCIDENT Light Van/Ped/Crossing road - straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was traveling westbound in the curb lane of a two lane undivided roadway which is a cinder block or brick surface type. Pedestrian #1 was crossing the roadway from the north curb line to the south curb line. The front left of vehicle #1 contacted the pedestrian. The pedestrian was knocked forward about five meters and fell to the ground. Vehicle #1 immediately came to rest on the roadway, prior to final rest of the pedestrian.

	B. PEDESTRIAN PROFILE										
Pedestrian	Age Sex		Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)							
No.			Mortality	Body Region	egion Ana. Struc.		Injury Source				
01	41	Female	Treated & Released	Chest	Contusion	1	Hood edge				

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit


	Class	C. VEH	C. VEHICLE PROFILE Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Passenger Van	1994 Dodge Ram 250 Van	Front	Dents, scratches, smudges, etc.			



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM


National Highway Traffic Safety Administration





ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number 9 0		Case	Numbe	er-Stratum <u>6</u>	<u>09</u> p
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	:	SCALED DIAG	SRAM
document reference point and reference line relative to physical features	Surface Type	Cinder/Black	no	orth arrow placed on dia	agram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	on <u>DRY</u>		rade measurements for padways	all applicable
a) vehicle skid marks	Coefficient of Fr	iction - 75		caled representations of cluding:	f the physical plant
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	a)	all road/roadway deli crosswalks, curb/edg markings, medians, p parked vehicles, pole	je lines, lane pavement markings,
c) vehicle/pedestrian point of impact (POI)	a) at impa	act	b)	all traffic controls (e.c	g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final re	en impact and	pe	caled representations of edestrian at pre-impact, est based upon either:	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav		a)	physical evidence, or	.
documentation of the physical plant including:	Vehicle Travel D	Direction West	b)	reconstructed accide	nt dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	el Lanes <u>Z</u>			
b) all traffic controls (e.g., lights, signs)					
Reference Point: TANGENTLIN The Northwest Corn	ser	Reference Line:	<i>0</i>	CURO	
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line		
PedesTriAN#1- 4.6	P.I.	2.2m Wes	2.3~	South	
Vehiele#1 - 4. O. I.	-	2.2m We	2.3 m	South	
Pedestrian #1- F.A		7.2m we			
Vehicle #1- F.R. >	?	5.1 m we	51	3.0m	South
	-				

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	I EDESTRIAN A	PEDESTRIAN CRASH DA	ATA STU
Primary Sampling Unit Number	90	SPECIAL STUDIES - INDICATORS	
Case Number - Stratum	609P	Check (🗸) each special study (SS15-SS19 below has been completed; code 1 for the checked studies and 0 for the special studies not checked.	special
IDENTIFICAT	ION	station and o for the openial station for officials.	
3. Number of General Vehicle		6SS15 Administrative Use	_0_
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
.4. Date of Accident (Month, Day, Year)	7 1 9 多	8SS17 Impact Fires	0
5. Time of Accident	1010	9SS18	0
Code reported military time NOTE: Midnight = 2400		10SS19	0
Unknown = 9999		NUMBER OF EVENTS	
•		Number of Recorded Events in This Accident	0 1
	PEDESTRIAN S	TIIDY CDITEDIA	

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>/ 3</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

U.S. Department of Transportation National Highway Traffic Safety Administration

1. Primary Sampling Unit Number 90	10¢ Pedestrian's Weight Code actual weight to the population
2. Case Number - Stratum 6 D 9 P	Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	1.50 pounds X .4536 = 0.6 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising
centimeter. (999) Unknown Le inches X 2.54 = Le centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	(8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
entimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
FEUESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
	· · ·
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Dove of lell away	
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	
	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	04
	19. Pedestrian's Leg Orientation
	at Initial Impact
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	
(4) Up	(99) Unknown
(5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction <u>U</u> _ <u>U</u>
(9) Unknown	(01) Carried by vehicle, wrapped position
(3) OTIKIOWIT	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	,
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	(00) Ollatonii

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	7	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	7	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>O</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	YES[]

Administration

U.S. Department of Transportation
National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

609 p

4. Blank

<u>X</u> <u>X</u>


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6. <u>8</u>	7. <u>3</u>	8. <u>8 4</u>	9. <u>0 2</u>	- _{10.} <u> </u>	11.2	12.700	_{13.} <u> </u>	14. <u>J</u>	15	16	-17.2
2nd	18. 7	19, <u></u>	20. 💆	21. <u>0 4</u>	_{22.} <u>0</u> <u>2</u>	- <u>23. /</u>	24. <u>2</u>	-25. <u>709</u>	26. <u>/</u>	27. <u>/</u>	282	- _{29.} <u>2</u> -	- _{30.} <u>-</u>
3rd	31. <u>3</u>	32. <u></u> 8	33. <u>9</u>	34 <u>04</u>	35. <u>0</u>)	36	37. <u>Z</u>	-38. <u>7</u> 0 2	- _{39.} <u> </u>	40.	41. 2	42. <u>V</u>	· 43. <u>/</u>
4th	44. 7	458	46	47. <u>04</u>	48. <u>0</u> 2	- _{49.} <u>/</u>	₅₀ . <u>~</u>	51. <u>70</u>	2	53	_{54.} _2	- _{55.} _2	- _{56.} <u>2</u> -
5th	57. <u>3</u>	_{58.} 7	_{59.} <u>5</u>	60.04	61. <u>O</u> 2	- _{62,} <u>/</u>	63. <u>2</u> -	64. <u>70 Z</u>	- 6 5. <u>/</u>	66	67. 2	- _{68.} <u>-</u>	69
6th	70.7	71. <u> </u>	72. 9	73. <u>0 4</u>	74 <u>02</u>	- _{75.} <u>/</u>	_{76.} _2	77.703	- _{78.} <u>/</u>	79. <u>/</u>	80, 3	81. 3	82. <u>Z</u>
7th	83. 2	84. 👤	85. <u>9</u>	80 <u>4</u>	87. <u>02</u>	<u>–88</u>	_{89.} _2_	90. <u>] 2 3</u>	91	92	93. <u>Z</u>	94	95
8th	96.2	97.7	98. 7	99. 0 2	- _{00.} <u>0</u> 2	701. <u>/</u>	102. 2	103. <u>947</u>	104. —	105	106	107.0_	1062
9th	109. 2	110.2	111.2	112.02	- 13. <u>O</u>	Z _{14/}	115. 2	T16. <u>947</u>	117	118	ع119.) 120. <u> </u>	12 -
10th	122	123	124	1251	26	- 127	128	129	130	131	132,	133	134

1	-1			PEDES	STRIA	N INJ	URY DAT	Α				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	_	_										
12th					_				_	_	<u>-</u>	<u></u> -
13th	<u></u> -							_				
15th	— —	— —						_				<u></u>
16th	_				_	_			_		_	
17th	<u></u>	<u></u>				_		_	_		_	_
18th						_		: <u>-</u>	_	<u>-</u> -	<u> </u>	_
20th	— —		—— ——		-	_	—— ——	-	_			
21st		_			_		——————————————————————————————————————					
22nd	_	-						_			_	_
23rd 24th	_					_		<u> </u>	_	_	_	
25th										_		

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Injury not from vehicle contact No damage/contact Probable (1) Autopsy records with or without hospital/ (3)Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury (6) Separated from vehicle (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) (7) Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) (1) No residual damage (5) Lay coroner report (6) E.M.S. personnel Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters Rounded edge (3) Interviewee Sharp edge Other (specify): Other source (specify): (5) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) Face (06) Lumbar Moderate injury Neck (3)Serious injury (06) Skin - Laceration Vessels, Nerves, Organs. Bones, Joints are assigned consecutive two digit Thorax (4)Severe injury Critical injury (5) Abdomen (08) Skin - Avulsion (5) (6) Spine (10) Amputation numbers beginning with 02 (6) Maximum (untreatable) (7) Upper Extremity (20)Burn Injured, unknown severity Lower Extremity Level of Injury (30)Crush (9) Unspecified (40) Degloving Injury - NFS Trauma, other than mechanical **Aspect** (50)assigned numbers Specific injuries are Type of Anatomic Structure consecutive two-digit (1) Right beginning with 02. Whole Area Bilateral Central (3) (4) Head - LOC (02) Length of LOC Vessels (2)To the extent possible, within the (04, 06, 08) Level of Consciousness organizational framework of the AIS, 00 Anterior Nerves Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) (4) (10) Concussion Posterior ligaments) Superior Skeletal (includes joints) Inferior Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown Skin Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface 806 Catalytic converter (specify): 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper-blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): __ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

SOURCE OF INJURY DATA

OFFICIAL

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

. .

BAL = ____

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = .

PO₂ =

PCO₂ ____


HCO₃






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

$\alpha \cap$	OFFICIAL RECORDS
1. Primary Sampling Unit Number 90	
2. Case Number - Stratum 6 0 9 P	9. Police Reported Travel Speed 9. 9
3. Vehicle Number01	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): DOUGE VAN Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown 3 0 mph x 1.6093 = 0 4 8 kmph 11. Police Reported Alcohol Presence For Driver
(99) Unknown H (e) 6. Vehicle Model (specify): # 7 / 7	(O) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present
8. Vehicle Identification Number 287 HB 2 1 X 8 R K 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	(99) Unknown Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)(78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown, lbs X .4536 =, kgs	(0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	***	l .	
23.	Critical Precrash Event	1 (83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine	l .	roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	(3	35) Pedalcyclist or other nonmotorist—unknown
	(specify):	_	location (specify):
	(O4) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):		37) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	1	38) Animal approaching roadway
	(specify):	1	39) Animal—unknown location
	(06) Traveling too fast for conditions		90) Object in roadway
•	(08) Other cause of control loss (specify):		91) Object approaching roadway
	(00) Halmania and control lace	1	92) Object—unknown location
_	(09) Unknown cause of control loss	(:	98) Other critical precrash event (specify):
•	This Vehicle Traveling	,,	O Linksons
	(10) Over the lane line on left side of travel lane	13	99) Unknown
	(11) Over the lane line on right side of travel lane (12) Off the edge of the road on the left side	24 4	ttempted Avoidance Maneuver
	(13) Off the edge of the road on the right side		20) No driver present
	(14) End departure		01) No avoidance actions
	(15) Turning left at intersection		D2) Braking (no lockup)
	(16) Turning right at intersection	1	D3) Braking (no lockup)
	(17) Crossing over (passing through) intersection	I .	04) Braking (lockup unknown)
	(19) Unknown travel direction		05) Releasing brakes
	Other Motor Vehicle In Lane	1	06) Steering left
	(50) Stopped		D7) Steering right
	(51) Traveling in same direction with lower speed		08) Braking and steering left
	(i.e., lower steady speed or decelerating)		09) Braking and steering right
	(52) Traveling in same direction with higher speed	I .	O) Accelerating
	(53) Traveling in opposite direction	1	1) Accelerating and steering left
	(54) In crossover	1	2) Accelerating and steering right
	(55) Backing	1	98) Other action (specify):
	(59) Unknown travel direction of other motor vehicle		99) Unknown
	in lane		
	Other Motor Vehicle Encroaching Into Lane	25. P	recrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left	(0)) No driver present
	lane line	(1	· · · · · · · · · · · · · · · · · · ·
	(61) From adjacent lane (same direction) - over right	(2	
	lane line	(3	,
	(62) From opposite direction—over left lane line	(4	degrees
	(63) From opposite direction—over right lane line	(5	
	(64) From parking lane	(8	
	(65) From crossing street, turning into same direction	, -	,
	(66) From crossing street, across path	(9	Precrash stability unknown
	(67) From crossing street, turning into opposite		1
	direction		ecrash Directional Consequences of
	(68) From crossing street, intended path not known	Α	voidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction	(0	•
	(71) From driveway, across path	(1	
	(72) From driveway, turning into opposite direction	(2	· ·
	(73) From driveway, intended path not known	12	maneuver was initiated
	(74) From entrance to limited access highway	(3	 Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
	(78) Encroachment by other vehicle—details	(4	
	unknown	, , ,	travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist		initiated
	(80) Pedestrian in roadway	(5	
	(81) Pedestrian approaching roadway	(6	
	(82) Pedestrian—unknown location	(9	

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	Ø	33, Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):		(4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	,	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two	2	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	(3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	<u></u>	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or (Block) (asphalt) (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	3	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

90-609

'94 Dody-Ve~

41405

6611

38 /0/=

150

f = 0,65

POITO FRP = 4m = 13 ++ PRT = 1,5 5 = U

 $/3 = /.5V + \frac{V^2}{(2)(0.65)(32.2)}$

0,02412+1,51 -13 =0

V= -1.5 + 7(1.5)2-14)(0.024)(-13)

v = 7,7 fps = 5,3mph = 8,4 KPh

8 KPh

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

237 HBZ 1 X8 RK

Model Year

cm

Vehicle Make (specify): Dodge VAW

Vehicle Model (specify): RAM 250

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Materi	al
-------------------	----

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

STEEL

cm

cm

VERTICAL MEASUREMENTS

PEV16	Front	Bumper-Bottom	Height
-------	-------	---------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

063	cm 038
097	_{cm} 6 🌓

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

VEHICLE DAMAGE SKETCH Hood Henr- 7-8em Longindinal Hem-LATERAL

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:


	PEDESTRIAN SIDE CONTACT WORK SHE		
PEV06	Hood Material		
PEV08	Hood Length		cm /
PEV09	Hood Width-Forward Opening		cpn
PEV10	Hood Width-Midway	/	cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
DEV/26	Ground Clearance		om
	Side Bumper-Bottom Height	<i></i>	cm
	Side Bumper-Top Height		cm
	Centerline of Wheel		cm
	Top of Tire		cm
	Top of Wheel Well Opening		cm
	Bottom of A-Pillar at Windshield		cm ***
	Top of A-Pillar at Windshield		cm
	Top of Side View Mirror		cm
1 2 4 0 4	Top of Side View William		CIII
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
PEV36	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
			•
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
	ground to Head Contact	The second	cm


ORIGINAL SPECIFICATIONS

Wheelbase	109.6 inches	x 2.54 =	278 cm
Overall Length	187.2 inches	x 2.54 =	475 cm
Maximum Width	$\frac{9}{3}$ $\frac{7}{8}$ $\frac{4}{3}$ $\frac{1}{3}$ pounds	x 2.54 =	201 cm
Curb Weight 3834	, ,		1.698 kg
Average Track	$\underline{\hspace{1cm}}$ /A inches	x 2.54 =	cm
Front Overhang	0339 inches		<u>086</u> cm
Rear Overhang	037.4 inches	x 2.54 =	095 cm
Undeformed End Width	073.2 inches	x 2.54 =	<u> 186</u> cm
Engine Size: cyl./displ.	3900 cc	× .001 =	<u>3</u> 9 L
	238 CID	x .0164 =	<u>3.9</u> L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	5
'29 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
34 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
35 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
36 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
37 Rear antenna	774 Wiper blade & mountings	827 Spotlight
38 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	,
39 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
light Side Components	779 Rear header	948 Other object (specify):
40 Front fender side surface	780 Hatchback	949 Unknown object in environment
41 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
42 A1 pillar	788 Other top component (specify):	
43 A2 pillar	789 Unknown top component	999 Unknown injury source

VEHICLE DAMAGE SKETCH





NOTES:

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $129\,\mathrm{cm}$

POINTS OF PEDESTRIAN CONTACT										
	PEDESTRIAN CONTACT WORKSHEET									
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE		
. D	Edge Edge	+77	-36	0	Hip	dent	€ 2 3 9	2		
/4	Hood Edge	+75	-37	0	AMEST	dent	0233	2_		
A	Bumper	4121	-47	0	Le6s	Smudges Scratches	1) 2 3 9	1		
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
						•	1 2 3 9			
							1 Z 3 9 1 2 3 9			
							1 7 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			
							1 2 3 9			

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL . LOCATION (Y)	CRUSH IN CENTIMETERS	! Suspected Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
. 1	700	121	+47	0	100	scuff	O 2 3 9
2	700	121	147	0	1,	L,	O 2 3 9
3	707	+99	-20	0	L Hip	11	1 2 3 9
4	707	189	-20	D	4 Butt	y	O 2 3 9
5	702				Frein	Norl	1 2 3 9
i ()	703	15	-37	1-2	telbou	Det	O 2 3 9
7	703	75	-30	1-2	chesit, contrain	1.	2 3 9
8	947				hardin	grand	Ø239
9	947	94 martin			elbow abrisin	e ;	2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13			,				1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 Z 3 B
17						u	1 2 3 9
19							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 174
\sim 2 \sim 4	Code to the
4. Original Wheelbase 2 7 8	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ centimeters	inches X 2.54 = centimeters
	,
5. Original Average Track Width $\frac{\partial}{\partial t} \frac{\partial}{\partial t}$	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (2) Not deposed
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
inches X 2.54 = centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
· (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	-
(2) OEM replacement	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	-
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE From: Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening 1 1 0	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Inches X 2.54 = centimeters 10. Hood Width Midway Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Oliminates x 2.54 — Olemeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =centimeters
.18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown $038. 1_{\text{inches}} \times 2.54 = 091 \text{ centimeters}$	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknowninches X 2.54 =centimeters	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 =
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
n a a	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29	Centerline of Wheel	000	Side Lateral Measurements
20.	Code to the		
	nearest centimeter		35. Centerline to A-Pillar
	(000) No side contact		at Bottom of Windshield
	(150) 150 centimeters or more		(000) No side contact
	(999) Unknown		Code to the
•	inches X 2.54 =	contimeters	nearest centimeter
	Indies X 2.54 =	centimeters	(250) 250 centimeters or more
		0 0 0	(999) Unknown
30.	Top of Tire	000	
	Code to the		inches X 2.54 = centimeters
	nearest centimeter		
	(000) No side contact		36. Centerline to A-Pillar
	(200) 200 centimeters or more		at Top of Windshield
	(999) Unknown		Code to the
	inches X 2.54 =	contimotors	nearest centimeter
		Centimeters	(000) No side contact
			(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
	Code to the		7.1 V 0.54
	nearest centimeter	,	inches X 2.54 = centimeter
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side QQQ
	(999) Unknown		View Mirror Protrusion
	inches V 2 F4		Code to the
	inches X 2.54 =	centimeters	nearest centimeter
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact
	Code to the	<u> </u>	(300) 300 centimeters or more
	nearest centimeter		(999) Unknown
	(000) No side contact		inches X 2.54 = centimeter
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
	inches X 2.54 =		Side Wrap Distance Measurements
		certimeters	
			38. Ground to Side/Top Transition 000
33.	Top of A-Pillar at Windshield	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(99 9) Unknown		
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
		6 5 5	39. Ground to Hood Edge
34.	Top of Side View Mirror	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact (300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
	(COO) CHANGE	*	inghan V 2 FA
	inches X 2.54 =	_ centimeters	inches X 2.54 = centimeters
		,	

40.	Ground to Centerline of Hood <u>O</u> O	0
	Code to the	
	nearest centimeter	
	(000) No side contact	
	(700) 700 centimeters or more (999) Unknown	
•	(333) SHKHOWH	
•	inches X 2.54 = centimeter	rs
•	0.0	
41.	Ground to Head Contact <u>0</u> <u>0</u>	<u> </u>
	Code to the nearest centimeter	
	(000) No side contact	
	(800) 800 centimeters or more	
	(998) No head contact	
	(999) Unknown	
	inches X 2.54 = centimeter	rs
	Certainetes	
		•
		·
		·
		·

90609P00000011 3710.00000000000110100100001 37 97 9700000000 00000000000000 01 90609P00010012 9710.010000000000113F72000 90609P00010021 10.0 000000004121684808913706811013002307040879670242009715 1010000000009 90609P00010131 10.0 00000000078904021270011222 90609P00010231 10.0 00000000078904021270011222 10.0 00000000038904021270211222 90609P00010331 90609P00010431 10.0 00000000078904021270211222 90609P00010531 10.0 00000000037904021270211222 10.0 00000000077904021270311333 90609P00010631 90609P00010731 10.0 00000000034904021270311333 90609P00010831 10.0 00000000037902021294711000 90609P00010931 10.0 00000000037902021294711000 90609P01000041 10.0 000000009407461212B7HB21XBR######799904809670174000000 81110181011131211311211

90609P01000051 10.0 0000000002789993105417017417420110380610970909810515216

0000000000000

PSU90 CASE 609P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	-0-10.	دون	,	9	7	
•			•	_	,	

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	O	o	Υ
Pedestrian Assessment	0	Ô	Ö	Ý
Pedestrian Injury	0	Ö	Ö	Ý
Pedestrian General Vehicle	₽ 0	Ö	Ö	Ý
Pedestrian Exterior Vehic	le O	O	ō	Ý
Total Inter Errors		o	o	
Total Case Errors	0	0	0	