



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 631P

TYPE OF ACCIDENT Car/Ped/Crossing Road - Straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

This road is a westbound, one-way freeway access road. Vehicle #1 was stopped at the traffic signal and attempting to make a right turn to go north from a westerly direction. The pedestrian was a attempting to cross the road from north to south. The vehicle did not see the pedestrian and bumped the pedestrian with the right front fender and wheel, knocking the pedestrian to the ground. The vehicle immediately stopped after the impact. The pedestrian came to rest .6 meters from the point of impact.


B. PEDESTRIAN PROFILE										
Pedestrian No.			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	3	Male	Transported And Released	Forehead	Abrasion	1	Right Fender			


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head	Whole Area	(1) Minor injury
Face	Vessels	(2) Moderate injury
Throat	Nerves	(3) Serious injury
Chest	Organs	(4) Severe injury
Abdomen/Pelvis	Skeletal	(5) Critical injury
Spine	Head-LOC	(6) Maximum (untreatable)
Upper Extremity	Skin-Burn	(7) Injured, unknown severity
Lower Extremity	Skin-Other	(if injector diministration developer
External	Skii-Otilei ,	


C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection						
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Intermediate	1989 Pontiac Sunbird	Right	Scratches, smears, smudges					

DO NOT SANITIZE THIS FORM

Scale: 1 centimeter







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	Case Num	nber-Stratum <u>6</u> <u>3</u> / <u>P</u>
PEDESTRIAN ACCIDENT COLLISION DAT		SCALED DIAGRAM
document reference point and reference line Surface Type relative to physical features	. 13 <u>7/143/144</u> 7	north arrow placed on diagram
documentation of all accident induced physical Surface Consevidence including (if applicable):	dition <u>I//U</u> .	grade measurements for all applicable roadways
a) vehicle skild marks	FFriction 160	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object Grade (v/h) N	Measurement	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI) a) at it	mpact	b) all traffic controls (e.g., lights, signs)
	ween impact and frest	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and Pedestrian Ti vehicle	ravel Direction South	a) physical evidence, or
documentation of the physical plant including: Vehicle Trave	7	b) reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, Number of Troubledge lines, lane markings, medians, pavement markings, parked vehicles, poles.	ravel Lanes	
signs, etc.) b) all traffic controls (e.g., lights, signs)		
Reference Point: APEX/NORTH RAST CORNER	Reference Line:	Th Curb Line
Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
DRGIN	0.0	0.0
VEHICLE#1+ PEDESTRIAN#100	2) 3.8 EAST	0,6 South
Peresirian# (F.R.P)	2.5 EAST	0,4 South
VEHTUE#1 (7.R.P.)	2,0 EAST	0,5 South
•		

Distance and Direction Distance and Direction Item from Reference Point from Reference Line

. . .

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90	SPECIAL STUDIES - INDICATORS
2. Case Number - Stratum 631P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special
IDENTIFICATION	studies and 0 for the special studies not checked.
Number of General Vehicle	6SS15 Administrative Use0_
Forms Submitted 0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month, Day, Year) 9	8SS17 Impact Fires0
5. Time of Accident	9SS18
Code reported military time of accident.	
NOTE: Midnight = 2400	10SS19
Unknown = 9999	NUMBER OF EVENTS
•	11. Number of Recorded Events in This Accident01

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Vehicle Number Number		Class Of Vehicle	General Vehicle Numb Area of or Damage Object Contact		Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>0</u> <u>2</u>	15. <u>R</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 9.0 6.31 9.0 1. Primary Sampling Unit Number 6.31 9.0 1. Primary Sampling Unit Number	10x Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown DDD pounds X .4536 = 0.3 L kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown Left	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
inches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets
(03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify):
(4) Up (5) Down (8) Other (specify): (9) Unknown	(99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	<u>D</u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR	-	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	<u>.</u>	(6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,		27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized
		Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AI	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured	34. 1st Medically Reported Cause of Death O
(01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	35. 2nd Medically Reported Cause of Death
initial GCS Score recorded at medical facility. (97) Injured, details unknown	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line
(99) Unknown if injured	number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific
(2) Yes - blood given (specify units): (9) Unknown if blood given	injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃	(97) Other result (includes fatal ruled disease) (specify):
(00) Not injured (01) Injured, ABGs not measured or reported	(99) Unknown
(02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown	37 Maria 15 Maria 16 3
(97) Injured, details unknown	37. Number of Recorded Injuries for This Pedestrian
(99) Unknown if injured	Code the actual number of injuries recorded for this pedestrian.
22. Time to Doubt	(00) No recorded injuries
33. Time to Death Code number of hours from time of	(97) Injured, details unknown (99) Unknown if injured
accident to time of death up through 24	(co) cindiowi ii ii jaioa
hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day	
=31, 2 days = 32, n days = 30 +n up through 30 days = 60)	
(00) Not fatal	
(96) Fatal - ruled disease (99) Unknown	
(55) STINIOWII	·
ARE ALL APPLICABLE MEDICAL RECORDS	SINCLUDED WITH INITIAL SUBMISSION?
NO []	YES[]
UPDATE CANDIDATE?	NO[] YES[]
OF DATE GANDIDATE!	NO[] IES[]
	·

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1s t	5.3	6. 8	7. 9	8 <u>04</u>	9. <u>0</u> }	10. 🖊	11. 2	12.79/	13	14./_	15. 2	- _{16.} <u>2</u>	-17.2
2nd	18. 3	19. 8	20. 4	21. <u>0</u> 2	722. <u>O</u> 2	-23. <u>/</u>	242	- _{25.} 79 /	26. 1	27. 1	28	292	3 0. 2
3rd	31.3	32. 2	33. 9	34. 02	35. <u>0</u> 2	36. <u>/</u>	37. 7	38. <u>74</u> (39. 1	40. 1	.41	_ _{42.} _Z	43
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77. <u> </u>	78	79	80	81	82
7th	83	84	85	86	87	88	.89	90	91	92	93	94	95
8th	96	97	98	99 1	00	101	102	103	104	105	106	107	108
9th	109	110	111	1121	13	114	115	116	. 117	118	119	120	121
10th	122	123	124	1251	26	127	128	129	130	131	132	133	134

t	PEDESTRIAN INJURY DATA												
of i	ource Injury Pata	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th _							_		_				
12th _	_	_					_			_			
13th _		_				_			_				
14th _			<u>-</u>				<u></u>	·					
15th _							_						_
16th _			-				_		_				
17th _						<u></u> 19	_						-
18th _						_			_				
19th _	_			_ _			-			_		- Approximate	
20th _	_	_							_				
21st _	_	_					_		 .	_	 .		
22nd	_	_	_									_	
23rd			_							_	_	-	
24th	_	_	_										
25th	_												

OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Bharelad abrasing 3,2906021,7 Lower (DLeag Contubion - 3,8904021,2 + abrasion - 3,8902021,2 Oxmidline

rage

No damage/contact (1) Autopsy records with or without hospital/ (2) Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered Separated from vehicle (5) summary) Direct contact injury (6) (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) UNOFFICIAL (0) Injury not from vehicle contact (1) (5) Lay coroner report Flat-Wide (≥ 15 centimeters) No residual damage Rounded (contoured) (6) E.M.S. personnel Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (7) Interviewee (4) Rounded edge (3) (5) (4) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters (5) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Specific Anatomic Structure **Body Region** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area (1)Minor injury (O2) Skin - Abrasion (O4) Skin - Contusion (06) Lumbar Face (2) Moderate injury (3) (4) (5) Neck (3) (4) (5) Serious injury Thorax (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Abdomen (08) Skin - Avulsion Critical injury (6) (7) Spine (10) Amoutation numbers beginning with 02 (6) Maximum (untreatable) Upper Extremity (20) Burn Injured, unknown severity (30) Crush (40) Degloving Lower Extremity Level of Injury (9) Unspecified Aspect (50) Injury - NFS Specific injuries are assigned Type of Anatomic Structure consecutive Trauma, other than mechanical two-digit (1) Right Left numbers beginning with 02. Whole Area Head - LOC (O2) Length of LOC (3) Bilateral Vessels To the extent possible, within the (4)Central (3) Nerves (04, 06, 08) Level of Consciousness organizational framework of the AIS, 00 (5) Anterior (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (6) (7) Posterior ligaments) Superior (5) Skeletal (includes joints) (8) Inferior Head - LOC (6) structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 piltar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 819 Unknown undercarriage component 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under nood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front neader 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear neader 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting venicle 742 A1 pillar 788 Other top component (specify): 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

Certair

Probable

(2)

TYPE OF DAMAGE

(0) Injury not from vehicle contact

SOURCE OF INJURY DATA

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

_ No _ Yes Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

.

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = _____

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = ___.

PO, =

PCO,


HCO₃






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 9 0	OFFICIAL RECORDS
2/	000
2. Case Number - Stratum 6 4 P	9. Police Reported Travel Speed 9 1
3. Vehicle Number 0 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): Applicable codes are found in your	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 30 mph X 1.6093 = 48 kmph
NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown 6. Vehicle Model (specify): Applicable codes are found in your	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: YAK
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (US) 5-door/4-door natchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed —Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown bs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	ray
23. Critical Precrash Event This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway (specify):
(01) Blow out or flat tire	
(02) Stalled engine	(84) Pedalcyclist or other nonmotorist approaching
	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(a product of control loop (opening).	
(09) Unknown cause of control loss	(92) Object—unknown location
	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	
Other Motor Vehicle In Lane	(05) Releasing brakes
(50) Stopped	(06) Steering left
	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From apposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	de la contract (oposity).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	1
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
· · · · · · · · · · · · · · · · · · ·	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown
	(a) Successional consequences unknown

	ENVIRONMENTAL DATA								
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	**	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown						
	(6) Unknown type of non-interchange (9) Unknown if interchange	, 1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)						
28.	 Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	4	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):						
29.	Number of Travel Lanes (1) One	3	(7) Warning sign (not RR crossing)(8) Miscellaneous/other controls including RR controls (specify):						
	 (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown						
31.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown						
	 (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown 		37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet						
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown 						
!	9) Unknown								

189 Subjed

23 401=

3 y o m 41" 68#

A Forh. 1 L. Low- Lay.

POITIFRA = 0,2 m = 2,3 ft f=0.65 PRT = 0,5 8-C

 $2.3 = 0.5 V + \frac{V^2}{(2)(0.65)(32.2)}$

0,024 V2 +0,5V - 2,3 = 0

V= -0.51 7(0,5)2- H) (0,024)(-2,3)

v= 8,88 fPs = 2,6 mph = 4,24 XP4

4KPh

cm

cm

cm

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 3. Vehicle Number 1. Primary Sampling Unit Number 2. Case Number - Stratum VEHICLE IDENTIFICATION VIN 1625B51K1K7 Vehicle Model (specify): 54NBIRL(2E Vehicle Make (specify): PONTIAC PEDESTRIAN FRONT CONTACT WORK SHEET PEV06 Hood Material PEV08 Hood Length PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening cm PEV14 Front Bumper Cover Material PEV15 Front Bumper Reinforcement Material VERTICAL MEASUREMENTS PEV16 Front Bumper-Bottom Height cm PEV17 Front Bumper-Top Height cm PEV18 Forward Hood Opening cm PEV19 Front Bumper Lead cm WRAP DISTANCES PEV20 Ground to Forward Hood Opening cm PEV21 Ground to Front/Top Transition Point cm PEV22 Ground to Rear Hood Opening cm

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEY25 Ground to Head Contact

VEHICLE DAMAGE SKETCH

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

ا ا	PEDESTRIAN SIDE	CONTACT: WORK SHEE	T	
		STEEL		
PEV06	Hood Material	<i>57</i> -	, , ,	
PEV08	Hood Length		119	cm
PEV09	Hood Width-Forward Opening		<u> </u>	cm
PEV10	Hood Width-Midway		134	cm
PEV11	Hood Width-Rear Opening		138	cm
	VERTICAL	MEASUREMENTS		
PEV26	Ground Clearance		021	cm
PEV27	Side Bumper-Bottom Height		043	cm .
PEV28	Side Bumper-Top Height		053	cm
PEV29	Centerline of Wheel		028	cm
PEV30	Top of Tire		058	cm
PEV31	Top of Wheel Well Opening		064	cm
PEV32	Bottom of A-Pillar at Windshield		091	cm
PEV33	Top of A-Pillar at Windshield		<u> </u>	cm /
PEV34	Top of Side View Mirror Vehicle	has No side	000	cm /
	· New mirror	(Kassenger Side)		
	LATERAL	MEASUREMENTS		
PEV35	C ₁ to A-Pillar at Bottom of Windshield		072	cm /
	C ₁ to A-Pillar at Top of Windshield		058	cm /
PEV37	C, to Maximum Side View Mirror Protrusio	on Vehiclehas	000	cm /
	C _L to Maximum Side View Mirror Protrusion NO 5, de View Mirror	7, rro Passenge	rside)	
	WRA	P DISTANCES		
PEV38	Ground to Side/Top Transition		088	cm
PEV39	Ground to Hood Edge		092	cm
PEV40	Ground to Centerline of Hood (ORIGIN)	•	157	cm
PEV41	Ground to Head Contact		000	cm /


ORIGINAL SPECIFICATIONS

	Wheelbase	1	0_	1.2	inches	X	2.54	=	251cm
	Overall Length		1:	3.7	inches	X	2.54	=	<u>#44</u> cm
	Maximum Width				inches				165cm
	Curb Weight <u>C</u>	2	4	12	pounds	Х	. 4536	=	<u>/, / 0 4</u> kg
	Average Track	0	55	5 4	inches	Х	2.54	=	<u>/ 4 /</u> cm
V	Front Overhang	0	38	6	inches	Х	2.54	=	<u>098</u> cm
V	Rear Overhang	0	4:	2.2	inches	Х	2.54	=	/ O 7 cm
	Undeformed End Width	0	5	2.4	inches	Х	2.54	=	146cm
	Engine Size: cyl./displ.	2	0	00	СС	X	.001	=	2. <u>0</u> L
	U7EW 73XI		<u> </u>	22	CID	Х	. 0164	=	201

INJURY SOURCE

INJURY SOURCE							
FRONT		Wheels / tires					
700 Front bumper	744 B pillar	790 Left front wheel / tire					
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire					
702 Front grille	746 D pillar	792 Left rear wheel / tire					
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire					
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):					
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire					
706 Headlight	751 Right side door handle						
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components					
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member					
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension					
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan					
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe					
	757 Rear fender or quarter panel	804 Transmission					
Left Side Components	758 Other right side object	805 Drive shaft					
720 Front fender side surface	(specify):	806 Catalytic converter					
721 Front antenna	759 Unknown right side component	807 Muffler					
722 A1 pillar		808 Floor pan					
723 A2 pillar	Back Components	809 Fuel tank					
724 B pillar	760 Rear (back) bumper	810 Rear suspension					
725 C pillar	761 Tailgate	818 Other undercarriage component					
726 D pillar	762 Hatchback, vertical surface	(specify):					
728 Other pillar	768 Other back component	819 Unknown undercarriage component					
(specify):	(specify):						
729 Left side roof rail	769 Unknown back component	Accessories					
730 Left side door surface		820 Air scoop, deflector					
731 Left side door handle	Top Components	821 Cellular or CB radio antenna					
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar					
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights					
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack					
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):					
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire					
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight					
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):					
(specify):	776 Front header	•					
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment					
	778 Backlight glazing	947 Ground					
Right Side Components	779 Rear header	948 Other object (specify):					
740 Front fender side surface	780 Hatchback	949 Unknown object in environment					
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle					
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source					
743 A2 pillar	789 Unknown top component	999 Unknown injury source					

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: <u>151</u> cm

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET CONFIDENCE LEVEL OF SEQUENCE LATERAL CONTACT COMPONENT LONGITUDINAL CRUSH SUPPORTING PHYSICAL EVIDENCE CONTACT POINT CONTACTED LOCATION LOCATION SUSPECTED ID CENTIMETERS **BODY REGION** (X) (Y) LABEL 10 1311 1) 2 3 9 104 **239** (1)2 3 9 07 1 2 3 9

POINTS	0F	PEDEST	RIAN	CONTACT	

	POINTS OF PEDESTRIAN CONTACT									
	CHRONOLOGICAL ORDER OF CONTACTS									
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)			
15	791	10	131	0	1/ez	Seeds	() 2 3 9			
25	791	11	e,	- 4	Lyley Fore		①2 3 9			
3 F	740	7	88	O	Fore	scratch	2 3 9			
4							1 2 3 9			
5							1 2 3 9			
6							1239			
7							1 2 3 9			
ŧ							1 2 3 9			
9		·					1 2 3 9			
10							1 2 3 9			
11							1 2 3 9			
12							1 2 3 9			
13							1 2 3 9			
14							1 2 3 9			
15							1 2 3 9			
16							1 7 3 9			
17							1 2 3 9			
18							1 2 3 9			
19							1 2 3 9			
20							1 2 3 5			
21							1 2 3 9			
22							1 2 3 9			
23							1 2 3 9			
24							1 2 3 9			
25							1 2 3 9			

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 3 8
4. Original Wheelbase 257	Code to the
4. Original Wheelbase	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	1 ·
101 . L inches $\times 2.54 = 251$ centimeters	054.3 inches X 2.54 = 138 centimeters
5. Original Average Track Width / 4 /	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
055.5 inches $\times 2.54 = 141$ centimeters	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
v 5 5 inches X 2.54 = L T L centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material 3	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
(b) Shkhown	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	EPONT CONTACT DAMACE
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic (2) Fiberglass
946 . 8 inches \times 2.54 = 19 centimeter	(3) Rubber
_	(4) Other (specify):
9. Hood Width Forward Opening / 30	(9) Unknown
Code to the nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel (2) Aluminum
051.1 inches X 2.54 = $\sqrt{30}$ centimeters	(3) Stainless Steel
,	(4) Other (specify):
10. Hood Width Midway 10.4	(9) Unknown
Code to the nearest centimeter	16. Front Bumper-Bottom Height
nearest centimeter	The training of Decision from the second of
(210) 210 centimeters or more	Code to the
(210) 210 centimeters or more (999) Unknown	Code to the nearest centimeter
(210) 210 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(210) 210 centimeters or more	Code to the nearest centimeter (000) No front contact

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeter 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeter (100) No front contact	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
nearest centimeter (30) 30 centimeters or more (99) Unknown inches X 2.54 = centimeter	(400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeter 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown OOR 2inches X 2.54 = O2 1 centimeters 27. Side Bumper-Bottom Height Code to the
(180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 2/6.9 inches x 2.54 = 43 centimeters

		028	Side Lateral Mensureme	nts
29.	Centerline of Wheel Code to the	000		• - •
	nearest centimeter (000) No side contact		35. Centerline to A-Pillar	072
	(150) 150 centimeters or more		at Bottom of Windshield (000) No side contact	
	(999) Unknown	,	Code to the	
	0110 inches X 2.54 = 028	_ centimeters	nearest centimeter (250) 250 centimeters or more	
			(999) Unknown	
30.	Top of Tire Code to the	058	028.3 inches $\times 2.54 = 0.7$	2 centimeters
	nearest centimeter (000) No side contact		,	058
	(200) No side contact (200) 200 centimeters or more		36. Centerline to A-Pillar at Top of Windshield	050
	(999) Unknown	, .	Code to the	
(022.8 inches × 2.54 = 058	centimeters	nearest centimeter (000) No side contact	
			(250) 250 centimeters or more	
31	. Top of Wheel Well Opening	064	(999) Unknown	- 00
	Code to the		022.4 inches $\times 2.54 = 0.5$	8 centimeter
	nearest centimeter (000) No side contact			2 - 0
	(250) 250 centimeters or more		37. Centerline to Maximum Side	999
	(999) Unknown	/	View Mirror Protrusion Code to the	rele.
•	025. Linches x 2.54 = 064	Centimeters	nearest centimeter	1) Mill
32	. Bottom of A-Pillar at Windshield	091	37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	
	Code to the nearest centimeter		(999) Unknown	
	(000) No side contact		. inches X 2.54 =	centimeter
	(250) 250 centimeters or more (999) Unknown			
	$0.35.\%$ inches $\times 2.54 = 0.9$	<i>l</i>	Side Wrap Distance Measur	ements
	(2.5 <u>9</u> inches X 2.54 = (2.7 <u>1</u>	centimeters		
		131	38. Ground to Side/Top Transition	088
33	. Top of A-Pillar at Windshield Code to the	<u> </u>	Code to the	
	nearest centimeter		(000) No side contact	
	(000) No side contact (300) 300 centimeters or more	•	(400) 400 centimeters or more (999) Unknown	
	(999) Unknown		034.6 inches $\times 2.54 = 0.8$	d
	05 L 5 inches X 2.54 = [3]	centimeters	(054. Q inches X 2.54 = (1)	() centimeters
		a a a	39. Ground to Hood Edge	092
34	. Top of Side View Mirror Code to the		Code to the nearest centimeter	•
	nearest centimeter	ALLE	(000) No side contact	
	(300) No side contact (300) 300 centimeters or more	ien a	(500) 500 centimeters or more (999) Unknown	
	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	nim	1	2
	inches X 2.54 =	centimeters	036 . 2 inches \times 2.54 = 09	centimeters

40.	(000)	to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more	151	
	06	Unknown $\int . \int $ inches $\times 2.54 = / \int$ d to Head Contact	1 centimeters	
-	(000) (800) (998)	Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	068	
	·	inches X 2.54 =	centimeters	
-				
		general de la company de l La company de la company d		
·	-	•		

Script

90631P000000119999710.000000000000113100100001 97 9700000000 00000000000000 01 90631F00010012**3333**9710.010000000000102R72000 10.0 000000000311043005508503111011001107041409600341009715 90631P00010021 1010000000003 90631P00010131 10.0 00000000038904021279111222 10.0 00000000038902021279111222 90631P00010231 90631P00010331 10.0 00000000032902021774011222 90631P01000041 10.0 000000008922016041G2JB51K1K7 399904809670110000000 41110916011114311211211 90631P01000051 10.0 00000000257141311191301341381100000000000000000000000 0000000021043053028058064091131999072058999088092157068

PEDESTRIAN ASSESSMENT Occupant: 1

INTRA ERRORS

HH0071 2 Given OVERALL HEIGHT PAS06 and PEDESTRIAN SEX PAS05, HH0072 PEDESTRIAN WEIGHT PAS10 is questionable. See Table A2.

PEDESTRIAN GENERAL VEHICLE Vehicle: 1

INTRA ERRORS

GG6171 2 MODEL YEAR PGV04 should not be less than 90.

PSU90 CASE 631P

00002000000000

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

SUMMARY SCREEN 4/97

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	o	0	0	
Pedestrian Assessment	Ö	o ·	1	Y
Pedestrian Injury	ō	ő		Υ
Pedestrian General Vehicl		Ö	1	Y
Pedestrian Exterior Vehic		ŏ	o o	Ϋ́Υ
Total Inter Errors		0	0	
Total Case Errors	0	0	2	