



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

90 PSU

CASE NO. 637P

TYPE OF ACCIDENT Light Truck/Pedestrian straight path

#### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was southbound on a 2-lane roadway with no traffic control signals. The pedestrian was attempting to cross the road west to east. The pedestrian stepped from the west curb into the path of vehicle 1. Vehicle 1 contacted the pedestrian with the front bumper and knocked the pedestrian to the ground. Vehicle 1 stopped approximately 3 meters prior to the pedestrians final rest.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	6	Male	Treatment at Scene only	Left Knee	Abrasion	1	Bumper		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

	C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description						
01	Utility Truck	92 Jeep Cherokee Laredo	Front	Smudges, scratches, no dents						


SYSTEM SYSTEM





## **ACCIDENT COLLISION DIAGRAM**

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

		**************************************		
Primary Sampling Unit Number <u>9</u> <u>0</u>		Case N	umber	-Stratum <u>6</u> <u>3</u> <u>7</u> <u>P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	BIT/AsphACI	no	rth arrow placed on diagram
documentation of all accident induced physical avidence including (if applicable);	Surface Condition	Dry . F		ade measurements for all applicable adways
a) vehicle skid marks	Coefficient of Fr	iction		aled representations of the physical plant duding:
b) pedestrian contacts with ground or object	Grade (v/h): Mez	asurement	<b>a)</b>	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at imp	act	b)	all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final re	en impact and	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final at based upon either:
final resting points (FRP) for pedestrian and variicle	Pedestrian Trav	el Direction	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	Direction <u>Jourh</u>	b)	reconstructed accident dynamics
<ul> <li>all road/roadway delineation (e.g., crosswalks, curtivedge lines, lane markings, medians,</li> </ul>	Number of Trav	el Lanes		
pavement markings, parked vehicles, poles, signs, etc.)				
b) all traffic controls (e.g., lights, signs)				
Reference Point: 7, Replus		Reference Line:	e 57	Teurb Live
West Side of forwary				
ltem		Distance and Direction from Reference Point		Distance and Direction from Reference Line
onein (tireplug)		0.0		2.2 M-West
907 VI+Pedi		0.0		3.5 M-EAST
FRP V.		4,4M Sour	4	3.7m EAST
FRP P.		6,0m Sai	ih	2.7m EAST
1 1				

Distance and Direction Distance and Direction Item from Reference Point from Reference Line



U.S. Department of Transportation National Highway Traffic Safety

# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Administration	LDEOTRIAITA	PEDESTRIAN CRASH DATA	4 STU
Primary Sampling Unit Number	90	SPECIAL STUDIES - INDICATORS	
1. Filliary Sampling Offic Number		Check (✓) each special study (SS15-SS19 below)	that
2. Case Number - Stratum	<u>637</u> p	has been completed; code 1 for the checked spe studies and 0 for the special studies not checked.	ecial
IDENTIFICAT	TION	• • • • • • • • • • • • • • • • • • •	
Number of General Vehicle		6SS15 Administrative Use	_0_
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month,Day,Year)  (Month,Day,Year)	7 9 \$	8SS17 Impact Fires	0
5. Time of Accident	0745	9SS18	0
Code reported military time	e of accident.	10. SS19	0
NOTE: Midnight = 2400		103319	
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events in This Accident	) 1

#### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>  [</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

# PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 37 P	kilogram. (999) Unknown
3. Pedestrian Number0_1	0.75 = 0.34  kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown  inches X 2.54 = centimeters  8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter.  (999) Unknown  inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

DEDECTRIANCE AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions O	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	04
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) 'To right	(98) Other (specify):
(4) Up	(99) Unknown o 5
(5) Down	20 Vahiala/Dadashiisula lutassatias
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	<ul><li>(01) Carried by vehicle, wrapped position</li><li>(02) Carried by vehicle, slid to windshield</li></ul>
	<ul><li>(03) Carried by vehicle, position unknown</li><li>(04) Passed over vehicle top</li></ul>
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact <u>3</u>	· ·
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	<ul><li>(07) Thrown forward and right of vehicle</li><li>(08) Knocked to pavement, forward</li></ul>
(3) Left side to vehicle	· ·
(4) Right side to vehicle	<ul><li>(09) Knocked to pavement, left of vehicle</li><li>(10) Knocked to pavement, right of vehicle</li></ul>
(8) Other (specify):	· · · · · · · · · · · · · · · · · · ·
(9) Unknown	(11) Knocked to pavement, run over or dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(12) Shunted to left (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	(33) CHAIDWII

OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian <ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	0	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed  (5) U - Injury, severity unknown
<ul> <li>22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx)</li> <li>(95) Test refused</li> <li>(96) None given</li> <li>(97) AC (Alcohol Content) test performed, results unknown</li> <li>(99) Unknown if test given</li> </ul>	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR	_	Nonfatal (3) Hospitalization
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian <ul> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	7	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
. • ,		27. Type Of Medical Facility  (for Initial Treatment)
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>o</u>	(0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	<ul><li>(00) Not fatal or no additional causes</li><li>(96) Mode of death given but specific injuries are not linked to cause of death. (specify):</li></ul>
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [ ]	
UPDATE CANDIDATE?	NO[] YES[]

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

637 P

4. Blank


### **INJURY DATA**


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u> </u>	6. <u>8</u>	, 9	8. <u>02</u>	s. <u>0</u> 2	-10. <u>L</u>	11. <u>2</u>	1270	O 13 <u>[</u>	14	15. <u>Z</u>	16. 2	- 172
2nd	18	19	20	21	22	23	24	25	26	27	28	29	30
3rd	31	32	33	34	35	36	37	38	39	40	·41	42	43
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
:5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	1121	113	114	115	116	_ 117	118	119	120	121
10th	122	123	124.	1251	26	127	128	129	130	131	132	133	134

PEDESTRIAN INJURY DATA												
Sourc of Inju Data	ry Body		AIS.90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th						_						
12th	_		·			<del></del>	<del></del>					
13th	<u></u>						<del></del>				- <del></del>	. <del></del>
14th			·			- <del></del>				<del></del>		
15th		·			-	<del></del>				<del></del>	·	
16th	-									_		
17th	_				·	,	<del></del>					
18th	_									-	_	
19th												
20th		_									_	
21st												,
23rd												
24th						_ ·		_		_		
25th	_	****			_							

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





#### SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE OFFICIAL Certair (0) Injury not from vehicle contact (2) Probable (1) No damage/contact (1) Autopsy records with or without hospital/ Possible (2) Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent Hospital/medical records other than (4)Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury (6) Separated from vehicle (3) Emergency room records only (including (2) Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown (9) clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) Injury not from vehicle contact No residual damage UNOFFICIAL (1) (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters (3) (4) (5) (7) Interviewee Rounded edge Crush depth > 2 to 5 centimeters Sharp edge (8) Other source (specify): Crush depth >5 to 10 centimeters Other (specify): (8) Other specify:\_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area Minor injury (02) Skin - Abrasion (04) Skin - Contusion Face (06) Lumbar (2)Moderate injury (3) Serious injury (3) Neck (4) (06) Skin - Laceration Severe injury Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Abdomen (08) Skin - Avulsion (5) Critical injury (6) (7) (10) Amoutation Maximum (untreatable) injured, unknown severity Spine (6) Upper Extremity (20) Burn (30) Crush (40) Degloving (50) Injury - NFS Lower Extremity Level of Injury (9) Unspecified Aspect Specific injuries assigned are Type of Anatomic Structure Trauma, other than mechanical consecutive two-digit Right beginning with 02. Left Bilateral (2) Whole Area Head - LOC (3) (02) Length of LOC (04, 06, 08) Level of Consciousness Central Vessels To the extent possible, within the organizational framework of the AIS, OO is assigned to an injury NFS as to severity or where only one injury is (3) Nerves (5) Anterior Organs (includes muscles/ (10) Concussion Posterior (6) (4) Superior given in the dictionary for that anatomic structure. 99 is assigned to any injury Skeletal (includes joints) 181 Inferior Head - LOC Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires FRONT 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): \_ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):\_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 761 Tailgate 725 C piliar 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under nood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 825 Cargo (specify): 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify):\_ (specify): \_ 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_\_\_ 997 Noncontact injury source 743 A2 piltar 789 Unknown top component 999 Unknown injury source

# OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given

Units =


Arterial Blood Gases


Ph = \_\_\_.

PO2=

°CO,

HCO,







7a9

## OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





# PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

9.0	OFFICIAL RECORDS
1. Primary Sampling Unit Number	2 1 0
2. Case Number - Stratum 6 3 7 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number  O 1  VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year  Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph  10. Speed Limit
5. Vehicle Make (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown $30 \text{ mph } \times 1.6093 = 048 \text{ kmph}$
(99) Unknown  404  6. Vehicle Model (specify):  Cherokee Laredo	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit – 0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
1	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

## **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based motornome (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4.500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  02,850 lbs x .4536 = 1,293 kgs	18. Impact Speed  — Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:  16. Vehicle Cargo Weight  Code weight to nearest  10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  [bs X .4536 =,kgs]	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20  ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

$\sigma$	)
23. Critical Precrash Event 8 0	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	, , , , , , , , , , , , , , , , , , , ,
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	
(i.e., lower steady speed or decelerating)	(08) Braking and steering left
(52) Traveling in same direction with higher speed	(09) Braking and steering right
(53) Traveling in same direction with higher speed	(10) Accelerating
(54) In crossover	(11) Accelerating and steering left
	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
	25 Broomach Stability Afrag Assaidance Management
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver (0) No driver present
(60) From adjacent lane (same direction)—over left lane line	(1) No avoidance maneuver
	(2) Tracking
(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally - counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	·
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction (69) 5	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown
	(1) 2 in 2 i

ENVIRONMENTAL DATA			
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	<ul> <li>(6) Unknown type of non-interchange</li> <li>(9) Unknown if interchange</li> <li>Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> </ul>	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	(9) Unknown  Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five	2	(6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown  35. Traffic Control Device Functioning
30.	<ul><li>(6) Six</li><li>(7) Seven or more</li><li>(9) Unknown</li><li>Roadway Alignment</li></ul>	1	(0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	<ul><li>(1) Straight</li><li>(2) Curve right</li><li>(3) Curve left</li><li>(9) Unknown</li></ul>		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>

90 - 637 92 de-p Laredo

20-25 mph no lock up c & t v.h. LKNIE Abiosions nomedical Pod Timbled

POITOFRP = 4.8 m = 16ft 0.65 = f V = V(2)(16)(0.65-)(32.2)= 25.8 fps = 17.5 mph = 28 KPA

28 K Ph

# U.S. Department of Transportation National Highway Traffic Safety Administration

### PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

### **VEHICLE IDENTIFICATION**

VIN 1 J4 F T 5 8 5 6 N L

Vehicle Make (specify): 5eep

Model Year 92

Vehicle Model (specify): Cherokee

### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	STEE!
PEV08 Hood Length	<u>094</u> cm
PEV09 Hood Width-Forward Opening	138 cm
PEV10 Hood Width-Midway	144 cm
PEV11 Hood Width-Rear Opening	148 cm
PEV14 Front Bumper Cover Material	PLASTIC
PEV15 Front Bumper Reinforcement Material	STEE!


#### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height	051 046 cm
PEV17 Front Bumper-Top Height	<u>063</u> cm _
PEV18 Forward Hood Opening	/ <u>D D</u> cm ·
PEV19 Front Bumper Lead	<u>006</u> cm

#### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening	<u>/ U / cm / </u>
PEV21 Ground to Front/Top Transition Point	106 cm
PEV22 Ground to Rear Hood Opening	200 cm/
PEV23 Ground to Base of Windshield	$\frac{215}{cm}$ cm
PEV24 Ground to Top of Windshield	$\frac{273}{2}$ cm/
PEV25 Ground to Head Contact	<u>000</u> cm/

## **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 157 cm

	PEDESTRIAN SIDE CONTACT WORK SHE	ΞT	
PEV06	Hood Material		
PEV08	Hood Length		cm
	Hood Width-Forward Opening		cpn
	Hood Width-Midway		cm
	Hood Width-Rear Opening	/	cm
	and the same of th		Citi
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm.
PEV32 I	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35 (	$C_L$ to A-Pillar at Bottom of Windshield		cm
	C <sub>L</sub> to A-Pillar at Top of Windshield		cm
	C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
, 2, 0, 1	to Maximum Glad View Militar Protrasion		cm
	WRAP DISTANCES	•	
	WHAP DISTANCES	•	
PEV38	Bround to Side/Top Transition		cm
PEV39	iroupd to Hood Edge		cm
PEV40	ound to Centerline of Hood (ORIGIN)		cm
PEV41	round to Head Contact		cm

# **ORIGINAL SPECIFICATIONS**

Wheelbase	101.5 inche	es x 2.54 =	258 cm
Overall Length	165.3 inche	es x 2.54 =	<u>420</u> cm
Maximum Width	<u>0704</u> inche	s x 2.54 =	179 cm
Curb Weight(1993BB) O	2.850 pound	s x .4536 =	. 2 9 3 kg
Average Track	0602 inche	s x 2.54 =	<u> 153</u> cm
Front Overhang	0275 inche	s x 2.54 =	<b>0 7 0</b> cm
Rear Overhang	036.2 inche	s x 2.54 =	092cm
Undeformed End Width	060.4 inche	s x 2.54 =	<u> 1 5 4</u> cm
Engine Size: cyl./displ.	4000cc	x .001 =	40 L
	<u>243</u> CID	x .0164 =	4.DL

## **INJURY SOURCE**

FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Close
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

Right Side Components
740 Front fender side surface


741 Front antenna 742 A1 pillar

743 A2 pillar

744	B pillar
745	C pillar
746	D pillar
748	Other pillar (specify):
749	Right side roof rail
750	Right side door surface
751	Right side door handle
752	Right side mirror fixed housing
753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component
Back C	omponents
760	Rear (back) bumper
761	Tailgate
762	Hatchback, vertical surface
768	Other back component
	(specify):
769	Unknown back component
	mponents
	Hood surface
//1	Hood surface reinforced by under hood
	component
	Front fender top surface
	Cowl area
	Wiper blade & mountings
	Windshield glazing
	Front header
	Roof surface
	Backlight glazing
	Rear header
	Hatchback
	Rear trunk lid
	Other top component (specify):
/89	Unknown top component

Wheels / tires
790 Left front wheel / tire
791 Right front wheel / tire
792 Left reak wheel / tire
793 Right rear wheel /tire
798 Other wheel / tire (specify):
799 Unknown wheel / tire
Undercarriage components
800 Front cross member
801 Steering assembly/Front suspension
802 Oil pan
803 Exhaust system pipe
804 Transmission
805 Drive shaft
806 Catalytic converter
807 Muffler
808 Floor pan
809 Fuel tank
810 Rear suspension
818 Other undercarriage component
(specify):
819 Unknown undercarriage component
Accessories
820 Air scoop, deflector
821 Cellular or CB radio antenna
822 Emergency lights or bar
823 Fog lights
824 Luggage, ski, or bike rack
825 Cargo (specify):
826 Spare tire
827 Spotlight
828 Other accessory (specify):
Other Object or Vehicle in Environment
947 Ground
948 Other object (specify):
949 Unknown object in environment
959 Unknown object on contacting vehicle
997 Noncontact injury source
OOO Linknown injune course

999 Unknown injury source



1 2 3 9

## POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET CONTACT COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF SEQUENCE CONTACTED LOCATION LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT LABEL **(Y)** CENTIMETERS BODY REGION (Circle) Ĕ 0 0 2 **2** 3 9 1239 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1239 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9

# POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
E	700	101	20	υ	L. Leg	Pants int	2 3 9
2							1 2 3 9
3							1 2 3 9
4						-	1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9	·						1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13					e Mae i i		1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 148
4. Original Wheelbase 258	Code to thenearest centimeter
nearest centimeter (999) Unknown	(210) 210 centimeters or more (999) Unknown
$101$ . $5$ inches $\times 2.54 = 258$ centimeters	$058.2$ inches $\times 2.54 = 148$ centimeters
5. Original Average Track Width  Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown  Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown  Code to the nearest centimeter (185) 185 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown  7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement	13. Windshield Contact Damage From Pedestrian Contact  (0) Not contacted by pedestrian  (1) Contacted by pedestrian - not damaged  (2) Contacted by pedestrian - damaged  (3) Unknown if contacted by pedestrian - not damaged  (4) Unknown if contacted by pedestrian - damaged  (9) Unknown if contacted by pedestrian - unknown if damaged
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements
8. Hood Length  Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  O31. O inches x 2.54 = 094 centimeter  9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
254.3 inches X 2.54 = 138 centimeters  10. Hood Width Midway  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  566.6 inches X 2.54 = 44 centimeters	(3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  0 20 Oinches X 2.54 = 0 5 centimeters

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  O248 inches X 2.54 = 063 centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  SH Ginches X 2.54 = 215 centimeters
18. Forward Hood Opening  Code to the nearest centimeter  (000) No front contact (200) 200 centimeters or more (999) Unknown  O39.3 inches x 2.54 = 100 centimeters	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  1014 inches × 2.54 = 273 centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown  202.3 inches x 2.54 = 666 centimeters	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements

20	Contacting of Wheel	000	Side Lateral Messurem	ents
23	. Centerline of Wheel Code to the	200		
	nearest centimeter			
	(000) No side contact		35. Centerline to A-Pillar	000
	(150) 150 centimeters or more		at Bottom of Windshield	
	(999) Unknown		(000) No side contact	
	(600, 6,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		_	(250) 250 centimeters or more	
			(999) Unknown	
30.	Top of Tire	000		
	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			
	(000) No side contact		36. Centerline to A-Pillar	000
	(200) 200 centimeters or more		at Top of Windshield	000
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
	•		(250) 250 centimeters or more	
24	Top of Mihaal Mall Opening	200	(999) Unknown	,
31.	Top of Wheel Well Opening  Code to the	<u> </u>		
	nearest centimeter		inches X 2.54 =	centimeter
	(000) No side contact			
i	(250) 250 centimeters or more			
İ	(999) Unknown		37. Centerline to Maximum Side	000
			View Mirror Protrusion	
	inches X 2.54 =	centimeters	Code to the	
ļ			nearest centimeter	
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact	
	Code to the		(300) 300 centimeters or more	
	nearest centimeter		(999) Unknown	
	(000) No side contact		inches X 2.54 =	contimeter
ļ	(250) 250 centimeters or more			centimeter
	(999) Unknown			
	inches X 2.54 =	anntimators	Side Wrap Distance Measu	rements
	Inches X 2.34 =	centimeters		
		_	20 Cround to Sido/Ton Tongsition	000
33.	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition	000
	Code to the		Code to the nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown		(0.00)	
			inches X 2.54 =	centimeters
	inches X 2.54 =	_ centimeters		
24	Ton of Cide View Mirror	000	39. Ground to Hood Edge	000
34.	Top of Side View Mirror Code to the	000	Code to the	
	nearest centimeter		nearest centimeter	•
	(000) No side contact		(000) No side contact	
	(300) 300 centimeters or more		(500) 500 centimeters or more	
	(999) Unknown		(999) Unknown	
			inches V 2 E4 =	aantimata
	inches X 2.54 =	_ centimeters	inches X 2.54 =	cenumeters
				•

		1		
:				
40. Ground to Centerline of Hoo Code to the	od <u>000</u>		1.	
nearest centimeter				
(000) No side contact (700) 700 centimeters or n	more ?			
(999) Unknown	HOTE			
inches X 2.54 =	centimeters			
41. Ground to Head Contact  Code to the	000			
nearest centimeter			•	
(000) No side contact (800) 800 centimeters or n	nore 🥌 🖺			
(998) No head contact (999) Unknown				
inches X 2.54 =	centimeters			
· .				
		•		
				•
	·			
			·	