



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 650P

TYPE OF ACCIDENT Car/Pedestrian crossing driveway

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was exiting a private driveway attempting to enter southbound roadway traffic. The pedestrian was northbound on the sidewalk. As the pedestrian crossed the driveway, vehicle 1 struck pedestrian on the right leg with bumper of vehicle. The pedestrian did not fall to ground or roadway surface but remained upright.

	B. PEDESTRIAN PROFILE						
Pedestrian		_	Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	19	Male	Treated & Released	Right Knee	contusion	1	Bumper

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE Most Severe Damage Class Based on Vehicle Inspection							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Compact	89 Hyundai Sonota	Front	Smudges and smears			


DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM



National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMP SYSTEM PEDESTRIAN CRASH A STUDY





ACCIDENT COLLISION DIAGRAM

U.S. Department of Transportation National Highway Traffic Safety

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration		Indicate (X	<u> </u>
PSU No. 9 0 Case Number—Stratum 6 5	<u>о р</u>	North (<u>) </u>
		7 1 1	
Rt-1, 8 w of w POI-4, 2 m of S. P/F, RP-3, 5 S ex S 2,7 E of w V/FRP-1, ow of w			
4/FRP-3,5 5 0FS			
V/FRP-1.0w of w			· ·
Rushnay T			
Roshall Asphall Well Travelled 13.3 m			
			:
			:
			:
13,3M			:
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	N N		:
O			
Pole#			
Pole#	8 3.8 4.1	.8 3.8	!
			:

U.S. Department of Transportation National Highway Traffic Safety Auministration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number <u>40</u> Case Number-Stratum <u>650 P</u>					
PEDESTRIAN ACCIDENT COL	LISION DATA C	COLLECTION		SCALED DIAGRAM	
document reference point and reference line relative to physical features	Surface Type	Coment	* no	rth arrow placed on diagram	
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	n <u>Dry</u>		ade measurements for all applicable adways	
a) vahicle skid marks	Coefficient of Fri	ction <u>475</u>		aled representations of the physical plant luding:	
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	
c) vehicle/pedestrian point of impact (POI)	a) at impa	id	b)	all traffic controls (e.g., lights, signs)	
d) location of pedestrian separation point from vehicle	final re	1/0077	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final at based upon either.	
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	F4-	a)	physical evidence, or	
documentation of the physical plant including:	Vehicle Travel D		b)	reconstructed accident dynamics	
a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Number of Trave	# Lanes			
Reference Point: UTILITY To	le	Reference Line: Lui	est	Curbline	
ltem /) .	Distance and Direction from Reference Point		Distance and Direction from Reference Line	
Orgin fole#	7	0.0		1.8 WEST	
		4.2 No	rTh	1.0 West	
Vehicle#1 P.D.I PedesTriAN#1 P. Vehicle#1 F.R.P.	0.5	4,2 No-T	4	1.0 West	
Vehicle #1 F.R.P.		4,2 NOVI	7 ₁	1,0 EAST	
PedesTriAN#1 F.R	, ρ,	4.2 Nor	Th	1.5 EAST	
-					

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	in sin residue i sin c	Nom reference Line
\tilde{I}		
:		
,		
		•



Administration

National Flighway Traffic Safety

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY


1.	Primary	Sampling	Unit	Number
٠.		Camping	0	114111001

2. Case Number - Stratum

IDENTIFICATION

Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

1

0

0

7. SS16 Pedestrian Crash Data Study

8. SS17 Impact Fires 0

SS18

10. SS19

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

· 5 · / / / / / / / / / / / / / / / / /		PEDESTRIAN	ACCIDENT	T EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14. 02	15. 🗲	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	Primary Sampling Unit Number 90	10. Pedestrian's Weight Code actual weight to the nearest kilogram.
	Case Number - Stratum 6 5 0 P	(999) Unknown
ა.	Pedestrian Number01	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping(7) Falling/stumbling or rising(8) Other (specify):(9) Unknown
	inches X 2.54 = centimeters Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
	inches X 2.54 = centimeters Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

DEDECTRIANCE AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
1.51	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
, , , , , , , , , , , , , , , , , , , ,	(05) Hands in pockets
(02) Accelerated pace	(00) Harius III pockets
(03) Ran away (along vehicle path)	O
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
, and the second se	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
	(98) Other (specify):
(98) Other (specify):	
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact <u>0</u> <u>3</u>
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	~ 1
	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
47.0	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	, ,
(9) Unknown	(11) Knocked to pavement, run over or
` '	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	<u> </u>
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	2
Source: PAR	Nonfatal (3) Hospitalization (4) Transported and released	
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	•
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	2
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown	11
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	·

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER					
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death					
initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	26. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured					
ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION? NO[] YES[]						
UPDATE CANDIDATE?	NO[] YES[]					

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

- 2. Case Number Stratum
- 4. Blank

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90				Injury					
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	_{5.} <u>3</u>	6. <u>8</u>	7. <u>9</u>	8 <u>0 4</u>	e02	10	11/	12. <u>700</u>	13. 🖊	14. <u> </u>	15.2	16.2	- _{17.} _
2nd	18	19	20	21	22	23	24	25	26	27	28	29	30
3rd	31. <u> </u>	32	33	34	35	36	37	38	39	40,	41	42	43,
4th	44	45	46	47	48	49	50	51	:52	53	54	55	56
5th	57	58	59	60	61	62	63	64	65. <u>-</u> _	66	67	68	69
6th	70	71	72	73	74	75	76	77:	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	.92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110.	111	112	113	114. <u> </u>	115.	116.	117	118	119.	120	121
10th	.122. <u></u>	123	124	125.	126	127	128	129.	130.	131	132	133.	134


PEDESTRIAN INJURY DATA												
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th												
11th		_				_		<u></u>			_	
12th		<u>—</u>			_			<u></u>	_	_		_
13th	<u> </u>											
14th	-	—			—					—	—	_
15th		.—	<u>——</u>			_		<u></u>		_	_	
16th												
		_										
17th	 -	<u>—</u>	——			_		_	—			
18th												
19th												
20th												
21st												
22nd												
23rd												
24th												
						-						
25th					. <u> </u>	. -						<u> </u>


•

٥

•

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5)Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (3) Emergency room records only (including Indirect contact injury (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (< 15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact UNOFFICIAL (5) Lay coroner report No residual damage Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters (6) E.M.S. personnel Rounded edge (7) Interviewee Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure <u>Spine</u> (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury Face (06) Lumbar Moderate injury (3)Neck (3) (4) Serious injury Severe injury <u>Vessels, Nerves, Organs. Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration (4) Thorax (5) (08) Skin - Avulsion (5) Critical injury Abdomen (10) Amputation (20) Burn (6) (7) (6)Spine Maximum (untreatable) Upper Extremity Injured, unknown severity (7)Lower Extremity (30) Crush Level of Injury (8) (40) Degloving (50) Injury - NFS Unspecified Aspect are Specific injuries assigned consecutive two-digit beginning with 02. Type of Anatomic Structure Trauma, other than mechanical numbers (1) Right (2) (3) (4) Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area Bilateral Vessels To the extent possible, within the Central (2) organizational framework of the AfS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (5) Anterior Nerves Organs (includes muscles/ (6) (7) (4)(10) Concussion Posterior Superior ligaments) Skeletal (includes joints) (8) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. (6) Head - LOC (9) Unknown Skin Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 750 Right side door surface 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): 739 Unknown left side component 776 Front header 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 740 Front fender side surface 779 Rear header 948 Other object (specify): 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): __ 997 Noncontact injury source

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

(1)

Certain

TYPE OF DAMAGE
(0) Injury not from vehicle contact

999 Unknown injury source

SOURCE OF INJURY DATA

743 A2 pillar

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS =


Units of Blood Given


Units =

Arterial Blood Gases

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

4.5: 0 II W.	OFFICIAL RECORDS
1. Primary Sampling Unit Number	
2. Case Number - Stratum 6 5 0 P	9. Police Reported Travel Speed 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.
3. Vehicle Number01 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit
5. Vehicle Make (specify): 55 Applicable codes are found in your NASS PCDS Data Collection, Coding and	(999) Unknown $35 \text{ mph } \times 1.6093 = 056 \text{ kmph}$
Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify): 033	(8) No driver present . (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
KMHBFJ1 3 KU Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 2 6 8 4 lbs x .4536 = / 2 / 7 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus' (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown (9) Unknown (9) Unknown (9) Unknown (9) Slowing or stopping in traffic lane (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	V 6			
23.	Critical Precrash Event		(83)	Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:			(specify):
	(01) Blow out or flat tire		(84)	Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine			roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)		(85)	Pedalcyclist or other nonmotorist—unknown
	(specify):			location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Obje	ct or Animal
	up) (specify):		(87)	Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)			Animal approaching roadway
	(specify):			Animal—unknown location
	(06) Traveling too fast for conditions			Object in roadway
	(08) Other cause of control loss (specify):			Object approaching roadway
	(SO) Stiller successive services (specify).			Object—unknown location
	(09) Unknown cause of control loss			Other critical precrash event (specify):
	This Vehicle Traveling		(00)	outer attitude pysociasii attiti (speedily)
	(10) Over the lane line on left side of travel lane		(99)	Unknown
	(11) Over the lane line on right side of travel lane		(00)	
	(12) Off the edge of the road on the left side	24	Δtte	mpted Avoidance Maneuver ${\cal O}$ $/$
	(13) Off the edge of the road on the right side	27.		No driver present
	(14) End departure			No avoidance actions
	(15) Turning left at intersection			Braking (no lockup)
	(16) Turning right at intersection			Braking (lockup)
				Braking (lockup unknown)
	(17) Crossing over (passing through) intersection (19) Unknown travel direction	l		Releasing brakes
	Other Motor Vehicle In Lane			
				Steering left
	(50) Stopped			Steering right
	(51) Traveling in same direction with lower speed			Braking and steering left
•	(i.e., lower steady speed or decelerating)			Braking and steering right
	(52) Traveling in same direction with higher speed	ŀ		Accelerating
	(53) Traveling in opposite direction			Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing			Other action (specify):
	(59) Unknown travel direction of other motor vehicle		(99)	Unknown
	in lane	25	Droce	rash Stability After Avoidance Maneuver
	Other Motor Vehicle Encroaching Into Lane	20.		No driver present
	(60) From adjacent lane (same direction)—over left lane line			No avoidance maneuver
				Tracking
	(61) From adjacent lane (same direction)—over right			Skidding longitudinally-rotation less than 30
	lane line			degrees
	(62) From opposite direction—over left lane line (63) From opposite direction—over right lane line		(4)	Skidding laterally—clockwise rotation
	•		(5)	Skidding laterally—counterclockwise rotation
	(64) From parking lane		(8)	Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction (66) From crossing street, across path			
	(67) From crossing street, across path		(9)	Precrash stability unknown
	direction	00	D	And Discretional Consequences of
	(68) From crossing street, intended path not known	26.		rash Directional Consequences of
				dance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction			No driver present No avoidance maneuver
	(71) From driveway, across path			Vehicle stayed in travel lane where avoidance
	(72) From driveway, turning into opposite direction			maneuver was initiated
	(73) From driveway, intended path not known			Vehicle stayed on roadway but left travel lane
	(74) From entrance to limited access highway			where avoidance maneuver was initiated
	(78) Encroachment by other vehicle—details			Vehicle stayed on roadway, not known if left
	unknown			travel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist			initiated
	(80) Pedestrian in roadway			Vehicle departed roadway
	(81) Pedestrian approaching roadway			Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location			Directional consequences unknown

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	(4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
20.	 Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown 	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	(2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown
	(9) Unknown	

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICL				-
I I - I I - I I - I I - I I - I I - I I - I I - I I - I I I - I I I - I I I - I I I - I I I - I I I - I I I - I I I - I I	-	171188	1316	
	-	/=1.8	1 - 1 -	 TAIF.

VIN KMHBF2153KUI

Model Year 89

Vehicle Make (specify): HyundAi

Vehicle Model (specify): SONATA

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	OIEEL
PEV08 Hood Length	
PEV09 Hood Width-Forward Opening	<u> </u>
PEV10 Hood Width-Midway	/ <u>3</u> 8 cm
PEV11 Hood Width-Rear Opening	140 cm

PEV14 Front Bumper Cover Material


PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	7.17	<u>037</u> cm
PEV17 Front Bumper-Top Height		<u>053</u> cm
PEV18 Forward Hood Opening		<u>071</u> cm/
PEV19 Front Bumper Lead		<u>009</u> cm /

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	<u>674</u> cm '
PEV21 Ground to Front/Top Transition Point	<u>682</u> cm /
PEV22 Ground to Rear Hood Opening	189 cm /
PEV23 Ground to Base of Windshield	195 cm 274 cm
PEV24 Ground to Top of Windshield	274 cm
PEV25 Ground to Head Contact	



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls; etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \(\bigcup \oldsymbol{O} \cdot \oldsymbol{O} \cdot



4/3/4-3.	PEDESTRIAN SIDE CONTACT WORK SHE	EŢ	
PEVO	6 Hood Material		
	3 Hood Length		cm
	Hood Width-Forward Opening	Automobileille entrobundet sonnassansan	cm
) Hood Width-Midway		cm
	Hood Width-Rear Opening	/	cm
	Thouse Wilder Cooking		
	VERTICAL MEASUREMENTS		
PEV2	Ground Clearance	<i></i>	cm
PEV2	7 Side Bumper-Bottom Height	/	cm
PEV2	3 Side Bumper-Top Height		cm
PEV2	O Centerline of Wheel		cm
PEV3	Top of Tire		cm
PEV3	Top of Wheel Well Opening		cm
PEV3	2 Bottom of A-Pillar at Windshield		cm
PEV3	3 Top of A-Pillar at Windshield		cm
PEV3	Top of Side View Mirror		cm
gga, fala na	LATERAL MEASUREMENTS		
DEVIS	C. to A Billow of Battons of Mindwinth		
	C to A-Pillar at Bottom of Windshield		cm
	C to A-Pillar at Top of Windshield		cm
PEV3	C _L to Maximum Side View Mirror Protrusion		¢m
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm
/			

ORIGINAL SPECIFICATIONS

Wheelbase	1043	inches	x 2.54	=	265 cm
Overall Length	1843	inches	x 2.54	==	<u> 468</u> cm
Maximum Width	0689	inches	x 2.54	=	115 cm
Curb Weight <u>O</u>	2684	pounds	x .4536	= /	_ <u>2</u> <u>8</u> <u>0</u> kg
Average Track	0510	inches	x 2.54	=	1 4 5 cm
Front Overhang			x 2.54		cm
Rear Overhang	_ n/A	inches	x 2.54	=	cm
Undeformed End Width	0518	inches	x 2.54	=	<u> </u>
Engine Size: cyl./displ.	3000	СС	x .001	=	<u>3.0</u> L
	183	CID	x .0164	=	<u>3.0</u> L

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	·	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	•
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	700 Other ten compense (considu).	007 Nanasataat jajumi aavaa

788 Other top component (specify): _

789 Unknown top component


742 A1 pillar

743 A2 pillar

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

POINTS OF PEDESTRIAN CONTACT

PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
F	Bun per		+16	.0	Legs	Knocked OFF Smear	2 3 9	/
F,	Bumper	+103	+25	0	Legs		O 2 3 9	1
13	Tel Bumple	+103	+13	0	Legs	Smear	D 2 3 9	/
D	Grill	+ 87	+29	0	14.7	Smidge	<i>D</i> 2 3 1	1
Ĕ	CRIST	+ 90	+16	0	1+,0	Smudge	2 3 9	2
2,	Hood Hood	+ 68	+30	0	HENDS	Smear	⊕ 2 3 9	2
C	stood	+69	+12	0	HANds	Snew	2 3 9	2
						*	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
	•						1 2 3 9	
		•					1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
	L						1 2 3 9	

POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	EATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1	V	n	0	v. Le	r		1 2 3 9
2							1 2 3 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 40
4. Original Wheelbase 265	Code to the nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
1043 inches $\times 2.54 = 265$ centimeters	0.55.1 inches X 2.54 = 1.40 centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
051.0 inches $\times 2.54 = 145$ centimeters	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material	(9) Unknown
 (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact (1) Plastic
(999) Unknown	(2) Fiberglass (3) Rubber
043.1 inches $\times 2.54 = 11.1$ centimeter	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown .
nearest centimeter (210) 210 centimeters or more (999) Unknown	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
$0.54.3$ inches $\times 2.54 = 1.38$ centimeters	(3) Stainless Steel (4) Other (specify):
10. Hood Width Midway <u>139</u>	(9) Unknown
Code to the nearest centimeter	16. Front Bumper-Bottom Height <u>Ø 3 7</u>
(210) 210 centimeters or more (999) Unknown	Code to the nearest centimeter
$054.3 \text{ inches } \times 2.54 = 138 \text{ centimeters}$	(000) No front contact (150) 150 centimeters or more
$ \underline{\smile} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	(999) Unknown
	$0/4.5_{\text{inches}} \times 2.54 = 037_{\text{centimeters}}$

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown OQO Sinches X 2.54 = 653 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 1 inches × 2.54 = 1 9 5 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Older 1	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown DDD Sinches X 2.54 = DDD Centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
003 . 5 inches $\times 2.54 = 009$ centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening 074 Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown O29 inches X 2.54 = 074 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel	000	Side Lateral Measureme	ents
	Code to the			
	nearest centimeter (000) No side contact		35. Centerline to A-Pillar	000
	(150) 150 centimeters or more		at Bottom of Windshield (000) No side contact	
	(999) Unknown		Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	•
		- .	(250) 250 centimeters or more (999) Unknown	
30	Top of Tire	000		
00.	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			-
	(000) No side contact (200) 200 centimeters or more		36. Centerline to A-Pillar	000
	(999) Unknown		at Top of Windshield Code to the	
	inches X 2.54 =	aantimatara	nearest centimeter	
	inches \ 2.54 =	_ centimeters	(000) No side contact	
0.4		\circ	(250) 250 centimeters or more (999) Unknown	
31.	Top of Wheel Well Opening Code to the	000		
	nearest centimeter		inches X 2.54 =	centimeter
	(000) No side contact			
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side	000
	e en		View Mirror Protrusion Code to the	
	inches X 2.54 =	_ centimeters	nearest centimeter	
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact	
	Code to the		(300) 300 centimeters or more (999) Unknown	
	nearest centimeter (000)*No side contact			
	(250) 250 centimeters or more		inches X 2.54 =	centimeter
	(999) Unknown	•	6.1.111 5.	
	inches X 2.54 =	_ centimeters	Side Wrap Distance Measur	ements
				000
33.	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition Code to the	900
	Code to the		nearest centimeter	
	nearest centimeter (000) No side contact		(000) No side contact (400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
				0.00
34.	Top of Side View Mirror	000	39. Ground to Hood Edge Code to the	000
	Code to the		nearest centimeter	
	nearest centimeter (000) No side contact		(000) No side contact	
	(300) 300 centimeters or more		(500) 500 centimeters or more (999) Unknown	
	(999) Unknown			
	inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters
•				

40.	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000		
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters		
	inches X 2.54 =	centimeters		
	<i>:</i>			