

Lexus Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal **URGENT******

Lexus Customer Services /Lexus
Robin LeFevre
Approved By AI Smith
Published on: 09/30/2009 12:00 AM

To: All Lexus Dealers

From: Lexus Customer Service

**Lexus Consumer Safety Advisory
Potential Floor Mat Interference with Accelerator Pedal**

*******URGENT*******

Lexus greatly appreciates your patience during this activity. Enclosed is additional information about the Lexus Consumer Safety Advisory (Consumer Safety Advisory), to add to our communication of September 29th.

A Safety Campaign will be launched soon with clear dealer instructions and an owner notification to visit their local Lexus dealership regarding the involved vehicles. Until the Safety Campaign is launched, Lexus recommends the following actions be taken by your staff:

Overall Dealership Operations

Conduct a management meeting to familiarize all department heads with the Consumer Safety Advisory. Service, Loaner, Carwash, New Vehicle, New Car Preparation, Certified Pre-Owned (CPO)/Used Vehicle, Used Vehicle Reconditioning, Parts, and Body Shop operations should be familiar with the Consumer Safety Advisory and its contents.

Each dealership should designate two management level associates with complementary schedules to become intimately familiar with all aspects of the Consumer Safety Advisory, Q&A as well as other materials we have provided. These two associates should coordinate all operations related to this activity.

New, CPO/Used and Loaner Vehicle departments should coordinate with the Service Department to assure the drivers floor mat is semi-permanently installed. This should be conducted on all the following involved vehicles until the safety campaign has been launched.

2007 2010 ES

2006 2010 IS

Customer Handling

Please welcome concerned owners that visit your dealership and answer any questions they may have and utilize the previously provided Q&A to assure a consistent message is communicated.

Assist any customer who asks to verify correct application and secure installation.

Encourage owners to make sure the floor mats are compatible for their model and model year. Also, they need to be sure the floor mats are properly secured using the appropriate retention device (clips). Drivers floor mats should never be stacked. Consumers should never place any floor mat aftermarket or not -- on top of another drivers floor mat. Mats should also not be flipped over with the bottom-side up.

Information on proper floor mat installation can be found on <http://www.lexus.com>.

Owners with additional questions or concerns may also contact the Lexus Customer Assistance Center at 1 800 255-3987.

Service Department

Please coordinate with other dealership departments to semi-permanently install the drivers position floor mat in involved new, CPO, used, loaner and demo vehicles. Read and follow the attached technical instructions using specified materials which can be found at local hardware and office supply stores. This will assure the floor mats are not removable. We recommend the Service Department designate associates to conduct this installation to assure that the involved vehicles are handled consistently.

Owners' vehicles in for service should all be inspected for proper installation of the correct floor mats at the time of delivery (including after the car wash); document this on the Repair Order (RO).

If an affected ES/IS owner expresses concern over the safety of their vehicle, recommend removal of the driver's side floor mat (place in the trunk) until they are contacted by Lexus regarding the forthcoming Safety Campaign. Document this action on the RO.

If the owner prefers to have the floor mat semi-permanently installed, please follow the attached instructions and document this action on the RO.

If your dealership provides "car washes on demand", proper floor mat installation should be ensured on every vehicle after this service, as well.

Sales Department

Sales deliveries of involved ES and IS new, CPO or used vehicles should include semi-permanently installed drivers position floor mats that are designed specifically for the model. As many customers will be sensitive to the recent Consumer Safety Advisory, we recommend that they be informed that the drivers floor mat is semi-permanently installed and not removable. Lexus will notify customers when the Safety Campaign is initiated to return their vehicle for the remedy. The drivers floor mat will be rendered removable at that time.

Owners may also choose to have the drivers floor mat placed in the trunk until the safety campaign remedy is available. Please advise the owner of this option.

Document the condition of the driver's floor mat at vehicle delivery (e.g. "the correct driver's side floor mat is semi-permanently installed" or "removed driver's side floor mat") in a one-line RO.

All dealership demos should also be checked regularly to confirm the use of correct and properly installed floor mats.

Parts Department

Any Lexus All Weather Floor Mat (AWFM) in your inventory should be returned.

Dealers should prepare a PRR Claim listing the part numbers and quantities of each AWFM they are requesting to return. These claims should be submitted to the facing PDC using the normal method in Dealer Daily.

The return code for each part should be indicated as R-2, Manufacturing Defect.

When your dealership receives authorization from your facing PDC, please return the AWFMs immediately. The different AWFMs should be grouped by part number to assist the PDC in accurately accounting for the returned quantities.

If you are approached by the media, please direct them to Lexus Corporate Communications at 310-468-2552 or 310-468-4718. When you must speak to any media representatives, please reference the information we've provided previously on how to identify and properly install the correct floor mats, as well as your efforts to instruct owners about the importance of the proper installation of floor mats designed specifically for their vehicle.

Please direct any additional questions you may have to your Area representative so that we can continue to address your issues as we work through this experience together.

1. [Click here to see Semi-Perm - Installation-Application Instructions - Lexus.pdf](#)
2. [Click here to see Semi-Permanent Floor Mat Installation Label 10-01-09.pdf](#)
3. [Click here to see FINAL Lexus Carpet Floor Mat Application Information Chart.pdf](#)

Lexus Floor Mat Inspection, Application and Semi-Permanent Installation Instructions (10/02/09)



Read these important warnings **BEFORE** installing ANY type of Floor Mat.


A. General Floor Mat Warnings

- Only install floor mats designed specifically for that model and model year. Check for correct model name and part number on the packaging label to confirm vehicle application.
 - Never install a floor mat if you are uncertain of the model application.
 - Never install the floor mat upside down or turned over for any reason.
 - Only install the driver's floor mat in the driver's foot area.
- Always properly secure the driver's floor mat using the retaining hooks (clips) supplied in the bag with the floor mats (in the case of Lexus with the carpet floor mats). Follow the floor mat retention clip installation instruction supplied with the clips. If the mat is properly secured and you have confirmed vehicle applicability, it will not interfere with the accelerator pedal.
- After the driver's mat is secured by the retaining hooks (clips) semi-permanently install the floor mat to the vehicles using the self-locking nylon tie-wraps mentioned in the instructions below.
 - Never install the front driver's floor mat without all retaining hooks (clips) securing the mat firmly in place and the self-locking nylon tie-wraps semi-permanently installing the floor mat to the vehicle.
- The retaining hooks (clips) are designed to accommodate only one floor mat at a time.
 - Do not install another floor mat(s) on top of an existing driver's floor mat.
- After installation, always check the operation of the accelerator, brake and clutch (if applicable) pedals to assure the floor mat does not interfere with them.
- Carefully read the warning tag attached to the driver's floor mat regarding installation.

B. Floor Mat Inspection Instructions and Application Information

- Before placing a floor mat in a vehicle, be familiar with the procedure outlined below.
 - Identify the correct driver's floor mat for the specific vehicle application.
 - Correctly install the driver's floor mat.
- Regularly verify the correct floor mat is securely installed in the appropriate model using the retaining hooks (clips).
- Regularly verify the correct driver's floor mat is semi-permanently installed in the appropriate model using the self-locking nylon tie-wraps.


NOTE: Use the Application Information Chart provided or the Accessory Parts Catalog to verify mat-to-vehicle application.



PT548-33070

Driver's floor mat part number is located on the bottom of the back side of the mat. (Location may vary by mat)

		(Sample of Application Information Chart)						Mat Description		
Model	Part Number	04	05	06	07	08	09	10	Color	Piece Set No.
ES 350	PT548-33070-11				x	x	x	x	Light Gray	4 pc set
ES 350	PT548-33070-10				x	x	x	x	Cashmere	4 pc set
ES 350	PT548-33080-02						x	x	Black	4 pc set



1. Make sure the driver's floor mat is properly secured by the retaining hooks (clips). Confirm that the retaining hooks (clips) are secured into the grommet holes in the vehicle's floor (carpet).


Warning: Do not stack the floor mats in any vehicle. The retaining hooks (clips) are designed to accommodate only one floor mat at a time.

C. Driver's Position Semi-Permanent Installation

1. Necessary Materials
 - Self-locking nylon tie-wraps (Must be UV-resistant, rated at 50 pounds minimum, 0.19 inches wide and 17 inches long)
 - Easy Peel Labels (Use Avery® 5260™)
 - Thin Flat-Head Screwdriver
 - Fine-Pointed Punch
 - Ruler
 - Diagonal Cutting Pliers

Applicable to 2007 – 2010 MY ES and 2006 – 2010 MY IS vehicles only.

Lexus Floor Mat Inspection, Application and Semi-Permanent Installation Instructions



2. Locate, align & punch driver's floor mat.

- a) Align & punch directly in front of the driver's seat mounting bracket in the three locations shown (see red circles in illustration).



- b) Punch two holes into the lower left driver's floor mat as indicated in step 2a. If necessary, enlarge the holes with a thin flat-head screwdriver.

3. Route & fasten self-locking nylon tie-wraps.





Self-locking nylon tie-wraps must be UV-resistant, rated at 50 pounds minimum, be 0.19 inches wide and 17 inches long.

- a) Route and fasten the self-locking nylon tie-wraps through the floor mat and under the seat mounting bracket as illustrated.
- b) Repeat step 2 a) for the right side of driver's floor mat, except puncture only one hole in the mat.
- c) Tighten the self-locking nylon tie-wraps to remove slack, but do not apply tension or displace the secured floor mat from the clipped position.

NOTE:

- Some models may require two tie-wraps joined in series to complete routing.
- Do not remove seat mounting bracket covers, equipped in some models, during the routing process.




4. Verify correct installation.



- a) Confirm clearance to electrical wiring connectors and any moving components.
- b) Verify the self-locking nylon tie-wraps are not too loosely or too tightly fastened as illustrated.
- c) Verify the floor mat does not interfere with the accelerator pedal throughout its range of travel.

NOTE:

- Trim excess portion of self-locking nylon tie-wraps and conceal the self-locking portion of the tie-wrap under the seat bracket and/or floor mat.




5. Install Labels



- a) Install a label on both of the self-locking nylon tie-wraps, secured to the two seat mounting brackets.

NOTE: Print on Avery® 5260™ using the template provided.

- b) Make sure to fold over the label so the text is visible from both sides.



6. Check the following pedal operation (fully depress the pedal) to assure the floor mat does not interfere with it. Make sure the vehicle is turned off and in the "Park" position when testing:

- Accelerator Pedal
- Brake Pedal
- Clutch Pedal (if equipped)

Applicable to 2007 – 2010 MY ES and 2006 – 2010 MY IS vehicles only.

Lexus Floor Mat Inspection, Application and Semi-Permanent Installation Instructions

ES 300/330	PT206-33060-02									Black	4 pc set
ES 300/330	PT206-33060-11									Gray	4 pc set
ES 300/330	PT206-33060-30									Cashmere	4 pc set
ES 350	PT548-33070-02									Black	4 pc set
ES 350	PT548-33070-11									Light Gray	4 pc set
ES 350	PT548-33070-10									Cashmere	4 pc set
ES 350	PT548-33080-02									Black	4 pc set
ES 350	PT548-33080-10									Cashmere	4 pc set
ES 350	PT548-33080-11									Light Gray	4 pc set
ES 350	PT548-33090-01									Brown	4 Pcs set
ES 350	PT548-33090-12									Charcoal	4 Pcs set
ES 350	PT206-33070-10									Cashmere	4 Pcs set
ES 350	PT206-33070-11									Light Gray	4 Pcs set
ES 350	PT206-33090-05									Brown	4 pc. set
ES 350	PT206-33090-15									Charcoal	4 pc. set
ES 350	PT206-33090-25									Black	4 pc kit
GS 300/400/430	PT208-30041-01	x								Black	4 pc set
GS 300/400	PT208-30980-01	x	x							Black	4 pc set
GS 300/400	PT208-30980-03	x	x							Charcoal	4 pc set
GS 300/400	PT208-30980-08	x	x							Ivory	4 pc set
GS 350/460 2WD	PT208-30050-30									Cashmere	4 pc set
GS 350/460 2WD	PT208-30050-31									Ash	4 pc set
GS 350/460 2WD	PT208-30050-32									Ebony	4 pc set
GS 350/460 AWD	PT208-30058-30									Cashmere	4 pc set
GS 350/460 AWD	PT208-30058-31									Ash	4 pc set
GS 350/460 AWD	PT208-30058-32									Ebony	4 pc set
GS 450H	PT208-30050-30									Cashmere	4 pc set
GS 450H	PT208-30050-31									Ash	4 pc set
GS 450H	PT208-30050-32									Ebony	4 pc set
GS 350/460 2WD	PT208-30060-02									Black	4 pc set
GS350, GS450h, GS460 2WD	PT208-30091-32									Ebony w/ Red Logo	4 pc set
GS350, GS450h, GS460 AWD	PT208-30094-32									Ebony w/ Red Logo	4 pc set
GS350 2WD	PT208-30097-32									Black	4 pc set
GS350 AWD	PT208-30099-32									Black	4 pc set
GS350, GS450h, GS460 2WD	PT208-30090-01									Brown	4 pc set
GS350 AWD	PT208-30098-01									Brown	4 pc set
GX 470 w/o RSE	PT208-60030-11	x	x	x	x	x	x			Dark Gray	4 pc set
GX 470 w/o RSE	PT208-60030-10	x	x	x	x	x	x			Ivory	4 pc set
GX 470 w/ RSE	PT208-60037-11	x	x	x	x	x	x			Dark Gray	4 pc set
GX 470 w/ RSE	PT208-60037-10	x	x	x	x	x	x			Ivory	4 pc set
GX 470 w/o RSE	PT208-30040-11	x								Dark Gray	4 pc set
GX 470 w/o RSE	PT208-30040-10	x								Ivory	4 pc set
GX 470 w/ RSE	PT208-30047-11	x								Dark Gray	4 pc set
GX 470 w/ RSE	PT208-30047-10	x								Ivory	4 pc set
GX 470 - Sport (w/o RSE)	PT208-60080-02									Black	4 pc set
GX 470 - Sport (w/ RSE)	PT208-60081-02									Black	4 pc set
HS 250h	PT926-75004-04									Dark Brown	4 pc set
HS 250h	PT926-75004-20									Black	4 pc set
HS 250h	PT208-75005-04									Dark Brown	4 pc set
HS 250h	PT208-75005-20									Black	4 pc set
IS 300 - Sport Cross	PT208-53020-02	x	x							Black	4 pc set
IS 300 - Sport Cross	PT208-53020-10	x	x							Ivory	4 pc set
IS 300 - Sport Cross	PT208-53033-02	x	x							Black	4 pc set
IS 300 - Sport Cross	PT208-53033-10	x	x							Ivory	4 pc set
IS 300 - Sport Cross	PT208-53036-02	x								Black	4 pc set
IS 300 - Sport Cross	PT208-53036-01	x								Gray	4 pc set
IS 300 - Sport Cross	PT208-53048-02	x								Black	4 pc set
IS 300 - Sport Cross	PT208-53048-01	x								Gray	4 pc set

LS 460	PT208-50071-01				x	x	x		Gray	4 pc set
LS 460	PT208-50071-02				x	x	x	x	Black	4 pc set
LS 460	PT208-50071-04				x	x	x	x	Brown	4 pc set
LS 460	PT208-50071-10				x	x	x		Cashmere	4 pc set
LS 460	PT208-50073-01				x	x	x		Gray	4 pc set
LS 460	PT208-50073-02				x	x	x	x	Black	4 pc set
LS 460	PT208-50073-04				x	x	x	x	Brown	4 pc set
LS 460	PT208-50073-10				x	x	x		Cashmere	4 pc set
LS 460/600h	PT208-50083-01					x	x		Gray	4 pc set
LS 460/600h	PT208-50083-02					x	x	x	Black	4 pc set
LS 460/600h	PT208-50083-04					x	x	x	Brown	4 pc set
LS 460/600h	PT208-50083-10					x	x		Cashmere	4 pc set
LS 460/600h	PT208-50075-01				x	x	x		Gray	4 pc set
LS 460/600h	PT208-50075-02				x	x	x	x	Black	4 pc set
LS 460/600h	PT208-50075-04				x	x	x	x	Brown	4 pc set
LS 460/600h	PT208-50075-10				x	x	x		Cashmere	4 pc set
LS 460	PT919-50071-01				x	x	x	x	Gray	4 pc set
LS 460	PT919-50071-02				x	x	x	x	Black	4 pc set
LS 460	PT919-50071-04				x	x	x	x	Brown	4 pc set
LS 460	PT919-50071-10				x	x	x		Cashmere	4 pc set
LS 460	PT919-50073-01				x	x	x	x	Gray	4 pc set
LS 460	PT919-50073-02				x	x	x	x	Black	4 pc set
LS 460	PT919-50073-04				x	x	x	x	Brown	4 pc set
LS 460	PT919-50073-10				x	x	x		Cashmere	4 pc set
LS 460/600h	PT919-50075-01				x	x	x	x	Gray	1 pc
LS 460/600h	PT919-50075-02				x	x	x	x	Black	1 pc
LS 460/600h	PT919-50075-04				x	x	x	x	Brown	1 pc
LS 460/600h	PT919-50075-10				x	x	x		Cashmere	1 pc
LS 460/600h	PT919-50083-01					x	x	x	Gray	4 pc set
LS 460/600h	PT919-50083-02					x	x	x	Black	4 pc set
LS 460/600h	PT919-50083-04					x	x	x	Brown	4 pc set
LS 460/600h	PT919-50083-10					x	x		Cashmere	4 pc set
LX 470	PT208-60031-11	x	x	x	x				Charcoal	3 pc set
LX 470	PT208-60031-10	x	x	x	x				Ivory	3 pc set
LX 470	PT208-60071-12				x				Black w/ Gray	4 pc set
LX 570	PT206-LX086-01					x	x	x	Gray	3 pc set
LX 570	PT206-LX086-10					x	x		Ivory	3 pc set
LX570	PT206-LX096-07						x	x	Dark Brown	3 pc set
LX 570	PT206-LX088-01					x	x	x	Gray	3 pc set
LX 570	PT206-LX088-10					x	x	x	Ivory	3 pc set
RX 300	PT548-48030-02	x							Black	3 pc set
RX 300	PT548-48030-10	x							Ivory	3 pc set
RX 300	PT548-48030-11	x							Gray	3 pc set
RX 330/350	PT206-48040-10	x	x	x	x	x	x		Ivory	4 pc set
RX 330/350	PT206-48040-11	x	x	x	x	x	x		Light Gray	4 pc set
RX 330/350	PT206-48040-12	x	x	x	x	x	x		Black	4 pc set
RX 400h	PT206-48050-10				x	x	x		Ivory	4 pc set
RX 400h	PT206-48050-11				x	x	x		Light Gray	4 pc set
RX 400h	PT206-48050-12				x	x	x		Black	4 pc set
RX 330	PT206-48060-11		x						Gray	4 pc set
RX 350	PT206-48090-A0						x		Ivory	4 pc set
RX 350	PT206-48090-B0						x		Light Gray	4 pc set
RX350	PT206-48090-05						x		Light Brown	4 pc set
RX400h	PT206-48092-05						x		Light Brown	4 pc set
RX350/450h	PT206-48100-09							x	Dark Brown	4 pc set
RX350/450h	PT206-48100-22							x	Black	4 pc set
RX350/450h	PT919-48100-01							x	Ivory	4 pc set
RX350/450h	PT919-48100-12							x	Gray	4 pc set

PT206-33060-02	ES 300/330					X							Black	4 pc set
PT206-33060-11	ES 300/330					X							Gray	4 pc set
PT206-33060-30	ES 300/330					X							Cashmere	4 pc set
PT206-33070-10	ES 350								X	X			Cashmere	4 Pcs set
PT206-33070-11	ES 350								X	X			Light Gray	4 Pcs set
PT206-33090-05	ES 350								X	X			Brown	4 pc. set
PT206-33090-15	ES 350								X	X			Charcoal	4 pc. set
PT206-33090-25	ES 350								X	X			Black	4 pc kit
PT206-48040-10	RX 330/350	X	X	X	X	X	X						Ivory	4 pc set
PT206-48040-11	RX 330/350	X	X	X	X	X	X						Light Gray	4 pc set
PT206-48040-12	RX 330/350	X	X	X	X	X	X						Black	4 pc set
PT206-48050-10	RX 400h				X	X	X						Ivory	4 pc set
PT206-48050-11	RX 400h				X	X	X						Light Gray	4 pc set
PT206-48050-12	RX 400h				X	X	X						Black	4 pc set
PT206-48060-11	RX 330		X										Gray	4 pc set
PT206-48090-05	RX350								X				Light Brown	4 pc set
PT206-48090-A0	RX 350								X				Ivory	4 pc set
PT206-48090-B0	RX 350								X				Light Gray	4 pc set
PT206-48092-05	RX400h								X				Light Brown	4 pc set
PT206-48100-09	RX350/450h									X			Dark Brown	4 pc set
PT206-48100-22	RX350/450h									X			Black	4 pc set
PT206-LX086-01	LX 570							X	X	X			Gray	3 pc set
PT206-LX086-10	LX 570							X	X				Ivory	3 pc set
PT206-LX088-01	LX 570							X	X	X			Gray	3 pc set
PT206-LX088-10	LX 570							X	X	X			Ivory	3 pc set
PT206-LX096-07	LX570								X	X			Dark Brown	3 pc set
PT208-24010-02	SC 300/430	X	X	X	X	X	X	X					Black	4 pc set
PT208-24010-20	SC 300/430	X	X	X	X	X	X						Ecu	4 pc set
PT208-24010-34	SC 300/430	X	X	X	X								Black w/ Saddle	4 pc set
PT208-24030-02	SC 430	X	X	X	X								Black	4 pc set
PT208-24030-20	SC 430	X	X	X	X								Ecu	4 pc set
PT208-24030-34	SC 430	X	X	X	X								Black w/ Saddle	4 pc set
PT208-24044-20	SC 430	X											Ecu	4 pc set
PT208-24055-03	SC 430		X										Red	4 pc set
PT208-24060-03	SC 430			X									Camel	4 pc set
PT208-24060-14	SC 430			X	X	X	X	X					Camel	4 pc set
PT208-24070-02	SC 430				X	X	X						Black	4 pc set
PT208-24080-14	SC 430						X						Camel	4 pc set
PT208-24090-02	SC 430								X				Black	4 pc set
PT208-30040-10	GX 470 w/o RSE	X											Ivory	4 pc set
PT208-30040-11	GX 470 w/o RSE	X											Dark Gray	4 pc set
PT208-30041-01	GS 300/400/430	X											Black	4 pc set
PT208-30047-10	GX 470 w/ RSE	X											Ivory	4 pc set
PT208-30047-11	GX 470 w/ RSE	X											Dark Gray	4 pc set
PT208-30050-30	GS 350/460 2WD			X	X	X	X						Cashmere	4 pc set
PT208-30050-30	GS 450H			X	X	X	X	X					Cashmere	4 pc set
PT208-30050-31	GS 350/460 2WD			X	X	X	X						Ash	4 pc set
PT208-30050-31	GS 450H			X	X	X	X	X					Ash	4 pc set
PT208-30050-32	GS 350/460 2WD			X	X	X	X	X					Ebony	4 pc set
PT208-30050-32	GS 450H			X	X	X	X	X					Ebony	4 pc set
PT208-30058-30	GS 350/460 AWD			X	X	X	X						Cashmere	4 pc set
PT208-30058-31	GS 350/460 AWD			X	X	X	X						Ash	4 pc set
PT208-30058-32	GS 350/460 AWD			X	X	X	X	X					Ebony	4 pc set
PT208-30060-02	GS 350/460 2WD				X	X	X	X					Black	4 pc set
PT208-30090-01	GS350, GS450h, GS460 2WD								X	X			Brown	4 pc set
PT208-30091-32	GS350, GS450h, GS460 2WD								X				Ebony w/ Red Logo	4 pc set
PT208-30094-32	GS350, GS450h, GS460 AWD								X				Ebony w/ Red Logo	4 pc set
PT208-30097-32	GS350 2WD			X	X	X	X	X					Black	4 pc set

PT208-53033-02	IS 300 - Sport Cross	x	x						Black	4 pc set
PT208-53033-10	IS 300 - Sport Cross	x	x						Ivory	4 pc set
PT208-53036-01	IS 300 - Sport Cross	x							Gray	4 pc set
PT208-53036-02	IS 300 - Sport Cross	x							Black	4 pc set
PT208-53048-01	IS 300 - Sport Cross	x							Gray	4 pc set
PT208-53048-02	IS 300 - Sport Cross	x							Black	4 pc set
PT208-53060-02	IS 250/350 2WD			x					Black	4 pc set
PT208-53060-30	IS 250/350 2WD			x					Cashmere	4 pc set
PT208-53062-02	IS 250/350 4WD			x					Black	4 pc set
PT208-53062-30	IS 250/350 4WD			x					Cashmere	4 pc set
PT208-53067-02	IS 250/350 2WD			x	x	x	x	x	Black	4 pc set
PT208-53067-30	IS 250/350 2WD			x	x	x			Cashmere	4 pc set
PT208-53068-02	IS 250/350 4WD			x	x	x	x	x	Black	4 pc set
PT208-53068-30	IS 250/350 4WD			x	x	x			Cashmere	4 pc set
PT208-53087-01	IS 250/350 2WD						x	x	Ecru	4 pc set
PT208-53087-02	IS - F (V8)						x	x	Black	4 pc set
PT208-53088-01	IS 250/350 4WD							x	Ecru	4 pc set
PT208-53093-06	IS 250/350 Convertible							x	Blue	4 pc set
PT208-53097-02	IS 250/350 F-Sport 2WD						x	x	Black	4 pc set
PT208-53098-02	IS 250/350 F-Sport 4WD						x	x	Black	4 pc set
PT208-60030-10	GX 470 w/o RSE	x	x	x	x	x	x		Ivory	4 pc set
PT208-60030-11	GX 470 w/o RSE	x	x	x	x	x	x		Dark Gray	4 pc set
PT208-60031-10	LX 470	x	x	x	x				Ivory	3 pc set
PT208-60031-11	LX 470	x	x	x	x				Charcoal	3 pc set
PT208-60037-10	GX 470 w/ RSE	x	x	x	x	x	x		Ivory	4 pc set
PT208-60037-11	GX 470 w/ RSE	x	x	x	x	x	x		Dark Gray	4 pc set
PT208-60071-12	LX 470				x				Black w/ Gray	4 pc set
PT208-60080-02	GX 470 - Sport (w/o RSE)						x	x	Black	4 pc set
PT208-60081-02	GX 470 - Sport (w/ RSE)						x	x	Black	4 pc set
PT208-75005-04	HS 250h							x	Dark Brown	4 pc set
PT208-75005-20	HS 250h							x	Black	4 pc set
PT548-33070-02	ES 350				x	x	x	x	Black	4 pc set
PT548-33070-10	ES 350				x	x	x	x	Cashmere	4 pc set
PT548-33070-11	ES 350				x	x	x	x	Light Gray	4 pc set
PT548-33080-02	ES 350					x	x	x	Black	4 pc set
PT548-33080-10	ES 350					x	x	x	Cashmere	4 pc set
PT548-33080-11	ES 350					x	x	x	Light Gray	4 pc set
PT548-33090-01	ES 350						x	x	Brown	4 Pcs set
PT548-33090-12	ES 350						x	x	Charcoal	4 Pcs set
PT548-48030-02	RX 300	x							Black	3 pc set
PT548-48030-10	RX 300	x							Ivory	3 pc set
PT548-48030-11	RX 300	x							Gray	3 pc set
PT548-50030-02	LS 430	x	x	x					Black	4 pc set
PT548-50030-10	LS 430	x	x						Ivory	4 pc set
PT548-50030-11	LS 430	x							Light Charcoal	4 pc set
PT548-50030-14	LS 430	x	x	x					Taupe	4 pc set
PT548-50031-02	LS 430	x	x	x					Black	4 pc set
PT548-50031-13	LS 430	x							Bordeaux	4 pc set
PT548-50031-14	LS 430	x	x	x					Taupe	4 pc set
PT548-50040-10	LS 430	x	x	x					Cashmere	4 pc set
PT548-50040-11	LS 430	x	x	x					Ash	4 pc set
PT919-48100-01	RX350/450h							x	Ivory	4 pc set
PT919-48100-12	RX350/450h							x	Gray	4 pc set
PT919-48100-20	RX350/450h							x	Black	4 pc set
PT919-50071-01	LS 460				x	x	x	x	Gray	4 pc set
PT919-50071-02	LS 460				x	x	x	x	Black	4 pc set
PT919-50071-04	LS 460				x	x	x	x	Brown	4 pc set
PT919-50071-10	LS 460				x	x	x	x	Cashmere	4 pc set