

TEXAS INSTRUMENTS, INC.'S


09/10/03

REQUEST 6

BOX 7

PART A-P

PART D





142010 7762 table salt, cleaned movable remnants 18x 40

TI-NHTSA 8820



142010 7787 table salt, cleaned movable remnants 75% se 41

TI-NHTSA 9921




142016 7713 table call, cleaned movable remnants 752 loc 43

Acquisition completed.

✓ mulligan_142010_040 77PS table salt, cleaned mov


5123 FS



Acquisition completed.

✓ mulligan_142010_041 77PS table salt, cleaned mov

3587 FS



TI-NHTSA 9924



14.010 TRC 46ms 50% se 01

TI-NHTSA 9826




14-0000 THE 4th is movable. 75x 100 33

TI-NHTSA 9826




142010 70PS 40hrs movable 75% se 32

TI-NHTSA 9827



TI-NHTSA 9928




TI-NHTSA 9929


Acquisition completed.

— ✓ nulligan_142010_033 77PS 48hr cleaned nov arm

505 FS



TRANITSA 9830



14-0010 2212 John's stationery 90% bsc 36

THHTGA 9931




142010 7782 48hr stationary 22x ss 84

TI-NHTSA 9832



142010 71K 48hrs stationary 90s ee 35

TI-NHTBA 9033




TI-NHTSA 9834

Acquisition completed.

✓ mulligan_142010_035 77PS 48hr cleaned stat

5083 FS




TLNHTBA 9835

Acquisition completed.

✓ mulligan_142010_036 77Ps 48hr cleaned stat

1316 FS




TI-NHTGA 0036



142010 TFE 4, sealed cup, 100x se 14

TI-NHTSA 9837



112010 77E2 4, cleaned cup, 500x se 15

TI-NHTSA 9838

14,000 742 4-6a, cleaned cup, 100x Use 16


Feb. 1961 - July 1, 1961

ray display


Acquisition completed.

✓ nulligan_142010_014 77PS 48hr cleaned cup


14012 FS



TI-NHTSA 9040



142010 774C 48hr, cleaned cup, 500x bss 17




TI-NHTSA 8942

Acquisition completed.

✓ nulligan_142010_016 77PS 48hr cleaned cup

44242 FS




7 ray display 1

Acquisition completed.

— ✓ mulligan_142010_017 77PS 46hr cleaned cap

8776 FS




TI-NHTSA 9844



142010 7Hr 48hr, cleaned cup, 3000x se 18, grain boundary pinholes

TI-NHTSA 9845



142010 70% 4-in. cleaned cup, 2nd area 100% se 19

TI-NHTSA 9846

019


142010 77PS 42hr, cleaned cup, 2nd area 100x bee 20

TI-NHTSA 9947


Acquisition completed.

✓ walligan_142010_018 77P3 48hr cleaned cup

9017 FS




TH-NHTGA 0045




Acquisition completed.

-- ✓ mulligan_142010_020 77PS 48hr cleaned cap


16379 FS






142010 742 18H, impending burn, cleaned cup, 100x se 10


TI-NHTBA 0061



142010 77F: 1-H, impending burn, cleaned cup, 500x se 11

TI-NHTSA 9952






142010 7787 12H, inepending turn, cleaned cup, 100% bse 12

CC+ OVERALL
613


Acquisition completed.

✓ mulligan_142010_010 77PS 10X, imp. burn, cleaned cop 28707 FS




Acquisition completed.


✓ mulligan_142010_011 77PS 18N, imp. burn, cleaned cup 10743 FS



Acquisition completed.

✓ nulligan_142010_012 77PS 18X, imp. burn, cleaned cu²⁺ 14451 FS






TI-NHTSA 8050



142010 7752 14hrs, impending burn, 22x 24



142010 7742 13hr, Impending burn, 50x ss 25




145010 7762 15hrz, impending burn, stationary 80x hse 26

Acquisition completed.

✓ mulligan_142010_024 77FS 18hr cleaned stat


24146 FS



Acquisition completed.

✓ mulligan_142010_025 77PS 16hr cleaned stat


12552 FS



Acquisition completed.

✓ nulligan_142010_026 77PS 10hr cleaned stat

0700 F3




TMHTSA 0904

Acquisition completed.

✓ walligan_142810_027 77PS 18hr cleaned stat

6176 FS



TI-NHTSA 9966



140010 77FS 18hr, impending burn, movable remnants, monometal stake 18x 27

TI-NHTSA 9907



142010 7782 18hrs, impending burn, movable remnants, monometal stake 70x base 22




142016 7747 (shre, impending burn, movable remnants, morocetal stake 70% ee 20

TI-NHTSA 1983



142010 77F2 15hrs, impending burn, movable remnants, monometal stake 70x bse 30




TI-NHTBA 8870


Acquisition completed.

✓ mulligan_142010_029 77P3 18hr cleaned nov

4162 FS



TI-NHTSA 9971



TI-NHTBA 0072

TECHNICAL SERVICE LABS

LOG NO. 13042TEST NO. 153465TEST NO. 153465

USE I.D.	<u>127</u>	STATE YOUR PROBLEM/ SAMPLE DESCRIPTION	INFORMATION DESIRED: <u>FTIR</u>
REQUESTOR COST CENTER	<u>357/127</u>		
PRODUCT CODE	<u>088</u>		
REQUESTOR	<u>SEAN</u>		
MAIL STATION	<u>12-29</u>		
EXTENSION	<u>2535</u>		
MSG ID	<u>SEAM</u>		
DATE SUBMITTED	<u>5/5/99</u>		
DATE REQUIRED			
NO. OF SAMPLES	<u>(2)</u>		
COMPOSITION			

REPORT OF RESULTS:

M1: #5 = 24 DAYS

M2: #5 = 13 DAYS

hh-h.c

DATE RECEIVED _____ DATE OUT _____

TECHNICIAN			
HOURS WORKED			
PROCEDURE USED			

*PCC I.D.


MC=325
PC=127
VERS=168
AFCC=483
IMD=430

TM=431
WIRE=492
EPD=821
PEP=822
CSD=835

CLKE=122
CAN=954
AD DEV=286
EMCD=877

FACIL=514
FACIL=521
FACIL=531
STAFF=855

TI-NHTSA 9973



TI-NHTBA 9074


153465 cup #1, acetone cleaned, xel 85x 16

TI-NHTSA 9076

Acquisition completed.

— ✓ nulligan_153465_020 cup B1


6694 FS




Acquisition completed.

✓ mulligan_153465_021 cap #1

7513 FS



TI-NHTSA 8977




153465 cup #1, acetone cleaned, bei 85x 18


TLNHTSA 8878

Acquisition completed.

✓ nulligan_153465_022 cup #1

16747 FS






153465 cup #2, acetone cleaned, sei 430x 20

Acquisition completed.

✓ walligan_153465_026 cup #2

1862 FS



77-NHTSA 0001

Cu K

Zn K

Fe K

Cr K

O K

C K

Cl K

S K

153465 cup #2, acetone

TI-NHTSA 9882




153465 cup #2, acetone cleaned, bei 100x 19


Acquisition completed.

✓ mulligan_153465_023 cup #2

8599 FS



T-NHTSA 9804




TMHTSA 9865

Acquisition completed.

✓ mulligan_153465_025 cup #2

6033 FS




TLNHTSA 0000




TI-NHTSA 0087

TI-NHTBA 9808



TI-NHTSA 0000

002




153465 MI 15, 24 days, 80x bsc 03

001 OVERALL

Acquisition completed.

✓ mulligan_153465_001 M1 85 24 days

7738 FS




TI-NHTSA 8880

Acquisition completed.

— ✓ mulligan_153465_002 M1 #5 24 days

3053 FS




TI-NHTBA 9891


Acquisition completed.

✓ mulligan_153465_003 M1 25 24 days

5300 FS



TI-NHTSA 9992



153465 H2 #5, 13 days, 100x bsa 06

TI-NHTSA 9093



TI-NHTSA 8894




153465 M2 45, 13 days, 80x se 04

TI-NHTSA 9995

Acquisition completed.

— ✓ nulligan_153465_004 W2 95 13 days

3212 FS




TMHTBA 9005

Acquisition completed.

✓ walligan_153465_005 M2 #5 13 days

2329 FS




TI-NHTSA 9807

Acquisition completed.

✓ mulligan_153465_006 M2 #5 13 days

5082 FS





153465 blade #1, acetone cleaned, sei 20x 12


TI-NHTSA 9090



153465 blade 11, acetone cleaned, rei 200x 13

TI-NNTSA 10000

TI-NHTSA 10001




153465 blade #1, acetone cleaned, bel 120x 15

Acquisition completed.

✓ nulligan_153465_016 blade #1

8063 FS




TI-NHTSA 10002

Acquisition completed.

— ✓ mulligan_153465_017 blade 431


30207 FS



Acquisition completed.

5532 F8


✓ willigan_153465_018 blade NR1



Acquisition completed.


✓ mulligan_153465_019 blade 881

9135 FS





153465 blade tip, acetone cleaned, x18x 10



TI-NHTBA 10007




153465 blade #2, acetone cleaned, bei 120x 14

TI-NHTSA 10003

Acquisition completed.

5317 FS

✓ nulligan_153465_011 blade #2




TI-NHTSA 10009

Acquisition completed.

✓ mulligan_153465_010 blade #2

7510 FS




TI-NHTBA 10010

Acquisition completed.

✓ walligan_153465_012 blade #2

5779 FS




TI-NHTSA 10011

Acquisition completed.

— ✓ nulligan_153465_013 blade #2


6364 FS



Acquisition completed.

— ✓ mulligan_153465_014 blade 22

5646 FS



Acquisition completed.

✓ nulligan_153465_015 blade #2

5551 FS

