

PE05-067
HEIL TRAILER
12/19/2005
EXHIBIT 6
PART 2 OF 3

PE05-067
HEIL TRAILER
12/19/2005
EXHIBIT 6

Figures for Question 8

Beth Bennett

From: Joe Robinson
Sent: Saturday, October 08, 2005 12:07 PM
To: Don Wilson; Gene Jaynes; Bernie Rigglin; Tom Grein; Hunter Griffith; David Morrow; Tracy Harmon; Doug McCutcheon; Doyle Everhart; Phillip Dodson; Roger Buckner; Roger Gains; Thom Wilkins
Subject: Welding Practice on Dolly Frames
Attachments: 2005-008.xls

The attached Quality Communication (2005-008) is intended to offer clarification on proper welding practices for dolly frames as outlined in drawing 701-8078. Don is reviewing this with his people.

Let me know if you think more is needed.

Joe Robinson
Quality Manager
Hell Trailer International
1125 Congress Parkway
Athens, TN 37303

(P) 423-745-5830
(F) 423-745-5883
(E) jrobinson@helltrailer.com

QUALITY COMMUNICATION


QUALITY COMMUNICATION: (P:\QUALITY COMMUNICATIONS\008

DATE: 10/08/05

WRITTEN BY: Joe Robinson

PROBLEM DESCRIPTION: Drawing 701-8078 (Weld Information Single Axle Air Ride Dolly) states that welds on forward crossmembers are to be stopped 1/2" from bottom side of tube. Confusion exists about this change.

RESPONSE: All parties involved in the construction of this frame should review drawing 701-8078. Photo examples of correct and incorrect practices are provided below.



Note on drawing 701-8078.

Example of incorrect practice as the weld continues to end.



Example of correct practice as the weld stops 1/2" from end..

Figure 8.1


[illegible]

Figure 8.2

QUALITY COMMUNICATION


QUALITY COMMUNICATION: (P:\QUALITY COMMUNICATIONS\008

DATE: 10/08/05

WRITTEN BY: Joe Robinson

PROBLEM DESCRIPTION: Drawing 701-8078 (Weld Information Single Axle Air Ride Dolly) states that welds on forward crossmembers are to be stopped 1/2" from bottom side of tube. Confusion exists about this change.

RESPONSE: All parties involved in the construction of this frame should review drawing 701-8078. Photo examples of correct and incorrect practices are provided below.



Note on drawing 701-8078.



Example of incorrect practice as the weld continues to end.

NOTE: The unit in this photo was repaired and did not leave in this state.

Example of correct practice as the weld stops 1/2" from end..



Figure 8.d.1.

Figure 8.d.2.

Figure 8.d.3

MODEL INFORMATION FOR THE INTERNATIONAL USER	MODEL NAME	237-8092_GEN	RELEASE LEVEL		REVISION	E	MASS	16.179	VOLUME	55.712
REV.	WAS	DATE	ECO NO.					INCHES	3 rd ANGLE PROJECTION	
E	ADD -41-5	3/10/05	18851					SHEET		OF

PART NO.	L
237-8092	48.500
237-8092-001	46.250
237-8092-002	47.000
237-8092-003	97.500
237-8092-004	13.500
237-8092-005	31.000



TOLERANCES	NOTICE	DIVISION	 HEIL TRAILER INTERNATIONAL 4100 S. 7th, LANCASTER, PA. 17601, U.S.A. BRANCH: HALLING, BRISTOL AVENUE, BRISTOL BRISTOL, GLOUCESTERSHIRE, UNITED KINGDOM
UNLESS OTHERWISE SPECIFIED:	NOTICE: THIS DRAWING OR SPECIFICATION AND ITS CONTENTS ARE THE PROPERTY OF HEIL TRAILER INTERNATIONAL AND CONTAIN CONFIDENTIAL BUSINESS PROPRIETARY INFORMATION. WITHOUT WRITTEN PERMISSION AND THE INFORMATION CONTAINED HEREIN IS TO BE KEPT SECRET. INSTRUCTIONS: THIS IS SPECIFICALLY AUTHORIZED TO BE USED BY HEIL TRAILER INTERNATIONAL AND ONLY ON DRAWINGS OF THIS PRODUCT. ALL RIGHTS RESERVED.	8	
LINEAR .XX = ± 0.06 .XX = ± 0.030 ANGULAR = $\pm 1'$	DATE: 30-Sep-03	CODE C	TITLE: FRAME SIDE RAIL, DOLLY PULL FRAME
MATERIAL: 9861-0041, 6x4x.25 RECT STL TUBE	SCALE: 1.000	DRAWN BY: TWD	PART NUMBER: 237-8092

HEIL-A 25-OCT-00

237-9910-000

PARENT PART NUMBER : 237-9910-000
DESCRIPTION : ASBY,DOLLY SUBFRAME,INTRAAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY REQ	QTY REQD
	237-9910-000	B	ASBY,DOLLY SUBFRAME,INTRAAX	A	P	EA	1	1
1	.237-8092-001	E	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X1 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET BRKING.	A	N	EA	2	2
6	.9883-0002	-	TURNTABLE,HACE,INTL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.879-0099	-	PLATE,INTL: TOWER NEW, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL:HINGE MNT.A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,TANK,ALZ,STEEL,DOLLY SINGLE AXLE,ALANION OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT,PIPE,FEEDER MTD	A	N	EA	2	2
13	.121-2897	-	ASBY,STIFF,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8649	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2289	D	ANGLE, ALZ & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT,ECU MNT,STL INMR	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,HINGE ASBY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.38X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,ALZ BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9876-0018	-	TAPE,ANTILOID,TREAD FLAK 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTILOID,TREAD FLAK 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NEW-GRID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	MT	PSU	U/M	QTY PER	QTY REQD
23	.211-5886	-	GUSSET-UPPER FWM.FLANGE-STROTS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FEMDER,DOLLY,SINGAN AXLE	A	N	EA	2	2
ITEM COUNT: 15								

Figure 8.d.4.

PARENT PART NUMBER : 237-9910-001
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PRD	U/M	QTY PER	QTY REQD
	237-9910-001	B	ASSY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	237-0091-002	E	FRAMERAIL, 6X4 TUBE & DOLLY	A	N	EA	2	2
2	234-0599	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	237-0093	A	CROSSMEMBER, 6X4 TUBE & DOLLY	A	N	EA	3	3
4	311-0318	-	PLATE, ENDER-RAIL GUSSET	A	N	EA	2	2
5	311-0519	-	PLATE, ENDER-RAIL GUSSET REINFR.	A	N	EA	2	2
6	9885-0602	-	TUNTABLE, RACE, DEL RAIL	A	N	EA	1	1
7	311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	334-0886	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	311-1663	-	PLATE, STL, HINGE MNT, A/R DOLLY	A	N	EA	2	2
11	311-4574	A	BRAKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRLINE OR SPRING	A	N	EA	1	1
12	311-1646-004	A	BKET, PIPE, FENDER MTS	A	N	EA	2	2
13	121-2497	-	ASSY, STEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	250-2242	B	CABLE SUPPORT, DOWNBAR	A	P	EA	2	2
15	237-0648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	311-9685	-	GUSSET-INTRAX TOWER SUPPORT F	A	N	EA	2	2
17	250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	311-1237	-	BKET, ECU MNT, STL ENDER	A	N	EA	1	1
19	311-1249	-	PLATE, GUSSET, HINGE ASSY MNT	A	N	EA	2	2
20	234-0898	-	GUSSET, STL, 3.1825.38, A/R DOLLY	A	N	EA	2	2
21	234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	1	2
22	9878-0018	-	TAPR, ANTISKID, TREAD PLEX 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPR, ANTISKID, TREAD PLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT OF THE DOLLY ASSEMBLY

237-9910-001

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PCU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GOSSET-UPPER FEM. FLANGE-STRENGTH	A	N	EA	2	2
24	.126-4389	-	GOSSET, STIFFENER, STEEL, MOUNT FENDER, DOLLY, SINGLE AXLE	A	N	EA	2	2

ITEM COUNT: 25

Figure 8.d.5.

237-9910-002

PARENT PART NUMBER : 237-9910-002
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
	237-9910-002	B	ASST,DOLLY SUBFRAME,INTRAX	A	F	EA	1	1
1	.237-8092-002	E	FRAMERAIL, 6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-4093	A	CROSSMEMBER, 6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, 1/2"X6"-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, 1/2"X6"-RAIL GUSSET REINT.	A	N	EA	2	2
6	.9885-0002	-	TURNABLE, RACE, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BRACKING, AN DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, RING MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT, PIPE, FENDER MTG	A	N	EA	2	2
13	.121-2697	-	ASST, STEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	F	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-1269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1383	-	BRKT, SCU MNT, STL 1/2"	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, RINGE ASST MNT	A	N	EA	2	2
20	.234-0896	-	GUSSET, STL, 3.38X5.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AN DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE, ANTIRUST, THREAD FLAX 6IN X 24IN, COARSE (60 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTIRUST, THREAD FLAX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-REID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PRQ	U/M	QTY PER	QTY REQD
23	.211-9886	-	GUSSET-UPPER FEM.FLANGE-STRTS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT PRIMER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.6.

237-9910-003

PARENT PART NUMBER : 237-9910-003
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	PCU	U/M	QTY REQ	QTY REQ
	237-9910-003	B	ASST,DOLLY SUBFRAME,INTRAAX	A	F	EA	1	1
1	.237-8092-002	B	FRAME RAIL, 6X4 TURN & DOLLY	A	N	EA	2	2
2	.234-0596	B	END CLP, TURN FRAME RAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TURN & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, XBR-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, XBR-RAIL GUSSET REINFT.	A	N	EA	2	2
6	.9085-0002	-	TURNABLE, RACE, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FR	A	N	EA	4	4
8	.211-1664	-	PLATE, SUPPORT BACKING, AN DOLLY	A	N	EA	4	4
9	.234-0895	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, HINGE MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BACKET, YARK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE ON SPRING	A	N	EA	1	1
12	.311-1646-004	A	BKT, PIPE, FENCED HIG	A	N	EA	2	2
13	.121-2697	-	ASST, STEEL, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8645	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKT, MCN MNT, STL INER	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASST MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.38X1.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR HAN MNT, AR DOLLY	A	N	EA	2	2
22	.9078-0018	-	TAPE, ANTISKID, TREAD FLK 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTISKID, TREAD FLK 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

14-00000 Page: 2
Troy Harmon

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FRM.FLANGER-BYSTRUT	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.7.

237-9910-004

PARENT PART NUMBER : 237-9910-004
DESCRIPTION : ASBY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
	237-9910-004		ASBY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-002	E	FRAMERAIL, 6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	E	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, INNER-RAIL GUSSET SKINF.	A	N	EA	2	2
6	.9885-0002	-	TUNTABLE, RACE, DOL. BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FEM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0826	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1603	-	PLATE, STL, HINGE MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRRIDE OR SPRING	A	N	EA	1	1
12	.311-1648-004	A	BRKT, PIPE, FENDER MNT	A	N	EA	2	2
13	.121-2697	-	ASBY, STEP, DOLLY, PULL-TRAILER	A	N	EA	1	1
14	.250-3242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT D	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT, ECU MNT, STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASBY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.20X5.30, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE, ANTI-SKID, TREAD PLEX 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTI-SKID, TREAD PLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY XGDD
23	.211-9686	-	GUSSET-UPPER FRM.FLANGE-STRENGTH	A	F	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL, MOUNT FENDER,DOLLY,SINGLE AXLE	A	F	EA	2	2
ITEM COUNT: 23								

Figure 8.d.8.

237-9910-005

PARENT PART NUMBER : 237-9910-005
DESCRIPTION : ASSY,DOLLY SUBFRAME, INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
	237-9910-005	N	ASSY,DOLLY SUBFRAME, INTRAX	A	P	EA	1	1
1	.237-8092-002	N	FRAMERAIL, 6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0590	N	WSP CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X6 TUBE @ DOLLY	A	N	EA	2	3
4	.311-0510	-	PLATE, XBR-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, XBR-RAIL GUSSET REINFC.	A	N	EA	2	2
6	.9883-0002	-	TURNTABLE, FACE, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT RACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, RINGOR MNT, A/R DOLLY	A	N	EA	2	2
11	.311-8334	A	BRACKET, CANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRRIDE OR SPRING	A	N	EA	1	1
12	.311-1846-004	A	BUKT, PIPE, FENDER MFG	A	N	EA	2	2
13	.121-2697	-	ASSY, STEEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	N	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-5685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LKING	A	N	EA	1	1
18	.311-1333	-	BRKT, ECU MNT, STL XBR	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, RINGIN ASSY MNT	A	N	EA	2	2
20	.234-0893	-	GUSSET, STL, 5.12X5.10, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	2	2
22	.9878-0010	-	TAPE, ANTISKID, TREAD PLEX 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTISKID, TREAD PLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	SSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FWD. FLANGE-STRUTS	A	N	EA	2	2
24	.125-4369	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.9.

237-9910-006

PARENT PART NUMBER : 237-9910-006
DESCRIPTION : ASST.DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	PHU	U/M	QTY REQ	QTY REQ
	237-9910-006	B	ASST.DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X6 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, KINKER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, KINKER-RAIL GUSSET REINFP.	A	N	EA	2	2
6	.9885-0002	-	TUMTBALLS, RACE, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, KINKER GUSSET, DOLLY FEM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, KINKER MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRAKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	SHOT, PIPE, FEMER MFG	A	N	EA	2	2
13	.121-3697	-	ASST, STAF, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.230-2299	D	WHEEL, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1533	-	REIN, RCV MNT, STL KINK	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, KINKER ASST MNT	A	N	EA	2	2
20	.334-0895	-	GUSSET, STL, 5.38X3.18, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	1	2
22	.9878-0018	-	TAPR, ANTISKID, TREAD FLK 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPR, ANTISKID, TREAD FLK 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SELD MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

ROW	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	DRU	U/M	QTY REQ	QTY REQD
23	.211-9686	-	GUSSET-UPPER WRM.FLANGE-STRUTS	A	N	EA	2	
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FREDER,DOLLY,SINGLE AXLE	A	N	EA	2	
ITEM COUNT: 25								

Figure 8.d.10.

237-9910-007

PARENT PART NUMBER : 237-9910-007
DESCRIPTION : ASBY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	DSU	U/M	QTY PER	QTY REQD
	237-9910-007	A	ASBY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,XMR-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,XMR-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE,FACE,DOL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FEM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,BTL,TOWER MNT,1/2 DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,BTL,XMR MNT,1/2 DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,ALONGSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT,PIPE,FENDER MNT	A	N	EA	2	2
13	.121-2697	-	ASBY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.290-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8048	-	CROSSMEMBER,BTL,1/2 DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.290-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT,BCU MNT,BTL XMR	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,HINGE ASBY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,BTL,5.30X5.30,1/2 DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,BTL,AXL HNG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0010	-	TAPR,ANTISKID,TREAD FLEX 6IN X 24IN,COARSE (60 PCN)	A	N	EA	.02	.02

PART NOTES: TAPR,ANTISKID,TREAD FLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

EXT	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FEM. FLANGE-SERUITS	A	N	EA	1	2
24	.126-4389	-	GUSSET, STIFFENING STEEL, MOUNT FEEDER, DOLBY, SINGLE AXLE	A	N	EA	1	2
ITEM COUNT: 25								

Figure 8.d.11.

237-9910-000

PARENT PART NUMBER : 237-9910-000
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

ROW	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
	237-9910-000	B	ASST,DOLLY SUBFRAME,INTRAX	A	D	EA	1	1
1	.237-8091-002	E	FRAMERAIL, 624 TUB @ DOLLY	A	N	EA	2	2
2	.234-8598	B	END CAP, TUBE FRAMERAIL 624	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUB @ DOLLY	A	N	EA	3	3
4	.311-8510	-	PLATE, XMR-RAIL GUSSET	A	N	EA	2	2
5	.311-8519	-	PLATE, XMR-RAIL GUSSET REINF.	A	N	EA	2	2
6	.1845-0002	-	TURNABLE, RACE, ORL BALL	A	N	EA	1	1
7	.311-8524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.134-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, RING MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRAKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRRIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	REFT, PIPE, FENDER MTO	A	N	EA	2	2
13	.121-2687	-	ASST, STEP, DOLLY, POLL-TWAILER	A	N	EA	1	1
14	.258-1242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT F	A	N	EA	2	2
17	.150-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	REFT, HCU MNT, STL XMR	A	N	EA	1	1
19	.311-1249	-	PLATE, GUSSET, RINGS ASST MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.38X5.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	2	2
22	.9478-8018	-	TABE, ANTIKID, TREAD FLK 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TABE, ANTIKID, TREAD FLK 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SEID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	QT	PSU	U/E	QTY DEM	QTY REQD
23	.211-9688	-	GUSSET-UPPER FRN.FLANGE-STRTS	1	N	NA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FINDER,DOLLY,SINGLE AXLE	1	N	NA	2	2
ITEM COUNT: 25								

Figure 8.d.12.

237-9919-009

PARENT PART NUMBER : 237-9919-009
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	FWU	U/M	QTY PER	QTY BBD
	237-9919-009	M	ASST,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8692-602	M	FRAMERAIL, 6X4 TUBE @ DOLLY	A	M	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	M	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUBE @ DOLLY	A	M	EA	3	3
4	.311-0518	-	PLATE, INNER-RAIL GUSSET	A	M	EA	2	2
5	.311-0519	-	PLATE, INNER-RAIL GUSSET EXHIB.	A	M	EA	2	2
6	.9885-0002	-	TURNABLE, RACE, INL BALL	A	M	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FWD	A	M	EA	4	4
8	.311-1654	-	PLATE, SUPPORT BACKING, AR DOLLY	A	M	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	M	EA	2	2
10	.311-1663	-	PLATE, STL, HINGE MNT, A/R DOLLY	A	M	EA	2	2
11	.311-4534	A	BACKET, TANK, AXLE STEEL, DOLLY SINGLE AXLE, AFTSIDE OR SPRING	A	M	EA	1	1
12	.311-1646-004	A	BKT, PIPE, FENDER MTO	A	M	EA	2	2
13	.121-2697	-	ASST, STEP, DOLLY, POLI-TRAILER	A	M	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	M	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT F	A	M	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	M	EA	1	1
18	.311-1323	-	BKT, ECU MNT, STL INNER	A	M	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASST MNT	A	M	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.32X5.30, A/R DOLLY	A	M	EA	2	2
21	.234-0897	-	PLATE, STL, AIR RAD MNT, AR DOLLY	A	M	EA	2	2
22	.9878-0018	-	TAPE, ANTISEID, TREAD FLAT 6IN X 24IN, COARSE (50 PCS)	A	M	EA	.02	.02

PART NOTES: TAPE, ANTISEID, TREAD FLAT 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	QT	PSU	U/M	QTY PRS	QTY REQD
23	.211-9684	-	GUSSET-UPPER FRM.FLANGE-STRUTS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.13.

237-9910-010

PARENT PART NUMBER : 237-9910-010
DESCRIPTION : ASSY,DOLLY SUBFRAME, INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY REQ	QTY BQD
	237-9910-010	B	ASSY,DOLLY SUBFRAME, INTRAX	A	F	EA	1	1
1	.237-8092-002	E	FRAMERAIL, 6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, END-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, END-RAIL GUSSET BRIMP.	A	N	EA	2	2
6	.9883-0002	-	TOWERTABLE, RACE, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FEW	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1683	-	PLATE, STL, WING MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BACKET, TANK, AIR, STEEL, DRILL SINGLE AXLE, AIRRIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BKET, FIVE, FENDER MFG	A	N	EA	2	2
13	.121-2697	-	ASSY, STEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2342	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-0648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-3685	-	GUSSET-INTRAX TOWER SUPPORT B	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKET, ECU MNT, STL END	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, WING ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.38X5.38, A/R DOLLY	A	N	EA	1	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPR, ANTIKID, THREAD FLAT 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TANK, ANTIKID, THREAD FLAT 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF MON-SKIN MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	LT	PSU	U/M	QTY PER	QTY REQD
23	.211-9486	-	BUSHET-UPPER FEM.FLANGER-STAYS	2	N	EA	2	2
24	.126-4389	-	BUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	2	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.14.

237-9910-011

PARENT PART NUMBER : 237-9910-011
DESCRIPTION : ASST.DOLLY SUBFRAME, INTRAX
PART STATUS : A
BOX TYPE : ALL
BOX DATE : 14-DEC-2005
ITEM REFERENCE RANGE : -

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	FSU	U/M	QTY PER	QTY REQD
	237-9910-011	B	ASST.DOLLY SUBFRAME, INTRAX	A	P	EA	1	1
1	.237-8092-002	P	FRAME RAIL, 6X4 TUB & DOLLY	A	N	EA	2	2
2	.234-0898	B	END CAP, TUB FRAME RAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUB & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, KNUB-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, KNUB-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0082	-	TURNTABLE, BACK, DEL. BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT RACKING, AN DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MFT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, HINGE MFT, A/R DOLLY	A	N	EA	2	2
11	.311-4634	A	BRACKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1648-004	A	RECT. PIPE, FINDER MTG	A	N	EA	2	2
13	.121-2697	-	ASST. STEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2249	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	RECT. BOX MFT, STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASST MFT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.38X5.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR END MFT, AN DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAP, ANTIWELD, TREAD FLAT 6IN X 24IN, COARSE (50 Pcs)	A	N	EA	.02	.02

PART NOTES: TAP, ANTIWELD, TREAD FLAT 6IN X 24IN, COARSE

BOX NOTES: NOTE:

INSTALL (1) PIECE OF BOX-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-9910-011

KEY	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FWR.FLANGE-STRTS	A	M	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FEEDER,DOLLY,SINGLE AXLE	A	M	EA	2	2

ITEM COUNT: 25

Figure 8.d.15.

237-9910-012

PARENT PART NUMBER : 237-9910-012
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAAK
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE : -

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PWR	QTY REQD
	237-9910-012	B	ASSY,DOLLY SUBFRAME,INTRAAK	A	P	EA	1	1
1	.237-8892-002	E	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET REINFL.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE,2ACH,INL RAIL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FEM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,HINGE MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,INNER,AXL,STEEL,DOLLY SINGLE AXLE,AIRRIDE OR SPRING	A	N	EA	1	1
12	.311-1545-004	A	WRT,PIPE,FRONTING WTC	A	N	EA	2	2
13	.121-2697	-	ASSY,STEV,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAAK TOWER SUPPORT D	A	N	EA	2	2
17	.250-2269	D	ANGLE, A/R & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1393	-	WRT,ECU MNT,STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,HINGE ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.38X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTIWEAR,THREAD FLK 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTIWEAR,THREAD FLK 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEW AT THE FRONT
OF THE DOLLY ASSEMBLY

437-9514-D12

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FEM.FLANGE-STRUTS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,ROCKET FINDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.16.

237-9910-013

PARENT PART NUMBER : 237-9910-013
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALA
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	EX	PHU	U/M	QTY PER	QTY REQD
	237-9910-013	B	ASSY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0518	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET W/IMP.	A	N	EA	2	2
6	.2885-0002	-	TURNTABLE,BACK,DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AS DOLLY	A	N	EA	4	4
9	.234-0696	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1683	-	PLATE,STL,WING MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,TANK,AIR,STEEL,DOLLY SINGLE AXIS,AIRRIE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BKLT,PIPE,FRAMER WTC	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.150-2242	B	CABLE SUPPORT, DRAWER	A	P	EA	2	2
15	.237-8848	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.311-2685	-	GUSSET-INTRAX TOWER SUPPORT F	A	N	EA	2	2
17	.150-2269	B	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKLT,ECU MNT,STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,WING ASSY MNT	A	N	EA	2	2
20	.234-0696	-	GUSSET,STL,5.38X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AS DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTI-SKID,THREAD FLAX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTI-SKID,THREAD FLAX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	MT	PRU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FUR FLANGE-STUDS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FUSION,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 23								

Figure 8.d.17.

227-9910-014

PARENT PART NUMBER : 227-9910-014
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOX TYPE : ALL
BOX DATE : 14-DEC-2003
ITEM REFERENCE RANGE : -

PRT	PART NUMBER	REV	DESCRIPTION/NOTES/VEHICLE INFORMATION	QT	NSU	U/M	QTY REQ	QTY REQD
	227-9910-014	B	ASST,DOLLY SUBFRAME,INTRAX	A	F	EA	1	1
1	.237-8092-002	E	FRAMERAIL, 5/16 TURN W DOLLY	A	N	EA	2	2
2	.234-0588	B	END CAP, TURN FRAMERAIL 5/16	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TURN S DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0001	-	TOWERSHAFT, RACE, DRG BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRW	A	N	EA	4	4
8	.311-1654	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.312-1669	-	PLATE, STL, HINGE MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1846-004	A	WKT, PIPE, TOWER HTG	A	N	EA	2	2
13	.121-2897	-	ASST, STEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	F	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.311-9685	-	GUSSET, INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2263	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1323	-	BRKT, DCU MNT, STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASST MNT	A	N	EA	2	2
20	.234-0893	-	GUSSET, STL, 5.38X3.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	2	2
22	.9876-0018	-	TAPE, ANTIKID, THREAD FLEX 6IN X 24IN, COARSE	A	N	EA	.02	.02

PART NOTES: TAPE, ANTIKID, THREAD FLEX 6IN X 24IN, COARSE

HOW NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

H31204 ICIM/ Nail Trailer
V6.3.001

STIMBLE - LEVEL DON REPORT

14-DEC-85 Page: 2
Troy Hancock

237-9910-014

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER TIE, FLANGE-STEELS	A	M	EA	2	2
24	.126-4389	-	GUSSET, STIFFENER, STEEL, MOUNT FENDER, DOLLY, SINGLE AXLE	A	M	EA	2	2

ITEM COUNT: 24

Figure 8.d.18.

237-9910-015

PARENT PART NUMBER : 237-9910-015
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/W	QTY PER	QTY REQD
	237-9910-015	N	ASSY,DOLLY SUBFRAME,INTRAAX	A	N	EA	1	1
1	.237-8092-002	N	FRAMERAIL,6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0898	N	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,END-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,END-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TUBETABLE,BACK,DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,MOUNT MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4524	A	BRACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BKT,PIPE,FENDER MTG	A	N	EA	2	2
13	.121-2497	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	N	CABLE SUPPORT, DRUMBAR	A	N	EA	2	2
15	.237-8646	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-3685	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKT,SCU MNT,STL END	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,MOUNT ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,3.125X.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.3878-0018	-	TAPE,ANTISKID,THREAD FLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTISKID,THREAD FLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	BSU	U/M	QTY PER	QTY REQD
23	.211-8616	-	GUSSET-UPPER FAK.FLANGE-STRUTS	A	F	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL, MOUNT FEMUR,DOLLY,SINGLE AXLE	A	F	EA	2	2
ITEM COUNT: 25								

Figure 8.d.19.

237-9910-016

PARENT PART NUMBER : 237-9910-016
 DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAAX
 PART STATUS : A
 BOM TYPE : ALL
 BOM DATE : 14-DEC-2005
 ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ET	POU	U/M	QTY PER	QTY REQD
	237-9910-016	B	ASSY,DOLLY SUBFRAME,INTRAAX	A	P	EA	1	1
1	.237-8092-002	E	FRAMERAIL, 6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, XMR-RAIL GUSSET	A	N	EA	3	3
5	.311-0519	-	PLATE, XMR-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TURNABLE, RACE, UDL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1654	-	PLATE, SUPPORT BACKING, AN DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, HINGE MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4634	A	BRAKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT, PIPE, FEEDER MTG	A	N	EA	2	2
13	.121-2697	-	ASSY, STEP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRUMBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9635	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT, ECU MNT, STL XMR	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASSY MNT	A	N	EA	2	2
20	.224-0896	-	GUSSET, STL, 3.18X3.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AN DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE, ANTIKID, TREAD FLEX 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTIKID, TREAD FLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
 OF THE DOLLY ASSEMBLY

■

ITEM COUNT: 25

Figure 8.d.20.

237-9910-017

PARENT PART NUMBER : 237-9910-017
 DESCRIPTION : ASST,DOLLY SUBFRAME, INTRAX
 PART STATUS : A
 BOM TYPE : ALL
 BOM DATE : 14-DEC-2005
 ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	POU	U/E	QTY REQ	QTY ASQU
	237-9910-017	B	ASST,DOLLY SUBFRAME, INTRAX	A	P	EA	1	1
1	.237-0092-002	E	FRAMERAIL, 6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-0093	A	CROSSMEMBER, 6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, END-RAIL SUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, END-RAIL SUSSET BRKING.	A	N	EA	2	2
6	.9865-0002	-	TUNTABLE, RACE, DOL RAIL	A	N	EA	1	1
7	.311-0824	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1684	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER WNT, A/R DOLLY	A	N	EA	2	2
10	.311-1661	-	PLATE, STL, HINGE WNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1846-004	A	HEAT, PIPE, FENDER WTC	A	N	EA	2	2
13	.121-2697	-	ASST, STEP, DOLLY, PULL-TRAILER	A	N	EA	1	1
14	.260-2242	B	CABLE SUPPORT, DRUMBAR	A	P	EA	2	2
15	.237-0548	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2369	D	ARMOR, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	HEAT, ECU WNT, STL INOX	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASST WNT	A	N	EA	2	2
20	.234-0893	-	GUSSET, STL, 3.38X5.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG WNT, AR DOLLY	A	N	EA	2	2
22	.9878-0016	-	TAPE, ANTISEID, THREAD FLEX 6IN X 24IN, COARSE	A	N	EA	.02	.02

PART NOTES: TAPE, ANTISEID, THREAD FLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SOLID MATERIAL ON THE STEP AT THE FRONT
 OF THE DOLLY ASSEMBLY

237-9910-017

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/W	QTY PER	QTY REQD
23	.211-9886	-	GUSSET-UNDER FRM. FLANGE-STENTS	A	M	EA	2	2
24	.126-4389	-	GUSSET, STIFFENER, STEEL, MOUNT W/UNDER, DOLLY, SINGLE AXLE	A	M	EA	2	2

ITEM COUNT: 23

Figure 8.d.21.

237-9910-018

PARENT PART NUMBER : 237-9910-018
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	DSU	U/M	QTY PER	QTY REQD
	237-9910-018	R	ASSY,DOLLY SUBFRAME,INTRAAX	A	F	EA	1	1
1	.237-8092-002	N	FRAMERAIL, 6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	N	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0510	-	PLATE, XBRD-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, XBRD-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TURNABLE, RACE, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, KINER MNT, A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET, TANK, AIR, STEEL, DOLLY SINGLE AXLE, ALTERNATE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT, PIPE, FENDER WTC	A	N	EA	2	2
13	.121-2697	-	ASSY, STEP, DOLLY, POLY-TRAILER	A	N	EA	1	1
14	.250-2242	N	CABLE SUPPORT, DRUMBAR	A	F	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT, SCU MNT, STL XBRD	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, KINER ASSY MNT	A	N	EA	2	2
20	.234-0896	-	GUSSET, STL, 5.36X3.10, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR BAG MNT, AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE, ANTIRUID, TREAD FLEX 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTIRUID, TREAD FLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

• •

■

Figure 8.d.22.

237-9910-019

PARENT PART NUMBER : 237-9910-019
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	FI	FNU	U/M	QTY PER	QTY REQD
	237-9910-019	B	ASSY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-002	B	FRAMRAIL,6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMRAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE, EACH, DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0894	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,RIMON MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRKIDE OR SPRING	A	N	EA	1	1
12	.311-1644-004	A	BKT,PIPE,FENDER MTC	A	N	EA	2	2
13	.121-2697	-	ASST,STEP,DOLLY,PULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRUMBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	B	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKT,ECU MNT,STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,RIMON ASST MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.34X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTI-SKID,TREAD PLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTI-SKID,TREAD PLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FRM. FLANGE-STEEL	A	N	EA	2	2
24	.126-4389	-	GUSSET, STIFFENER, STEEL, MOUNT FENDER, DOLLY, SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 26								

Figure 8.d.23.

237-9910-020

PARENT PART NUMBER : 237-9910-020
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	QT	FSU	D/M	QTY PER	QTY REQD
	237-9910-020	N	ASSY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-002	N	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	N	END CAP, TUBE FRAMERAIL, 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X6 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET SKINF.	A	N	EA	2	2
6	.9895-0002	-	TURNTABLE,FACE,DR. BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FEM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT RACING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,HINGS MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4934	A	BRAKENT,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRRIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	EXT.PIPE,FRONT MNT	A	N	EA	2	2
13	.121-2897	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	N	CABLE SUPPORT, DRUMRAK	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9683	-	GUSSET-INTRAX TOWER SUPPORT D	A	N	EA	2	2
17	.250-2269	D	WHEEL, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT,ECU MNT,STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,INNER ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.25X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTIRUID,TREAD FLEX 5IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTIRUID.TREAD FLEX 5IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SOLID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER FEM.FLANGE-STEUTS	A	N	EA	3	2
24	.126-4989	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 23								

Figure 8.d.24.

237-9910-021

PARENT PART NUMBER : 237-9910-021
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAAK
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PU	U/M	QTY PER	QTY INQ
	237-9910-021	B	ASSY,DOLLY SUBFRAME,INTRAAK	A	P	EA	1	1
1	.237-9912-002	E	FRAMERAIL,6X4 TUBE W DOLLY	A	N	EA	2	2
2	.234-0518	E	RWD CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE W DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET BRKUP.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE,2ACS,DOL BAIL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT RACKING,AR DOLLY	A	N	EA	4	4
9	.234-0696	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1683	-	PLATE,STL,SINGLE MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,DRK,AIR,STEEL,DOLLY SINGLE AXLE,AIRLINE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT,PIER,FRONT MTO	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,PULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAAK TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT,ECU MNT,STL XBR	A	N	EA	1	1
19	.311-1249	-	PLATE,GUSSET,SINGLE ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.38X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-9018	-	TAPE,ANTIISKID,THREAD FLAK 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTIISKID,THREAD FLAK 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-9910-021

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY REQ	QTY REQD
23	.211-9888	-	GUSSET-UPPER FRM.FLAMER-SMOOTH	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FEEDER,DOLLY,SINGLE AXLE	A	N	EA	2	2

ITEM COUNT: 25

Figure 8.d.25.

237-9910-022

PARENT PART NUMBER : 237-9910-022
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTERAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE : -

REF	PART NUMBER	REF	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/W	QTY REQ	QTY BQD
	237-9910-022	B	ASSY,DOLLY SUBFRAME,INTERAX	A	P	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.227-8093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE,FACE,DRL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FEM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,HINGE MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1644-004	A	BKTY,PIPE,FEEDER MTS	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CANON SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9885	-	GUSSET-INTERAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2289	B	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKTY,ECU MNT,STL INNER	A	N	EA	1	1
19	.211-1343	-	PLATE,GUSSET,HINGE ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.30X5.30,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.3878-0818	-	TAPE,ANTIWEAR,THREAD FLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTIWEAR,THREAD FLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF MON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-1914-022

KEY	PART NUMBER	KEY	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PRU	U/M	QTY PER	QTY REQD
23	.211-9686	-	GUSSET-UPPER WRE.FLANGE-8X8X1/2	A	M	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT W/ENDR,DOLLY,SINGLE AXLE	A	M	EA	2	2
ITEM COUNT: 25								

Figure 8.d.26.

237-9910-023

PAKWT PART NUMBER : 237-9910-023
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2003
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	QT	PSU	U/M	QTY PER	QTY REQD
	237-9910-023	A	ASSY,DOLLY SUBFRAME,INTRAAX	A	P	EA	1	1
1	.237-8092-002	E	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	A	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X4 TUBE & DOLLY	A	N	EA	2	2
4	.311-0518	-	PLATE,XMR-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,XMR-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TUMTABLE,HACE,DBL RAIL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AK DOLLY	A	N	EA	4	4
9	.234-0898	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,RINGS MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,TAKE,AK,STWEL,DOLLY SINGLE AXLE,AINSIDE OR SPRING	A	N	EA	2	2
12	.311-1646-004	A	BRKT,PIPE,FENDER STD	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,PHIL-TRAILER	A	N	EA	1	1
14	.250-2242	A	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.311-9683	-	GUSSET-INTRAAX TOWER SUPPORT F	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT,ECU MNT,STL XMR	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,RINGS ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.20X5.10,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AK DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTIKNID,THREAD FLXK 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTIKNID,THREAD FLXK 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PRQ	U/M	QTY REQ	QTY REQ
23	.211-9686	-	GUSSET-UPPER FRM. FLANGE-SHROTS	A	N	EA	2	2
24	.126-4889	-	GUSSET, STIFFENER, STEEL, MOUNT FENDER, DOWEL, SINGLE AXLE	A	N	EA	2	2

ITEM COUNT: 25

Figure 8.d.27.

237-9910-024

PARENT PART NUMBER : 237-9910-024
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAAK
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE : -

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PHU	U/E	QTY PER	QTY REQD
	237-9910-024		ASST,DOLLY SUBFRAME,INTRAAK	A	P	EA	1	1
1	.237-8092-002	B	FRAMERAIL, 6X4 TUBE @ DOLLY	A	B	EA	2	2
2	.284-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	B	EA	2	2
3	.237-8093	A	CROSSMEMBER, 6X3 TUBE @ DOLLY	A	B	EA	3	3
4	.311-0518	-	PLATE, INNER-RAIL GUSSET	A	B	EA	2	2
5	.311-0519	-	PLATE, INNER-RAIL GUSSET BRKPT.	A	B	EA	2	2
6	.9885-0002	-	TURNTABLE, RACE, LBL RAIL	A	B	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	B	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AS DOLLY	A	B	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, A/R DOLLY	A	B	EA	2	2
10	.311-1663	-	PLATE, STL, RINGER MNT, A/R DOLLY	A	B	EA	2	2
11	.311-8334	A	BACKET, TAKE, AIR, STEEL, DOLLY SINGLE AXLE, ALKIDS OR SPRING	A	B	EA	1	1
12	.311-1666-004	A	BKKT, PIPE, FENDER MTG	A	B	EA	2	2
13	.121-2497	-	ASST, STEP, DOLLY, FULL-TRAILER	A	B	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8048	-	CROSSMEMBER, STL, A/R DOLLY	A	B	EA	1	1
16	.211-9685	-	GUSSET-INTRAAK TOWER SUPPORT P	A	B	EA	2	2
17	.250-2249	D	ANGLE, AIR & ELECTRICAL LINES	A	B	EA	1	1
18	.311-1333	-	BKKT, ECU MNT, STL INNER	A	B	EA	1	1
19	.311-1349	-	PLATE, GUSSET, RINGER ASST MNT	A	B	EA	2	2
20	.234-0895	-	GUSSET, STL, 5.38X3.38, A/R DOLLY	A	B	EA	2	2
21	.234-0897	-	PLATE, STL, AIR HOG MNT, AS DOLLY	A	B	EA	2	2
22	.9878-0010	-	TAPE, ANTIKID, THREAD FLK 6IN X 24IN, COARSE (50 PCS)	A	B	EA	.02	.02

PART NOTES: TAPE, ANTIKID, THREAD FLK 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-9910-024

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
23	.211-9888	-	GUSKET-UPPER FEM.FLANGE-SKIDS	A	N	EA	2	2
24	.126-4389	-	GUSKET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2

ITEM COUNT: 25

Figure 8.d.28.

237-9910-025

PARENT PART NUMBER : 237-9910-025
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	MT	REV	U/M	QTY PER	QTY REQD
	237-9910-025	B	ASST,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8092-092	E	FRAMERAIL,6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0549	-	PLATE,INNER-RAIL GUSSET REINFR.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE,FACE,IDL RAIL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0898	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,HINGE MNT,A/R DOLLY	A	N	EA	2	2
11	.311-6524	A	BRACKET,FRAME,AIR,STEEL,DOLLY SINGLE AXLE,AIRLINE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT,PIPE,FENDER MTO	A	N	EA	2	2
13	.122-2697	-	ASST,STEP,DOLLY,PULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-0648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9885	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT,SCU MNT,STL INDR	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,HINGE ASST MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.38X3.18,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR HAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTI-SKID,THREAD FLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTI-SKID,THREAD FLEX 6IN X 24IN,COARSE

BOM NOTES, NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-9918-023

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/W	QTY PER	QTY REQD
23	.211-9684	-	GUSSET-UPPER FEM.FLANGE-SUZUKI	A	N	NA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	NA	2	2

ITEM COUNT: 25

Figure 8.d.29.

237-9910-026

PARENT PART NUMBER : 237-9910-026
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE : -

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	FSU	U/W	QTY PER	QTY REQD
	237-9910-026	B	ASSY,DOLLY SUBFRAME,INTRAX	A	F	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0318	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0319	-	PLATE,INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TURNABLE, RACE, DEL BALL	A	N	EA	1	1
7	.311-0324	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1464	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,KINGM MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRAKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1846-004	A	ROST,PIPE,FRONT MTO	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	F	EA	2	2
15	.237-8848	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.311-9689	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	ROST,END MNT,STL INTR	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,KINGM ASSY MNT	A	N	EA	2	2
20	.234-0893	-	GUSSET,STL,5.38X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR RAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTI-SKID,TREAD PLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTI-SKID,TREAD PLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

MS1804 ICIM/ Reel Trailer
V6.3.001

SINGLE - LEVEL BOM REPORT

14-DEC-05 Page: 2
Tracy Harmon

127-8910-026

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	QT	PSU	U/W	QTY PER	QTY REQD
23	.211-9886	-	GUSSET-UPPER FRM.FLANGE-STROTS	2	N	SA	2	2
24	.126-4359	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	2	N	SA	2	2

LINE COUNT: 25

Figure 8.d.30.

237-9910-027

PARENT PART NUMBER : 237-9910-027
DESCRIPTION : ASST,DOLLY SUBFRAME,INTRAAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ICEN REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/M	QTY PER	QTY REQD
	237-9910-027	B	ASST,DOLLY SUBFRAME,INTRAAX	A	P	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0590	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0510	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0515	-	PLATE,INNER-RAIL GUSSET REINT.	A	N	EA	2	2
6	.9885-0002	-	TURNTABLE,BACE,DBL RAIL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,LOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1662	-	PLATE,STL,HIGH MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	WRT,PIPE,FENDER WTC	A	N	EA	2	2
13	.121-2637	-	ASST,STEV,DOLLY,PULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRUMBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.212-9645	-	GUSSET-INTRAAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2249	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	WRT,MCU MNT,STL 2000	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,HIGH ASST MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.16X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0010	-	TAPE,ANTI-SKID,TREAD FLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTI-SKID,TREAD FLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-9910-027

REV	PART NUMBER	REV	DESCRIPTION/MATERIAL/VENDOR INFORMATION	ST	DET	U/M	QTY PER	QTY REQD
13	.211-9686	-	GUSSET-UPPER FEM.FLANGE-STRUTS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.31.

237-9910-028

PARENT PART NUMBER : 237-9910-028
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
ROW TYPE : ALL
ROW DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	PT	YBU	U/M	QTY PER	QTY REQD
	237-9910-028	B	ASSY,DOLLY SUBFRAME,INTRAX	A	N	EA	1	1
1	.237-8092-002	B	FRAMERAIL,6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,XBR-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,XBR-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9845-0002	-	TURNTABLE,HACE,DOL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FR	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BRACING,AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,HIGH MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,ANCHORING ON SPRING	A	N	EA	1	1
12	.311-1646-004	A	HEAT,FIVE,FENDER MTO	A	N	EA	2	2
13	.131-2697	-	ASSY,STEP,DOLLY,PULL-TRAILER	A	N	EA	1	1
14	.238-2242	B	CABLE SUPPORT, DRAWBAR	A	N	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9885	-	GUSSET-INTRAX TOWER SUPPORT D	A	N	EA	2	2
17	.238-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	HEAT,ECO MNT,STL XBR	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,HIGH ASSY MNT	A	N	EA	2	2
20	.234-0896	-	GUSSET,STL,5.12X5.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR HAS MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTIWEAR,THREAD FLAX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTIWEAR,THREAD FLAX 6IN X 24IN,COARSE

ROW NOTES: NONE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	PSU	U/M	QTY PRA	QTY SHED
23	.211-9686	-	GUSSET-UPPER FEM.FLANGE-STANCH	A	N	EA	2	
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	
ITEM COUNT: 25								

Figure 8.d.32.

237-9910-029

PARENT PART NUMBER : 237-9910-029
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSD	U/M	QTY PER	QTY REQD
	237-9910-029	B	ASSY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-0092-001	B	FRAMERAIL, 6X4 TUBE @ DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-0093	A	CROSSMEMBER, 6X4 TUBE @ DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE, XBR-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE, XBR-RAIL GUSSET SWAMP.	A	N	EA	2	2
6	.9885-0802	-	TUBETABLE, EACH, DOL RAIL	A	N	EA	1	1
7	.311-0524	-	PLATE, CORNER GUSSET, DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE, SUPPORT BACKING, AR DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE, STL, TOWER MNT, R/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE, STL, HINGE MNT, R/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRACKET, TANK, AXE, STEEL, DOLLY SINGLE AXLE, AIRLINE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BRKT, PIPE, FRAMER HTG	A	N	EA	2	2
13	.121-2897	-	ASSY, SWP, DOLLY, FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRANDAR	A	P	EA	2	2
15	.237-0548	-	CROSSMEMBER, STL, R/R DOLLY	A	N	EA	1	1
16	.211-9683	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	B	AWOLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BRKT, HCU MNT, STL XBR	A	N	EA	1	1
19	.311-1349	-	PLATE, GUSSET, HINGE ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, S.1825.38, R/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR HNG MNT, AR DOLLY	A	N	EA	2	2
22	.9878-0016	-	TAPE, ANTIRID, THREAD FLEX 6IN X 24IN, COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE, ANTIRID, THREAD FLEX 6IN X 24IN, COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	MT	PSU	U/M	QTY PER	QTY REQD
22	.211-3686	-	GUSSET-UPPER FRM.FLANGE-STRTS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOCKX,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.33.

297-9910-030

PARENT PART NUMBER : 237-9910-030
DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	PSY	U/M	QTY BOM	QTY REQD
	237-9910-030	B	ASSY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-0092-002	B	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0550	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-0093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0510	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9805-0002	-	TURNTABLE,FACE,DEL BALL	A	N	EA	1	1
7	.311-0324	-	PLATE,CORNER GUSSET,DOLLY F/W	A	N	EA	4	4
8	.311-1604	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.234-0096	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1603	-	PLATE,STL,HINGE MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BACKET,TANK,AIR,STEEL,DOLLY SINGLE AXLE,AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BKT,PIPE,FENDER MTC	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER,STL,A/R DOLLY	A	N	EA	1	1
16	.211-9885	-	GUSSET-INTRAX TOWER SUPPORT F	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKT,MCU MNT,STL TANK	A	N	EA	1	1
19	.311-1340	-	PLATE,GUSSET,HINGE ASSY MNT	A	N	EA	2	2
20	.234-0896	-	GUSSET,STL,3.5X5.30,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-0018	-	TAPE,ANTI-SKID,THREAD FLAKE 6IN X 24IN,COARSE (50 PCF)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTI-SKID,THREAD FLAKE 6IN X 24IN,COARSE

BOM NOTES: NOTE:

INSTALL (1) PIECE OF BOM-REQD MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

237-9910-030

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	DSU	U/W	QTY PER	QTY REQD
23	.211-9686	-	COCKET-UPPER FEM.PLANGE-STRTS	A	N	EA	1	2
24	.126-4389	-	COCKET,STIFFENER,STEEL,MOUNT FEMMER,DOLLE,SINGLE AXLE	A	N	EA	2	2

TRUE COUNT: 25

Figure 8.d.34.

237-9910-031

PARENT PART NUMBER : 237-9910-031
DESCRIPTION : ASBY,DOLLY SUBFRAME,INTRAX
PART STATUS : A
BOM TYPE : ALL
BOM DATE : 14-DEC-2005
ITEM REFERENCE RANGE :

REV	PART NUMBER	REV	DESCRIPTION/NOTES/VERSION INFORMATION	ST	PHU	U/M	QTY PER	QTY REQD
	237-9910-031	A	ASBY,DOLLY SUBFRAME,INTRAX	A	P	EA	1	1
1	.237-8992-002	A	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TOWRTABLE,FACE,DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AR DOLLY	A	N	EA	4	4
9	.734-8898	-	PLATE,STL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,STL,SHOCK MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRAKET,TANK,AIR,STL,DOLLY SINGLE AXLE,AIRIDE OR SPRING	A	N	EA	1	1
12	.311-1648-004	A	HEAT,PIPE,FENDER MTG	A	N	EA	2	2
13	.121-2697	-	ASBY,SHIP,DOLLY,PULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	P	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL,A/R DOLLY	A	N	EA	1	1
16	.211-9885	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.250-2269	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	HEAT,ECU MNT,STL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,SHOCK ASBY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET,STL,5.3825.38,A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE,STL,AIR BAG MNT,AR DOLLY	A	N	EA	2	2
22	.9878-8018	-	TAPE,ANTIKNID,THREAD FLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTE: TAPE,ANTIKNID,THREAD FLEX 6IN X 24IN,COARSE

BOM NOTE: NOTE:

INSTALL (1) PIECE OF MON-SEID MATERIAL ON THE STEP AT THE FRONT
OF THE DOLLY ASSEMBLY

14-DEC-85 Page: 2
FREDY BARON

237-9510-031

LN#	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PRU	U/M	QTY PER	QTY ORDER
23	.211-8486	-	GUSSET-UPPER FRM.FLANGE-STAUBS	A	N	EA	2	2
24	.126-4389	-	GUSSET,STIFFENER,STEEL,MOUNT FENDER,DOLLY,SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								

Figure 8.d.35.

237-9910-032

 PARENT PART NUMBER : 237-9910-032
 DESCRIPTION : ASSY,DOLLY SUBFRAME,INTRAX
 PART STATUS : A
 BOM TYPE : ALL
 BOM DATE : 14-DEC-2005
 ITEM REFERENCE RANGE :

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	ST	PSU	U/R	QTY PER	QTY REQD
	237-9910-032	B	ASSY,DOLLY SUBFRAME,INTRAX	A	F	EA	1	1
1	.237-8892-002	B	FRAMERAIL,6X4 TUBE & DOLLY	A	N	EA	2	2
2	.234-0598	B	END CAP, TUBE FRAMERAIL 6X4	A	N	EA	2	2
3	.237-8093	A	CROSSMEMBER,6X3 TUBE & DOLLY	A	N	EA	3	3
4	.311-0518	-	PLATE,INNER-RAIL GUSSET	A	N	EA	2	2
5	.311-0519	-	PLATE,INNER-RAIL GUSSET REINF.	A	N	EA	2	2
6	.9885-0002	-	TUNTABLE,ROCK,DEL BALL	A	N	EA	1	1
7	.311-0524	-	PLATE,CORNER GUSSET,DOLLY FRM	A	N	EA	4	4
8	.311-1664	-	PLATE,SUPPORT BACKING,AK DOLLY	A	N	EA	4	4
9	.234-0896	-	PLATE,BTL,TOWER MNT,A/R DOLLY	A	N	EA	2	2
10	.311-1663	-	PLATE,BTL,HINGE MNT,A/R DOLLY	A	N	EA	2	2
11	.311-4534	A	BRAKET,FAKE,AIR,STEEL,DOLLY SIMON AXLE,AIRSIDE OR SPRING	A	N	EA	1	1
12	.311-1646-004	A	BKET,PIPE,VENDOR MKG	A	N	EA	2	2
13	.121-2697	-	ASSY,STEP,DOLLY,FULL-TRAILER	A	N	EA	1	1
14	.250-2242	B	CABLE SUPPORT, DRAWBAR	A	F	EA	2	2
15	.237-8648	-	CROSSMEMBER, STL, A/R DOLLY	A	N	EA	1	1
16	.211-9685	-	GUSSET-INTRAX TOWER SUPPORT P	A	N	EA	2	2
17	.260-2369	D	ANGLE, AIR & ELECTRICAL LINES	A	N	EA	1	1
18	.311-1333	-	BKET,MCU MNT,BTL INNER	A	N	EA	1	1
19	.311-1349	-	PLATE,GUSSET,SIMON ASSY MNT	A	N	EA	2	2
20	.234-0895	-	GUSSET, STL, 6.38X5.38, A/R DOLLY	A	N	EA	2	2
21	.234-0897	-	PLATE, STL, AIR HAU MNT, AK DOLLY	A	N	EA	2	2
22	.9875-0018	-	TAPE,ANTISKID,TREAD FLEX 6IN X 24IN,COARSE (50 PCS)	A	N	EA	.02	.02

PART NOTES: TAPE,ANTISKID,TREAD FLEX 6IN X 24IN,COARSE

BOM NOTES: NOTE:

 INSTALL (1) PIECE OF NON-SKID MATERIAL ON THE STEP AT THE FRONT
 OF THE DOLLY ASSEMBLY

237-5910-032

REF	PART NUMBER	REV	DESCRIPTION/NOTES/VENDOR INFORMATION	QT	PSU	U/M	QTY REQ	QTY REQ2
23	.211-2486	-	CURRENT-UPPER FRM.FLANGE-STRUTS	A	N	EA	2	2
24	.126-4389	-	CURRENT, STIFFENER, STEEL, MOUNT FENDER, DOLLY, SINGLE AXLE	A	N	EA	2	2
ITEM COUNT: 25								