

**PE07-029**

**Attachment 31**

**Removed auto reset circuit breakers**



# ENGINEERING RELEASE NOTICE

A Subsidiary of **FREIGHTLINER**  
CORPORATION

### PART STATUS CODE

- A Inactivate w/o Replacement
- B Manufacturing Change
- C Purchased
- D Pattern/Fixture - New/Change
- E Tooling - New/Change
- F Service
- G New Part
- H Inactivate
- I Reactivate
- J Increase Usage
- K Decrease Usage

- L Revision of Drwg, Asm, Etc...
- M Obsolete
- N Delete From Std Per Opt.
- O Prev. Adv. Released
- P Chart Change
- Q New Ref, Install, Chart, etc...
- R Reference Drwg, Asm, etc...
- S PPAP Required
- T PPAP Approved
- U PPAP Waived

### PPAP Levels

- 1 Level 1
- 2 Level 2
- 3 Level 3
- 4 Level 4
- 5 Level 5

### STOCK DISPOSITION CODES

- A Use, No Reorder
- B Rework
- C Don't Use, Dispose Of Best Way
- D Don't Use Prior to PPAP Approval

### USAGE TYPE CODES

- STD Standard
- STD-ASM Standard Assembly
- ASM-CMPT Component of assembly
- OPT-ASM Optional Assembly
- OPT Optional
- REF Reference

### PLANT CODES

- 1 Main Body Assembly
- 2 Fairfield
- 5 Chassis Assembly
- 9 Minotour Assembly
- T CL100 Assembly
- 2A B2 Assembly

### PART CODES

- A Running Change
- B New Option
- C CON Pending

ERN#: **CR\_C2994-1**

ERN CLASS: **Regular**  
ERN AUTHOR: **GREG ELMORE**  
REF. NUMBER:

RELEASED DATE: **5/10/2006**  
CHK'D/RELEASED BY: **RB**  
BODY/CHASSIS INTERFACE:

### REASON FOR RELEASE

INACTIVATED TYPE II AUTO RESET BREAKERS ON ALL MODELS

Status Codes	Part Number	Description	Drawing	Rev	Usage Information			New Parts Only				
					Usage Type	Model / Opt# / Asm #	Qty / UOM	SDC	Plant Code	Shop Address	Appr. Initial	Part Code
HC	52003084	BREAKERS-CIRCUIT,7.5 AMP,TYPE II	A52002196	E	N/A	ALL MODELS	1	EA				A
HC	52003090	BREAKER-CIRCUIT,10 AMP,TYPE 2,PLUG IN	A52002196	E	N/A	ALL MODELS	1	EA				A
HC	52003091	BREAKER-CIRCUIT,15 AMP,TYPE 2,PLUG IN	A52002196	E	N/A	ALL MODELS	1	EA				A
HC	52003092	BREAKER-CIRCUIT,20 AMP,TYPE 2,PLUG IN	A52002196	E	N/A	ALL MODELS	1	EA				A
HC	52003093	BREAKER-CIRCUIT,25 AMP,TYPE 2,PLUG IN	A52002196	E	N/A	ALL MODELS	1	EA				A
HC	52003094	BREAKER-CIRCUIT,30 AMP,TYPE 2,PLUG IN	A52002196	E	N/A	ALL MODELS	1	EA				A

### APPROVAL SHEET

Checked box means signature not required.

	Signature	Comments
ENGINEERING MANAGER / TEAM LEADER	DLASSITER - JZUCKER	APPROVED 5/4/2006 9:35:22 AM - APPROVED 5/5/2006 6:22:52 AM
ERN COORDINATOR	ROB BARKLEY 5/10/2006	
PURCHASING / SQA	SOKELLEY	APPROVED 5/3/2006 9:13:44 AM
PSU	CSINK - SRITCH	APPROVED 4/28/06 10:59:07 AM - APPROVED 4/28/2006 11:30:52 AM
PRODUCTION	ALOFLIN, MRIGGS	APPROVED 5/3/2006 8:30:42 AM
FAIRFIELD <input checked="" type="checkbox"/>		
CUSTOMER SUPPORT <input checked="" type="checkbox"/>		
RELIABILITY/DEVELOPMENT <input checked="" type="checkbox"/>		
SEATING PLAN <input checked="" type="checkbox"/>		
WEIGHT ANALYSIS <input checked="" type="checkbox"/>		
COMPLIANCE <input checked="" type="checkbox"/>		
PATTERN SHOP <input checked="" type="checkbox"/>		
FABRICATION <input checked="" type="checkbox"/>		
BODY SERVICES <input checked="" type="checkbox"/>		
TOOLING <input checked="" type="checkbox"/>		
WELDMENT <input checked="" type="checkbox"/>		
ENVIRONEMT <input checked="" type="checkbox"/>		

NOTE - For guidelines and proper usage of this approval sheet, please refer to Form E009-04.