


CAIR #
10137713

MFG BY:	DaimlerChrysler Corporation	DATE OF MFG:	9-20	GVWR:	2900 KG (6400 LB)
GVWR FRONT:	WITH TIRES	8145 AT	OLD		
1656 KG (3658 LB)	P225/75R16XL	16X7	282 (KPA) (4L)	PS11	
GVWR REAR:	WITH TIRES	8145 AT	OLD		
1727 KG (3806 LB)	P225/75R16XL	16X7	282 (KPA) (4L)	PS11	

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3B7HC132 [REDACTED] TRUCK SINGLE X DUAL



081113 57544 001004 VEHICLE MADE IN MEXICO 7810262 46488007





THANKS FOR COMING IN



Valvoline






CARP
2013 TRUCK
CARGO



SILVERADO V8





IN MEMORY OF
NEW YORK POLICE OFFICERS

DODGE

ISLANDS
Dodge



IN MEMORY OF
NEW YORK POLICE OFFICER

DODGE

REDLANDS
Dodge



1997
RAM
1500









CAR #
10137713
CARRUGA, A

SAFETY
SEAT BELT
USE PROPER
TIE-UP
TECHNIQUE
FOR
LOADING
AND
UNLOADING
OF
CARGO
AND
PASSENGERS
SEE
OPERATOR'S
MANUAL
FOR
LOADING
LIMITS
AND
DISTRIBU-
TION

SAFETY
SEAT BELT
USE PROPER
TIE-UP
TECHNIQUE
FOR
LOADING
AND
UNLOADING
OF
CARGO
AND
PASSENGERS
SEE
OPERATOR'S
MANUAL
FOR
LOADING
LIMITS
AND
DISTRIBU-
TION

CATALYTIC
FILTER

OF SYSTEM
PERSONNEL ONLY
SERIAL NUMBER
28261733AA



621029754A




THIS VEHICLE CONFORMS TO CALIFORNIA REGULATIONS APPLICABLE TO 2001 MODEL YEAR NEW ULEV MEDIUM-DUTY VEHICLES.


BASIC ENGINE TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN SET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER MAINTENANCE INFORMATION.

ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.


CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE.


















BELT ROUTING



NO
A/C

BELT
REMOVAL

53008745

52102975AA



DaimlerChrysler Corporation
IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO CALIFORNIA
REGULATIONS APPLICABLE TO 2001 MODEL
YEAR NEW MEDIUM-DUTY VEHICLES

- BASIC IGNITION TIMING AND FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.
- ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.
- CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

DaimlerChrysler Corporation
IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO CALIFORNIA
REGULATIONS APPLICABLE TO 2001 MODEL
YEAR NEW MEDIUM - DUTY VEHICLES.

* BASIC WARRANTY MAINTAINS THE FUEL/AIR MIXTURE. HAVE BEEN
PROCESSED AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER
PROCEDURES AND CORRECT AIR/FUEL REGULATION.

* MAINTENANCE MADE BY OTHER THAN REPAIRMAN SERVICE MANUAL
CAUTION: ONLY SERVICE SHOULD BE WHEN SERVICING VEHICLE.

AAV
75
44

CATALYST

5.9 LITER	75000 MILES 5 YEAR
6.0 LITER	100000 MILES 5 YEAR
6.7 LITER	100000 MILES 5 YEAR
7.3 LITER	100000 MILES 5 YEAR
8.0 LITER	100000 MILES 5 YEAR

