



NO PULL

OFF

8 14 18

130 210 260

1 2 3 4 5 6

RPM X 1000

0 10 20 30 40 50 60

MPH

24720

CHECK BATES

MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFR 12-99 GVWR 2994 KG(6660 LB)

| | | | |
|------------------|------------|---------|-----------------|
| GVWR FRONT | WITH TIRES | RIMS AT | COLD |
| 1754 KG(3865 LB) | P245/75R16 | 16X7 | 241 KPA(35 PSI) |
| GVWR REAR | WITH TIRES | RIMS AT | COLD |
| 1770 KG(3900 LB) | P245/75R16 | 16X7 | 241 KPA(35 PSI) |

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3B7HF13Z4YG [REDACTED] TYPE: TRUCK SINGLE X DUAL



MDH: 120122 302AA PH1:PRU VEHICLE MADE IN MEXICO TRM:RIAZ 4648507



Mechanical Repair
Brake Work
Auto
4x4
Glass

Raybestos
The Best in Brakes
Federated
Auto Parts















0 2011230204



IMPORTANT NOTICE TO OWNERS
THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS
APPLICABLE TO 2000 MODEL YEAR NEW LIGHT-DUTY
TRUCKS AT ALL ALTITUDES.

NO-LEAD FUEL: ALWAYS USE LEAD-FREE FUEL. DO NOT USE
FUEL WITH A LEAD CONTENT EXCEEDING 0.05 GRAMS PER GALLON.
REPLACE FUEL FILTERS AS RECOMMENDED BY THE
MANUFACTURER. VEHICLE PERFORMANCE MAY BE AFFECTED.
CAUTION: ONLY QUALIFIED PERSONNEL SHOULD SERVICE THIS

| | |
|-----------------|----------------|
| 1. ENGINE SPEED | 2. ALTITUDE |
| 3. FUEL TYPE | 4. FUEL SYSTEM |
| 5. FUEL SYSTEM | 6. FUEL SYSTEM |

CATALYST



5303 2302AA



Daimler's Vehicle
IMPORTANT VEHICLE
INFORMATION TO U.S. EPA HEAVY
DUTY LIGHT - DUTY

THIS VEHICLE CONFORMS TO U.S. EPA HEAVY DUTY LIGHT - DUTY
APPLICABLE TO 2000 MODEL YEAR NEW LIGHT - DUTY
TRUCKS AT ALL ALTITUDES.

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN
PRESET AT THE FACTORY. SEE THE SERVICE MANUAL
PROCEDURES AND OTHER THAN APPROVED SERVICE MANUAL

* ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE
PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE











BELT ROUTING

NO
A/C



BELT
REMOVAL

53006745

5303 2302AA



Damage! Check your
IMPORTANT VEHICLE

THIS VEHICLE CONFORMS TO U.S. FEDERAL EMISSIONS REGULATIONS APPLICABLE TO 2000 MODEL YEAR TRUCKS AT ALL ALTITUDES.

- BASIC ENGINE TUNING AND WIRE ADJUSTMENTS MADE BY THE FACTORY, DEALER, OR OTHER SERVICE PERSONNEL MAY VIOLATE FEDERAL EMISSIONS REGULATIONS.
 - ADJUSTMENTS MADE BY OTHER PERSONNEL MAY VIOLATE FEDERAL EMISSIONS REGULATIONS.
- CAUTION: APPLY PARKING BRAKE







Blackhawk
Collision Repair Equipment

4x4

Raybestos
WE INSTALL

RAM 1500 ME

COLLEMAN'S COLLISION

CRASH
REPAIR
PAINT
BUMPERS

WE CAN
FIX IT
OR
WE CAN
REPLACE IT

WE CAN
FIX IT
OR
WE CAN
REPLACE IT





