

1727 KGI3806 LB1 P225/75R16XL 16X7 282 (KAI4) 7511

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1B7HC16Y3YS [REDACTED] TYPE: TRUCK SINGLE X DUAL



VIN: 880613 284AA PHT:PBT VEHICLE MADE IN U.S.A. TR:21AZ 4440503

MFD BY

DAIMLERCHRYSLER  
CORPORATION

DATE OF MFG  
8-88

GVWR  
2983 KG (66400 LB)

GVWR FRONT

1656 KG (3650 LB)

WITH TIRES

P225/75R16XL

RIMS AT

16X7

COLD

282 KPA (41 PSI)

GVWR REAR

1727 KG (3806 LB)

WITH TIRES

P225/75R16XL

RIMS AT

16X7

COLD

282 KPA (41 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT  
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1B7HC16Y3YS

TYPE:

TRUCK

SINGLE X DUAL



MSH:

060613 284AA INT:PET

VEHICLE MADE IN U.S.A. TRM:R1AZ 4640500



**WARNING:**  
NO TEXTING OR  
DISTRACTION WHILE  
DRIVING





















...VIOLATE FEDERAL AND STA  
CAUTION: APPLY PARKING BRAKE WHEN SER



































7134415 X

9-9-05

7134415

R

RAM 1500 V6



783

8.9

DODGE





DODGE













SLT

7834415\*







0 201

... AT THE FACTORY. SEE SERVICE MANUAL FOR PROPER  
PROCEDURES AND OTHER ADDITIONAL INFORMATION.  
ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL  
PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.  
CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

CATALYST











RAM 1500 V8

DSMAN

TR









2X34415 X

B

PARKING  
FOR  
AGE TECH  
CERTIFIED  
ONLY

























RAM 15

GOODYEAR TRAILHANDLE



7834415 X

8.9.05

PARKING  
FOR  
ACE-TECH  
CUSTOMERS  
ONLY  
VIOLATORS  
WILL BE  
TOWED

SLT

R













