INFORMATION Redacted PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)

PE11-009

CHRYSLER

6/30/2011

Enclosure 2 - Field Data, PHOTO CAIRs

18708382

*3D7MX48AX86
[redacted]

4X4

CARPETS
4X4

2500

RAM
TURBO DIESEL

[redacted]

MFD BY **CHRYSLER LLC** DATE OF MFR 8-07 GVWR 5534 KG(12200 LB)

GAWR FRONT	WITH TIRES	RIMS AT	COLD
2359 KG(5200 LB)	LT235/80R17E	17X6.0	450 KPA(65 PSI)

GAWR REAR	WITH TIRES	RIMS AT	COLD
4242 KG(9350 LB)	LT235/80R17E	17X6.0	450 KPA(65 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE [illegible] TYPE SHOWN ABOVE.

VIN: 3D7MX48AX8G[redacted] TYPE: TRUCK DUAL X

MDH: 081711 864AB PNT:PRH VEHICLE MADE IN MEXICO TRM:M9J3 4648507

WARNING
WARNING

CARPETS

TIRE AND LOADING INFORMATION

SEATING CAPACITY – TOTAL 6 FRONT 3 REAR 3

THE COMBINED WEIGHT OF OCCUPANTS AND CARGO SHOULD NEVER EXCEED
2091 KG OR 4610 LB

TIRE	FRONT	REAR	SPARE
ORIGINAL TIRE SIZE	LT235/80R17E	LT235/80R17E	LT235/80R17E
COLD TIRE INFLATION PRESSURE	450 kPa, 65 PSI	450 kPa, 65 PSI	450 kPa, 65 PSI

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION

8G129099

DRIVER'S

027D2 107
DRIVER'S

DRIVER'S

PRESS
DRIVER'S

RIGHT
FRONT

RIGHT
FRONT

RIGHT
FRONT

RIGHT
FRONT

SUPPLEMENTAL TIRE PRESSURE INFORMATION

FOR LIGHT LOAD AND MAX LOAD CONDITIONS

LIGHT LOAD DEFINITION: 2 OCCUPANTS (150 LBS. EACH) PLUS 200 LBS. CARGO
MAX LOAD DEFINITION: AS DEFINED ON DRIVERS SIDE B – PILLAR PLACARD

	FRONT	REAR
LIGHT LOAD INFLATION PRESSURE (COLD)	450 kPa, 65 PSI	280 kPa, 40 PSI
MAX LOAD INFLATION PRESSURE (COLD)	450 kPa, 65 PSI	450 kPa, 65 PSI
TIRE SIZE	LT235/80R17E	LT235/80R17E

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION

8G129099



DODGE
413AB
WASHER
FLUID ONLY

DANGER / POISON

WARNING
FULL
T13BC 2147 A 4140

DANGER / POISON
SHIELD EYES
EXPLOSIVE GASES
CAN CAUSE BLINDNESS OR INJURY
NO SPARKS FLAMES SMOKING
SULFURIC ACID
CAN CAUSE BLINDNESS OR SEVERE BURNS

RIGHT FRONT

RPM × 1000
MPH km/h
55408
ULTRA LOW SULFUR
DIESEL FUEL ONLY
E
F

LEFT FRONT

RIGHT FRONT

RIGHT FRONT

LT285/70R17
RIGHT FRONT

RIGHT FRONT

RIGHT FRONT

RIGHT FRONT

RIGHT FRONT

RIGHT FRONT

LEFT SIDE

LEFT SIDE

XX

VINTAGE 400

VANTAGE 400

4X2