

PE11-009

CHRYSLER

6/30/2011

Enclosure 2 - Field
Data, PHOTO CAIRs

19060908

983 KG 9000 LB

265/70R17E TIRES

0 KPA (60 PSI) COLD

265/70R17E TIRES

5 KPA (70 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3D7KS28L59G

E:

TRUCK

MDH:090215 926AA

VEHICLE MADE IN MEXICO

PAINT: PXR

TRIM: M9D5



















RAM
2500
HEAVY DUTY

3.6L
HUMMER DIESEL











TIRE AND LOADING INFORMATION

SEATING CAPACITY - TOTAL 6 FRONT 3 REAR 3

THE COMBINED WEIGHT OF OCCUPANTS AND CARGO SHOULD NEVER EXCEED
895 KG OR 1975 LB

TIRE	FRONT	REAR	SPARE
ORIGINAL TIRE SIZE	LT265/70R17E	LT265/70R17E	LT265/70R17E
COLD TIRE INFLATION PRESSURE	410 kPa / 60 PSI	485 kPa / 70 PSI	485 kPa / 70 PSI

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION



9G506676























CAUTION: DO NOT OPEN OR REMOVE THE AIR FILTER HOUSING COVER WHEN THE ENGINE IS RUNNING. THIS COULD CAUSE SERIOUS INJURY OR DEATH.
WARNING: AIR FILTER HOUSING COVER MUST BE SECURED PROPERLY TO PREVENT AIR FROM ENTERING THE ENGINE. IF THE COVER IS NOT SECURED PROPERLY, THE ENGINE MAY RUN ON FRESH AIR, WHICH COULD CAUSE SERIOUS INJURY OR DEATH.
1. Make sure the air filter housing cover is closed and latched properly.
2. Make sure the air filter housing cover is secured properly with the latch.
3. Make sure the air filter housing cover is secured properly with the latch.
4. Make sure the air filter housing cover is secured properly with the latch.
5. Make sure the air filter housing cover is secured properly with the latch.
6. Make sure the air filter housing cover is secured properly with the latch.
7. Make sure the air filter housing cover is secured properly with the latch.
8. Make sure the air filter housing cover is secured properly with the latch.
9. Make sure the air filter housing cover is secured properly with the latch.
10. Make sure the air filter housing cover is secured properly with the latch.



PE11-009

CHRYSLER

6/30/2011

Enclosure 2 - Field
Data, PHOTO CAIRs

19115149

-19115149-

Waiting For Call Back



CUSTOMER #:1019992

110629

WORKORDER

PAGE 2

1416 West Main St.
Norristown, PA 19403
(610) 539-3440
www.sportchryslerjeep.com

HATBORO, PA

519

SERVICE ADVISOR: 58 KLUTH, KENNETH

HOME: [REDACTED] CONT:N/A
BUS: [REDACTED] CELL:

COLOR	YEAR	MAKE/MODEL	VIN	LICENSE	MILEAGE IN	
BLACK	08	DODGE RAM 350	3D7MX48A28C [REDACTED]		29067 20	
DEL DATE	PROD. DATE	WARR. EXP.	PROMISED	PO NO.	RATE	PAYMENT
29NOV07 IS			19:00 15SEP09		96.00	CASH
29NOV07 DD						
R.O. OPENED		READY		OPTIONS: DLR:57987 ENG:6.7_Liter_Turbo_Di		

19992

Waiting for Call Back



1418 West Main St.
Norristown, PA 19403
(610) 538-3440
www.sportchryslerjeep.com

110629

WORKORDER

PAGE 2

CONT: N/A
CELL: 519

MAKE/MODEL

08 DODGE RAM 350

PROD. DATE WARR. EXP.

29NOV07 IS

29NOV07 DD

BLACK

DEL DATE

29NOV07 IS

29NOV07 DD

R.O. OPENED

15SEP2009 07:24

LINE OP CODE

A

TECH. TYPE

CJ

DESCRIPTIONS/INSTRUCTIONS

TOWED TO SHOP-CUST STATES LOST STEERING

B

WLH

PERFORM RECALL H46

C

M16P

IPS

PERFORM 16 POINT VEHICLE CHECK-UP

19:00 15SEP09

READY

OPTIONS: DLR:57987 ENG:6.7_Liter_Turbo_Diesel

96.00 CASH

PAYMENT

21

INV. DATE

11/07

11/07

11/07

11/07

11/07

11/07

11/07

11/07

11/07

11/07

11/07

11/07

11/07

QUALITY ASSURANCE HAS
BEEN CERTIFIED BY []

ALL REPAIRS AND BILLING
HAVE BEEN EXPLAINED []

* Called 3:20AM 09-15-09 L/M *NSA*

* Called 11:44 A.M. 09.15.09 - L/M: *De*

* Called L/M 8:30 8-16-09 *NSA*

19050601 1.1

L/M 11AM *NSA* 9-15-09

AUTHORIZATION FOR REPAIRS

I hereby authorize the repair work herein set forth to be done along with the necessary material and agree that you are not responsible for loss or damage to vehicle or articles left in vehicle in case of fire, theft or any other cause beyond your control or for any delays caused by unavailability of parts you delays in parts shipments by the supplier or transporter. I hereby grant you and/or your employees permission to operate the vehicle herein described on streets, highways or elsewhere for the purpose of testing and/or inspection. The dealership is not responsible for

STRAIGHT TIME (HRS.)	FLAT RATE PRICE	R.O. NO.	DATE	TIME	DATE	TIME
		21	519	11/07	11/07	11/07

ESTIMATE (1)	ESTIMATE (2)	ESTIMATE (3)	AUTHORIZED BY	DATE	TIME	BY

I HEREBY ACKNOWLEDGE THAT I WAS NOTIFIED & GAVE ORAL APPROVAL OF THE ABOVE REVISED ESTIMATES.

CUSTOMER SIGNATURE

Towed to shop lost string

R/s Tied ~~lost~~ Broke off Ball socket & T

R & R R/s Arm 45 Tied rest, Pit arm. Pit mount on Ball Joint

Aligned.

H146

Found no traps last evening
R. & H. captured 2 birds 100 ft. tall each at
11:00 A.M. 100 ft. tall each at
11:00 A.M. 100 ft. tall each at
11:00 A.M. 100 ft. tall each at

PARTS

7174125048
OCT-7-2004 06:34A FROM:

Nationwide Insurance

03:59:17 p.m. 11-30-2009
TD: 18567430009

2/5
P.2

CUSTOMER #: 1019992

110629

* INVOICE *



1416 West Main St.
Norristown, PA 19403
18101 526-2400
www.sportcenterjeep.com

HAYBORO, PA
HOME: [REDACTED]
BUS: [REDACTED]
CONT: N/A
CELL: [REDACTED]

PAGE 1

SERVICE ADVISOR: 58 KENNETH KLUTH		TAG	
COYR	YEAR	MAKE/MODEL	VIN
BLACK	08	DODGE RAM 350	3D7MY48A28G
DEL. DATE	PROD. DATE	WARRANTY EXP.	PROVIDED
29NOV07 IS	29NOV07 IS	19:00	15SEP09
ROD OPENED	READY	OPTIONS: DLK: 57987 ENG: 6.7 Liter Turbo Diesel	
DATE	TIME	DATE	TIME
29NOV07 IS	19:00	29NOV07 IS	19:00
DATE	TIME	DATE	TIME
29NOV07 IS	19:00	29NOV07 IS	19:00

07:24 15SEP09 13:38 18SEP09

LINE OPCODE TECH TYPE HOURS

A TOWED TO SHOP-CUST STATES LOST STEERING

19650601 Rod and Link Assembly, Steering

Replace Assembly. Includes tie rods, tubes,

links, and steering damper (B)

519 DAWGIERT, CHRISTOPHER R LIC# 24943871

WLH

1 6505623AA NUT

1 52123362AE STEERING

1 52123370AB DAMPER

3 6505623AA NUT

1 68039303AA ARM

ALH ADDITIONAL LABOR HOURS

519 DAWGIERT, CHRISTOPHER R LIC# 24943871

IPS

1 0.00 LABOR

1 0.00 OTHER

1 0.00 TOTAL LINE A

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

1 0.00

ON BEHALF OF SERVICING DEALER, I HEREBY CERTIFY THAT THE INFORMATION CONTAINED HEREON IS ACCURATE UNLESS OTHERWISE SHOWN. SERVICES DESCRIBED WERE PERFORMED AT NO CHARGE TO OWNER. THERE WAS NO INDICATION FROM THE APPEARANCE OF THE VEHICLE THAT THIS CLAIM HAD BEEN CONNECTED IN ANY WAY WITH ANY ACCIDENT, NEGLIGENCE OR MISUSE RECORDS SUPPORTING THIS CLAIM ARE AVAILABLE FOR 11 YEAR FROM THE DATE OF PAYMENT NOTIFICATION AT THE SERVICING DEALER FOR INSPECTION BY MANUFACTURER'S REPRESENTATIVE.

STATEMENT OF DISCLAIMER
The factory warranty constitutes as the basis of the transaction. The dealer hereby represents and warrants that the vehicle is free of any defects, including any defects in the engine, transmission, or drivetrain, for a particular period of time. The dealer neither assumes nor authorizes any other person to make any statement in connection with the sale of the vehicle.

(SIGNED) DEALER GENERAL MANAGER OR AUTHORIZED PERSON DATE

CUSTOMER SIGNATURE

SALES TAX

LESS INSURANCE

TOTAL CHARGES

MISC. CHARGES

SUBLET AMOUNT

GAS, OIL, LUBE

PARTS AMOUNT

LABOR AMOUNT

TOTAL

PLEASE PAY THIS AMOUNT

CUSTOMER COPY

Supersedence for item: 68038 055AB TIE ROD PACKAGE, Outer end

		Quantity	Interchange	Tech	Description
68038055AB TIE ROD PACK 68038055AC TIE ROD KIT	Part Number				
	68038055AB	1	E		TIE ROD PACKAGE
	68038055AC	1	E		TIE ROD KIT

NOTE:

The information displayed here may not be current and should only be used for reference purposes. Check DealerCONNECT for the latest supersedence information.

INTERCHANGEABILITY CODES:

A) The superseded part:

- Can only be used as specified in the catalog.

The superseding part:

- Can be used as a valid replacement for the part(s) it supersedes.

B) The superseded part:

- Can be used interchangeably with the superseding part.

The superseding part:

- Is the preferred replacement part whenever possible.

C - G) Refer to DealerCONNECT for definition

Add Newest to List

Add Selected to List

Add All to List

☐ Show Prices

Close


Print

Help

2008 D1

019 - Steering 405 - Steering Linkage, Model Line 8 (4 WD)

Pos	Description	PartNumber	Qty	Eng	Trans	Line
1	TIE ROD PACKAGE, Outer end	68038055AB	1			
2	ADJUSTER TUBE, Tie rod	68034233AA	1			
3	TIE ROD PACKAGE, Inner end	68038054AB	1			
4	NUT, Hex Lock, M14x1.50	06505623AA	1			
5	NUT, Hex Flange, M10x1.50	06508258AA	2			
6	END PACKAGE, Tie Rod, Drag Link O	05086144AC	1			
7	ADJUSTER TUBE, Drag link	68034229AA	1			
8	SOCKET PACKAGE, Drag link inner, D	05086143AB	1			
9	ARM, Pitman	68039930AA	1			
10	NUT, Hex Flange Lock, M12x1.25, Stee	06506276AA	1			
11	DAMPER, Steering	52122370AA	1			
12	BRACKET, Damper	68034231AA	1			
13	BOLT, Hex Flange Head, M12x1.75x65	06502473	1			
14	NUT, Hex Flange Lock, M12x1.75, Stee	06502697	1			
-15	NUT, Hex Flange Lock, M10x1.50, Tie	06505822AA	2			





CHRYSLER

Revised May 2009

Dealer Service Instructions for:

Safety Recall H46 - Mopar Steering Linkage

NOTE: The service procedure for this recall has been revised and additional labor operations have been added. All previous copies of Safety Recall H46 should be discarded from your files.

Models

- 2003-2004 (DR) Dodge Truck 4x4 (2500/3500 series)
- 2005 (DH) Dodge Truck 4x4 (2500/3500 series)
- 2006-2009 (DH) Dodge Truck 4x4 (2500/3500 series or 1500 Mega Cab)
- 2006-2009 (D1) Dodge Truck 4x4 (3500 series)
- 2007-2009 (DC) Dodge Truck (3500 series cab chassis)

IMPORTANT: This recall only applies to vehicles that had certain Mopar service parts steering components installed.

IMPORTANT: Some of the involved vehicles may be in dealer new vehicle inventory. Federal law requires you to complete this recall service on these vehicles. Dealers should also consider this requirement to

2	U-Bolts
4	Nuts
1	Carriage bolt

Due to the small number of involved vehicles expected to require Damper Bracket Packages, no parts will be distributed initially. **Damper Bracket Packages should be ordered only after inspection determines that repair is required.**
Very few vehicles are expected to require Damper Bracket Packages.

<u>Part Number</u>	<u>Description</u>
CBFAH362	Drag Link Inner Joint Package

Each package contains the following components:

<u>Quantity</u>	<u>Description</u>
1	Joint, Drag Link Inner
1	Nut, Drag Link Inner Joint-to-Pitman Arm Retaining

Due to the small number of involved vehicles expected to require Drag Link Inner Joint Packages, no parts will be distributed initially. **Drag Link Inner Packages should be ordered only after inspection determines that repair is required.**
Very few vehicles are expected to require Drag Link Inner Packages.

1	Bracket, Damper
2	U-Bolts
4	Nuts
1	Carriage bolt

Due to the small number of involved vehicles expected to require Damper Bracket Packages, no parts will be distributed initially. **Damper Bracket Packages should be ordered only after inspection determines that repair is required.** *Very few vehicles are expected to require Damper Bracket Packages.*

<u>Part Number</u>	<u>Description</u>
CBFAH362	Drag Link Inner Joint Package

Each package contains the following components:

<u>Quantity</u>	<u>Description</u>
1	Joint, Drag Link Inner
1	Nut, Drag Link Inner Joint-to-Pitman Arm Retaining

Due to the small number of involved vehicles expected to require Drag Link Inner Joint Packages, no parts will be distributed initially. **Drag Link Inner Packages should be ordered only after inspection determines that repair is required.** *Very few vehicles are expected to require Drag Link Inner Packages.*

Winter begin

7174125048

OCT-7-2004 06:36A FROM: nationwide

Nationwide Insurance

04:00:52 p.m. 11-30-2009

4/5

TO: 18667430009

P.4

SLAWEK

ORTHODONTICS

Stephen J. Slawek, D.M.D.

September 22, 2009

Hatboro Pa

RE:

Property Damage to 451 Germantown Pike
Lafayette Hill, PA 19444

Dear

Please find enclosed a copy of the estimate to repair the damage to the property at
451 September 14, 2009.

Please forward to your insurance company. If I can furnish further information
contact me during regular business hours.

Regards,



Cynthia Jones
Business Director
Slawek Orthodontics

7174125048
LC11- (1-2304 06:37A FROM:

Nationwide Insurance

04:00:59 p.m. 11-30-2009 5/5
TO: 1B667438009 P.5

PROPOSAL

1802

TO:

Lafayette Hill PA

PHONE	DATE
[REDACTED]	8/16/2009
JOB NAME / LOCATION	
RE: Repair Landscaping Due to Accident	
JOB NUMBER	JOB PHONE
09160901	FAX 610-828-1180

We hereby submit specifications and estimates for:

I.) REPAIR Masonry Wall

II.) REGRADE and Mulch

III.) REPLACE:

- (1) Globe Spruce
- (5) Grasses

@ \$ 20.00 each

IV.) SPRINKLER Line Repaired

(2) Sprinkler Heads Replaced

(Did not Hit wall)
within 6' of wall

\$ 600.00

\$ 200.00

\$ 300.00

\$ 100.00

\$ 200.00

We Propose hereby to furnish material and labor — complete in accordance with the above specifications, for the sum of
One Thousand Four Hundred and 00/100 Dollars

1,400.00

Payment to be made as follows:

All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be enclosed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon timely, accurate or delays beyond our control. Owner to carry fire, tornado, and other necessary insurance. Work is fully covered by Worker's Compensation Insurance.

Aut
Signature

Note: This proposal may be withdrawn by us if not accepted within

365

days

Acceptance of Proposal — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature

Signature



Nationwide®
On Your Side™

Arnos Gabb

1000 Nationwide Drive • Harnsburg, PA 17110 •

Nationwide Mutual Fire Insurance Company

FAX

To: Vernon Smith From: Arnos Gabb
Fax: _____ Pages: 77-657-6506
Date: _____ Claim 630339
Re: _____ Re: _____
☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Comments:

215-364-6260

Pages 112

Invoice for repairs performed under warranty

Pages 314

Property damage as a result of loss

Any person who knowingly and with intent to defraud any insurance company or other person files an application for insurance or statement of claim containing any materially false information or conceals for the purpose of misleading information concerning any fact material thereto commits a fraudulent insurance act, which is a crime and subjects such a person to criminal and civil penalties.



J. Bill Landscaping, Inc. P.O. Box 505
Blue Bell, PA 19422

PHONE (215) 628-4707
FAX (215) 628-0359

TO:

Lafayette Hill PA

PHONE	DATE
[REDACTED]	8/16/2009
YOUR PROJECT LOCATION	
RE: Repair Landscaping Due to Accident	

JOB NUMBER	JOB PHONE
09160901	70X 610-828-1180

---We hereby submit specifications and estimates for

I.) REPAIR Masonry Wall

II.) REGRADE and Mulch

III.) REPLACE:

- (1) Globe Spruce
- (5) Grasses

IV.) SPRINKLER Line Repaired

(2) Sprinkler Heads Replaced

\$ 20.00 each

(Did not Hit wall within 6' of wall)

\$ 600.00
\$ 200.00
\$ 300.00
\$ 100.00
\$ 200.00

We Propose hereby to furnish material and labor — complete in accordance with the above specifications, for the sum of One Thousand Four Hundred and 00/100 Dollars

Payment to be made as follows:

dollars (\$) 1,400.00

All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be assessed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon timely, accurate or delays beyond our control. Order to carry fire, tornado, and other necessary insurance. Our worksites are fully covered by Vicmer's Compensation Insurance.

Authorized Signature

Jeffrey J. Bill

Under This proposal may be withdrawn by us if not accepted within

days

365

Acceptance of Proposal — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature

Signature

Date of Acceptance:



J. Bill Landscaping, Inc. P.O. Box 502
Blue Bell, PA 19422

PHONE (215) 628-8707
FAX (215) 628-0366

PROPOSAL

1802

TO:

Lafayette Hill PA

PHONE	DATE
[REDACTED]	8/16/2009

RE: Repair Landscaping
Due to Accident

JOB NUMBER
09160901

JOB PHONE

FAX 610-828-1180

---We hereby submit specifications and estimates for---

I.) REPAIR Masonry Wall

II.) REGRADE and Mulch

III.) REPLACE:

- (1) Globe Spruce
- (5) Grasses

IV.) SPRINKLER Line Repaired

(2) Sprinkler Heads Replaced

@ \$ 20.00 each

(Did not Hit Wall)
within 6" of wall

\$ 600.00

\$ 200.00

\$ 300.00

\$ 100.00

\$ 200.00

We Propose hereby to furnish material and labor — complete in accordance with the above specifications, for the sum of:
One Thousand Four Hundred and 00/100 Dollars

Payment to be made as follows:

dollars (\$) 1,400.00

All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado, and other necessary insurance. Our workers are fully covered by Worker's Compensation Insurance.

Acceptance of Proposal — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Authorized
Signature

Jeffrey A. Bill

Notice: This proposal may be
withdrawn by us if not accepted within

365

days.

Signature

Signature

Date of Acceptance:



PE11-009

CHRYSLER

6/30/2011

Enclosure 2 - Field
Data, PHOTO CAIRs

20350576









PE11-009

CHRYSLER

6/30/2011

Enclosure 2 - Field
Data, PHOTO CAIRs

20413016

9000 LB
17E TIRES
60 PSI) COLD
17E TIRES
70 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3D7KS29A680

TYPE:

TRUCK

MDH: 062501 804AA

VEHICLE MADE IN MEXICO

PAINT: PXR

TRIM: AJD5



MPH km/h

120

P R N D E
65300







CAUTION!
WATCH FOR
TRAFFIC!

RAM
2500
HEAVY DUTY

C













