



























AIRBAG Module Information Front Dr and Pass/PCI Bus SAB id Lamp Dr w/On/Off Sw or ROSIM STORED ENERGY

TOTAL TOTAL COSTS: 22


THES: 1 TGN CNIS: 19

URC DICS 6 of 6

PRSSENGER SOUTB 2 SHORT TO GROUND MINUTES: 1 ION CHIS 2 DIES 1 OF 6

THIERNAL 1

MINUTES 333 IGN CHTS: 0







CONFIDENTIAL - Prior Approval Required Before Duplicating Preliminary Vehicle Investigation Penort(PVIR)

CAID# 210E4402	Preliminary	Vehicle Inve	stigation Report(I	PVIR)		
CAIR# 21054402 YEAR BRAND		VEHICLE	IDENTIFICATION	MO/DY-	ODOMET	TER IN-
I I	- 4)/2 CDODT	NUMBER		HR		SERVICE
2002 JEEP LIBERTY RENEGAD UTILITY 4-DR	= 4X2 SPORT	1J4GK38I	K12W.	06-22 22	72062	07/22/2002
NAME OF OWNER	ADDRESS/LO	CATION	CITY		STATE	COUNTRY
ZIP COLOR	ł	MODEL H	MIAMI IOME PHONE	RI	FL JSINESS F	USA
Bright Silver Metallic	Clear Coat	KJT	IOTIE TTIONE		30114200 1	HONE
SELLING DEALER NAME	BUSINESS CE		ODE CITY	STAT		COUNTRY
HOLLYWOOD CHRYSLER JEEP	66	61767	HOLLYWOOD			USA
INSPECTOR - NAME FIRST, LA	ST, MIDDLE	INSPECTOR'S		NSPECTOR'S P	HONE NO	
James Daugherty T		EAA		54-749-3637		
DAMAGE ESTIMATE			REPAIR ES \$.00	TIMATE		
MINOR MODERATE	OTAL LOSS		00. ¢	*****************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
INTERVIEW WITH:	© DRI	INTER	VIEW	IVFR/OWNFR		
NAME: LAST,FIRST, MIDDLE	10000000000000000000000000000000000000		***************************************	***************************************		
иктанин канин при	***************************************	***************************************	ынания пынания пынания пынания пынания пания пания п	***************************************		***************************************
	ATE OF INCIDEN		IME OF INCIDENT		ECTION E	
07/14/2011 0	6/23/2011	0	8:50 AM T PM	07/	14/2011	
DESCRIPTION OF Miami, EVENT: bags de	FL. He was acc	elerating awa led 911 becau	his home and was ay from a traffic s use his right arm	ignal when be	oth of his	front air
Insurance Company Name: Personal Injury: Were there Personal Injuries? Any Indicator/ Warning Lights on Prior? Unknown Yes © No				omplete sectio Vhat light:	n "B"	
IMPORTANT: SHOW	THIS REPORT T	O NO ONE &	ONLY STATE FACT	S (DRAW NO	CONCLU	ISIONS)
		Help	Key			
парамен в кладамен	6.6.1.7.7.11.6.6.6.1.7.7.11.6.6.6.1.7.7.11.6.6.6.1.7.7.11.6.6	PART A- G	BENERAL	***************************************		***************************************
REQUIRED PHOTOGRAPHS ALL FOUR SIDE VIEWS IF CRASH DAMAGED: PERSPECTIVE FROM EVERY CORNER OF VEHICLE DOWI BOTH ORIGINAL LATERAL SIGHT LINES(8 TOTAL) - ANY RECENT VEHICLE	POLICE/ ALL REF OTHERS - ADDRESS	TION: AGENCY REPORT ORTS/PHOTOS OF INSPECTION	RT #: DISAS	DENCE OF TAM SSEMBLY S O NO YES, DESCRIBE		
SERVICE	2	9975NW 12th	ı St			
C YES ONO	City I	Miami				

UNKNOWN
IF YES, ENCLOSE COPIES OF
REPAIR ORDERS



PART B - EXTERIOR/INTERIOR VEHICLE DAMAGE

REQUIRED PHOTOGRAPHS:

- ₩ WINDSHIELD
- ALL AREAS OF DAMAGE MARKINGS ON INTERIOR AND EXTERIOR
- CLOSE UPS OF STAINS, SKIN, HAIR, CLOTH
- EXTERIOR AND INTERIOR DAMAGE INCLUDING UNDERCARRIAGE

INFORMATION:

- DESCRIBE ANY INJURIES TO DRIVER AND/OR OTHER OCCUPANTS
- SEE SEAT BELT/SEATS SECTION IF APPLICABLE

Both driver and passenger bags were deployed. No evidence of vehicle damage was found on the exterior or the undercarriage of the vehicle. The injury to the ownner's right arm has healed with no furthur medical attention other than that applied by the paramedic at the scene.

Next

PART C - AIRBAG(S)

REQUIRED PHOTOGRAPHS STEERING WHEEL ✓ AIRBAG(S) ✓ KNEE BLOCKERS ALL POSSIBLE LOCATIONS OF CONTACT **AECM INFORMATION** - SOFTWARE VERSION: 05.05 - SERIAL NUMBER: N/A - PART NUMBER : 56010501AG DOES AIRBAG WARNING LIGHT CYCLE ON? YES ® NO □ N/A - ARE WARNING LABELS PRESENT (PHOTO) YES ONO ON/A - RECORD LABEL PART NUMBER Not recorded COMPLETE PART D

- PHOTOGRAPH REQUIRED FOR DRB SCREENS & RECORD FAULTS - WERE THERE DRB READINGS
- TAKEN?

 YES ○ NO TE NO EXPLAIN

TES INO II NO, EXPERIN		
- RECORD ACTIVE DTC'S EXACTLY AS APPEAR:	MIN	COUNT
1 Internal	334	0
- RECORD STORED DTC'S (MINUTES/COUNTS):	MIN	COUNT
1 Internal	334	0
2 Passenger squib 1 shorted to ground	1	27
3 Stored Energy Firing	1	28
4 No PCI Transmission	1	19
5 Driver squid 2 shorted to ground	1	28
- WAS AIRBAG DEPLOYED? DO NOT ERASE DE	B RFAD	TNGS

DRIVER ● YES ○ NO IF NO. **EXPLAIN** PASSENGER @ YES O NO IF NO, **EXPLAIN** SIDE C YES ONO ® N/A AIRBAG IF NO, **EXPLAIN** - WHICH SIDE DEPLOYED? C LEFT C RIGHT ♠ N/A C BOTH - TYPE OF SIDE AIRBAG SEAT CURTAIN N/A - TYPE OF STEERING WHEEL TILT STANDARD - ANY DAMAGE TO STEERING WHEEL YES • NO IF YES, EXPLAIN

IS VEHICLE EQUIPPED WITH PASSENGER AIRBAG DEFAULT SWITCH? • YES NO IF YES, NOTE POSITION OF PASSENGER A/B **SWITCH** ON OFF N/A

DO NOT ERASE DRB READINGS

EVIDENCE OF TAMPERING OR DISASSEMBLY?

C YES O NO N/A IF YES, EXPLAIN

CHECK ENTIRE UNDERBODY FOR HIDDEN DAMAGE INCLUDING FRONT AND REAR SUSPENSION COMPONENTS

- UNDERBODY DAMAGED?

C YES 🤨 NO IF YES, EXPLAIN

PHOTOGRAPH REQUIRED

PART D - SEATS/SHOULDER BELTS

REC	QUIRED
PHO	TOGRAPHS:
	OVERALL SEAT BELTS
W,,	I/B & O/B
	CLOSE UP OF ANY
R	IRREGULARITIES
	LATCHPLATE WEAR
	CLOSE UP D-RING TO
	SHOW LOADING
V	OVERALL OF SEAT
	CLOSE UP OF DAMAG
V	RECORD DTC'S:

INFORMATION:

- LOCATE SEAT BELT LABELS AND RECORD ALL INFORMATION (SOME LABELS ARE SEWN TO WEBBING, OTHER LABELS ARE ON THE RETRACTOR FRAME: INBOARD SEAT BELT LABELS ARE NEAR THE FLOOR):

None visable

- RECORD ALL INFORMATION STAMPED ON LATCHPLATE

Driver T9907 Passenger T0097

E - PRETENSION DEPLOYED? YES • NO UNKNOWN

- EXISTING LOCATION OF RECLINER -DESCRIBE THE LOCATION AND PICTURE OF SEAT BACK WITH B PILLOR AS REFERENCE AND INCLINOMETER READING

Not reclined

EXISTING LOCATION OF HEAD RESTRAINT (MEASURE GAP UNDER **HEAD RESTRAINT):**

No gap

IF ALLOWED, FUNCTION BELTS TO INSURE THEY **FUNCTION PROPERLY**

NOTE RESULTS

DOES THE BUCKLE LATCH?

YES \(\bigcirc \text{NO} \) IF NO, EXPLAIN

DO THEY RELEASE? YES □ NO

IF NO, EXPLAIN

DO THEY RETRACT? YES □ NO IF NO, EXPLAIN

ANY LOOSENESS OR BROKEN PARTS C YES O NO

IF YES, EXPLAIN?

CHECK FOR SEAT RETAINING BOLTS

NORMAL BROKEN

C LOOSE

rded -not in oroginal position
=

Next

Previous

Previous

PART - F UNINTENDED ACCELERATION NOT APPLICABLE PART - G BRAKES NOT APPLICABLE PART - H STEERING/SUSPENSION/TIRES NOT APPLICABLE PART - I AXLE/DIFFERENTIAL NOT APPLICABLE PART J - ADDITIONAL COMMENTS (DO NOT DRAW ANY CONCLUSIONS) History DTC 6 Passenger squid2 shorted to ground Ign CTS 1 Min 28 Seat belt emergency locks were checked by a sharp pull on the shoulder belt while latched. Both belts locked and held until released.

Returned for corrections

Form Approved



1423 KG (3150 LB) P215/75 THIS VEHICLE CONFORMS TO ALL A PREVENTION STANDARDS IN EFFECT VIN: 1J4GL48K52W






































1) Ignition is turned on.
2) DRB III is properly
connected to the Para
connector.







Unable to ID Modele for ORC

press any key to continue



BCM Module Information

PART NUM: 05069131AF 2002 KJ Premium BCM

Country: United States
VIN 2W








BON DICE LYON

Tailgate Lock Motor Short to Voltage

--- DTC 2 of 2 --

Wiper Park Switch Failure









































































































































DRB III™

STATE DESIGNATION OF THE STATE OF THE STATE

A Occupant Classification Se

rong 1 of

3.4.1































HED BY	DAIMLER CH CORPORATI	HRYSLER	DATE OF HER 8-02		SUIR 2541 VC/05000 101
GRUP READ		P235/70R WITH TIRES P235/70R	16	RIMS AT 16X7 RIMS AT 16X7	2541 KG(05800 LB) COLD 227 KPA(33 PSI) COLD
THIS UNCLE COMPONES TO ALL APPLICABLE FEDERAL MOTHER VEHICLE GAFFLY AND THETA PARTURNITION STRAILABLES IN EFFECT ON THE BATE OF HAMIFACTURE SHOWN REDUCT. WHI: 1.14GL58K33L TYPE: MPV STRAILABLE X BOOK					
MDM: 682518 77568 PHYSDRY UDVICLE MADE IN U.S.S. TONIELS AND HEROMAN					














































































































































CONFIDENTIAL - Prior Approval Required Before Duplicating

Preliminary Vehicle Investigation Report(PVIR)

CAIR# 21168002										
YEAR BRAND			/EHICLE I NUMBER	DEN	TIFICATION	FICATION MO/ HR		O/DY- ODOMET		TER IN- SERVICE
1EED LIBERTY LTD EDITION 4Y4 SPORT			1J4GL58K33W					08-29 18 1		02/01/2003
NAME OF OWNER	ADDRESS/LOC	ATIC)N		CITY				STATE	COUNTRY
					BROKEN A	RROW			ОК	USA
ZIP COLOR		МО	DEL HO	ME I	PHONE			BU	SINESS I	PHONE
Flame Red Clear Coat		куу	9							
SELLING DEALER NAME	BUSINESS CENT	ER	DLR. CC	DE	CITY		S	TAT	E	COUNTRY
BOB HOWARD CROWN CHRYSLER JEEP	63		26734		TULSA		С	K		USA
INSPECTOR - NAME FIRST, LAS	T, MIDDLE I	NSP	ECTOR'S	COM	1PANY	INSPE	CTOR'	S PH	HONE NO	
Larry Grummer D		ΕAA				405-69				
DAMAGE ESTIMATE					REPAIR I	ESTIMA	TE			
MINOR □ MODERATE □ TO	OTAL LOSS		\$.00							
			INTERV	IEW						
INTERVIEW WITH:	C DRIVE	ER €	OWNER	Γ	OTHER 🌀 D	RIVER/	'OWNE	₽R		
NAME: LAST,FIRST, MIDDLE										***************************************
INTERVIEW DATE: DA	TE OF INCIDENT	:	TIME OF INCIDENT			Г	INSPECTION DATE:			
07/28/2011 07	/27/2011		07:30 C AM © PM			07/30/2011				
DESCRIPTION OF passenge EVENT: approxin	ey states he was er front airbag o nately 5 second ates he did not	lepl s lat	oyed wit ter the d	hou rive	t cause. Mir front airbects prior to	r. Feele ag dep	ey sta bloyed g dep	tes I wit loye	he stop thout ca ement.	ped and
IMPORTANT: SHOW TH	HIS REPORT TO	ИО	ONE & O	NLY	STATE FA	CTS (D	RAW	NO	CONCLU	SIONS)
			Help K	ey						
		PA	RT A- GE	NEF	RAL					
REQUIRED PHOTOGRAPHS: ALL FOUR SIDE VIEWS IF CRASH DAMAGED: PERSPECTIVE FROM EVERY CORNER OF VEHICLE DOWN BOTH ORIGINAL LATERAL SIGHT LINES(8 TOTAL) - ANY RECENT VEHICLE SERVICE INFORMATIO POLICE/AGE OTHERS - ALL REPORT OTHERS - ADDRESS OF Address Sou			CY REPOR' PHOTOS I ISPECTIO Point Ch	BY N I rysl	DIS. C \ - IF	- EVIDENCE OF TAME DISASSEMBLY O YES ONO - IF YES, DESCRIBE				
2222	2	4U S	o meinor	ıaı						

YES NO
UNKNOWN
IF YES, ENCLOSE COPIES OF
REPAIR ORDERS

City **Tulsa**State **OK**Zip
Phone

PART B - EXTERIOR/INTERIOR VEHICLE DAMAGE

REQUIRED PHOTOGRAPHS:

- **✓** WINDSHIELD
- MARKINGS ON INTERIOR AND EXTERIOR
- CLOSE UPS OF STAINS, SKIN, HAIR, CLOTH
- EXTERIOR AND INTERIOR DAMAGE INCLUDING UNDERCARRIAGE

INFORMATION:

- DESCRIBE ANY INJURIES TO DRIVER AND/OR OTHER OCCUPANTS
- SEE SEAT BELT/SEATS SECTION IF APPLICABLE

No exterior vehicle damage. Interior vehicle damaged includes: Driver and front passenger airbags deployed. No undercarriage, frame, suspension or tire/wheel assembly damage. Ms. Feely states he received neck and back injuries, bruising on left hand and is experiencing a ringing noise in his left ear.

Next

PART C - AIRBAG(S)

REQUIRED PHOTOGRAPHS

STEERING WHEEL

✓ AIRBAG(S)

KNEE BLOCKERS

ALL POSSIBLE LOCATIONS OF CONTACT

AECM INFORMATION

- SOFTWARE VERSION:

NA

- SERIAL NUMBER:

NΑ

- PART NUMBER :

ΝΔ

DOES AIRBAG WARNING LIGHT CYCLE ON?

YES NO NA - ARE WARNING LABELS PRESENT (PHOTO)

€ YES © NO O N/A - RECORD LABEL PART

NUMBER NA

COMPLETE PART D

- PHOTOGRAPH REQUIRED FOR DRB SCREENS & RECORD FAULTS
- WERE THERE DRB READINGS

TAKEN?

○ YES NO IF NO. EXPLAIN Unable to obtain codes.

- RECORD ACTIVE DTC'S EXACTLY AS APPEAR :	MIN	соинт
- RECORD STORED DTC'S (MINUTES/COUNTS):	MIN	COUNT
(112110125) 0001115) .		•

- WAS AIRBAG DEPLOYED?

DRIVER YES □ NO. IF NO.

EXPLAIN

PASSENGER @ YES C NO

IF NO, **EXPLAIN** SIDE

AIRBAG IF NO.

C YES O NO P N/A

EXPLAIN - WHICH SIDE DEPLOYED?

C LEFT C RIGHT G N/A C BOTH

- TYPE OF SIDE AIRBAG 🖺 SEAT 🖟 CURTAIN 🧐 N/A

- TYPE OF STEERING WHEEL

TILT STANDARD

- ANY DAMAGE TO STEERING WHEEL

C YES O NO IF YES, EXPLAIN

DO NOT ERASE DRB READINGS

IS VEHICLE EOUIPPED WITH PASSENGER AIRBAG DEFAULT SWITCH?

C YES ® NO IF YES,

NOTE POSITION OF PASSENGER A/B **SWITCH**

ON OFF N/A

EVIDENCE OF TAMPERING OR

DISASSEMBLY?

YES NO N/A IF YES, EXPLAIN

CHECK ENTIRE UNDERBODY FOR HIDDEN DAMAGE INCLUDING FRONT AND REAR SUSPENSION COMPONENTS

- UNDERBODY DAMAGED?

C YES O NO IF YES, EXPLAIN

PHOTOGRAPH REQUIRED

PART D - SEATS/SHOULDER BELTS

REQUIRED PHOTOGRAPHS:

- **OVERALL SEAT BELTS** I/B & O/B
- CLOSE UP OF ANY **IRREGULARITIES**
- LATCHPLATE WEAR
- CLOSE UP D-RING TO Г SHOW LOADING
- П **OVERALL OF SEAT**
- F
- F RECORD DTC'S:

INFORMATION:

- LOCATE SEAT BELT LABELS AND RECORD ALL INFORMATION (SOME LABELS ARE SEWN TO WEBBING, OTHER LABELS ARE ON THE RETRACTOR FRAME: INBOARD SEAT BELT LABELS ARE NEAR THE FLOOR):

No labels present.

RECORD ALL INFORMATION STAMPED ON LATCHPLATE

Driver:TD123, Ft pass: TD112 CLOSE UP OF DAMAGE - PRETENSION DEPLOYED?

TYES NO TUNKNOWN

- EXISTING LOCATION OF RECLINER -DESCRIBE THE LOCATION AND PICTURE OF SEAT BACK WITH B PILLOR AS REFERENCE AND INCLINOMETER READING

10 degrees rearward.

EXISTING LOCATION OF HEAD RESTRAINT (MEASURE GAP UNDER HEAD RESTRAINT):

1".

IF ALLOWED. FUNCTION BELTS TO INSURE THEY **FUNCTION PROPERLY**

NOTE RESULTS

DOES THE BUCKLE LATCH?

YES \(\bigcap \) NO IF NO, EXPLAIN

DO THEY RELEASE?

YES \(\bigcirc \text{NO} \) IF NO, EXPLAIN

DO THEY RETRACT?

 YES □ NO IF NO, EXPLAIN

ANY LOOSENESS OR BROKEN PARTS

C YES O NO IF YES, EXPLAIN?

CHECK FOR SEAT RETAINING BOLTS

NORMAL

G BROKEN

C LOOSE

MISSING

NOTE AND RECORD APPROX. SEAT TRACK **OVERLAP**

3" rearward.

			_
PART -	E TRANSMI	SSION NOT	APPLICABLE

Previous

Next

PART - F UNINTENDED ACCELERATION NOT APPLICABLE PART - G BRAKES NOT APPLICABLE PART - H STEERING/SUSPENSION/TIRES NOT APPLICABLE PART - I AXLE/DIFFERENTIAL NOT APPLICABLE PART J - ADDITIONAL COMMENTS (DO NOT DRAW ANY CONCLUSIONS)

Driver frontal airbag deployed and front passenger frontal airbag deployed. Airbag lamp illuminates when the ignition key is turned to the "ON" position, and remains "ON" during the ignition cycle. Unable to obtain DRB restraint system readings or codes. Front seat belts locked and held in place when a slight tug was applied to the seat belt webbing. No evidence of interior vehicle water damage or moisture damage. No evidence or witness markings of impact with foreign object to exterior body or undercarriage.

Previous Form Approved Returned for corrections






































































京田 田子





















































































































DRB III CDRB Application Chrysler Corp. Copyright © 1993-2011 All Rights Reserved RELEASE 64.2 01 Released: 12:03:24 May 27 2011 RIP Bios Version: N/A Database: 10:52:06 4/23/2011 Cable in use: J1962 (CH7000A) TOME INDE FORM

Display

Help FER Display NO RESPONSE from ORC Please make certain of the following items: KS: Ignition is turned on.
 DRB III is properly ESCRIP connected to the Data connector. USTOME HUILINDE PERFORM



8K632











