

INFORMATION Redacted PURSUANT TO THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C . 552(B)(6)

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

1J4GK48K33W

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR 8-02

GVWR 2427 KG(05350 LB)

GVWR FRONT WITH TIRES
1248 KG(2750 LB) P215/75R16

RIMS AT
16X7

COLD
227 KPA(33 PSI)


GVWR REAR WITH TIRES
1429 KG(3150 LB) R215/75R16

RIMS AT
16X7

COLD
227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK48K33W



TYPE:

MPV

SINGLE X DUAL



MDH: 082406 776AB PNT:PX8

VEHICLE MADE IN U.S.A. TRM:M5DU 4648503



071593

TYPE 35

MPH km/h



TRANS
TEMP



AIR
BAG





5

6

7



TRANS
TEMP

30

20

10

40

50

60

70

80

90

100

110

120

MPH km/h

TYPE 35

071593

C

F



AIR BAG







115

Jeep



115

04 10

Jeep

LIBERTY

BRIDGESTONE








VOLVO

Jeep

3.7L





VOLVO

3.7L

3



DODGE
FIVE YEAR WARRANTY

SYSCO

LIBERTY sport



115
115-115

Jeep

LIBERTY sport



BRACEK GRAB

3170N FAN

3453 100% TYPICAL
FUEL EFFICIENCY
PASSIVE SAFETY BELT

WARRANTY
Select 80
NAPA
80
100% TYPICAL
FUEL EFFICIENCY
PASSIVE SAFETY BELT

10190234




POLY-TECH
5.7L V6

Jeep

CAUTION

504 430-1350 Call



sec 87758

Dealer/Owner Registration
IMPORTANT! Vehicle Registration
This vehicle is equipped with a catalytic converter that contains precious metals. These metals are a limited resource and are subject to price fluctuations. To help protect the environment and ensure the longevity of your vehicle, please do not tamper with or remove the catalytic converter. If you are unable to locate the catalytic converter, please contact your dealer for assistance.

Model Number: 2.4L I4 16V 2004-2005
Model Year: 2004
VIN: 1J4G241K04A000000
Catalytic Converter Part Number: 48625377AB

PLEASE REFER TO THE
OWNER'S MANUAL FOR
Catalyst



BELT ROUTING

A diagram showing the belt routing for the engine components. It includes a pulley for the alternator, a pulley for the AC compressor, and a pulley for the water pump. The diagram shows the path of the belt around these pulleys.

DaimlerChrysler Corporation
IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO BIN 9 OF THE U.S. EPA INTERIM NON-TIER 2 REGULATIONS APPLICABLE TO 2003 MODEL YEAR NEW LIGHT-DUTY TRUCKS AND QUALIFIES AS LEV UNDER NLEV REGULATIONS AND ULEV 1 UNDER CALIFORNIA CLEANEST VEHICLE REGULATIONS. VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 2003 MODEL YEAR NEW LEV LIGHT-DUTY TRUCKS, CLEAN FUEL FLEET VEHICLE REGULATIONS. CERTIFICATION GASOLINE FUEL PER 86.113-94(a). SFTP COMPLIANT.

- * BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.
 - * ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.
- CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

2HO2S(2), OBDII
CERTIFIED, SFI, TWC, 2WUOC

SPARK PLUGS ZFR6F-11G
0.040 in. GAP

3.7 LITER

NO ADJUSTMENTS
NEEDED

3CRXT03.72Z0
3CRXRO155GCH

CATALYST

52128776AB

PK22G37E









WATER PUMP
BANDEN

SERIAL 693AG
AMPERES 60-65

CAUTION FAN

DaimlerChrysler Corporation
DRIVABLE VEHICLE INFORMATION








01

MOTOROLA
...
MODULE S/N TEMP...



Built by Race Fans for Race Fans

select[®] 84



- MAINTENANCE-FREE
- 84-month nationwide warranty
- High-tech construction designed to withstand temperature extremes
- Premium starting and reserve capacity

For the nearest you call 1-800-LET-NAPA
Baltimore, MD 21226 U.S.A.
Centers




stand temperature extremes

UTO PARTS Store nearest you call 1-800-LET-NAPA
Batteries, Baltimore, MD 21226 U.S.A.
NAPA Distribution Centers



















SHOULD BE
IT'S THE LAW





⚠️ WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

⚠️ WARNING: HIGHER ROLLOVER RISK



AVOID ABRUPT MANEUVERS AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP.

SEE OWNER'S MANUAL FOR FURTHER INFORMATION.



Mobil

SCOTTY'S TRUCK
4000 2011 ROAD 2011
Burlington, ON L7R 4K1
(504) 450-1111



115



! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.







Jeep

For more information
visit us online at
www.jeep.com





Poro

CIGARS







Small white label on the magazine well, containing illegible text.

62248 F PVA



WATER COOLER BOTTLE

Miller Lite
12 12 OZ. BOTTLES
GREAT TASTE.
LESS FILLING.
MILLER BEVERAGE CO.

Smart Water
GREAT TASTE.
LESS FILLING.

Smart
MAKING THIS GENERAL FLOOR TODAY?
GREAT TASTE.
LESS FILLING.



115

115

115

PROPERTY OF LEASOR
OF THE CAR
115





115

Thank you for your purchase
We'll take care of you











TRW 33014254-D 17

TD 121









PLEASE DO NOT
REMOVE THIS TAG
UNTIL YOU HAVE
READ THE INSTRUCTIONS
FOR PROPER USE

SAFARI



ALL ONLY
AN AIRBAG.
INSTALLER
ELEMENT AVEC
SAC CONFIABLE.

TRV



NSI
17
KALIS
GEULEN

MEETS FMVSS 209
ASSEMBLED IN MEXICO

----- AIRBAG DIAGNOSTICS -----

Determining Controller
Type

Please Wait...

F1
HELP

F2
SYS

F0
MAIN

This Diagnostic Control
Module is not supported by
this software. Please use the
DRB III with the Supercard
software to diagnose this
vehicle.

F1
HELP

F2
SYS

F3
MAIN

64.1

NO RESPONSE from ORC

Please make certain of the following items:

- 1) Ignition is turned on.
- 2) DRB III is properly connected to the Data connector.

F1
HELP

F2
SYS

F3
MAIN

Unable to ID Module for
ORC

press any key to continue

SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification Sys

Page

1 of 1

HELP

SYS


MAIN

Unable to ID Module for
ORC

press any key to continue

SELECT SYSTEM

1. Engine
2. Transmission & T-Case
3. Body Interior
4. Chassis & Body Exterior
5. Anti-lock Brakes
6. Passive Restraints
7. Theft Alarm
8. System Monitors





04470 J.C. 3036
04470 J.C. 3036
04470 J.C. 3036





UNIT NO. 19277 MAKE: ST. PAUL
VIN NO. 3544770 3.7L 4X2
PART NO. [REDACTED]
[Barcode]
[Barcode]

Load ID: 19277 Rack ID: 37 Pos: 6

SPD SEQ: 3944770 3.7L 4X2 LHD

PART NO. (P)





52089030AE

CC

08-24-2002

06:26:25




83

TRV Y 83318 / 0146 9111


























190103015

M1 100



TRAILER / AIO TRAILER A TEMPERATURA

DESTINATION LE

1
1-1/2

5000



MAXIMUM SAFETY
Goodyear

Goodyear
MAXIMUM SAFETY

1995/10/16 1016 14-5
1016 14-5

NO FLAMMABLE LIQUIDS OR TEMPERATURES



TRACTION & TEMPERATURE

DESTINATION LE





USED
OIL
COOLANT





LIBER

SAFETY











Recycle-Kleen





Recycle-Kleen











11 AN123300348
P5C128517AB






CHRYSLER P/N 552010301A

WARNING: REFER TO SERVICE MANUAL
IMPROPER SERVICE CAN RESULT IN AIR BAG
FAILURE AND POSSIBLE DEATH AND/OR PROPERTY DAMAGE

CHRYSLER SN TS2022425100






PO

CHRYSLER PN




CHRYSLER SN





CHITLON 3M 250GB
SERIAL NUMBER: 352727252
DATE OF MANUFACTURE: 18 FEB 2008
WARRANTY PERIOD: 3 YEARS
WARRANTY CONTACT: 1-800-762-2834


WARNING: FAILURE TO FOLLOW THESE INSTRUCTIONS MAY CAUSE PERSONAL INJURY OR PROPERTY DAMAGE.
CHRISTENSEN 5800
FALUR-AMT 6000000















2424307254
2424307254



PKJ33333

[Illegible white label on plastic component]



LEFT FRONT AIR BAG
PKJ3333

BARCODE LABEL

BARCODE LABEL







EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup











NY

HARLEN CITY

Jeep
LIBERTY
4x4

Jeep
LIBERTY



NK

4x4

Jeep
4x4

Jeep
LIBERTY

3.7L

RAND HILL
PAINTERS



MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
7-02

GWR
2541 KG(05600 LB)

GWR FRONT WITH TIRES
1248 KG(2750 LB) P215/75R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

GWR REAR WITH TIRES
1429 KG(3150 LB) R215/75R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J8GL48K03

TYPE: MPV

SINGLE X DUAL



MDH: 072421 776AB PNT:PB7

VEHICLE MADE IN U.S.A. TRN:MSDV 4648503



TRANS TEMP



20

10

0

MPH km/h

120

100

110

119579



C

AIR
BAG















- INTERIOR
- PRESSURE
- SHUTTERS
- DECKS

HILL
ERS

F350



AND HILL
PAINTERS



OR PAINTING

RAND HILL
PAINTERS







RAND HILL
PAINTERS

RHP

44



NG
TALLED
RAND HILL
PAINTERS

















- INTERIOR-EXTERIOR PAINT
- PRESSURE WASHING
- SHUTTERS & GUTTERS INSTA
- DECKS
- ROOFING

H01-07

253023R

FEETS FINVSS 209

11/15/07





TD101







TRW H01-06

282023R

MEETS FMVSS

FMVSS

30260

⚠ WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

⚠ WARNING:



AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP.

SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.

MONROE
Performance



19056












409
CATERPILLAR

























































SELECT SYSTEM

1. Engine
2. Transmission & T-Case
3. Body Interior
4. Chassis & Body Exterior
5. Anti-lock Brakes
6. Passive Restraints
7. Theft Alarm
8. System Monitors

Page 1 of 1

HELP

SYS

MAIN

64-1

SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification Sys

Page 1 of 1

F1
HELP

F2
SYS

F0
MAIN

64.1

Unable to ID Module for
ORC

press any key to continue

SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification System

Select Side (Richard)

- 1. Right Side
- 2. Left Side

Page 1 of 1

ESC

HELP

SYS

MAIN

64.1

STARBUCK

DRB III

SELECT FUNCTION

1. System Tests
2. Read DTCs
3. Module Display
4. Sensor Display
5. Input/Output Display
6. Monitor Display
7. Custom Display
8. Actuator Tests
9. Miscellaneous

Page 1 of 1

RSI

F1
HELP

F2
SYS

F0
MAIN

64.1

VERITAS

VERITAS

DIC: TYPE

1. Active
2. Stored

Page 1 of 1

ESC

F1
HELP

F2
SYS

F3
MAIN

64.1

-- RSR DTCs --

NO DTCs DETECTED

Page back to exit

DTC TYPE

1. Active
2. Stored

Page 1 of 1

ISH

F1
HELP

F2
SYS
64.1

F0
MAIN

-- RSH DTCs --

NO DTCs DETECTED

Page back to exit

Right Side Airbag Module
Part#: 56009898AC
S/W Ver: 5.41
2001 KJ
TRW SIAM GEN I
Right Side Airbag

Side Airbag Enabled
Curtain Squib Only

12/15/2011

Select Side Airbag

- 1 Right Side
- 2 Left Side

Page 1 of 1

FSC

F1
HELP

F2
SYS

64.1

F3
MATH

DTC TYPE

- 1. Active
- 2. Stored



F1
HELP

F2
SYS

F0
MATH

SAFARI
S1000

DISBATT

-- LSA DTCs --

NO DTCs DETECTED

Page back to exit

UDR3111

DTC TYPE

- 1 Active
- 2 Stored

Page 1 of 1



F1
HELP

F2
SYS

F3
MAIN

64.1

LSR DTCs

NO DTCs DETECTED

Page back to exit



UDS ES III

Left Side Airbag Module
Part#: 56009899AC
S/W Ver: 5.41
2001 KJ
TRW SIAM GEN 1
Left Side Airbag

Side Airbag Enabled
Curtain Squib Only

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
10-02

GWR
2427 KG (05350 LB)

GWR FRONT WITH TIRES
1248 KG (2750 LB) P235/70R16

RIMS AT
16X7

COLD
227 KPA (33 PSI)

GWR REAR WITH TIRES
1429 KG (3150 LB) P235/70R16

RIMS AT
16X7

COLD
227 KPA (33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK38K53W

TYPE:

MPV

SINGLE X DUAL



MDH: 100602 776AB PNT:PS2

VEHICLE MADE IN U.S.A. TRM:L5DU 4648503

1J4GK38K53W



Texas Department of Transportation





10

20

180

110

200

MPH km/h

120

TYPE 35

155409



Jeep

11-10
8-1-0



Jeep

11-10

0-20



LIBERTY **RENEGATE**





45

Jeep

DUNLOP

WRANGLER



13

1000 LBS

45

Jeep

3.7L








FTS
10-1889

1-888-YALE-ENF

Jeep






Jeep





Jeep



Jeep













**P
E
A
L**
LIFTS
1-800-551-1011

























Jeep

3.7L







Goodyear Assurance
P225/70R16 101T H45







SR-A

WRANGLER

GOODYEAR

WR

185/70R16

RR



13







GOODYEAR LONG TRAIL TMA

70S800SS

GOODYEAR
23x8.5/108R16 100T MWS

























62101

DAIMLER CHRYSLER



P5HG331DVAH



TR1269207043

TRW

H01-07

393023R

MEETS FMVSS 209
ASSEMBLED IN MEXICO

























TRW

H01-06

392021R

MEETS FMVSS 209
ASSEMBLED IN MEXICO

DAIMLER CH



P5HG341DVAF



TR2267202054



FAN FAN

RELEASE LATCH FOR ACCESS TO FUSES AND RELAYS

GEAR-O-VERT

⚠ DANGER/POISON

CAUTION: TEMPERATURES IN WORKING ENGINES CAN EXCEED 200°C (400°F). CONTACT WITH SKIN OR CLOTHING CAN CAUSE BURNS. ALWAYS WEAR PROTECTIVE CLOTHING AND GLOVES. NEVER USE FLAMMABLE FLUIDS NEAR A HOT ENGINE. ALWAYS USE PROPER HANDLING TECHNIQUES. ALWAYS USE PROPER TIGHTENING TECHNIQUES. ALWAYS USE PROPER TIGHTENING TECHNIQUES.

GROUP	DESCRIPTION	AMPERE HOURS (AH)	RESERVE CAPACITY (RC)	STARTING CURRENT (SC)	TEMPERATURE COMPENSATED VOLTAGE (TCV)
35	35	45	100	400	1.75
36	36	45	100	400	1.75
37	37	45	100	400	1.75
38	38	45	100	400	1.75
39	39	45	100	400	1.75
40	40	45	100	400	1.75
41	41	45	100	400	1.75
42	42	45	100	400	1.75
43	43	45	100	400	1.75
44	44	45	100	400	1.75
45	45	45	100	400	1.75
46	46	45	100	400	1.75
47	47	45	100	400	1.75
48	48	45	100	400	1.75
49	49	45	100	400	1.75
50	50	45	100	400	1.75
51	51	45	100	400	1.75
52	52	45	100	400	1.75
53	53	45	100	400	1.75
54	54	45	100	400	1.75
55	55	45	100	400	1.75
56	56	45	100	400	1.75
57	57	45	100	400	1.75
58	58	45	100	400	1.75
59	59	45	100	400	1.75
60	60	45	100	400	1.75
61	61	45	100	400	1.75
62	62	45	100	400	1.75
63	63	45	100	400	1.75
64	64	45	100	400	1.75
65	65	45	100	400	1.75
66	66	45	100	400	1.75
67	67	45	100	400	1.75
68	68	45	100	400	1.75
69	69	45	100	400	1.75
70	70	45	100	400	1.75
71	71	45	100	400	1.75
72	72	45	100	400	1.75
73	73	45	100	400	1.75
74	74	45	100	400	1.75
75	75	45	100	400	1.75
76	76	45	100	400	1.75
77	77	45	100	400	1.75
78	78	45	100	400	1.75
79	79	45	100	400	1.75
80	80	45	100	400	1.75
81	81	45	100	400	1.75
82	82	45	100	400	1.75
83	83	45	100	400	1.75
84	84	45	100	400	1.75
85	85	45	100	400	1.75
86	86	45	100	400	1.75
87	87	45	100	400	1.75
88	88	45	100	400	1.75
89	89	45	100	400	1.75
90	90	45	100	400	1.75
91	91	45	100	400	1.75
92	92	45	100	400	1.75
93	93	45	100	400	1.75
94	94	45	100	400	1.75
95	95	45	100	400	1.75
96	96	45	100	400	1.75
97	97	45	100	400	1.75
98	98	45	100	400	1.75
99	99	45	100	400	1.75
100	100	45	100	400	1.75





POWER TECH
3.7L V6

Jeep

CAUTION FAN

ALWAYS WEAR YOUR SEATBELT
AND PLEASE DON'T DRINK AND DRIVE.
SAFETY INFORMATION
SEE YOUR OWNER'S MANUAL FOR
MORE INFORMATION.
DANGER/PELIGRO
READ THE INSTRUCTIONS
FOR PROPER USE.

RELEASE LATCH
FOR ACCESS TO
FUSES AND RELAYS

Chrysler Corporation
Warranties and Limited Powertrain
Warranty Information
See your Owner's Manual for details.
SAFETY INFORMATION
SEE YOUR OWNER'S MANUAL FOR
MORE INFORMATION.
DANGER/PELIGRO
READ THE INSTRUCTIONS
FOR PROPER USE.



POWERTECH
3.7L V6

CAUTION

Jeep

GY 4844 S/S IN















11-10

8 0

! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.

! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.

AIRBAG Module Information

2002 Body Style: KJ

Part#: 56010501AH

S/W Version: 05.05

TRW Gen V

Front Dr and Pass/PCI Bus SAB
and Lamp Dr w/On/Off Sw or AOSIM

F1
HELP

F2
SYS

61.0

F3
MAIN

-- ORC DTCs 1 of 2 --

INTERNAL 1

----- DTC 2 of 2 -----

STORED ENERGY
FIRING 1

-- ORC DTCs 1 of 2 --

INTERNAL 1

MINUTES: 79 IGN CNTS: 0

--- DTC 2 of 2 ---

STORED ENERGY

FIRING 1

MINUTES: 55 IGN CNTS: 0

June 17, 2010

[REDACTED]
Rowlett, TX [REDACTED]

Reference No.: 19625309
1J4GK38K53W [REDACTED]

Dear Ms. [REDACTED]

This will further acknowledge contact to Chrysler Group LLC, regarding your 2003 Jeep Liberty.

Ms. [REDACTED] naturally, we were sorry to learn of the incident described to us during the initial contact. However, we have had the opportunity to review the inspection report and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this incident.

Based on this information, we can only suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

M. Gentry
Special Investigations
(248) 944-7084

MG/kat

CONFIDENTIAL - Prior Approval Required Before Duplicating
Preliminary Vehicle Investigation Report(PVIR)

CAIR# 19625309

YEAR	BRAND	VEHICLE IDENTIFICATION NUMBER		MO/DY-HR	ODOMETER	IN-SERVICE
2003	JEEP LIBERTY RENEGADE 4X2 SPORT UTILITY 4-DR	1J4GK38K53W [REDACTED]		10-06 02	155409	11/02/2002
NAME OF OWNER		ADDRESS/LOCATION		CITY	STATE	COUNTRY
[REDACTED]		[REDACTED]		ROWLETT	TX	USA
ZIP	COLOR	MODEL	HOME PHONE	BUSINESS PHONE		
[REDACTED]	Bright Silver Metallic Clear Coat	KJT	[REDACTED]	[REDACTED]		
SELLING DEALER NAME		BUSINESS CENTER	DLR. CODE	CITY	STATE	COUNTRY
MIKE PILE JEEP-EAGLE		63	26610	TYLER	TX	USA
INSPECTOR - NAME FIRST, LAST, MIDDLE		INSPECTOR'S COMPANY		INSPECTOR'S PHONE NO.		
Roy Allbritten E		EAA		972-618-3727		
DAMAGE ESTIMATE				REPAIR ESTIMATE		
<input checked="" type="radio"/> MINOR <input type="radio"/> MODERATE <input type="radio"/> TOTAL LOSS				\$.00		

INTERVIEW

INTERVIEW WITH: DRIVER OWNER OTHER DRIVER/OWNER

NAME: LAST, FIRST, MIDDLE [REDACTED]

INTERVIEW DATE: 06/14/2010 DATE OF INCIDENT: 06/09/2010 TIME OF INCIDENT: 07:15 AM PM INSPECTION DATE: 06/15/2010

1. DRIVER'S DESCRIPTION OF EVENT: [REDACTED] states she was driving on I-30 from Garland, TX to Mesquite, TX when the front airbags deployed without warning or impact. [REDACTED] states she was driving her brother [REDACTED] (19 yrs) was in the right front, her sister [REDACTED] (20 yrs) was in the LR and her cousin [REDACTED] (17 yrs) was in the RR seat. [REDACTED] states all passengers were wearing their seatbelts. [REDACTED] states her left forearm and wrist were injured when the airbags deployed. [REDACTED] states the airbag burned her forearm and her brother's leg when they deployed. [REDACTED] states the only damage to her vehicle is to the right front bumper and that happened over a year ago without any airbags being deployed.

Insurance Company Name: **Not provided**

Personal Injury:

Were there Personal Injuries? Yes No

If Yes, complete section "B"

Any Indicator/

Warning Lights on Prior? Yes No

If Yes, What light:

IMPORTANT: SHOW THIS REPORT TO NO ONE & ONLY STATE FACTS (DRAW NO CONCLUSIONS)

Help Key

PART A- GENERAL

REQUIRED PHOTOGRAPHS: ALL FOUR SIDE VIEWS**IF CRASH DAMAGED:**

PERSPECTIVE FROM EVERY CORNER OF VEHICLE DOWN BOTH ORIGINAL LATERAL SIGHT LINES(8 TOTAL)

- ANY RECENT VEHICLE

INFORMATION: POLICE/AGENCY REPORT #: ALL REPORTS/PHOTOS BY OTHERS- ADDRESS OF INSPECTION
Address **Dallas DCJ**

1

- EVIDENCE OF TAMPERING OR PRIOR DISASSEMBLY

 YES NO

- IF YES, DESCRIBE AND PHOTOGRAPH

SERVICE

- YES NO
 - UNKNOWN
- IF YES, ENCLOSE COPIES OF REPAIR ORDERS

Address **11550 LBJ Freeway**
 2
 City **Dallas**
 State **TX**
 Zip **75238**
 Phone **214-880-7015**

PART B - EXTERIOR/INTERIOR VEHICLE DAMAGE

REQUIRED PHOTOGRAPHS:

- WINDSHIELD
- ALL AREAS OF DAMAGE MARKINGS ON INTERIOR AND EXTERIOR
- CLOSE UPS OF STAINS, SKIN, HAIR, CLOTH
- EXTERIOR AND INTERIOR DAMAGE INCLUDING UNDERCARRIAGE

INFORMATION:

- DESCRIBE ANY INJURIES TO DRIVER AND/OR OTHER OCCUPANTS
- SEE SEAT BELT/SEATS SECTION IF APPLICABLE

[REDACTED] states she injured her left wrist and burned her left forearm. [REDACTED] states her brother [REDACTED] burned his left leg when the airbag deployed. [REDACTED] states there was previous damage to the right front bumper but the incident occurred over a year ago. [REDACTED] states the current damage is to the steering wheel and the instrument panel when the front airbags deployed without warning or impact.

Next

PART C - AIRBAG(S)

REQUIRED PHOTOGRAPHS

- STEERING WHEEL
- AIRBAG(S)
- KNEE BLOCKERS
- ALL POSSIBLE LOCATIONS OF CONTACT

AECM INFORMATION

- SOFTWARE VERSION:

05.05

- SERIAL NUMBER :

- PART NUMBER :

56010501AH

- DOES AIRBAG WARNING LIGHT CYCLE ON?

YES NO N/A

- ARE WARNING LABELS PRESENT (PHOTO)

YES NO N/A

- RECORD LABEL PART NUMBER

NPN

COMPLETE PART D

- PHOTOGRAPH REQUIRED FOR DRB SCREENS & RECORD FAULTS
 - WERE THERE DRB READINGS TAKEN?

YES NO IF NO, EXPLAIN

- RECORD ACTIVE DTC'S EXACTLY AS APPEAR :	MIN	COUNT
Internal 1		
Stored Energy Firing 1		
- RECORD STORED DTC'S (MINUTES/COUNTS) :	MIN	COUNT
Internal 1	79	0
Stored Energy Firing 1	55	0

- WAS AIRBAG DEPLOYED?

DRIVER YES NO

IF NO, EXPLAIN

PASSENGER YES NO

IF NO, EXPLAIN

SIDE AIRBAG YES NO N/A

IF NO, EXPLAIN

Not deployed.

- WHICH SIDE DEPLOYED?

LEFT RIGHT N/A BOTH

- TYPE OF SIDE AIRBAG

SEAT CURTAIN N/A

- TYPE OF STEERING WHEEL

TILT STANDARD

- ANY DAMAGE TO STEERING WHEEL

YES NO

IF YES, EXPLAIN

Airbag deployed.

DO NOT ERASE DRB READINGS

IS VEHICLE EQUIPPED WITH PASSENGER AIRBAG DEFAULT SWITCH?

YES NO

IF YES,

NOTE POSITION OF PASSENGER A/B SWITCH

ON OFF N/A

- EVIDENCE OF TAMPERING OR DISASSEMBLY?

YES NO N/A

IF YES, EXPLAIN

CHECK ENTIRE UNDERBODY FOR HIDDEN DAMAGE INCLUDING FRONT AND REAR SUSPENSION COMPONENTS

- UNDERBODY DAMAGED?

YES NO

IF YES, EXPLAIN

PHOTOGRAPH REQUIRED

PART D - SEATS/SHOULDER BELTS

REQUIRED

PHOTOGRAPHS:

- OVERALL SEAT BELTS I/B & O/B
- CLOSE UP OF ANY IRREGULARITIES
- LATCHPLATE WEAR
- CLOSE UP D-RING TO SHOW LOADING
- OVERALL OF SEAT
- CLOSE UP OF DAMAGE
- RECORD DTC'S:

INFORMATION:

- LOCATE SEAT BELT LABELS AND RECORD ALL INFORMATION (SOME LABELS ARE SEWN TO WEBBING, OTHER LABELS ARE ON THE RETRACTOR FRAME: INBOARD SEAT BELT LABELS ARE NEAR THE FLOOR):

See additional comments below.

- RECORD ALL INFORMATION STAMPED ON LATCHPLATE

LF = TD129 RF = TD131

- PRETENSION DEPLOYED?

YES NO UNKNOWN

- EXISTING LOCATION OF RECLINER - DESCRIBE THE LOCATION AND PICTURE OF SEAT BACK WITH B PILLOR AS REFERENCE AND INCLINOMETER READING

See photos #51, #52, #64 and #65.

- EXISTING LOCATION OF HEAD RESTRAINT (MEASURE GAP UNDER HEAD RESTRAINT):

None

IF ALLOWED. FUNCTION BELTS TO INSURE THEY **FUNCTION PROPERLY**

NOTE RESULTS

- DOES THE BUCKLE LATCH?

YES NO

IF NO, EXPLAIN

- DO THEY RELEASE?

YES NO

IF NO, EXPLAIN

- DO THEY RETRACT?

YES NO

IF NO, EXPLAIN

- ANY LOOSENESS OR BROKEN PARTS

YES NO

IF YES, EXPLAIN?

- CHECK FOR SEAT RETAINING BOLTS

NORMAL

BROKEN

LOOSE

MISSING

- NOTE AND RECORD APPROX. SEAT TRACK
OVERLAP
See photos #51, #52, #64 and #65.

PART - E TRANSMISSION NOT APPLICABLE

[Previous](#)

[Next](#)

PART - F UNINTENDED ACCELERATION NOT APPLICABLE

PART - G BRAKES NOT APPLICABLE

PART - H STEERING/SUSPENSION/TIRES NOT APPLICABLE

PART - I AXLE/DIFFERENTIAL NOT APPLICABLE

 PART J - ADDITIONAL COMMENTS (DO NOT DRAW ANY CONCLUSIONS)

LF = TRW H01-07 - 393023R - P5HG331DVAH - TR2267202054. RF = TRW H01-06 - 392021R - P5HG341DVAF - TR2267202054. No chassis damage/impact noticed during the inspection of 06/15.2010. There is some minor damage to the right front bumper which Carmen Garcia stated happened over a year ago.

[Previous](#)[Form Approved](#)[Returned for corrections](#)

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFG BY DAIMLERCHRYSLER CORPORATION
DATE OF MFR 9-02

GWR
2541 KG (5600 LB)

GWR FRONT WITH TIRES
1248 KG (2750 LB) P215/75R16

RIMS AT
16X7

COLD

GWR REAR WITH TIRES
1428 KG (3150 LB) R215/75R16

RIMS AT
16X7

227 KPA (33 PSI)
COLD
227 KPA (33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL48K23A [REDACTED]

TYPE: MPV

SINGLE X DUAL



PN: 091808 776A8 PNT:PLJ

VEHICLE MADE IN U.S.A. TR:HLS 4040543



082921



AIR
BAG





SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification Sys

Page 1 of 1

HELP

SYS

MAIN

Unable to ID Module for
ORC

press any key to continue

Unable to ID Module for
ORC

press any key to continue



Jeep

11







3.7L




MERCHANTS
800-555-1234

Jeep
4x4

3.7L



WARRANTY
Jeep
4x4





LIBERTY Sport









WARNING

DEATH OR SERIOUS INJURY CAN OCCUR



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND **CHILD RESTRAINTS**.







FRAN

H01-07

361021R

FRANCOIS F. MESSIER

366021

PRESS

Riv

H01-06

364023R

MEETS FMVSS 209

SEMBLED IN MEXICO

120998
866021
4 TR 337



PRESS

















This Diagnostic Control
Module is not supported by
this software. Please use the
DRB III with the Supercard
software to diagnose this
vehicle.

F2
SYS
F2

64.1

F3
MAIN



Modules Present on the BUS

PCM

EATX

BCN/FCM

MIC

Page 1 of 1

HELP

SYS

MAIN

64.1

















CONFIDENTIAL - Prior Approval Required Before Duplicating
Preliminary Vehicle Investigation Report(PVIR)

CAIR# 19639098

YEAR	BRAND	VEHICLE IDENTIFICATION NUMBER		MO/DY-HR	ODOMETER	IN-SERVICE
2003	JEEP LIBERTY SPORT 4X4 SPORT UTILITY 4-DR	1J4GL48K23W [REDACTED]		09-18 08	82921	12/10/2002
NAME OF OWNER		ADDRESS/LOCATION		CITY	STATE	COUNTRY
[REDACTED]		[REDACTED]		MANCHESTER	NH	USA
ZIP	COLOR	MODEL	HOME PHONE	BUSINESS PHONE		
[REDACTED]	Atlantic Blue Pearl Coat	KJJ	[REDACTED]	[REDACTED]		
SELLING DEALER NAME		BUSINESS CENTER	DLR. CODE	CITY	STATE	COUNTRY
QUIRK CHRYSLER JEEP DODGE OF		32	26677	BANGOR	ME	USA
INSPECTOR - NAME FIRST, LAST, MIDDLE			INSPECTOR'S COMPANY		INSPECTOR'S PHONE NO.	
MICHAEL GIGANTE A			EAA		781-237-5463	
DAMAGE ESTIMATE				REPAIR ESTIMATE		
<input checked="" type="radio"/> MINOR <input type="radio"/> MODERATE <input type="radio"/> TOTAL LOSS				\$.00		

INTERVIEW

INTERVIEW WITH: DRIVER OWNER OTHER DRIVER/OWNER

NAME: LAST, FIRST, MIDDLE [REDACTED]

INTERVIEW DATE: 06/19/2010 DATE OF INCIDENT: 06/16/2010 TIME OF INCIDENT: 06:00 AM PM INSPECTION DATE: 06/21/2010

1. DRIVER'S DESCRIPTION OF EVENT: Ms [REDACTED] stated that the incident occurred while her husband, ([REDACTED]), was driving on Highway 9, (south) in Manchester, NH. when "...the airbag light came on and then the drivers airbag went off..." Ms [REDACTED] stated that her husband was alone at the time of the incident and had his seat belt on. Ms [REDACTED] said that her husband was able to safely pull over to the side of the road and was not injured and that there were no other vehicles involved in the incident. Ms [REDACTED] stated that her husband said that he did not hit anything and that the roadway was smooth without 'potholes'.

Insurance Company Name: **GEICO**

Personal Injury:

Were there Personal Injuries? Yes No

If Yes, complete section "B"

Any Indicator/

Warning Lights on Prior? Yes NoIf Yes, What light: **AIRBAG**

IMPORTANT: SHOW THIS REPORT TO NO ONE & ONLY STATE FACTS (DRAW NO CONCLUSIONS)

Help Key

PART A- GENERAL

REQUIRED PHOTOGRAPHS: ALL FOUR SIDE VIEWS**IF CRASH DAMAGED:**

PERSPECTIVE FROM EVERY CORNER OF VEHICLE DOWN BOTH ORIGINAL LATERAL SIGHT LINES(8 TOTAL)

- ANY RECENT VEHICLE

INFORMATION: POLICE/AGENCY REPORT #: ALL REPORTS/PHOTOS BY OTHERS- ADDRESS OF INSPECTION
Address **BONNEVILLE & SON**

1

- EVIDENCE OF TAMPERING OR PRIOR DISASSEMBLY

 YES NO

- IF YES, DESCRIBE AND PHOTOGRAPH

SERVICE

 YES NO UNKNOWNIF YES, ENCLOSE COPIES OF
REPAIR ORDERSAddress **625 Hookset Rd**
2
City **Manchester**
State **NH**
Zip **03104**
Phone **603-624-9280**

PART B - EXTERIOR/INTERIOR VEHICLE DAMAGE

REQUIRED PHOTOGRAPHS:

- WINDSHIELD
- ALL AREAS OF DAMAGE
MARKINGS ON INTERIOR
AND EXTERIOR
- CLOSE UPS OF STAINS,
SKIN, HAIR, CLOTH
- EXTERIOR AND INTERIOR
DAMAGE INCLUDING
UNDERCARRIAGE

INFORMATION:

- DESCRIBE ANY INJURIES TO
DRIVER AND/OR OTHER
OCCUPANTS
 - SEE SEAT BELT/SEATS
SECTION IF APPLICABLE
-

DAMAGE TO THE VEHICLE: No exterior damage noted. No undercarriage damage noted. Drivers airbag deployed. Drivers seatbelt pretensioner set.
INJURIES: No reported injuries.

Next

PART C - AIRBAG(S)

REQUIRED PHOTOGRAPHS

- STEERING WHEEL
- AIRBAG(S)
- KNEE BLOCKERS
- ALL POSSIBLE LOCATIONS OF CONTACT

AECM INFORMATION

- SOFTWARE VERSION:
unknown
- SERIAL NUMBER :
-
- PART NUMBER :
-
- DOES AIRBAG WARNING LIGHT CYCLE ON?
 YES NO N/A
- ARE WARNING LABELS PRESENT (PHOTO)
 YES NO N/A
- RECORD LABEL PART NUMBER

COMPLETE PART D

- PHOTOGRAPH REQUIRED FOR DRB SCREENS & RECORD FAULTS
- WERE THERE DRB READINGS TAKEN?

YES NO IF NO, EXPLAIN **unable to access with DRBIII**

- RECORD ACTIVE DTC'S EXACTLY AS APPEAR :	MIN	COUNT
-	-	-
-	-	-
-	-	-
- RECORD STORED DTC'S (MINUTES/COUNTS) :	MIN	COUNT
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

- WAS AIRBAG DEPLOYED?
DRIVER YES NO
IF NO, EXPLAIN
PASSENGER YES NO
IF NO, EXPLAIN **not deployed**
SIDE AIRBAG YES NO N/A
IF NO, EXPLAIN
- WHICH SIDE DEPLOYED?
 LEFT RIGHT N/A BOTH
- TYPE OF SIDE AIRBAG
 SEAT CURTAIN N/A
- TYPE OF STEERING WHEEL
 TILT STANDARD
- ANY DAMAGE TO STEERING WHEEL
 YES NO
IF YES, EXPLAIN

DO NOT ERASE DRB READINGS

- IS VEHICLE EQUIPPED WITH PASSENGER AIRBAG DEFAULT SWITCH?
 YES NO
IF YES,
 NOTE POSITION OF PASSENGER A/B SWITCH
 ON OFF N/A
- EVIDENCE OF TAMPERING OR DISASSEMBLY?
 YES NO N/A
IF YES, EXPLAIN
- CHECK ENTIRE UNDERBODY FOR HIDDEN DAMAGE INCLUDING FRONT AND REAR SUSPENSION COMPONENTS
- UNDERBODY DAMAGED?
 YES NO
IF YES, EXPLAIN

PHOTOGRAPH REQUIRED

PART D - SEATS/SHOULDER BELTS

REQUIRED PHOTOGRAPHS:

- OVERALL SEAT BELTS I/B & O/B
- CLOSE UP OF ANY IRREGULARITIES
- LATCHPLATE WEAR
- CLOSE UP D-RING TO SHOW LOADING
- OVERALL OF SEAT
- CLOSE UP OF DAMAGE
- RECORD DTC'S:

INFORMATION:

- LOCATE SEAT BELT LABELS AND RECORD ALL INFORMATION (SOME LABELS ARE SEWN TO WEBBING, OTHER LABELS ARE ON THE RETRACTOR FRAME: INBOARD SEAT BELT LABELS ARE NEAR THE FLOOR):
361021R
- RECORD ALL INFORMATION STAMPED ON LATCHPLATE
TD120
- PRETENSION DEPLOYED?
 YES NO UNKNOWN
- EXISTING LOCATION OF RECLINER - DESCRIBE THE LOCATION AND PICTURE OF SEAT BACK WITH B PILLOR AS REFERENCE AND INCLINOMETER READING
FULL UPRIGHT
- EXISTING LOCATION OF HEAD RESTRAINT (MEASURE GAP UNDER HEAD RESTRAINT):
0

IF ALLOWED. FUNCTION BELTS TO INSURE THEY **FUNCTION PROPERLY**

- NOTE RESULTS
- DOES THE BUCKLE LATCH?
 YES NO
IF NO, EXPLAIN
- DO THEY RELEASE?
 YES NO
IF NO, EXPLAIN
- DO THEY RETRACT?
 YES NO
IF NO, EXPLAIN
FULLY EXTENDED & 'LOCKED'
- ANY LOOSENESS OR BROKEN PARTS
 YES NO
IF YES, EXPLAIN?
- CHECK FOR SEAT RETAINING BOLTS
 NORMAL
 BROKEN

LOOSE

MISSING

- NOTE AND RECORD APPROX. SEAT TRACK OVERLAP

PART - E TRANSMISSION NOT APPLICABLE

[Previous](#)

[Next](#)

PART - F UNINTENDED ACCELERATION NOT APPLICABLE

PART - G BRAKES NOT APPLICABLE

PART - H STEERING/SUSPENSION/TIRES NOT APPLICABLE

PART - I AXLE/DIFFERENTIAL NOT APPLICABLE

PART J - ADDITIONAL COMMENTS (DO NOT DRAW ANY CONCLUSIONS)

As noted in the report, the `AIRBAG` warning lamp remained illuminated and the drivers airbag was deployed and the drivers seatbelt pretensioner was set with the seatbelt extended and in the `locked` position. Please note that repeated attempts were made to obtain DRB results for the ORC using the DRB III assigned to this inspector and with another DRB at the dealership. All such attempts were unsuccessful with the results an noted in photos 6-8, (UNABLE TO ID MODULE FOR ORC, etc). Photos 38-39 showing that DRBs being used were both equipped with a Supercard Software card, and photo 40 showing the modules that were present on the BUS at the time of testing, (PCM, EATX, BCM/FCM, MIC). As noted in the report and photos, there was no exterior damage or impact damage noted in the undercarriage of the vehicle.
