

INFORMATION Redacted PURSUANT TO THE FREEDOM OF  
INFORMATION ACT (FOIA), 5 U.S.C . 552(B)(6)

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER  
CORPORATION

DATE OF MFR  
9-02

GVWR  
2541 KG(05600 LB)

GVWR FRONT WITH TIRES  
1248 KG(2750 LB) P235/70R16

RIMS AT  
16X7

COLD  
227 KPA(33 PSI)

GVWR REAR WITH TIRES  
1429 KG(3150 LB) P235/70R16

RIMS AT  
16X7

COLD  
227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT  
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL58K73A [REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 091702 776AB PNT:PS2 VEHICLE MADE IN U.S.A. TRM:DL2 4648503





ON • OFF  
CRUISE  
SET

RES • ACCEL  
CANCEL  
COAST















Jeep  
LIBERTY

Jeep  
LIBERTY

GOODYEAR  
DISCOVERER  
SAFARI





C-14  
095 CCA  
34  
36634

DieHard



02	02	10
10	15	10
15	02	
10	02	15
10	02	10
20	02	
	10	10
	10	10

10

15

15

10

10

10


10



CONTROL PER P/N: PASO 1000 PAN  
MAGNETIC MOTOR TO OPENING MOUNTING FOR  
CONTROL PER N°N: 157825  
MAGNETIC MOTOR TO OPENING MOUNTING FOR  
CONTROL PER N°N: 157825















CHRYSLER  
CORPORATION

DRB III

Electro/Mech Cluster

Software Version 1.4  
KJ Body

Part #: 56010511AB  
Airbag Present  
SKIM Present  
W/Tach  
Gas



CHRYSLER  
CORPORATION

DRB III™

-- BCM DTCs 1 of 2 --

Wiper On/Off Relay  
Output Circuit Low

--- DTC 2 of 2 ---

Wiper Hi/Lo Relay  
Output Circuit Low

Unable to ID Module for  
ORC

press any key to continue













# **WARNING**



## **DEATH OR SERIOUS INJURY CAN OCCUR**

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.

# **WAR**



**KRIGER'S**

35/15/10 160310

0w20

FRONT ENGINE OIL





10126







PRESS






-- MIC DTCs 1 of 1 --

NO ORC BUS  
MESSAGES RECEIVED







FD 127





PRESS

10000





**CONFIDENTIAL - Prior Approval Required Before Duplicating**  
**Preliminary Vehicle Investigation Report(PVIR)**

CAIR# 19691227

YEAR	BRAND	VEHICLE IDENTIFICATION NUMBER		MO/DY-HR	ODOMETER	IN-SERVICE
2003	JEEP LIBERTY LTD EDITION 4X4 SPORT UTILITY 4-DR	1J4GL58K73W [REDACTED]		09-17 02	86750	11/11/2002
NAME OF OWNER		ADDRESS/LOCATION		CITY	STATE	COUNTRY
[REDACTED]		[REDACTED]		JOY	IL	USA
ZIP	COLOR	MODEL	HOME PHONE	BUSINESS PHONE		
[REDACTED]	Bright Silver Metallic Clear Coat	KJJ	[REDACTED]	[REDACTED]		
SELLING DEALER NAME		BUSINESS CENTER	DLR. CODE	CITY	STATE	COUNTRY
COURTESY CHRYSLER-JEEP		51	26294	MOLINE	IL	USA
INSPECTOR - NAME FIRST, LAST, MIDDLE		INSPECTOR'S COMPANY		INSPECTOR'S PHONE NO.		
Chuck Baumann		EAA		815-252-9820		
DAMAGE ESTIMATE				REPAIR ESTIMATE		
<input checked="" type="radio"/> MINOR <input type="radio"/> MODERATE <input type="radio"/> TOTAL LOSS				\$ .00		

**INTERVIEW**

INTERVIEW WITH:  DRIVER  OWNER  OTHER  DRIVER/OWNER

NAME: LAST, FIRST, MIDDLE [REDACTED]

INTERVIEW DATE: **07/08/2010**      DATE OF INCIDENT: **07/03/2010**      TIME OF INCIDENT: **11:30**  AM  PM      INSPECTION DATE: **07/08/2010**

1. DRIVER'S DESCRIPTION OF EVENT: **Driving for 2 hours on hard surface roadway at 60 MPH-driver airbag deployed without warning. No bumps or uneven road surfaces were present. Weather was dry/clear-80 degrees. No warning lights were noticed prior to deployment.**

Insurance Company Name: **Not stated**

Personal Injury:

Were there Personal Injuries?  Yes  No

If Yes, complete section "B"

Any Indicator/Warning Lights on Prior?  Yes  No

If Yes, What light:

**IMPORTANT: SHOW THIS REPORT TO NO ONE & ONLY STATE FACTS (DRAW NO CONCLUSIONS)**

Help Key

**PART A- GENERAL**

**REQUIRED PHOTOGRAPHS:**

ALL FOUR SIDE VIEWS

**IF CRASH DAMAGED:**

PERSPECTIVE FROM EVERY CORNER OF VEHICLE DOWN BOTH ORIGINAL LATERAL SIGHT LINES(8 TOTAL)  
 - ANY RECENT VEHICLE SERVICE

YES  NO

**INFORMATION:**

POLICE/AGENCY REPORT #:

**None**

ALL REPORTS/PHOTOS BY OTHERS

- ADDRESS OF INSPECTION  
 Address **Kriegers Chrysler/Do**  
 1  
 Address **3205 Hwy. 61N.**  
 2  
 City **Muscatine**

- EVIDENCE OF TAMPERING OR PRIOR DISASSEMBLY

YES  NO

- IF YES, DESCRIBE AND PHOTOGRAPH

UNKNOWN  
IF YES, ENCLOSE COPIES OF  
REPAIR ORDERS

State **IA**  
Zip **52761**  
Phone **563-263-5324**

---

**PART B - EXTERIOR/INTERIOR VEHICLE DAMAGE**

---

**REQUIRED PHOTOGRAPHS:** No exterior body impact-No underside impact. Interior showed deployed driver airbag and deployed driver seatbelt pretensioner. No injuries stated.

- WINDSHIELD
- ALL AREAS OF DAMAGE  
MARKINGS ON INTERIOR  
AND EXTERIOR
- CLOSE UPS OF STAINS,  
SKIN, HAIR, CLOTH
- EXTERIOR AND INTERIOR  
DAMAGE INCLUDING  
UNDERCARRIAGE

**INFORMATION:**

- DESCRIBE ANY INJURIES TO  
DRIVER AND/OR OTHER  
OCCUPANTS
  - SEE SEAT BELT/SEATS  
SECTION IF APPLICABLE
- 

Next

**PART C - AIRBAG(S)**

**REQUIRED PHOTOGRAPHS**

- STEERING WHEEL
- AIRBAG(S)
- KNEE BLOCKERS
- ALL POSSIBLE LOCATIONS OF CONTACT

**AECM INFORMATION**

- SOFTWARE VERSION:

**None found**

- SERIAL NUMBER :

**None found**

- PART NUMBER :

**None found**

DOES AIRBAG WARNING LIGHT CYCLE ON?

YES  NO  N/A

- ARE WARNING LABELS PRESENT (PHOTO)

YES  NO  N/A

- RECORD LABEL PART NUMBER

**No #**

**COMPLETE PART D**

- PHOTOGRAPH REQUIRED FOR DRB SCREENS & RECORD FAULTS  
 - WERE THERE DRB READINGS TAKEN?

YES  NO IF NO, EXPLAIN

**No communication with ORC module.**

<b>- RECORD ACTIVE DTC'S EXACTLY AS APPEAR :</b>	<b>MIN</b>	<b>COUNT</b>
<b>- RECORD STORED DTC'S (MINUTES/COUNTS) :</b>	<b>MIN</b>	<b>COUNT</b>

- WAS AIRBAG DEPLOYED?

DRIVER  YES  NO

IF NO, EXPLAIN

PASSENGER  YES  NO

IF NO, EXPLAIN

**No info available**

SIDE AIRBAG  YES  NO  N/A

IF NO, EXPLAIN

- WHICH SIDE DEPLOYED?

LEFT  RIGHT  N/A  BOTH

- TYPE OF SIDE AIRBAG

SEAT  CURTAIN  N/A

- TYPE OF STEERING WHEEL

TILT  STANDARD

- ANY DAMAGE TO STEERING WHEEL

YES  NO

IF YES, EXPLAIN

**DO NOT ERASE DRB READINGS**

IS VEHICLE EQUIPPED WITH PASSENGER AIRBAG DEFAULT SWITCH?

YES  NO

IF YES,

NOTE POSITION OF PASSENGER A/B SWITCH

ON  OFF  N/A

- EVIDENCE OF TAMPERING OR DISASSEMBLY?

YES  NO  N/A

IF YES, EXPLAIN

CHECK ENTIRE UNDERBODY FOR HIDDEN DAMAGE INCLUDING FRONT AND REAR SUSPENSION COMPONENTS

- UNDERBODY DAMAGED?

YES  NO

IF YES, EXPLAIN

PHOTOGRAPH REQUIRED

**PART D - SEATS/SHOULDER BELTS**

**REQUIRED**

**PHOTOGRAPHS:**

- OVERALL SEAT BELTS I/B & O/B
- CLOSE UP OF ANY IRREGULARITIES
- LATCHPLATE WEAR
- CLOSE UP D-RING TO SHOW LOADING
- OVERALL OF SEAT
- CLOSE UP OF DAMAGE
- RECORD DTC'S:

**INFORMATION:**

- LOCATE SEAT BELT LABELS AND RECORD ALL INFORMATION (SOME LABELS ARE SEWN TO WEBBING, OTHER LABELS ARE ON THE RETRACTOR FRAME: INBOARD SEAT BELT LABELS ARE NEAR THE FLOOR):

**LF;RF;No numbers seen-Labels state use with airbag only**

- RECORD ALL INFORMATION STAMPED ON LATCHPLATE

**LF: TD126-TRW 33014254 D--RF: TD127-TRW 33014 254 D**

- PRETENSION DEPLOYED?

YES  NO  UNKNOWN

- EXISTING LOCATION OF RECLINER -

DESCRIBE THE LOCATION AND PICTURE OF SEAT BACK WITH B PILLOR AS REFERENCE AND INCLINOMETER READING

**20 degrees rearward**

EXISTING LOCATION OF HEAD RESTRAINT (MEASURE GAP UNDER HEAD RESTRAINT):

**1 1/2 "**

IF ALLOWED. FUNCTION BELTS TO INSURE THEY

**FUNCTION PROPERLY**

NOTE RESULTS

- DOES THE BUCKLE LATCH?

YES  NO

IF NO, EXPLAIN

**LF: Deployed. RF: buckle/latch OK**

- DO THEY RELEASE?

YES  NO

IF NO, EXPLAIN

**LF: see above -RF Normal function**

- DO THEY RETRACT?

YES  NO

IF NO, EXPLAIN

**LF: see above--RF: Retracts.**

- ANY LOOSENESS OR BROKEN PARTS

YES  NO

IF YES, EXPLAIN?

- CHECK FOR SEAT RETAINING BOLTS

NORMAL

BROKEN

LOOSE

MISSING

- NOTE AND RECORD APPROX. SEAT TRACK OVERLAP

**1" rearward**

---

**PART - E TRANSMISSION NOT APPLICABLE**

---

[Previous](#)

[Next](#)



**PART - F UNINTENDED ACCELERATION NOT APPLICABLE**

---

**PART - G BRAKES NOT APPLICABLE**

---

**PART - H STEERING/SUSPENSION/TIRES NOT APPLICABLE**

---

**PART - I AXLE/DIFFERENTIAL NOT APPLICABLE**

---

**PART J - ADDITIONAL COMMENTS (DO NOT DRAW ANY CONCLUSIONS)**

---

**DRB testing: No communication with ORC module-see photo of DRB screen. Airbag fuses showed no opens. Engine-transmission-cluster all communicated. See photos-cluster showed code: No ORC Bus Message received-Other DTCS-- wiper on/off relay output circuit low, wiper HI/low relay circuit low. Console was removed to inspect ORC module. Module was secure with plug secure. Underdash wiring from ORC module to entrance into larger harness showed no concerns.See photos No aftermarket attachments were seen. No evidence of foreign material was seen. Airbag light is on with key turned on and remains on. Vehicle was driven from incident scene to dealership and remains at dealership. Owner does not want to drive with no seatbelt or airbag function.**

---

Previous

Form Approved

Returned for corrections

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup



CAUTION  
DO NOT RELEASE  
UNTIL FREE

AVANT  
NE PAS ENLÉVER LA TOILE  
DE SÉCURITÉ AVANT  
D'ÊTRE ATTACHÉ  
À LA CEINTURE

ACHTUNG  
ABBLINDUNGSSCHUTZ  
NICHT AUF  
ABBLINDUNGSSCHUTZ

MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFR 1-02 GVWR 2541 KG(05600 LB)

GAWR FRONT	WITH TIRES	RIMS AT	COLD
1248 KG(2750 LB)	P215/75SR16	16X7	227 KPA(33 PSI)
GAWR REAR	WITH TIRES	RIMS AT	COLD
1429 KG(3150 LB)	P215/75SR16	16X7	227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL48K32[REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 011807 387AA PNT:PB7 VEHICLE MADE IN U.S.A. TRM:M5DU 4648503



Jeep





LIBERTY sport

4x4

NRS

DC100

Jeep

BFGoodrich

LOWT



NRS  
OC100



Jeep

3.7L







LIBERTY sport

DAKOTA SPORT

BFGOODRICH  
T/A





Clipboard with papers and a pen resting on the passenger seat.

Small electronic device with a yellow label, possibly a diagnostic tool, resting on the passenger seat.

Stack of papers and documents resting on the passenger seat.

Water bottle on the floor near the driver's seat.

Water bottle on the floor near the passenger seat.





• Sabatini












000229  
35027041  
1. Assembly RW  
2. Part of set  
3. Part of set

PRESS


Blue multi-pin connector







CHRYSLER P/N P56010501AG



WARNING: REFER TO SERVICE MANUAL BEFORE SERVICING.  
IMPROPER SERVICING CAN RESULT IN AIR BAG SYSTEM  
FAILURE AND POSSIBLE DRIVER AND/OR PASSENGER INJURY.

CHRYSLER VIN TSPYE0082E2242 SUPPLIER CODE



39754C











ON • OFF  
CRUISE  
SET

RES • ACCEL  
CANCEL  
COAST

ADDITIONAL CONTROL

0 1 2 3 4

F

OFF ON  
PULL  
MIST



VIN 1J6-LY3K  
WHEELS PULLED - OK  
[ ] [ ]  
[ ] [ ]  
DATE

X

RES-ACCEL  
CANCEL  
COAST

ASH ON  
FUEL  
HORN TR  
L BAL R  
FACE F R

POWER  
OUTLET

2H  
4H





P R N D

7320-10000 03300004



CAUTION  
BE CAREFUL OF THE  
MOVING PARTS  
AVANT  
NE PASSEZ PAS LA MAIN  
DANS LES PARTIES  
MOUVANTES  
ACHTUNG  
VORSICHT  
BEI DENN  
BEWEGENDEN  
TEILEN





10056

PUSH


































Barcode label with alphanumeric characters and a barcode.





ENGINE COOLANT

COLD FILL


POWER

TURBO

ENGINE OIL









FUEL  
CAUTION  
CAUTION  
FUEL

AUTOCRAFT  
**SILVER**  
Part Number: 700  
Cold Cranking Amps: 525  
Reserve Capacity: 30  
DISTRIBUTED BY AUTOCRAFT - PO BOX 2716 - ROANOKE, VA 24001



**⚠ DANGER / POISON**  
SHIELD EYES  
EXPLOSIVE GASES CAN CAUSE BLINDNESS OR INJURY  
NO SPARKS, FLAMES, SMOKING  
SULFURIC ACID CAN CAUSE BLINDNESS OR SEVERE BURNS

KEEP OUT OF THE REACH OF CHILDREN!  
DO NOT TIP. KEEP VENT CAPS TIGHT AND LEVEL.  
FLUSH EYES IMMEDIATELY WITH WATER. GET MEDICAL HELP FAST.  
CAUTION: FOR SAFE JUMP STARTING FOLLOW INSTRUCTIONS IN VEHICLE OWNERS MANUAL. IF NOT AVAILABLE SEEK SERVICE ASSISTANCE.  
LEAD RECYCLE RETURN

3/07





SEEK SERVICE ASSISTANCE RECYCLE


3/07

# AUTOCRAFT SILVER

PREMIUM ALLOY FOR DEPENDABLE STARTING POWER

0h 40	0h 40	05 50	15
0E 30	0E 30	05 50	20
0h 40	05 50	0E 30	20
0E 30	0h 40	0h 40	05 50

72472M	4671168E	4671168E	72472M
tyco	tyco	tyco	tyco





FUEL  
CAUTION  
CAUTION  
FUEL

52002

DANGER / POISON

SHIELD EYES FROM EXPLOSIVE GASES  
NO SMOKING  
PREMIUM ALLOY FOR D

SIL

PREMIUM ALLOY FOR D



FUEL  
CAUTION  
FUEL

CAUTION

18N2410

GREEN



Jeep

ENGINE OIL  
SEE OWNERS MANUAL

POWER  
STEERING

144C1191









5GG241X9AC



54629









NRS

OC100


Jeep





# AUTOCRAFT SILVER

PREMIUM ALLOY FOR DEPENDABLE STARTING POWER



BLOWER MOTOR	RADIATOR FAN	JB POWER
1 40A	2 40A	3 50A

ASD FEED	15A	17	18
MBL	19	30A	20

FUEL PUMP	20
STARTER	

BLOWER MOTOR	
--------------	--

A/C CLUTCH	35
REAR O2 SENSOR	36

ASD	39
-----	----

RECYCLED





# WARNING



## DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.

### WARNING: Higher belted seats



AVOID ABRUPT MANEUVERS  
AND EXCESSIVE SPEED.

ALWAYS Buckle UP

SEE OWNER'S MANUAL  
FOR FURTHER INFORMATION

**⚠ WARNING**

**DEATH OR SERIOUS INJURY CAN OCCUR**



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

P5HG331DVAF



IRON PAN

POWER TECH  
1.6L V4

ALTERNATOR / POSUM

SILVER

DANGER / POISON


12V

PLEASE READ  
FOR PROPER  
USE AND MAINTENANCE

11000101









COAST

12118

12118



DRBIII™

Unable to ID Module for  
ORC

press any key to continue

DRIVER

Unable to ID Module  
Please see how to read the

F1 F2 F3 F4





Unable to ID Module for  
ORC

press any key to continue





#TH6DT0092K1223\*  
#P5GG30DX9AE\* 5GG30TRMAE  
#HERSTELLUNGSJAHR: 2002\*

IMP

N

SAR-1111

\*HERSTELLUNGSJAHR: 2002\*  
\*P5GG30D9AE\*  
\*TN6DT0092K12233\*  
5GG30TF9AE





N



ENTWERFER 13135

JMP

M

  
\*TN6DT0092K1223\*  
  
\*P5GG30DX9AE\* 5GG30TRMAE  
\*HERSTELLUNGSJAHR: 2002\*












ROTARY LIFT

Challenger Lifts

ROTARY LIFT



Challenger Lifts





























All System DTC Scan Report



Primary System ENGINE/PCM

Read Codes

No codes present

Secondary System GLOBAL OBDII

OBD-II Current Codes

No codes present

OBD-II Pending Codes

No codes present

Continental Customer TRANSMISSION

Save

Print

ENTER

Diagnostic Trouble Codes

Current status of the controller available

Secondary System AIRBAG

Diagnostic Trouble Codes

Set up and AIRBAG lines when required - Test Manually

Secondary System BEEP

Test Codes

no codes present

Done

Cancel

ENTER

UP

DOWN

ESC

OK

August 19, 2010

[REDACTED]  
Titusville, PA [REDACTED]

Reference No.: 19797096

VIN: 1J4GL58K02W [REDACTED]

Dear Ms. [REDACTED]

This will further acknowledge contact to Chrysler Group LLC, regarding your 2002 Jeep Liberty.

Naturally, we were sorry to learn of the incident described to us during the initial contact. However, we have had the opportunity to review the inspection report and must inform you that we are not led to believe that the incident was due to a manufacturing responsibility. Therefore, we must respectfully decline any assistance associated with this incident.

Based on this information, we can only suggest that you refer this matter to your insurance carrier. Should they feel a manufacturing responsibility exists, they have full subrogation rights under the terms of your policy.

Thank you for allowing us the opportunity in reviewing this matter with you.

Sincerely,

J. S. Susalla  
Special Investigations  
(248) 944-7149

JSS/kat

**CONFIDENTIAL - Prior Approval Required Before Duplicating**  
**Preliminary Vehicle Investigation Report(PVIR)**

CAIR# 19797096

YEAR	BRAND	VEHICLE IDENTIFICATION NUMBER		MO/DY-HR	ODOMETER	IN-SERVICE
2002	JEEP LIBERTY LTD EDITION 4X4 SPORT UTILITY 4-DR	1J4GL58K02W [REDACTED]		01-29 14	125000	06/25/2002
NAME OF OWNER		ADDRESS/LOCATION		CITY	STATE	COUNTRY
[REDACTED]		[REDACTED]		TITUSVILLE	PA	USA
ZIP	COLOR	MODEL	HOME PHONE	BUSINESS PHONE		
[REDACTED]	Shale Green Metallic Clear Coat	KJJ	[REDACTED]	[REDACTED]		
SELLING DEALER NAME		BUSINESS CENTER	DLR. CODE	CITY	STATE	COUNTRY
BRAEGER CHRYSLER JEEP		51	68383	MILWAUKEE	WI	USA
INSPECTOR - NAME FIRST, LAST, MIDDLE		INSPECTOR'S COMPANY		INSPECTOR'S PHONE NO.		
James Zumbo N		JNZ Independent Cont		412-980-6134		
DAMAGE ESTIMATE				REPAIR ESTIMATE		
<input type="radio"/> MINOR <input checked="" type="radio"/> MODERATE <input type="radio"/> TOTAL LOSS				\$ 2700.00		

**INTERVIEW**

INTERVIEW WITH:  DRIVER  OWNER  OTHER  DRIVER/OWNER

NAME: LAST, FIRST, MIDDLE [REDACTED]

INTERVIEW DATE: **08/12/2010**      DATE OF INCIDENT: **07/13/2010**      TIME OF INCIDENT: **06:50**  AM  PM      INSPECTION DATE: **08/12/2010**

1. DRIVER'S DESCRIPTION OF EVENT: **Ms [REDACTED] stated; "On Tuesday July 20th I was driving on PA Route 8 just south of Titusville PA. I heard a dinging sound like aI was low on gas. When I looked down at the instrument gauges my Air BAG light was illuminated. Then suddenly the steering wheel air bag went off like a gun shoot and the LF seat belt seemed to tighten up then loosen around me."**

Insurance Company Name: **Nationwide Ins Co**  
 Personal Injury:  Yes  No  
 Were there Personal Injuries?  
 Any Indicator/Warning Lights on Prior?  Yes  No

If Yes, complete section "B"

If Yes, What light:

**IMPORTANT: SHOW THIS REPORT TO NO ONE & ONLY STATE FACTS (DRAW NO CONCLUSIONS)**

Help Key

**PART A- GENERAL**

**REQUIRED PHOTOGRAPHS:** ALL FOUR SIDE VIEWS**IF CRASH DAMAGED:**

PERSPECTIVE FROM EVERY CORNER OF VEHICLE DOWN BOTH ORIGINAL LATERAL SIGHT LINES(8 TOTAL)  
 - ANY RECENT VEHICLE SERVICE

 YES  NO**INFORMATION:** POLICE/AGENCY REPORT #: ALL REPORTS/PHOTOS BY OTHERS

- ADDRESS OF INSPECTION  
 Address **Donovan & Bauer**  
 1  
 Address **11543 Hydetown Road**  
 2  
 City **Titusville**

- EVIDENCE OF TAMPERING OR PRIOR DISASSEMBLY

 YES  NO

- IF YES, DESCRIBE AND PHOTOGRAPH  
**In process of airbag replacement as authorized by owners Nationwide Ins Policy when owner decided to contact Chrysler corp for assistance.**

UNKNOWN  
IF YES, ENCLOSE COPIES OF  
REPAIR ORDERS

State **PA**  
Zip **16354**  
Phone **814-827-3694**

---

**PART B - EXTERIOR/INTERIOR VEHICLE DAMAGE**

---

- REQUIRED PHOTOGRAPHS:** **Vehicle in state of work in process repair.! Steering wheel Air bag was removed from vehicle and on technicians work bench. Airbag module was removed from in vehicle location and was on RF passenger seat. LF S/S shoulder belt was deployed and hanging out of LF door opening. Injuries: Owner/driver states she received slight brush burns to her both arms,chest area and left thigh and legs.**
- WINDSHIELD
  - ALL AREAS OF DAMAGE MARKINGS ON INTERIOR AND EXTERIOR
  - CLOSE UPS OF STAINS, SKIN, HAIR, CLOTH
  - EXTERIOR AND INTERIOR DAMAGE INCLUDING UNDERCARRIAGE
- INFORMATION:**
- DESCRIBE ANY INJURIES TO DRIVER AND/OR OTHER OCCUPANTS
  - SEE SEAT BELT/SEATS SECTION IF APPLICABLE
- 
- 

Next



**PART C - AIRBAG(S)**

**REQUIRED PHOTOGRAPHS**

- STEERING WHEEL
- AIRBAG(S)
- KNEE BLOCKERS
- ALL POSSIBLE LOCATIONS OF CONTACT

**AECM INFORMATION**

- SOFTWARE VERSION:

**12.06 3.09**

- SERIAL NUMBER :

**19919141**

- PART NUMBER :

**P56010501X9AC**

- DOES AIRBAG WARNING LIGHT CYCLE ON?

YES  NO  N/A

- ARE WARNING LABELS PRESENT (PHOTO)

YES  NO  N/A

- RECORD LABEL PART NUMBER

**n/a**

**COMPLETE PART D**

- PHOTOGRAPH REQUIRED FOR DRB SCREENS & RECORD FAULTS  
- WERE THERE DRB READINGS TAKEN?

YES  NO IF NO, EXPLAIN

<b>- RECORD ACTIVE DTC'S EXACTLY AS APPEAR :</b>	<b>MIN</b>	<b>COUNT</b>
<b>No Response From Controller</b>		
<b>- RECORD STORED DTC'S (MINUTES/COUNTS) :</b>	<b>MIN</b>	<b>COUNT</b>
<b>No Response from Controller</b>		

- WAS AIRBAG DEPLOYED?

DRIVER  YES  NO

IF NO, EXPLAIN

PASSENGER  YES  NO

IF NO, EXPLAIN **undetermined**

SIDE AIRBAG  YES  NO  N/A

IF NO, EXPLAIN **undetermined**

- WHICH SIDE DEPLOYED?

LEFT  RIGHT  N/A  BOTH

- TYPE OF SIDE AIRBAG

SEAT  CURTAIN  N/A

- TYPE OF STEERING WHEEL

TILT  STANDARD

- ANY DAMAGE TO STEERING WHEEL

YES  NO

IF YES, EXPLAIN

**Airbag deployed thru cover**

**DO NOT ERASE DRB READINGS**

IS VEHICLE EQUIPPED WITH PASSENGER AIRBAG DEFAULT SWITCH?

YES  NO

IF YES,

NOTE POSITION OF PASSENGER A/B SWITCH

ON  OFF  N/A

- EVIDENCE OF TAMPERING OR DISASSEMBLY?

YES  NO  N/A

IF YES, EXPLAIN

**See Section J for explanation.**

CHECK ENTIRE UNDERBODY FOR HIDDEN DAMAGE INCLUDING FRONT AND REAR SUSPENSION COMPONENTS

- UNDERBODY DAMAGED?

YES  NO

IF YES, EXPLAIN

PHOTOGRAPH REQUIRED

**PART D - SEATS/SHOULDER BELTS**

**REQUIRED PHOTOGRAPHS:**

- OVERALL SEAT BELTS I/B & O/B
- CLOSE UP OF ANY IRREGULARITIES
- LATCHPLATE WEAR
- CLOSE UP D-RING TO SHOW LOADING
- OVERALL OF SEAT
- CLOSE UP OF DAMAGE
- RECORD DTC'S:

**INFORMATION:**

- LOCATE SEAT BELT LABELS AND RECORD ALL INFORMATION (SOME LABELS ARE SEWN TO WEBBING, OTHER LABELS ARE ON THE RETRACTOR FRAME: INBOARD SEAT BELT LABELS ARE NEAR THE FLOOR):

**PSHG331DVAF**

- RECORD ALL INFORMATION STAMPED ON LATCHPLATE

**TD056 TD060**

- PRETENSION DEPLOYED?

YES  NO  UNKNOWN

- EXISTING LOCATION OF RECLINER - DESCRIBE THE LOCATION AND PICTURE OF SEAT BACK WITH B PILLOR AS REFERENCE AND INCLINOMETER READING

**B/P 10" 60 Deg**

EXISTING LOCATION OF HEAD RESTRAINT (MEASURE GAP UNDER HEAD RESTRAINT):

**integrated**

IF ALLOWED. FUNCTION BELTS TO INSURE THEY **FUNCTION PROPERLY**

NOTE RESULTS

- DOES THE BUCKLE LATCH?

YES  NO

IF NO, EXPLAIN

- DO THEY RELEASE?

YES  NO

IF NO, EXPLAIN

- DO THEY RETRACT?

YES  NO

IF NO, EXPLAIN

**LF deployed**

- ANY LOOSENESS OR BROKEN PARTS

YES  NO

IF YES, EXPLAIN?

- CHECK FOR SEAT RETAINING BOLTS

NORMAL

BROKEN

LOOSE

MISSING

NOTE AND RECORD APPROX. SEAT TRACK OVERLAP

4"

---

**PART - E TRANSMISSION NOT APPLICABLE**

---

[Previous](#)

[Next](#)

**PART - F UNINTENDED ACCELERATION NOT APPLICABLE**

**PART - G BRAKES NOT APPLICABLE**

**PART - H STEERING/SUSPENSION/TIRES NOT APPLICABLE**

**PART - I AXLE/DIFFERENTIAL NOT APPLICABLE**

**PART J - ADDITIONAL COMMENTS (DO NOT DRAW ANY CONCLUSIONS)**

At day of my personal contact Ms [REDACTED] vehicle found to be in a state of being repaired by dealer technician. Ms [REDACTED] (Nationwide Ins Co) authorized all A/B System components replaced EXCEPT actual steer wheel airbag which they considered to be her expense. At time of my inspection following noticed No evidence of hair, skin or make up on deployed air bag. Vehicle battery dead; Batt Jump Pac used to attempt to start vehicle. Vehicle engine would then crank but no start condition. Key/on/ Eng off no I/P lamps WOW illumination! No-Start cond determined to be no spark at spark plugs.! LH side of I/P Power Control center fuse check indicated a open circuit fuse #31/20 amp fuse. Replaced w/spare 20 amp fuse. Spare 20 A fuse again open circuited!! Interior inspection indicated an unknown I-Pod(?)aux wire for i-Pod? imbedded into center I/P area. DRB scan tool interfacedwith DLC connector Scan tool indicated "No communication with module." Dealer Service Mgr Greg had to jiggle with DRB scan tool top connector to get a screen reading. Requested he utilize a Genesis(aftermarket/non Chrysler )scan tool That scan tool displayed message:"No codes present" Under carriage does not indicate any previous scrape or bang marks. Heavy under-carriage rust accumulation indicates exposure to high rusting on suspension components Eng oil level dipstick is rusted in area of oil level readind area.

Previous Form Approved Returned for corrections

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER  
CORPORATION

DATE OF MFR  
8-02

GWR  
2541 KG(05600 LB)

GWR FRONT WITH TIRES  
1248 KG(2750 LB) P235/70R16

RIMS AT COLD  
16X7 227 KPA(33 PSI)

GWR REAR WITH TIRES  
1429 KG(3150 LB) P235/70R16

RIMS AT COLD  
16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT  
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL58K43[REDACTED] TYPE: MPV SINGLE X DUAL



MDN: 082215 776AB PNT: PXB VEHICLE MADE IN U.S.A. TRM: DLD2 4648503



MPH km/h

TYPE 35

038119





























Jeep









CA

06 22 2002  
15:29:03



Lotus ID: 18701 - Rev: 00 7/1  
Part no: 3930160 - 3-7/1  
Part no: [Barcode]  
Part no: [Barcode]  
Part no: [Barcode]



















NO RESPONSE from ORC  
Please be certain of the  
following items:

- 1) Ignition is turned on.
- 2) DRB III is properly  
connected to the Data  
connector.

F1  
HELP

F2  
SYS

F3  
MAIN

64.1



Powertrain Control Module In.

2003 KJ 3.7L V6 SFI

Module: Cal 16.0, APR 03

Natural Asp, Unleaded Fuel

Low Emission Vehicle (NBV)

Automatic Trans, RW Drive

Jeep Truck Engine, JTEC+

Single Fan, Variable Speed

PCM Part#: 56044623AE

Homologation ID: FBKABB

CARB OBD II Vehicle



EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

1J4GL58K53W

MFD BY DAIMLERCHRYSLER  
CORPORATION

DATE OF MFR  
9-02

GVWR  
2541 KG(05600 LB)

GVWR FRONT  
1248 KG(2750 LB) WITH TIRES  
P235/70R16

RIMS AT  
16X7

COLD  
227 KPA(33 PSI)

GVWR REAR  
1429 KG(3150 LB) WITH TIRES  
P235/70R16

RIMS AT  
16X7

COLD  
227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT  
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL58K5

TYPE:

MPV

SINGLE X DUAL



MDH: 092686 776AB PNT:PB1

VEHICLE MADE IN U.S.A. TRM:DLL2 4648563















INSTALL  
ALTM-AN  
FOR  
REPLACEMENT  
PARTS







Jeep  
4x4

Jeep  
LIBERTY



Jeep  
LIBERTY

3.7L







8464



LIBERTY



ep  
TY

3.7L



Jeep  
4x4

Jeep  
LIBERTY





The image shows the engine compartment of a vehicle. The engine cover is the central focus, featuring embossed text. To the left, a translucent plastic reservoir is visible. In the background, two cylindrical components, likely air filters, are mounted. The engine bay is filled with various hoses, wires, and mechanical parts, all set against a dark blue painted metal surface.

POWER TECH  
3.7L V6



CAUTION  
DO NOT REMOVE  
THIS CAP UNTIL  
THE BRAKE FLUID  
LEVEL IS CHECKED  
AND RE-ADJUSTED  
IF NECESSARY  
SEE THE OWNER'S  
MANUAL FOR  
DETAILS

10A  
15A  
20A  
25A  
30A  
40A  
50A  
60A  
70A  
80A  
90A  
100A

10A  
15A  
20A  
25A  
30A  
40A  
50A  
60A  
70A  
80A  
90A  
100A

**elabatt**

RECHARGEABLE BATTERY  
12V 55Ah  
100% AGM  
SAFETY: DO NOT OPEN  
DO NOT DISMANTLE  
DO NOT SHORT CIRCUIT  
DO NOT EXPOSE TO FLAME  
DO NOT EXPOSE TO EXCESSIVE HEAT

**DANGER / POISON**

DO NOT OPEN  
DO NOT DISMANTLE  
DO NOT SHORT CIRCUIT  
DO NOT EXPOSE TO FLAME  
DO NOT EXPOSE TO EXCESSIVE HEAT

Duralast



RELAY	AMPERAGE	POWER
1	40A	50A
2	40A	50A
3	40A	50A

RELAY	AMPERAGE	POWER
4	15A	15A
5	15A	15A
6	15A	15A

RELAY	AMPERAGE	POWER
7	15A	15A
8	15A	15A

RELAY	AMPERAGE	POWER
9	15A	15A
10	15A	15A

RELAY	AMPERAGE	POWER
11	15A	15A
12	15A	15A









ON • OFF



CHRYSLER  
CORPORATION

DRB III™

NO RESPONSE from ORC  
Please make certain of the  
following items:

- 1) Ignition is turned on.
- 2) DRB III is properly  
connected to the Data  
connector.

F1  
HELP

F2  
SYS 64.1

F3  
MAIN



CHRYSLER  
CORPORATION

DRB III™

Unable to ID Module for  
ORC

press any key to continue



**CHRYSLER  
CORPORATION**

**DRB III™**

Powertrain Control Module Info  
2003 KJ 3.7L V6 SFI  
Module: Cal 16.0, APR 03  
Natural Asp, Unleaded Fuel  
Low Emission Vehicle (NBV)  
Automatic Trans, RW Drive  
Jeep Truck Engine, JTEC+  
Single Fan, Variable Speed  
PCM Part#: 56044623AE  
Homologation ID: FBKABB  
CARB OBD II Vehicle



EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup




TYPE 30  
053998





1J4FK48143W





Jeep





**TUTU'S HOUSE**  
AT HANA BAY  
VACATION RENTALS  
808.269.0132



CITY OF HOUSTON  
4000 WESTHOPE  
HOUSTON, TEXAS 77057

Jeep



Jeep

7











Jeep



Jeep











1994  
4000000  
1994  
1994  
1994  
1994  
1994  
1994  
1994  
1994










































SRS malfunction  
diagnosed 2800000

Police Report #

11-003361

Insurance claim #



1800-597-9001 ext.

Julia Shannon 5160

Kiwi car care

242-7744





Jeep

SRS  
AIRBAG







# **WARNING**



## **DEATH OR SERIOUS INJURY CAN OCCUR**

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.

**⚠ WARNING: HIGHER ROLLOVER RISK**



**AVOID ABRUPT MANEUVERS  
AND EXCESSIVE SPEED.**

**ALWAYS BUCKLE UP.**

**SEE OWNER'S MANUAL  
FOR FURTHER INFORMATION.**





# **WARNING**

## **DEATH OR SERIOUS INJURY CAN OCCUR**



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE SAFEST PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.









WARNING

1. Do not touch the filter element.
2. Do not use the filter if it is damaged or if it is contaminated.
3. Do not use the filter if it is not the correct type for your engine.
4. Do not use the filter if it is not the correct size for your engine.
5. Do not use the filter if it is not the correct brand for your engine.
6. Do not use the filter if it is not the correct model for your engine.
7. Do not use the filter if it is not the correct part number for your engine.
8. Do not use the filter if it is not the correct quantity for your engine.
9. Do not use the filter if it is not the correct grade for your engine.
10. Do not use the filter if it is not the correct specification for your engine.

REPAIR

FRS AIR

Jeep











1D108





3301254-D20

07  
Ketch Tip

























**EverStart** 5 Year 36 Month Replacement

**DANGER / POISON**

1. Avoid contact with eyes.	2. Avoid contact with skin.
3. Avoid contact with clothing.	4. Avoid contact with hair.
5. Avoid contact with mouth.	6. Avoid contact with food.
7. Avoid contact with children.	8. Avoid contact with pets.
9. Avoid contact with plants.	10. Avoid contact with animals.

**CAR NOT STARTING?** Check battery terminals at all Wal-Mart stores. Properly dispose of your battery. For more information, visit [www.walmart.com](http://www.walmart.com). © 2008 Wal-Mart Stores, Inc.

WAL-MART  
5 Year 36 Month Replacement

RELEASE LATCH FOR ACCESS TO FUSES AND RELAYS

USE APPROVED  
POWER STEERING  
FLUID

This Diagnostic Control  
Module is not supported by  
this software. Please use the  
DRB III with the Supercard  
software to diagnose this  
vehicle.

F1  
HELP

F2  
SYS

64.1

F3  
MAIN



EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup



MFD BY DAIMLERCHRYSLER  
CORPORATION

DATE OF MFR  
9-01

GVWR  
2405 KG(05300 LB)

GVWR FRONT	WITH TIRES	RIMS AT	COLD
1180 KG(2600 LB)	235/70R16	16X7	227 KPA(33 PSI)
GVWR REAR	WITH TIRES	RIMS AT	COLD
1339 KG(2950 LB)	235/70R16	16X7	227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK58K02W

TYPE:

MPV

SINGLE X DUAL

MDH:

090519 387AA PNT:PGR

VEHICLE MADE IN U.S.A.

TRM:DL02

40401111



Jeep

6057







Jeep



Jeep





Jeep

3.7L

71



3.7L

7



3.7L

7









5957

5957



THANKS FOR COMING IN  
WE WOULD LOVE TO  
SERVE YOU AGAIN  
ON YOUR NEXT VISIT  
A Little More  
Attention To  
Detail Makes The  
Difference

IT HAS BEEN A PLEASURE  
TO SERVE YOU



THANKS FOR COMING IN

WE WANT TO THANK YOU FOR  
YOUR SUPPORT AND VISIT  
WITH THE EQUIPMENT



**THANKS FOR COMING IN**

WE HOPE THESE TOES KEEP  
YOUR CARPETING CLEAN  
WITH THIS SLIPPER MAT!

A thousand  
of feet stomping around  
in there to see

How many  
of them are  
the ones who  
are the best  
at their job

**IT HAS BEEN A PLEASURE  
TO SERVE YOU**





















Jeep

AIRBAG

LEASURE













#1C0F126 0172258  
#P00210  
#000011

**WARNING**

1. Do not touch the terminals.
2. Do not short the terminals.
3. Do not use the battery as a power source for other devices.
4. Do not use the battery in a confined space.
5. Do not use the battery in a flammable or explosive atmosphere.
6. Do not use the battery in a high temperature environment.
7. Do not use the battery in a high humidity environment.
8. Do not use the battery in a high vibration environment.
9. Do not use the battery in a high pressure environment.
10. Do not use the battery in a high magnetic field environment.
11. Do not use the battery in a high electromagnetic interference environment.
12. Do not use the battery in a high radio frequency environment.
13. Do not use the battery in a high frequency environment.
14. Do not use the battery in a high speed environment.
15. Do not use the battery in a high acceleration environment.
16. Do not use the battery in a high deceleration environment.
17. Do not use the battery in a high shock environment.
18. Do not use the battery in a high impact environment.
19. Do not use the battery in a high pressure environment.
20. Do not use the battery in a high temperature environment.








# **! WARNING**

## **DEATH OR SERIOUS INJURY CAN OCCUR**



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER PUT A REAR-FACING CHILD SEAT** IN THE FRONT.
- **SIT AS FAR BACK AS POSSIBLE** FROM THE AIR BAG.
- **ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.**

 **jiffylube**

Your next service is due at:

**⚠ WARNING: HIGHER ROLLOVER RISK**



AVOID ABRUPT MANEUVERS  
AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP.

SEE OWNER'S MANUAL  
FOR FURTHER INFORMATION.



# **! WARNING**



## **DEATH OR SERIOUS INJURY CAN OCCUR**

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.

This Diagnostic Control  
Module is not supported by  
this software. Please use the  
DRB III with the Supercard  
software to diagnose this  
vehicle.

F1  
HELP

F2  
SYS

F3  
MAIN

64.1









TRV 33014254-D 20

















TD033





TRW 33014-254-D17



PRESS

195



DVOM

READ  
HOLD  
HOLD

ABC  
4

JKL  
4

STU  
7

SHIFT

CHRISTLER  
**DRB III**  
**SuperCard**  
SUPER  
CARD  
SIDE CARD  
THE SIDE UP









































**BELT ROUTING**  
www.900

900924P

PLEASE REFER TO ADDRESS FOR FURTHER DETAILS











CHRYSLER

WTE OF WFT

WHS

COMPATION

9-8)

2495 KG (5500 LB)

WITH TIRES  
235/76R16

TYPE A1  
15X7

COLD  
227 KPA (33 PSI)

WITH TIRES  
235/76R16

TYPE A1  
15X7

COLD  
227 KPA (33 PSI)

CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND OTHER  
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.



MADE IN U.S.A.





MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR 9-01

GVWR 2405 KG (05300 LB)

GVWR FRONT WITH TIRES 1180 KG (2600 LB) 235/70R16

RIMS AT 16X7 COLD

GVWR REAR WITH TIRES 1339 KG (2950 LB) 235/70R16

RIMS AT 16X7 COLD 227 KPA (33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VTN: 1J4GK58K02W [REDACTED]

TYPE: MPV

SINGLE X DUAL



NDA: 090519 387AA PNT:PGR

VEHICLE MADE IN U.S.A. TRM:DL2 4648503











