

INFORMATION Redacted PURSUANT TO THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C . 552(B)(6)

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR 7-02

GVWR 2541 KG (05600 LB)

GVWR FRONT 1248 KG (2750 LB) WITH TIRES P235/70R16

RIMS AT 16X7 COLD 227 KPA (33 PSI)


GVWR REAR 1429 KG (3150 LB) WITH TIRES P235/70R16

RIMS AT 16X7 COLD 227 KPA (33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL58K43W [REDACTED]

TYPE: MPV SINGLE X DUAL



MDH: 072618 776FB PNT:PX8

VEHICLE MADE IN U.S.A. TRM: DLL2 4648503

Your request for Technical Assistance has been submitted to the STAR Help Desk.
Your reference number for this request is 174062.
All STAR Help Desk responses will be posted to the TechCONNECT Search tab.

Contact Information	Vehicle Information	Request Information
ID: [REDACTED]	VIN: 1J4GL58K43W [REDACTED]	Primary System : 10 - Restraints
Name: [REDACTED]	Vehicle: JEEP LIBERTY LTD	Previous Contact : STAR Previously Not Contacted
Phone Number: [REDACTED]	Vehicle: EDITION 4X4 SPORT LT	Restricted Parts :
Fax Number: [REDACTED]	Engine: EKG-3.7L V6 Engine	Priority: High (2 hour response)
Email Alerts: Yes	Odometer: 132322	Status: Submitted
Mobile Alerts: No	Vehicle In Shop : 1 day (or less)	Next Steps: Awaiting for STAR to response
Email Address: [REDACTED]	Vehicle Off Road : No	
Mobile Email Address :	Repeat Repair : No	
Note: Requestor is responsible for mobile carrier text message charges.	Program: None	

Repair Information

Customer Concern: customer states airbag deployed driving down road drivers and passengers cannot talk to airbag control module has airbag light on

Concern Duplicated: none

Repairs, Parts and Tests: tried to look up fault codes will not talk to ocm

Service Bulletins Performed: none

DTCs:

Information Sent:

Scan Tool Software Version:


Last TechCONNECT Search: airbag deployed

Print


Close Window



CHRYSLER



MAX
MOTORS II




Jeep


1108 W. Fort Scott St.
P.O. Box 80
Butler, MO 64730
Phone 660-679-6567
Fax 660-679-6560
www.maxmotors.com

REG # 47896	VIN 1 J 4 G L 5 8 K 4 3 W	[REDACTED]	[REDACTED]	05/06/11
YEAR 2003	MAKE JEEP	MODEL LIBERTY LI	COLOR BLACK	DATE 12-20
MI 32322	MSRP [REDACTED]	PRICE 06/00/00	MO CEO D5W	INITIAL [REDACTED]
Expires:			[REDACTED]	NAME HARRISON
SERVICE CONTRACT		[REDACTED]		

(1) AIR BAGS DEPLOYED WHILE DRIVING DOWN THE ROAD (C)



(2) CHECK VEHICLE OVER (C)



47896

ESTIMATE
BY LAW YOU HAVE THE
RIGHT TO AN ESTIMATE OF
THE EXPECTED COST OF
REPAIRS OR SERVICES

INITIAL YOUR CHOICE

SALES TAX ESTIMATE

TITLE ESTIMATE

REGISTRATION

Original Estimate

Customer Signature

Date



MPH km/h

TYPE 35

132322















Jeep
4x4

Jeep
LIBERTY

Air-Rated
3.7L







AIR
BAG





FUEL
FUEL

MADE IN U.S.A.
12V 60Ah
12V 60Ah
12V 60Ah
12V 60Ah

062
060
060
060

REPAIR/RECHARGE
INSTRUCTIONS
SEE USER MANUAL
FOR DETAILED
INSTRUCTIONS
ON HOW TO
REPAIR/RECHARGE
THE BATTERY
SAFELY
AND
CORRECTLY
SEE USER MANUAL
FOR DETAILED
INSTRUCTIONS
ON HOW TO
REPAIR/RECHARGE
THE BATTERY
SAFELY
AND
CORRECTLY

0000000000
0000000000
0000000000
0000000000

NEVER ADD WATER
SUPER START

DANGER/POISON

WARNING

DEATH OR SERIOUS INJURY CAN OCCUR



- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A SEAT-FACING CHILD SEAT IN THE FRONT.
- SET AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.**





Jeep

SRS
AIRBAG





SRS AIR BAG

















PRESS







INSTALL ONLY
WITH AN AIRBAG.

À INSTALLER
SEULEMENT AVEC
UN SAC GONFLABLE.





CHRYSLER

DRB III™

SuperCard
1994-1997

CH8361

SPX **OTC**



This side up



WP→



F1 F2 F3 F4



ON/OFF YES PAGE PREV
READ HOLD NO PAGE NEXT
SRC 1 SRC 2 SRC 3
SRC 4 SRC 5 FOR 6
SRC 7 SRC 8 1/2 9
SRFT *+ 0 MORE

Unable to ID Module for
ORC

press any key to continue

- PCM DTCs 1 of 1 -

THROTTLE POSITION SENSOR
VOLTAGE LOW

Chrysler Hex Code : \$1a

SAE Trouble Code : P 0122

Warm-up Cycle Counter : 36

Starts Since Set : 116













EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR 9-02

GVWR 2541 KG(05600 LB)

GVWR FRONT WITH TIRES
1248 KG(2750 LB) P235/70R16

RIMS AT
16X7

COLD
227 KPA(33 P

GVWR REAR WITH TIRES
1429 KG(3150 LB) P235/70R16

RIMS AT
16X7

COLD
227 KPA(33 P

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J8GL58K53W [REDACTED]

TYPE: MPV

SINGLE X DUAL



MDH: 092802 776AB PNT:PB1

VEHICLE MADE IN U.S.A. TRM:DLD2 4648503



2563

Jeep



2583


02-11
1.995.11

LIBERTY






Jeep
4x4





Jeep
4x4

3.7L





ANCE & ELECTRONICS
001 212 2222



3.7L





LIBERTY

ELECTRONICS
24-0000

For Sale



LIBERTY SPORT

SOUTH POINT



2563

LIBERTY

Jeep



POWER TECH
3.7L V6

SAE J1939-11
SAE J1939-11
SAE J1939-11

130214 - GY 4560

42832

130214

DaimlerChrysler Corporation
IMPORTANT VEHICLE INFORMATION
THIS VEHICLE CONFORMS TO ONE OF THE U.S. EPA INTERIM POLLUTION REGULATIONS APPLICABLE TO
THIS VEHICLE CATEGORY. FOR MORE INFORMATION, SEE THE EPA WEBSITE AT www.epa.gov.










5207910
423





AUTOMATIC 5.9L

Belts and Hoses
Belt Drive System
Belt Tensioning
Belt Replacement

BELT MOUNTING

5.9L
12V







STICK WITH THE SPECIALISTS
SERVING
Jeep
SINCE 1941







Jeep

LET'S JUICY

JUICY COFFEE

2000
8825 2563

VIVA
LA
JUICY
JUCY COUTURE

Jeep







VVA
L4
JUCY

3.5L I4



















TD128

383021





VIVA
LA
JUICY



TD131



57754

383021



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.



WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.

WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.



MPH km/h

TYPE 35

005429



 BRAKE

 TRANS TEMP



(ABS)



AIR
BAG



AIR
BAG



DRB III CDRB Application
Chrysler Corp.

Copyright © 1993-2006

All Rights Reserved

RELEASE 64.1 01

Released: 15:51:24 10/11/2007

Bios Version: 4.02

Database: 8:18:38 7/19/2007

Cable in use: J1962 (CH7000m)

F1
HELP

SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification System

This Diagnostic Control
Module is not supported by
this software. Please use the
DRB III with the Supercard
software to diagnose this
vehicle.

This Diagnostic Control
Module is not supported by
this software. Please use the
DRB III with the Supercard
software to diagnose this
vehicle.

HELP F2 64.1 MSN

F1	F2	F3	F4	ENTER	ENTER		PAGE FWD	PAGE BACK	GHI 3	POR 6	YZ 9	MORE
							YES	NO	DEF 2	MNO 5	VWX 8	*# 0
							DVOM	READ HOLD	ABC 1	JKL 4	STU 7	SHIFT



DVOM

READ
HOLD

ABC
1

JKL
4

STU
7

SHIFT



CHRYSLER

DRB III™

SuperCard

1994-1995

Ford

CH8 161

477

This side up
























REMOBILTAE





EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
10-01

GVWR
2405 KG(05300 LB)

GVWR FRONT	WITH TIRES	RIMS AT	COLD
1180 KG(2600 LB)	235/70R16	16X7	227 KPA(33 PSI)
GVWR REAR	WITH TIRES	RIMS AT	COLD
1339 KG(2950 LB)	235/70R16	16X7	227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J8GK58K82[REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 101206 387AA PNT:PS2 VEHICLE MADE IN U.S.A. TRM:XJDU 4648503



MPH km/h

TYPE 35

095344



Jeep





















000000
























Unable to ID Module for
ORC

press any key to continue





EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup







Jeep
LIBERTY

Jeep

LIBERTY

LSU







P235/70R16

1075-1175

1075-1175



MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFR 2-02 GVWR 2427 KG(05350 LB)

GVWR FRONT WITH TIRES RIMS AT COLD
1248 KG(2750 LB) 235/70R16 16X7 227 KPA(33 PSI)

GVWR REAR WITH TIRES RIMS AT COLD
1339 KG(2950 LB) 235/70R16 16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK58K42 [REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 021223 387AA PNT:PS2 VEHICLE MADE IN U.S.A. TRN:DL02 4648503





H01-07

056021R

MEETS FMVSS 203

ASSEMBLED IN MEXICO









Jeep





AIR
BAD







158000220094



P5HG331DVAF



DAIMLER CHRYSLER

045022

















DAIMLER CHRYSLER



P5HGG341DVAE



TR2025296747

TRW

H01-06

045023R

MEETS FMVSS 209

ASSEMBLED IN MEXICO





Diagnostic Trouble Codes

Live Data Monitor

Live Data Graphing

Diagnostic Trouble Codes (DTC)

- Intake Manifold Absolute Pressure (MAP) Sensor
- Engine RPM 2304r/min

Powertrain

- Vehicle Speed Sensor
- ABS Module
- ABS from module
- ABS System
- ABS from module
- ABS Module
- ABS - Vehicle Speed Sensor Failure
- ABS - Vehicle Speed Fault - Fault Detected

Body

- Gear Shifter / DVD Player
- No diagnostic codes retrieved

Chassis

- Compass Minipro Computer
- No diagnostic codes retrieved

Instrument Cluster

- Bus Messages Not Received - No ACM Messages

Master Audio Unit - Radio

Adapters

Command Name	Command Description
D3 Gear Lockout Solenoid	Activate
A3 Clutch Pedal	Activate
A4 Headlamp	Activate
A5 Horn	Activate
A6 Horn	Activate

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

1J4GK58K23W



LIBERTY

MUFFINES
PRE-OWNED SALES




Quick Service

2445

LIBERTY

Jeep





2445
2445

09-11
4 12

Quick Service




LIMITED EDITION





LIBERTY





Quick Service



2145

4 12

LIBERTY



LIBERTY LIMITED 4000





MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
9-02

GAWR
2427 KG (05350 LB)

GAWR FRONT WITH TIRES
1248 KG (2750 LB) P235/70R16

RIMS AT COLD
16X7 227 KPA (33 PSI)

GAWR REAR WITH TIRES
1429 KG (3150 LB) P235/70R16

RIMS AT COLD
16X7 227 KPA (33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK58K23W [REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 091119 776AB PNT:PB7 VEHICLE MADE IN U.S.A. TRM:XJDU 4648503





WARNING
DEATH OR SERIOUS INJURY CAN OCCUR
• CHILDREN SHOULD NEVER BE SEATED IN THE AIR BAG
• THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN
• NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT
• SIT UP FOR BACK AS POSSIBLY WHEN THE AIR BAG
• ALWAYS USE SEAT BELTS AND OTHER SAFETYBELT

WARNING: NEVER RECLINE SEAT
• DO NOT RECLINE SEAT
• ALWAYS WEAR SEATBELT
• ALWAYS WEAR SEATBELT PROPERLY

WARNING
• DO NOT RECLINE SEAT
• ALWAYS WEAR SEATBELT PROPERLY

















2445

FINEST QUALITY REAR

Finish Furniture

UNFINISHED BUSINESS, INC

434 Water St. Eau Claire, WI. Ph. 832-8901

Do It Yourself

Jeep
SERVICES
WITH THE SPECIALISTS

AIR BAG



DRIVER'S



DRIVER'S





10122

DRIVER'S



DRIVER'S



TRW

H01-07

352021R

MEETS FMVSS 209
ASSEMBLED IN MEXICO

DRIVER'S

1R1239222743



P5HG331DVAAH



DAIMLER CHRYSLER

DRIVER'S



RIGHT FRONT





RIGHT FRONT



Jeep

2445

Quick Service



RIGHT FRONT



RIGHT FRONT



TRW

H01 - 06

361023R

MEETS FMVSS 209

ASSEMBLED IN MEXICO

RIGHT FRONT

TR2246241406



P5HG341DVAF



CIRYSI ER

RIGHT FRONT



DRIVER'S



RIGHT FRONT



R

Jeep

SRS
AIRBAG

ON
DEL
OFF
PULL
MIST

RES + ACCEL
Cruise
DOOR

Jeep

SRS
AIRBAG













CAUTION

SLIPPERY FLOOR

BACK
FWD

2/3
SET

DISP





CHRYSLER
CORPORATION

DRB III™

AIRBAG Module Information

2002 Body Style: KJ

Part#: 56010501AH

S/W Version: 05.05

TRW Gen V


Front Dr and Pass/PCI Bus SAB
and Lamp Dr w/On/Off Sw or AOSIM

F1
HELP

F2
SYS

64.1

F3
MAIN



DRB III™

-- ORC DTCs 1 of 2 --

INTERNAL 1

--- DTC 2 of 2 ---

PASSENGER SQUIB 2
SHORT TO BATTERY

ACTIVE

— ORC DTCs 1 of 6 —

INTERNAL 1

MINUTES: 233 IGN CNTS: 0

--- DTC 2 of 6 ---

PASSENGER SQUIB 1

SHORT TO BATTERY

MINUTES: 2534 IGN CNTS: 38

STORED

-- ORC DTCs 3 of 6 --

STORED ENERGY
FIRING 1

MINUTES: 64 IGN CNTS: 1

-- DTC 4 of 6 --

PASSENGER SQUIB 2
SHORT TO BATTERY

MINUTES: 65534 IGN CNTS: 0

STORED



DRB III™

— ORC DTCs 5 of 6 —

NO LEFT FRONT IMPACT
SENSOR COMMUNICATION
MINUTES: 1 IGN CNTS: 19

--- DTC 6 of 6 ---

NO RIGHT FRONT IMPACT
SENSOR COMMUNICATION
MINUTES: 1 IGN CNTS: 19

STORED





LIBERTY LIMITED





LEFT FRONT



RIGHT FRONT






Load ID: 23729 Rack ID: 99 Pos: 6

SPD SEQ: 4057280 3.7L 4X2 LHD

PART NO. (P)  CC
52089030AE

VIN (3W)



09-11-2002
19:10:42



TTCPW254200711

TPW Chrysler Toledo Plant











FRANK PARRA
Jeep

Jeep[®]
LIBERTY

3.7L



HUFFINES
PRE-OWNED SALES

Jeep
LIBERTY

3.7L

LIBERTY

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
6-02

GVWR
2427 KG(05350 LB)

GVWR FRONT WITH TIRES
1248 KG(2750 LB) 235/70R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

GVWR REAR WITH TIRES
1429 KG(3150 LB) 235/70R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK38K12 [REDACTED] TYPE: MPV SINGLE X DUAL

MDH: 062222 779AA PNT:PS2 VEHICLE MADE IN U.S.A. TRM:LSDU 4648503

200

MPH km/h

120

TYPE 35

072062







Jeep
LIBERTY









































S74AC















88 2





AIRBAG Module Information

2002 Body Style: KJ

Part#: 5601050106

S/W Version: 05.05

TRW Gen V

Front Dr and Pass/PCI Bus SAB
and Lamp Dr w/On/Off Sw or AOSIM

— DRG DTG: 3 of 6

STORED ENERGY

FIRING: 1

MINUTES: 1 TGN CNTS: 28

DTG: 4 of 6

ROCKET TRANSMISSION

MINUTES: 1 TGN CNTS: 19

URC DTCs 6 of 6

PASSENGER SOUTH 2
SHORT TO GROUND

MINUTES: 1 IGN CNTS: 28

DTC 1 of 6

INTERNAL 1

MINUTES: 333 IGN CNTS: 0

ORC DTC 2 of 6

PASSENGER SQUIB 1

SHORT TO GROUND

MINUTES: 1 IGN CNTS: 28


DTC 3 of 6

STORED ENERGY

FIRING 1

MINUTE 1 IGN CNTS: 28





EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

21069618

1429 KG(3150 LB) P215/75

THIS VEHICLE CONFORMS TO ALL A
PREVENTION STANDARDS IN EFFECT

VIN: 1J4GL48K52W [REDACTED] TYPE



MDH: 103119 387AA PNT:PB7 UEA



MPH km/h

TYPE 35

000000

TRIP

**AIR
BAG**

A close-up photograph of a car's instrument cluster. The central focus is a circular indicator light that is illuminated with a bright red glow, displaying the words "AIR BAG" in white, bold, sans-serif capital letters. To the left and right of this light are several other circular indicator lights, all of which are currently unlit. The dashboard surface is a dark, textured material. In the foreground, the white faces of two analog gauges are partially visible, showing blue and red markings. The lighting is dramatic, with strong highlights and deep shadows, and some blurred light streaks are visible in the upper portion of the frame.





94001



T10046



Je Take
Your Vehic



7052

Jeep

12 12



7052

LIBERTY sport

Jeep



7052

161 12/15/12

Jeep

LIBERTY 2004



P

EAGLES

4x4

Jeep
CARFAGNO



P

EAGLES

LASALLE
EXPLORES

Jeep
CARFAGNO

3.7L

GOODYEAR
WRANGLER
SR-A





FUEL
CAUTION

SAE J1772



NO RESPONSE from ORC

Please make certain of the following items:

- 1) Ignition is turned on.
- 2) DRB III is properly connected to the Data connector.

F1
HELP

F2
SYS

F3
MAIN

64.1

Unable to ID Module for
ORC

press any key to continue

--- PCH DTC

NO DTCs DETECTED

Starts Since Clear : 65

Page back to exit

BCM Module Information

PART NUM: 05069131AE
2002 KJ Premium BCM

Country: United States
VIN 2W [REDACTED]

51
HELP

52
ESC

53
MAIN

-- BCM DTCs 1 of 2 --

Tailgate Lock Motor",
"Short to Voltage

--- DTC 2 of 2 ---

Wiper Park Switch
Failure

AIRBAG DIAGNOSTICS

Determining Controller
Type

Please Wait...

F1
HELP

F2
SYM

F3
MENU

This Diagnostic Control
Module is not supported by
this software. Please use the
DRB III with the Supercard
software to diagnose this
vehicle.

F1
HELP

F2
F2

F3
MAIN











STANDARD
040












22
BATES 1622511
























14D


PH













0223x

30 67 86
Bottom View



T11658
A24801

W2

50G317431RC
S4K23

ON - OFF
CRUISE
SET

RES + ACCEL
CANCEL
COAST



13/16

113
21



BRAED

IN EVENT OF FAILURE AS FOR
INSTALL ASSEMBLY UNLESS

123
20

5GG311X9AC
54629







72472M


4671168E


472M

W2L
3891

72472M

4671168E





EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

NEW YORK

504116CD

06/02/12

6 1J4GL58K43W175967
2002 JREP SUBN
EHX2693 PAS X R 12

VEHICLE REGISTRATION

7680243

NEW YORK STATE

JAN	SAFETY/EMISSIONS	DEC
FEB	INSPECTION	NOV
2011		
MAR		SEP
APR	JUN	JUL
AUG	SE	

MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFD 8-01 GVW 2541 KG(5600 LB)

GVW FRONT WITH TIRES RIMS AT COLB
1100 KG(2500 LB) 235/70R16 16X7 227 KPA(33 PSI)
GVW REAR WITH TIRES RIMS AT COLB
1420 KG(3150 LB) 235/70R16 16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL5BK [REDACTED] TYPE: MPV SINGLE X SUV



VIN: 002619 3B7AA INT:987 VEHICLE MADE IN U.S.A. 1281X230 4040043



MPH km/h

099826



AIR
BAG





Jeep





LIBERTY

SUV TERRA

PACIFIC



BITCH

4x4

Jeep



HERO

TERRA TRAC

150000 Miles



Princess




Jeep

3.7L

GOODYEAR

MIRANDA







































72472M
467168E

-20-	-20-	-01-
-10-	-15-	-10-
-15-	-20-	-15-
-10-	-20-	-10-
-10-	-20-	-10-
-20-	-20-	-10-
-10-	-10-	-10-
-10-	-10-	-10-

-10-		
-15-		
-15-		
-10-		
-01-		
-01-		
-10-		





▲ DANGER/POISON

FLUSH EYES
IMMEDIATELY
WITH WATER.



M2L4ZL
38911/197

4671168E
72472M

M2L4ZL
38911/197

4671168E
72472M


048488794A
72472M

M2L4ZL
38911/197

4671168E
72472M

M2L4ZL
38911/197

048488794A
72472M



DRB III™

SELECT RESTRAINT SYSTEM

- 1. Airbag
- 2. Side Airbags
- 3. Airbag On/Off Switch System
- 4. Occupant Classification Sys

Page 1 of 1



 CHEVROLET
CORPORATION

DRB III™

Module to 20 Module for
20

Module to 20 Module for
20



CHRYSLER
CORPORATION

DRB III™

Unable to ID Module for
BRC

Press key to continue




CHRYSLER
CORPORATION

DRB III™

Disable to IM Module for
DTC

press any key to continue











MSD
P2235770P15
RESISTOR POWER ONLY ON SELECTED RIM APPLIED FOR 2.0L 1600cc

8 16 24 96

MSD
P2235770P15
RESISTOR POWER ONLY ON SELECTED RIM APPLIED FOR 2.0L 1600cc













