

INFORMATION Redacted PURSUANT TO THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C . 552(B)(6)

EA12-001

CHRYSLER


10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

1J4GK48KX3W



BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
8-02

GVWR
2427 KG(5350 LB)

WGT FRONT WITH TIRES

FRONT
RIMS AT
18X7

COLD
227 KPA(33 PSI)

WGT REAR WITH TIRES

REAR
RIMS AT
18X7

COLD
227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK48KX3V [REDACTED] TYPE: MPV STABLE X BURE

02/28/775AB PAT-OUR

VEHICLE MADE IN U.S.A. TOP-K5L5 40-10000





Jeep

10-11
4-2-0









Jeep

3.7L



Jeep







WARNING
NO FLAMMABLE LIQUIDS

10-11
4-12



1991
3050870
3050870-10000
VIN: 1G1J11140G300000000
3050870-10000



3

0308075 6 1 142 040
0000000000000000000000
0000000000000000000000
0000000000000000000000









ON • OFF
CRUISE
SET

Jeep



PULL
MIST



! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.

!WARNING: HIGHER ROLLOVER RISK



**AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.**

ALWAYS BUCKLE UP.

**SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.**





ON-OFF
CRUISE
SET

Jeep
Love the
Rough







LIBERTY







WARNING
DO NOT USE SEATBELT
ANCHORS FOR CHILD
SEAT OR CHILD SEAT.
SEATBELT ANCHORS ARE
NOT TO BE USED FOR ANY
OTHER PURPOSES. SEE
OWNER'S MANUAL FOR
PROPER INSTALLATION
INSTRUCTIONS. SEE
FOR THE MOST RECENT
INFORMATION.

SEATBELT ANCHORS ARE NOT TO BE USED FOR ANY OTHER PURPOSES. SEE OWNER'S MANUAL FOR PROPER INSTALLATION INSTRUCTIONS. SEE FOR THE MOST RECENT INFORMATION.



10112





1980
TRW

33014254-D

(19)









10112





TRW

33014254-D (20)



INST
WITH A
A INST
HEULEMET
SAC GOI

DAIMI PER CHRISTY ER

P5HG341L8A



H01-06

302023R

MEETS FMVSS 209

ASSEMBLED IN MEXICO

DAIMLER CHRYSLER



25HC003118

1R1904

RV

H01-07

1021R

MEETS FMVSS 209
ASSEMBLED IN MEXICO

Unable to ID Module for
ORC

press any key to continue

Unable to ID Module for
RPC

press any key to continue

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
10-01

GVWR
2405 KG(05300 LB)

GVWR FRONT	WITH TIRES	RIMS AT	COLD
1180 KG(2600 LB)	P215/75SR16	16X7	227 KPA(33 PSI)
GVWR REAR	WITH TIRES	RIMS AT	COLD
1339 KG(2950 LB)	P215/75SR16	16X7	227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK48K82W [REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 101723 387AA PNT:PR4

VEHICLE MADE IN U.S.A. TRM:M5DU 4648503

5301 3387AA



DaimlerChrysler Corporation IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA NLEV REGULATIONS APPLICABLE TO 2002 MODEL YEAR NEW LEV LIGHT DUTY TRUCKS AND CALIFORNIA REGULATIONS APPLICABLE TO 2002 MODEL YEAR NEW LEV LIGHT-DUTY TRUCKS.

*BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

•ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

2H02S(2), OBDII
CERTIFIED, SFI, TWC, 2WUOC


SPARK PLUGS ZFR6F-11G
0.040 in. GAP

3.7 LITER

NO ADJUSTMENTS
NEEDED

2CRXT03.72DO
2CRXR0155GCH

CATALYST



3720GFE

NEXT SERVICE DUE

www.joesauto.com

Joe's Auto
Service Center Inc.

1123 13th St.
St. Cloud, FL 34769
1407 [unclear] - 3118

Mileage

112400

Date

7/8/11

Oil Type

10/30



MPH km/h

TYPE 35

118714



MP
000



AIR
BAG





LIBERTY sport

MERCEDES
ALL TRAC





LIBERTY sport

ALL TERRAINS
HERCULES



Jeep

3.7L

SCUBA DIVER

ALL-WEATHER TRAC A/T
235/70R17



FAIRWAY

Jeep

Jeep

3.7L

SCUBA DIVER




FAIRWAY

Jeep

Jeep

ALL TERRAIN
MPC



BLOWER MOTOR 1 40A	RADIATOR FAN 2 40A	JB POWER 3 50A	
ABS PUMP 4 40A	EATX 5 30A	ASD 6 30A	JB POWER 7 50A
IGNITION/ START 8 40A	JB POWER 9 50A	TRAILER TOW 10 30A	11
LIGHT BAR 12 30A	IGNITION/ WINDOWS 13 40A	IGNITION/ SWITCH 14 40A	JB POWER 15 50A

ASD FEED 16	15A	17	18
----------------	-----	----	----

HBL 19	30A	20
-----------	-----	----

A/C CLUTCH 21	20A	22
------------------	-----	----

23	FUEL PUMP 24	20A
----	-----------------	-----

ABS VALVES 25	20A	INJECTORS 26	15A
------------------	-----	-----------------	-----

27	STARTER RELAY 28	15A
----	---------------------	-----

FUEL PUMP 29

STARTER 30

WIPER ON/OFF 31

WIPER HI/LO 32

BLOWER MOTOR 33

34

A/C CLUTCH 35

REAR O2 SENSOR 36

EATX/CLUTCH INTERLOCK 37

38

ASD 39

40

72472M
4671168E
72472M
4671168E
72472M

72472M
4671168E

PBT-RUBBER

A2 UTA 90147 REV 1.0



90641 REV A

▲ DANGER/POISON

40	40	50	15
40	30	50	30
40	30	50	20
40	50	30	15
40	40	50	15

72472M	4671168E	72472M	4671168E	72472M
4671168E	72472M	4671168E	72472M	4671168E
4671168E	72472M	4671168E	72472M	4671168E
4671168E	72472M	4671168E	72472M	4671168E

tyco
VF4-15F21-Z05
04848879AA
72472M

72472M	4671168E	72472M
4671168E	72472M	4671168E
4671168E	72472M	4671168E
4671168E	72472M	4671168E

tyco
VF4-15F21-Z05
04848879AA
72472M

BLOWER MOTOR	RADIATOR FAN	JB POWER
1 40A	2 40A	3 50A

ABS PUMP	EATX	ASD	JB POWER
4 40A	5 30A	6 30A	7 50A

ASD FEED			
16	15A	17	18

HBL	
19	30A 20

A/C CLUTCH	
------------	--

FUEL PUMP
20

STARTER

BLOWER MOTOR

A/C CLUTCH
35

REAR O2 SENSOR

ASD

50541 REV A



THE NAPA LEGEND 75

3-7446

⚠ DANGER/POISON

 SHIELD EYES. EXPLOSIVE GASES CAN CAUSE BLINDNESS OR INJURY.	 NO SPARKS OR FLAMES. SMOKING CAN CAUSE BLINDNESS OR SEVERE BURNS.	 FLUSH EYES IMMEDIATELY WITH WATER. GET MEDICAL HELP FAST.
 SULFURIC ACID CAN CAUSE BLINDNESS OR SEVERE BURNS.	 NO SPARKS OR FLAMES. SMOKING CAN CAUSE BLINDNESS OR SEVERE BURNS.	 FLUSH EYES IMMEDIATELY WITH WATER. GET MEDICAL HELP FAST.

KEEP OUT OF REACH OF CHILDREN. DO NOT TIP. DO NOT OPEN BATTERY.

3-6675

0 8392611426 5

Recycle Responsibly. Trade in used batteries to NAPA. For the NAPA AUTO PARTS store nearest you, call 1-800-LET-NAPA.

JA FE MA AP MY JU JY AU SE OC NO DE


1 2 3 4 5 6 7 8 9 0

BCI NO. 86
 CA @ 32°F 835
 CCA @ 0°F 700

NAPA NO. 7586
 SERIAL NO. N 775424

RECYCLED





NOTICE

MICRO-V-AT™ K091
HS R&F HP

ENGINE OIL
SEE OWNER'S MANUAL

10 0 2 1 0
HOSE R

1/2" NPT
1/2" NPT



POWER-TECH
2.7L V6

Jeep

CAUTION
Do Not Open
When Hot
Do Not Press
Down on Cap

SAE 5W-30 FULL SYNTHETIC MOTOR OIL
RECOMMENDED FOR BEST PERFORMANCE

KOGANEI
MICROV
MICROV
MICROV



RELEASE LATCH
FOR ACCESS TO
PRESS AND BELT TNS

▲ DANGER/POISON
READ THIS
IMMEDIATELY
IF SWALLOWED
OR IN CONTACT
WITH EYES
IF ON SKIN
OR CLOTHING
WASH
THOROUGHLY
WITH WATER
IF IN EYES
CALL A
PHYSICIAN
IF NECESSARY
KEEP OUT OF REACH OF CHILDREN
DO NOT TIP OR BURN BATTERY

THE LEGEND 75

60 MONTH / 50,000 MILE WARRANTY
75 AMP
12V
100% RESERVE CAPACITY
MADE IN CHINA

WATSON BAY

264 I

1.0000



56041693AA
TN121000-4440 12V
DENSO

U.S. PAT. NUMBERS
5,810,217 & 4,790,506
U.S. PAT. NUMBERS
5,810,217 & 4,790,506
U.S. PAT. NUMBERS
5,810,217 & 4,790,506

K060874
K060874
K060874

HS R&R HP #13/32 IN

CAUTION FAN



CAUTION
EJ1E1

09402000H0LE
HF8KAB
TEAR OFF HERE
0000



Serial Number
TRZME2761A1971

DaimlerChrysler Part Number
P56010319AB

Supplier Code
39754C



P/N P66041564AJ 56041564AJ
S/N TRDTH2771D530H 13:33:05



















ON · OFF
CRUISE
SET


RES · ACCEL
CANCEL
COAST

HANDOVER
ASSURANCE
10.4.11










60

21
12
WIDE TIP

DOE
OFF



س



Im
P
M
A
T
S

HALLOWEEN
TRICK OR TREAT
10-4-11



TC01283171424



P5535020AH

HERSTELLUNGSJAHR: 2001



Airbag -
Druckgasspeicher
MP-P6-HGI
Hersteller: TRW VSSI,
Washington, MI, USA
Herstellungsstätte: TRWP-5
Einführer: z.B. Chrysler
Deutschland GmbH,
Kerpen
Telefonnr.: 02273/957211
BAM-PT1-0639

Umgang nur durch geschultes
Personal erlaubt. Verwendung
nur in Insassen-Rück-
haltesystemen mit Luftsack
für Kraftfahrzeuge erlaubt.
Bei Auslösung kann die nicht
montierte Airbag-Einheit
zum gefährlichen Wurfstück
werden.

Supplemental Restraint
System (SRS) Module

Use only a specific
Supplemental
Restraint System.
See DaimlerChrysler
Corp. dealer to verify
part number for this
vehicle.

WARNING You could be injured

due to unwanted inflation. To help
avoid personal injury:

1. Do not take apart, crush
or puncture.
2. Carefully follow instructions
in the DaimlerChrysler Corp.
Service Manual when performing
any type of service or when
disposing of this module.



TC01283171424



P553 5020AH

HERSTELLUNGSJAHR: 2001



Airbag -
 Druckga
 MP-P6-H
 Herstelle
 Washing
 Herstellur
 Einführer
 Deutschla
 Kerpen
 Telefonnr..
 BAM-PT1-

 *TC01283171424*  *P5535020AH* *HERSTELLUNGSJAHR: 2001*	  	<p>Airbag Druckgaspeicher MP-P6-HGI Hersteller: TRW VSS, Inc. Washington, MI, USA Herstellernummer: 758415 Einführer: z.B. Chrysler Deutschland GmbH, Köpen Telefon: 02273967711 E-Mail: PFI-0639</p>	<p>Umgang nur durch geschultes Personal erlaubt. Verwendung nur in Triebwerk-Rückhaltesystemen mit Luftback für Kraftfahrzeuge erlaubt. Bei Auslösung kann die nicht montierte Airbag-Einheit zum gefährlichen Wurfstück werden.</p>	<p>Supplemental Restraint System (SRS) Module Use only a specific Supplemental Restraint System. See DaimlerChrysler Corp. dealer to verify part number for this vehicle.</p>	<p>WARNING You could be injured due to unwanted inflation. To help avoid personal injury:</p> <ol style="list-style-type: none"> 1. Do not take apart, crush or puncture. 2. Carefully follow instructions in the DaimlerChrysler Corp. Service Manual when performing any type of service or when disposing of this module.
--	---	---	--	---	---

AIRBAG

SRS AIRBAG

R

JLR









SRS AIRBAG

Jeep

SRS AIR BAG

Jeep





3 4 5 6
20 30 40 50 60 70 80 90 100 110 120

AIRBAG
10-4-11

Jeep
SRS AIRBAG

1 2 3 4
RES-ACCEL
CANCEL
COAST

P
R
N
D
R
N
D

WARNING
DEATH OR SERIOUS
INJURY CAN OCCUR

WARNING LUMBER ROLL-OVER MARK

WARNING
DEATH OR SERIOUS
INJURY CAN OCCUR



! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.

! WARNING: HIGHER ROLLOVER RISK



AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP.

SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.





Jeep

SRS
AIRBAG

ON • OFF

CRUISE

SET

PULL
MIST

RES • ACCEL

CANCEL

COAST

WATER
INSURANCE

10-4-11



S

2

12

11

PULL
MIST

RES • ACCEL

CANCEL

COAST

ON • OFF

CRUISE

SET















717720851700
P02110151AA RFE







077 AD 520
OPEN CASE 8.25 3.73



TC186

TC186

33008410E8 TR

TC185

33008410E 1 TRW

DAIMLER

CHRYSLER



P5HG331D



R127

101724

200

HU-CT

405011R

MEF

WVSS 209

MADE IN MEXICO

TRIV 33014254-D (19)

T D 0 4 0



1011
A511











KESON

5

4



3

2

6 1/2 FEET

1







LITON
11011

110112

REF: 3300997A

TRW

H01 - 06

105013R

MEETS FMVSS 209
ASSEMBLED IN MEXICO

DAIMLER CHRYSLER



P542

TRAVEL



TR2279189595

T D040



TRV 33014254-D (18)









Kenwood KDC-375
COMPACT disc DIGITAL AUDIO
SIRIUS
50W x 4
M.RDM DISP NAME AUTO NAME
SCAN RDM REP
System
AUD
1 2 3 4 5 6
KENWOOD

Buttons: SRC, MENU, SRC, ATT, FM, AM, 1-6, SCAN, RDM, REP, M.RDM, DISP, NAME, AUTO, NAME

1 2 3 4

A circular knob for climate control with a fan icon and numbers 1-4.

A row of buttons with icons for car seats and a gear, likely for seat heating/cooling and gear selection.

A circular knob for temperature control with a blue arc on the left and a red arc on the right.



**CHRYSLER
CORPORATION**

DRB III™

DRB III CDRB Application

Chrysler Corp.

Copyright © 1993-2006

All Rights Reserved

RELEASE 64.1 01

Released: 15:51:24 10/11/2007

Bios Version: 4.02

Database: 8:18:38 7/19/2007

Cable in use: J1962 (CH7000A)

**F1
HELP**

64.1



DRB III™

NO RESPONSE from OCM

Please make certain of the following items:

- 1) Ignition is turned on.
- 2) DRB III is properly connected to the Data connector.



DRB III™

----- AIRBAG DIAGNOSTICS -----

Determining Controller
Type

Please Wait...

F1
HELP

F2
SYS

F3
MAIN



**CHRYSLER
CORPORATION**

DRB III™

-- ECM DTCs --

NO DTCs DETECTED

Starts Since Clear : 33

Page back to exit



**CHRYSLER
CORPORATION**


DRB III™

Engine Control Module Info
2002 KJ 3.7L V6 SFI
Module: Cal 14.0, JAN 34
Natural Asp, Unleaded Fuel
Low Emission Vehicle (NBV)
Automatic Trans, RW Drive
Jeep Truck Engine, JTEC+
Single Fan, Variable Speed
PCM Part#: 56041606AG
Homologation ID: FBKABB
CARB OBD II Vehicle



1998 - 2007 DIAGNOSTICS

1. ALL (Except Below)
2. 01 - 05 Stratus/Sebring Coupe
3. 98 - 00 Avenger/Sebring Coupe
4. 1998 Talon
5. 2004 - 2007 (RoW) Crossfire
6. 2002 - 2006 Sprinter





SELECT SYSTEM

1. Engine
2. Transmission & T-Case
3. Body Interior
4. Chassis & Body Exterior
5. Anti-lock Brakes
6. Passive Restraints
7. Theft Alarm
8. System Monitors

Page 1 of 1

HELP

F2

F3



SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification Sys

HELP

SYS

MAIN



**CHRYSLER
CORPORATION**

DRB III™

----- AIRBAG DIAGNOSTICS -----

Determining Controller
Type

Please Wait...

F1
HELP

F2

F3



**CHRYSLER
CORPORATION**

DRB III™

NO RESPONSE from ORC

Please make certain of the following items:

- 1) Ignition is turned on.
- 2) DRB III is properly connected to the Data connector.



DRB III™

Unable to ID Module for
ORC

press any key to continue



SELECT FUNCTION

1. System Tests
2. Read DTCs
3. Module Display
4. Sensor Display
5. Input/Output Display
6. Monitor Display
7. Custom Display
8. Actuator Tests
9. Miscellaneous






**CHRYSLER
CORPORATION**

DRB III™

DTC TYPE

- 1. Active
- 2. Stored



EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFR 9-02 GVWR 2427 KG(05350 LB)

GAWR FRONT WITH TIRES RIMS AT COLD
1248 KG(2750 LB) P235/70R16 16X7 227 KPA(33 PSI)
GAWR REAR WITH TIRES RIMS AT COLD
1429 KG(3150 LB) P235/70R16 16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK58K43W [REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 092309 776AB PNT:PS2 VEHICLE MADE IN U.S.A. TRM:DLD2 4648503

5212 8776AB



DaimlerChrysler Corporation IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO BIN 9 OF THE U.S. EPA INTERIM NON-TIER 2 REGULATIONS APPLICABLE TO 2003 MODEL YEAR NEW LIGHT-DUTY TRUCKS AND QUALIFIES AS LEV UNDER NLEV REGULATIONS AND ULEV 1 UNDER CALIFORNIA CLEANEST VEHICLE REGULATIONS. VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 2003 MODEL YEAR NEW LEV LIGHT-DUTY TRUCKS, CLEAN FUEL FLEET VEHICLE REGULATIONS. CERTIFICATION GASOLINE FUEL PER 86.113-94(a). SFTP COMPLIANT.

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

• ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

2H02S(2), OBDII
CERTIFIED, SFI, TWC, 2WUOC

SPARK PLUGS ZFR6F-11G
0.040 in. GAP

3.7 LITER

NO ADJUSTMENTS
NEEDED

3CRXT03.72Z0
3CRXR0155GCH

CATALYST



PK22G37E

CONTROL VALVE
FUEL TANK
LEAK DETECTION
CRANKCASE
THROTTLE
AIR CLEANER

EM
EL ONLY.

INJURY.
ARD J639.

5037 464AC



20

180

110

200

MPH km/h

120

TYPE 35

178310





RESERVED
PARKING

LIBERTY


Jeep

NO
PARKING
SHERIFF DEPT
ONLY





Jeep






POWER TECH
2.7L V6

Jeep

EverStart

SAFETY INFORMATION
CATALYST



10 0513-34211

Jeep



P/N P56044573AA

56044573AA

S/N TRITH25921L90B

08:46:05





56044513AA
08:46:05
S/N TR1TR2592L90B
P/N 56044513AA

42332

GY 4844

1

ENGINE OIL
FOR GASOLINE ENGINES
SEE OWNERS MANUAL

SANDEN
MFG DATE: Aug. 14, 2003
SERIAL NO. 04372508370
R124a
OIL AMT. 4852
OZONE FRIENDLY
REFILLABLE

56041693AC
TN121000-4540 12V
DENSO
5802 REPAIRABLE PARTS NO. 78112

42332
A/C
GY 4860

CAUTION FAN

USE A
STEERING

52079702
42332

EverStart

3 year free replacement

MAXX

MAXX-315

40
LITTLE FUSE

40
LITTLE FUSE

50
LITTLE FUSE

15

40
LITTLE FUSE

50
LITTLE FUSE

30
LITTLE FUSE

50
LITTLE FUSE

30
LITTLE FUSE

40
LITTLE FUSE

40
LITTLE FUSE

50
LITTLE FUSE

30

20

20

51

15

tyco
4671168E
72472M

tyco
4671168E
72472M

tyco
4671168E
72472M

tyco
4671168E
72472M

56006709
50732
238263

56006709
50732
238263

tyco
4671168E
72472M

tyco
4671168E
72472M

tyco
4671168E
72472M

BLOWER MOTOR	RADIATOR FAN	JB POWER
1 40A	2 40A	3 50A

ASD FEED			
16	15A	17	18

FUEL PUMP
29

BLOWER MOTOR

A/C CLUTCH
35

72472M

72472M
4671168E

4671168E
72472M

4671168E
72472M

4671168E
72472M

BLOWER MOTOR 1 40A	RADIATOR FAN 2 40A	JB POWER 3 50A	
ABS PUMP 4 40A	EATX 5 30A	ASD 6 30A	JB POWER 7 50A
IGNITION/ START 8 40A	JB POWER 9 50A	TRAILER TOW 10 30A	11
LIGHT BAR 12 30A	IGNITION/ WINDOWS 13 40A	IGNITION/ SWITCH 14 40A	JB POWER 15 50A

ASD FEED 16	15A	17	18
----------------	-----	----	----

HBL 19	30A	20
-----------	-----	----

A/C CLUTCH 21	20A	22
------------------	-----	----

23	FUEL PUMP 24	20A
----	-----------------	-----

ABS VALVES 25	20A	INJECTORS 26	15A
------------------	-----	-----------------	-----

27	STARTER RELAY 28	15A
----	---------------------	-----

FUEL PUMP
29

STARTER
30

WIPER ON/OFF
31

WIPER HI/LO
32

BLOWER MOTOR
33

ASD
34

A/C CLUTCH
35

REAR O2 SENSOR
36

EATX/CLUTCH INTERLOCK
37

38

39

40

30957 REV A

WIPER 30147 REV 3



POWER TECH
3.7L V6

3.0L V6

EvenStart *ET*
ELECTRIC STARTING
1.9L 12V 200 AMP
1.9L 6.75D 12L 200A

ATTENTION: A WARNING

DaimlerChrysler Corporation
CATALYST





POWERTECH
2.7L V6

Jeep

EVOLUTION

SAFARI
2.7L V6
POWERTECH

42332 - NC

GY 4844

1.3534C



2.4L POWERTECH I4

MAXX-34S 750 660

MAXX-34S 750 660

MAXX-34S 750 660

MAXX-34S 750 660

MAXX-34S 750 660

MAXX-34S 750 660



Serial Number
TRZME2542A1383

DaimlerChrysler Part Number
P56010319AB

Supplier Code
39754C

03969 0/8 19

Supplier Code
39754C

DaimlerChrysler Part Number
P56010319AB



Serial Number
TRZME0582A2920

DOT CTP 2552-6682-09-34 UL DOT CTP 2552-6682-09-34 UL

CAUTION
FUEL
CAUTION
FUEL



1KJ8X2652F1464
P62128676AA



16801AB







WARNING: HIGHER ROLLOVER RISK

AVOID ABRUPT MANEUVERS AND EXCESSIVE SPEED.
ALWAYS BUCKLE UP.
SEE OWNER'S MANUAL FOR FURTHER INFORMATION.



WARNING
FOR SERIOUS INJURY OR DEATH CAN OCCUR

DO NOT DRINK AND DRIVE. DRINKING ALCOHOL IMPAIRS YOUR ABILITY TO DRIVE SAFELY. ALWAYS DRIVE RESPONSIBLY.
NEVER DRINK AND DRIVE. DRINKING ALCOHOL IMPAIRS YOUR ABILITY TO DRIVE SAFELY. ALWAYS DRIVE RESPONSIBLY.
NEVER DRINK AND DRIVE. DRINKING ALCOHOL IMPAIRS YOUR ABILITY TO DRIVE SAFELY. ALWAYS DRIVE RESPONSIBLY.









Nº
PARKING
SHERIFF DEPT
ONLY

TS
TERR





PARKING
SHERIFF DEPT
ONLY

1st
TERRY
FIRST RESPONDER
SIC 88218

HOON



ST
TERRY
FIRST RESPONDER
ALL RIGHTS







CHRYSLER



P5HGG371DVAH



TR4253285297



H101-07

365021R

MEETS FMVSS 209

P5HG331 DVAH

TR1249254330



12021







MADE IN USA
JOHNSON
MAGNETIC
ANGLE
Locator

NO. 700

DEGREES
0 10 20 30 40 50 60 70 80 90
DEGREES
0 10 20 30 40 50 60 70 80 90

10 9 8 7 6 5 4 3 2 1
1 2 3
1/8th









TRW 33014254-D (23)

TD131

MEEITS FMVSS 209
ASSEMBLED IN MEXICO

DAIMLER CHRYSLER



P5HG361DVAH



TR5255290805

TRW

H02-50

374021N

MEETS FMVSS 209

ASSEMBLED IN MEXICO

IRW

H02-49

372021N

MEETS MVSS 200

! WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.







RES • ACCEL

CANCEL

COAST



ON • OFF

CRUISE

SET









*TCOPT



39272345*



*P5531



020AJ*

*HERSTELLUNGSJAHR



Airbag
 Druckgaspeicher
 NP-P6-HGI
 Hersteller: TRW, VSA
 Washington, MI, USA
 Herstellungsstätte: TRWP-5
 Lieferant: z.B. Chrysler
 Deutschland GmbH,
 Kempten
 Telefonnr.: 02273/957211
 M-PT1-0639

Umgang nur durch geschultes
 Personal erlaubt. Verwendung
 nur in Insassen-Süß-
 haltesystemen mit Luftsack
 für Kraftfahrzeuge erlaubt.
 Bei Auslösung kann die nicht
 montierte Airbag-Einheit
 zum gefährlichen Wurfstück
 werden.

Supplemental Restrain
 System (SRS) Module

Use only a specified
 Supplemental
 Restraint System.
 See DaimlerChrysler
 Corp. dealer to verify
 part number for this
 vehicle.


WARNING You could be injured

due to unwanted inflation. To help
 avoid personal injury:


1. Do not take apart, crush
 or puncture.
2. Carefully follow instructions
 in the DaimlerChrysler Corp.
 Service Manual when performing
 any type of service or when
 disposing of this module.



*TCOPT




59272345*



*P5531



020AJ*



*HERST

LEBENSJAHR:

2 00*

Armag
Druckgas
M-P6-
Herstell
Washing
Herstellu
Erführe
Deutsch
pen
fonn
M-PT



! WARNING: HIGHER ROLLOVER RISK



AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP.

SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.













WIP
SOLE
OBTAINED
S 1
520M 15A 18PT
B 1
11210 WD

BAG






TCOPT 39272345



P5531 020AJ
HERSTELLUNGSJAHR: 2009

Airbag
 Druckgaspeicher
 P-P6-HGI
 Hersteller: TRW, USA
 Washington, MI, USA
 Herstellungsstätte: TRWP-S
 Lieferant: z.B. Chrysler
 Deutschland GmbH,
 München
 Telefonnr.: 02273 957211
 M-PT1-0639

Umgang nur durch geschultes
 Personal erlaubt. Verwendung
 ist nur für zugelassene
 Haltesystemen mit Luft sack
 für Kraftfahrzeuge erlaubt.
 Bei Auslösung kann die nicht
 montierte Airbag-Einheit
 zum gefährlichen Wurfstück
 werden.

Supplemental Restrain
 System (SRS) Module
 Use only a specified
 Supplemental
 Restraint System.
 See DaimlerChrysler
 Corp. dealer to verify
 part number for this
 vehicle.

WARNING You could be injured
 due to unwanted inflation. To help
 avoid personal injury:
 1. Do not take apart, crush
 or puncture.
 2. Carefully follow instructions
 in the DaimlerChrysler Corp.
 Service Manual when performing
 any type of service or when
 disposing of this module.







Jeep

SRS AIRBAG

ON • OFF
CRUISE
SET

RES • ACCEL
CANCEL
COAST



Center console controls including a radio display, buttons for 'PUSH OPEN', 'SEEK', 'BASE TUNE', 'PRESET', 'SCAN', 'MEMORY', 'DISC', and 'CD', and a climate control panel with a fan speed knob, temperature dials, and buttons for 'OFF', 'AUTO', 'MAX FAN', and 'A/C'.



Jeep

1ST
TERRY
1000 W. BURNHAM
TULSA, OK

LOCK
LOCK
LOCK
LOCK
LOCK
LOCK
LOCK
LOCK
LOCK
LOCK



Jeep

J

SRS
AIRBAG

ON • OFF
CRUISE
SET

RES •
C
C





303412874

ASSEMBLED
IN MEXICO

12

11

10

9

8

7

6

5

4

3

2

1

12

11

10

9

8

7

6

5

4

3

2

1

12

11

10

9

8

7

6

5

4

3

2

1

12

11

10

9

8

7

6

5


4

3

2


1

ASSEMBLED
IN MEXICO



07

8



AIR BAG



RPM x1000



BRAKE

TRANS TEMP



MPH km/h

176310







AIR BAG



TRANS TEMP

ABS



71766
52088974AC













Main Menu

1. DRB III Standalone

2. Connect to TechTOOLS

3. Generic Scan Tool

4. PEP Module Tools

5. Run Memory Card Program

6. DRB Utilities

7. Vehicle Flash

8. Legacy MDS1 Support

Active
Stored



Reading Stored DTCs

-- ORC DTCs 1 of 4 --

OUTPUT DRIVER 1

MINUTES: 2 IGN CNTS: 56

--- DTC 2 of 4 ---

INTERNAL 1

MINUTES: 1069 IGN CNTS: 0

--- ORC DTCs 4 of 4 ---

DRIVER SOLUB 2
SHORT TO BATTERY
MINUTES: 5701 IGN CNTS: 73

--- DTC 1 of 4 ---

OUTPUT DRIVER 1

MINUTES: 2 IGN CNTS: 56

--- ORC DTCs: 2 of 4 ---

INTERNAL 1

MINUTES: 1072 IGN CNTS: 0

--- DTC 3 of 4 ---

STORED ENERGY

FIRING 1

MINUTES: 1051 IGN CNTS: 0

SELECT FUNCTION

- 1. System Tests
- 2. Read DTCs
- 3. Module Display
- 4. Sensor Display
- 5. Input/Output Display
- 6. Monitor Display
- 7. Custom Display
- 8. Actuator Tests
- 9. Miscellaneous

Page 1 of 1

HELP

FWD

MAIN

AIRBAG Module Information

2002 Body Style: KJ

Part#: 56010501AH

S/W Version: 05.05

TRW Gen V

Front Dr and Pass/PCI Bus SAB
and Lamp Dr w/On/Off Sw or AOSTM

Occupant Classification Module

Body Style:

S/W Version: 0.0

Bosch OCS

DTCs & Related Functions

1. Read DTCs
2. Secondary Indicators
3. Freeze Frame Data #1
4. Freeze Frame Data #2
5. 1 Trip Failures
6. Clear DTC's & OBDII Info
7. Clear PCM (Batt Disconnect)
8. Distance Since MI Set

-- PCM DTCs 1 of 1 --

EVAP LEAK MONITOR LARGE
LEAK DETECTED

Chrysler Hex Code : \$a1

SAE Trouble Code : P 0455

DTC Specific Good Trips : 0

Starts Since Set : 45

STAND-ALONE -> MAIN MENU

1. 1998 - 2007 Diagnostics
2. 1983 - 1997 Diagnostics
3. Vehicle Module Scan
4. Customer Preference
5. Junction Port Tool
6. TechTOOLS DataRecorder



FREEZE FRAME 1

FRZ F CAUSED BY DTC

FRZ F CAUSED BY DTC : 045

FRZ F DTC PRIORITY : 3

FUEL SYS STATUS BNK1 : CLOSE LOOP

FUEL SYS STATUS BNK2 : CLOSE LOOP

MAP VACUUM : 8.8 inHg

MAP VOLTS : 3.04 VOLTS

BAROMETRIC PRESSURE : 29.6 inHg

LOAD VALUE : 24

Item 1 of 29

PCN



SELECT SYSTEM

1. Engine
2. Transmission & T-Case
3. Body Interior
4. Chassis & Body Exterior
5. Anti-lock Brakes
- 6. Passive Restraints**
7. Theft Alarm
8. System Monitors

Page 1 of 1

HELP

EQ
SYS

EQ
MAIN

SELECT RESTRAINT SYSTEM

- 1. Airbags
- 2. Side Airbags
- 3. Airbag On/Off Switch System
- 4. Occupant Classification Sys



AIRBAG DIAGNOSTICS

Determining Controller
Type

Please Wait...

SELECT FUNCTION

System Tests

2. Read DTCs

3. Module Display

4. Sensor Display

5. Input/Output Display

6. Monitor Display

7. Custom Display

8. Actuator Tests

9. Miscellaneous

Page 1 of 1

ORC

F4
HELP

F2
SYS

F3
MAIN

DTC TYPE

- 1. Active
- 2. Stored



-- ORC DTCs 1 of 2 --

INTERNAL 1

--- DTC 2 of 2 ---

STORED ENERGY
FIRING 1

— ORC DTCs 1 of 2 —

INTERNAL 1

— DTC 2 of 2 —

STORED ENERGY
FIRING 1

EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
2-03

GVWR
2427 KG(05350 LB)

GVWR FRONT WITH TIRES
1248 KG(2750 LB) P215/75R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

GVWR REAR WITH TIRES
1429 KG(3150 LB) R215/75R16

RIMS AT COLD
16X7 227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT
PREVENTION [REDACTED] EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK48K

TYPE: MPV SINGLE X DUAL



MDH: 022202 978AA PNT:PJC VEHICLE MADE IN U.S.A. TRN:MSLS 4648503



10

130

110

200

MPH km/h

12

TYPE 35

117226



Jeep

4783



LIBERTY

























974AC

Load ID-64767 Rack ID-57
5095980 3.7L 4X2
646600









INDUSTRIAL

GLOBE









1540

2.7L

GOODYEAR

55

Terminal - 207.185.45.162 - ADP Drive

Alerts PAG331

File Desktop Favorites Help

Technician Terminal

TK uIR eXit

T4783	LL:
03 LIBERTY KHAM	
CLST: POZO,OLGA	
Remarks	
ES	
LC	Description
A	CLST STATES AIR BAG IN

Command Window

DRB III Emulator

File Help

Display



Exit

Keypad

F1	F2	F3	F4
Enter	LP	Enter	
Left		Right	
	Down		
DIAG	Yes	Page FWD	
Read Hold	No	Page Back	
1	2	3	
4	5	6	
7	8	9	
Shift	0	More	

You are not set up on this PC to view the Service Desktop pages for this store.

Please ask your System Administrator.

F1=Help F3=Save/Exit

Command List

T4783	LL:
03 LIBERTY KHAKI	
CUST: POZO,OLGA	
Remarks	
ES	
LC	Description
A	CUST STATES AIR BAG IN

Command Window

F1 Help F3 Save/Exit

DRB III Emulator

File Help

Display

```
-- ORC DTCs 1 of 2 --  
INTERNAL 1  
MINUTES: 180 IGN CNTS: 0  
-- DTC 2 of 2 --  
STORED ENERGY  
FIRING 1  
MINUTES: 34 IGN CNTS: 24
```

Exit

Keypad

F1	F2	F3	F4
Enter	CP	Enter	
Left		Right	
	Down		
DIYOM	Yes	Page FWD	
Read Hold	No	Page Back	
1	2	3	
4	5	6	
7	8	9	
Shift	0	Menu	

Command List

uM eXit

LL:

BINTY KHAKI

POZO,OLGA

marks

Description

CUSTOM STATES AIR BAG IN

and Window

DRB III Emulator

File Help

Display

IRRBAG Module Information
2002 Body Style: KJ
Part#: 560105010E
S/W Version: 05.05
IRW Gen V
Front Dr and Pass/PCI Bus SAB
and Lamp Dr w/On/Off Sw or AOSIM

EXIT

Keypad

F1	F2	F3	F4
Enter	UP	Enter	
Left		Right	
	Down		
DIAM	Yes	Page FWD	
Head Hold	No	Page Back	
1	2	3	
4	5	6	
7	8	9	
Shift	0	Menu	



EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup



MPH km/h

TYPE 35

128071

MFD BY DAIMLERCHRYSLER CORPORATION DATE OF MFR 8-02 GVWR 2541 KG(05600 LB)

GVWR FRONT	WITH TIRES	RIMS AT	COLD
1248 KG(2750 LB)	P215/75R16	16X7	227 KPA(33 PSI)
GVWR REAR	WITH TIRES	RIMS AT	COLD
1429 KG(3150 LB)	R215/75R16	16X7	227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GL48K33[REDACTED] TYPE: MPV SINGLE X DUAL



RBH: 082411 776AB PHT:PS2 VEHICLE MADE IN U.S.A. TRN:NSDU 4040503



AUTOMAX
Jeep





EA12-001

CHRYSLER

10-4-2012

ENCLOSURE 4

FIELD DATA SUBJECT

CAIRs Backup

1J4GK48K23W



MFD BY DAIMLERCHRYSLER
CORPORATION

DATE OF MFR
7-02

GVWR
2427 KG(05350 LB)

GVWR FRONT	WITH TIRES	RIMS AT	COLD
1248 KG(2750 LB)	P215/75R16	16X7	227 KPA(33 PSI)
GVWR REAR	WITH TIRES	RIMS AT	COLD
1429 KG(3150 LB)	R215/75R16	16X7	227 KPA(33 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4GK48K23[REDACTED] TYPE: MPV SINGLE X DUAL



MDH: 073019 776AB PNT:PB7 VEHICLE MADE IN U.S.A. TRM:M5DU 4648503



MPH km/h

TYPE 35

081133



Jeep







HONDA TOYOTA
JEEP

Jeep
LIBERTY

Jeep



HOUMA TOYOTA
Jeep

Jeep

Jeep
LIBERTY

3.7L










Jeep

96 12















91700
K20007440
27440

13835
37785
51804Q
PROPERTY OF

















TRANS
TEMP

A yellow warning light with the text "TRANS TEMP" below it, representing a transmission temperature warning.





AIR BAG

RPM x1000

MPH km/h

door

TYPE 25



AIR
BAG

RPM x1000

MPH km/h

081133



DRB III CDRB Application
Chrysler Corp.

Copyright © 1993-2006

All Rights Reserved

RELEASE 64.1 01

Released: 15:51:24 10/11/2007

Bios Version: 4.02

Database: 8:18:38 7/19/2007

Cable in use: J1962 (C1700000)



64.1

SELECT SYSTEM

- 1. Engine
- 2. Transmission & T-Case
- 3. Body Interior
- 4. Chassis & Body Exterior
- 5. Anti-lock Brakes
- 6. **Passive Restraints**
- 7. Theft Alarm
- 8. System Monitors

Page 1 of 1



64.1

SELECT RESTRAINT SYSTEM

1. Airbag
2. Side Airbags
3. Airbag On/Off Switch System
4. Occupant Classification Sys

RESPONSE From ORC

Please make certain of the following items:

- 1) Ignition is turned on
- 2) DRB III is properly connected to the Data connector.

Unable to ID Module or
ORC

press any key to (re)initialize

— PCM DTCs 1 of 2

THROTTLE POSITION SENSOR
VOLTAGE LOW

Chrysler Hex Code : \$1a

SAE Trouble Code : P 0122

DTC Specific Good Trips : 1

Starts Since Set : 92

— PCM DTCs 2 of 2

EVAP LEAK MONITOR LARGE
LEAK DETECTED

Chrysler Hex Code : \$a1

SAE Trouble Code : P 0455

DTC Specific Good Trips : 0

Starts Since Set : 195

BCM Module Information

PART NUM: 560104200H

2003 KJ Premium

Country: United States

VIN 3W [REDACTED]

[REDACTED]

— BCM DTCs 1 of 1 —

Dimming Level Switch
Circuit High



Electro/Mech Cluster

Software Version 1.4

KJ Body

Part #: 56010491AB

Airbag Present

SKIM Present

W/Tach

Gas



64.1

— MIC DICs 1 of 1

NO ORC BUS
MESSAGES RECEIVED





PHOTO & VIDEO
\$1.00
\$1.00



ON - OFF
CRUISE
SET

Jeep
SRS
AIRBAG

RES - ACCEL
CANCEL
COAST

Radio controls and display screen.

Climate control knobs and buttons.

















90 80 70 60 50 40 30 20 10 0

DEGREES

MADE IN USA

JOHNSON
MAGNETIC
ANGLE
Locata

NO. 700

0 10 20 30 40 50 60 70 80 90

CENTIMETERS

cm



INSTALL ONLY
WITH AIRBAG.
NE PAS INSTALLER
SEULEMENT AVEC
SAC GONFLABLE.



TD 109



















NEW AIRFLOW

Jeep

WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST** PLACE FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS** USE **SEAT BELTS** AND **CHILD RESTRAINTS**.

⚠ WARNING



DEATH OR SERIOUS INJURY CAN OCCUR

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN.
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.

⚠ WARNING: HIGHER ROLLOVER RISK



AVOID ABRUPT MANEUVERS
AND EXCESSIVE SPEED.

ALWAYS BUCKLE UP.

SEE OWNER'S MANUAL
FOR FURTHER INFORMATION.



AutoZone
74029
SALES TAX
REGISTRATION
SALES TAX







INSTALL ONLY
WITH AN AIRBAG.

INSTALLER
SEULEMENT AVEC
UN SAC GONFLABLE.

294021R

MEETS FMVSS 209
ASSEMBLED IN MEXICO














WARNING
READ THE MANUAL
BEFORE USING THIS PRODUCT

Jeep







GOLDEN DRAGON
PARKING

GOLDEN
DRAGON





HARDING DR.

GOLDEN DRAGON

GOLDEN DRAGON
全龍

HARDING DR.

ONE WAY

STOP

615116



HARDING DR.

GOLDEN DRAGON







