













EA12-003 000505



MYSTIC MOUNTAIN MOTOR CO

1957 Buick Wildcat
1957 Buick Wildcat
1957 Buick Wildcat

1957 Buick Wildcat
1957 Buick Wildcat
1957 Buick Wildcat

1957 Buick Wildcat
1957 Buick Wildcat
1957 Buick Wildcat

1957 Buick Wildcat
1957 Buick Wildcat
1957 Buick Wildcat



[Redacted]

1957 Buick Wildcat
1957 Buick Wildcat
1957 Buick Wildcat

[Large Redacted Area]

1957 Buick Wildcat
1957 Buick Wildcat
1957 Buick Wildcat



EA12-003 000509


















EA12-003 000517









EA12-003 000521



EA12-003 000522





MFD. BY FORD MOTOR CO.

GAWR: 2639KG/5820LB
REAR GAWR: 1292KG/2850LB

DATE: 03/04
FRONT GAWR: 1353KG/2985LB

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2FMDA58294B [REDACTED] TYPE: MPV
MAXIMUM LOAD = OCCUPANTS + LUGGAGE = 544KG/1200LB

OCCUPANTS = 7 TOTAL:
2 FRONT, 2 2ND, 3 REAR

TIRE: P235/60R16

PRESSURE(FR): 240 kPa/35 PSI COLD
PRESSURE(RR): 240 kPa/35 PSI COLD

2FMDA58294B [REDACTED]

TRAILER TOWING - SEE OWNER GUIDE
EXT PNT: DI B7

BRK	INT TR	TP/PS	R	AXLE	TR	SPR	DSO:
D							F0061



EA12-003 000526



EA12-003 000527




















EA12-003 000536





MFD. BY FORD MOTOR CO.
GVWR: 2639KG/5820LB
1292KG/2850LB

DATE: 01/04
FRONT GAWR: 1353KG/2985LB
REAR GAWR: 1353KG/2985LB
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY AND THEFT PREVENTION STANDARDS
IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

VIN: 2MRDA20254B [REDACTED] TYPE: MPV
MAXIMUM LOAD = OCCUPANTS + LOGGAGE = 544KG/1200LB

OCCUPANTS = 7 TOTAL;
2 FRONT, 2 2ND, 3 REAR


TIRE: P235/60R16

PRESSURE(FR): 240 kPa/35

PSI COLD

PRESSURE(RR): 240 kPa/35

PSI COLD



2MRDA20254B

TRAILER TOWING - SEE OWNER GUIDE
EXT PNT: FS

BRK | INT TR

TP/PS

R | AXLE

TR | SPR

DSO:

D | L7

F0053



EA12-003 000540













EA12-003 000546



EA12-003 000547



EA12-003 000548



