



MFD. BY FORD MOTOR CO.

DATE: 08/04

FRONT GAWR: 1358KG/2995LB

GVWR: 2648KG /5840LB

REAR GAWR: 1297KG /2860LB

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2FMDA58275B [REDACTED] TYPE: MPV

MAXIMUM LOAD = OCCUPANTS + LUGGAGE = 544KG/1200LB

OCCUPANTS = 07 TOTAL; 2 FRONT, 05 REAR

TIRE (FR): P235/60R16

RIMS (FR): 16X6.5J

(RR): P235/60R16

(RR): 16X6.5J

PRESSURE (FR): 240 kPa/35 PSI COLD (RR): 240 kPa/35 PSI COLD



2FMDA58275B [REDACTED]

TRAILER TOWING - SEE OWNER GUIDE

EXT PNT: SP TF

RC: 48

DSO:

F0058

INT TR

TP/PS

R

AXLE

TR

SPR

5A41R

T0115

L6

B

24

N

BBHH

AOA

CBU

▽ 2U5A-5420472-AA



4U5A-1532-AA (TLU)











ELECTRIC
VEHICLE
ONLY

TEST
VEHICLES
ONLY

BRUTE





BRUTE

FREESTAR
4.2L ADVANCE TRAC

LIMITED

MFD. BY FORD MOTOR CO.

DATE: 01/05

FRONT GAWR: 1350KG/2977LB

GAWR: 2658KG /5860LB

REAR GAWR: 1315KG /2900LB

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2FMZA57655B [REDACTED] TYPE: MPV

MAXIMUM LOAD = OCCUPANTS + LUGGAGE = 544KG/1200LB
OCCUPANTS = 07 TOTAL; 2 FRONT, 05 REAR

TIRE (FR): P235/60R16
(RR): P235/60R16

RIMS (FR): 16X7.0J
(RR): 16X7.0J

PRESSURE (FR): 240 kPa/35 PSI COLD (RR): 240 kPa/35 PSI COLD



2FMZA57655B [REDACTED]

TRAILER TOWING - SEE OWNER GUIDE

EXT PNT: JP

RC: 44

DSO:

F0061

INT TR

TP/PS

R

AXLE

TR

SPR

5A41F

T0123

D6

Z

24

N

AAGG

AOA

CBU ▽2U5A-5420472-AA



TIRE
SEE OWNER'S MANUAL

The combined weight of passengers and cargo should not exceed this rating.

SEATING CAPACITY

ORIGINAL TIRE

FRONT	P235/60R16
REAR	P235/60R16

SPARE TIRE

T145/80R16

4USA-1532-AA (TLU)























MID. DITFORD MOTOR

DATE: 10/04

FRONT GAWR: 1326KG/2924LB

GAWR: 2576KG /5680LB

REAR GAWR: 1258KG /2775LB

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 2MRZA21205B [REDACTED] TYPE: MPV

MAXIMUM LOAD = OCCUPANTS + LUGGAGE = 544KG/1200LB

OCCUPANTS = 07 TOTAL; 2 FRONT, 05 REAR

TIRE (FR): P235/60R16

(RR): P235/60R16

RIMS (FR): 16X7.0J

(RR): 16X7.0J

PRESSURE (FR): 240 kPa/35

PSI COLD

(RR): 240

kPa/35

PSI COLD



2MRZA21205B [REDACTED]

TRAILER TOWING - SEE OWNER GUIDE

EXT PNT: JP

INT TR	TP/PS	R	AXLE	TR	SPR	DSO:
N6		B	24	N	AAGG	5A41R
						AOA

CBU

▽ 2U5A-5420472-AA

F0028
T0088



© 2005 GM Corp. All rights reserved.





