TURTLE TOP
Division of Independent Protection Co., Inc.
67819 State Road 15
New Paris, Indiana USA 46553

U.S. Department of Transportation via rmd.odi@dot.gov
National Highway Traffic Safety Administration
1200 New Jersey Avenue SE
Washington, DC 20590
June 14, 2012

Re: 12E-002

To Whom It May Concern:

Turtle Top received on June 13, 2012 via USPS Certified Mail a letter dated June 11, 2012 with accompanying documents concerning a safety recall on Braun Vista and Century model Wheelchair Lifts. The NHTSA has assigned a Safety Recall number of 12E-002. The letter indicates that certain Century and Vista Model lifts may contain a potential safety defect on product manufactured from November 2006 thru September 2010. The documents included instructions for remedy and purchasing records for the products affected. In addition, Turtle Top did receive notice prior to the letter dated June 11th that the possibility existed thru the sales arm of Braun. We didn't however get official notification that action was required until the most recent transaction. Now that Turtle Top is officially aware of this potential safety concern, we will give this matter the attention it needs to remedy any Turtle Top vehicles of the safety defect.

Turtle Top has been in contact with Braun the company that manufacturers the product in question and notified us of products covered under this recall in Turtle Top vehicles. Working with both companies' records, Turtle Top vendor purchase records and vehicle build records, Turtle Top will be identifying the population of vehicles involved in this recall. A recall schedule, Safety Defect and Noncompliance 573 report, and draft notification documents will be forthcoming to the NHTSA office.

Again, Turtle Top will be working on identifying vehicles involved in this safety defect recall and will be sending required documentation to the NHTSA office in the near future prior to notifying vehicle owners.

Thank you,



Matthew S. Sausaman
Director, Operations
matts@turtletop.com

Phone: 574 831-4340
Fax: 574 831-4349
E-mail: ttsp@turtletop.com
Website: www.turtletop.com