



CUSTOMER NAME

SERIAL NO. 1C4RJEAGXCC

TOTAL R/O'S

6

TOTAL SERV. DAYS 46

MAKE JE JEEP

LINE#	RO.NO.	RO. DATE.	MILES.	ADV/TECH	J#	T	OPERATION CODE.	DESCRIPTION.....
				T	10900	3	C 10CHZ/17.95	3000 MI ADV SPEC
				T	10900	4	C 01CHZ10	MULTI POINT INSP
4	5721	04/25/2012	1521	A	5342			
				T	90481	1	C 23CHZZBS	REPAIR AS PER ES
				T	7188			
5	430545	04/24/2012	3415	A	11240			
				T	10900	1	I 10CHZ01A	29.95 BRONZE 300
				T	10900	2	I 01CHZ10	MULTI POINT INSP
				T	78000	3	I 31CHZ03	COURTESY WASH
6	425714	02/23/2012	9	A	78000			
				T	8356	1	I 32CHZ	NEW CAR PREP/PDI
				T	641	2	I 31CHZ07	PAINT AND FABRIC
				T	641	3	I 31CHZ10	NEW VEHICLE PREP



FLORIDA CHRYSLER [REDACTED] FLORIDA CHRYSLER [REDACTED]  
1C4RJEAGXC [REDACTED]

MFD BY CHRYSLER GROUP LLC

DATE OF MFR (BUILT): 2-12 GVWR:

GAWR FRONT: 1452 KG 3200 LB WITH  
17X8.0 RIMS AT

GAWR REAR: 1679 KG 3700 LB WITH  
17X8.0 RIMS AT

2949 KG 6500 LB  
P245/70R17 TIRES

230 KPA ( 33 PSI) COLD  
P245/70R17 TIRES

230 KPA ( 33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY  
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RJEGXCC [REDACTED]

VEHICLE MADE IN U.S.A.

TYPE:

PAINT: PW1

MPV

TRIM: F7X9

MDH: 020610 64













CHEROKEE

Jeep

LAREDO

CHEROKEE



























524AC  
100% Ethylene Glycol  
Antifreeze  
Coolant  
100% Ethylene Glycol  
Antifreeze  
Coolant

3.7L















OfficeMax

copy paper

92 sheets  
20lb  
8 1/2 x 11

SPALDING

NBA



JAMES & MORTIMER Harvard

HP LaserJet

copy paper  
paper regular

92 sheets  
20 lb  
8.5" x 11"

J&W

J&W








# Auto policy bill

Allstate Fire and Casualty Insurance Co  
PO Box 40047  
Roanoke, VA 24022-0047



[Redacted]  
[Redacted]  
SUN CITY AZ [Redacted]

Information as of March 13, 2013 Page 1 of 2

Policyholder [Redacted]  
Policy number [Redacted]

Your policy provided by  
**Allstate Fire and Casualty Insurance Co**  
Covered vehicle  
**2012 Jeep Grnd Cherokee**

Policy period  
Effective **January 2, 2013** through  
**July 2, 2013** 12:01 a.m. standard time  
You may contact us at  
**1-800-Allstate®**  
or visit us at [www.allstate.com](http://www.allstate.com)

<b>To pay in full</b>	<b>\$411.03</b>
Minimum premium amount due	137.01
Installment fee	3.50
<b>Minimum amount due by April 2, 2013</b>	<b>\$140.51</b>

You may pay the minimum, or any amount up to the remaining \$411.03 premium amount. If you pay less than \$411.03, we will charge the \$3.50 installment fee. You will be charged a \$3.50 installment fee each time you pay the minimum amount due or any amount between the minimum amount due and the pay in full amount. You can avoid paying installment fees if you pay the pay in full amount. In that case, you will not be sent a bill until your policy renewal, unless you make a change in coverage resulting in additional premiums. Please see the back of this bill for payment schedule and history.

## Ways to pay

- Phone and on-line self service options** are available at (1-800-901-1732) or [www.allstate.com](http://www.allstate.com)
- Go Paperless!** View and pay your bill on-line. You can apply for e-Bill by visiting My Account at [allstate.com/ebill](http://allstate.com/ebill) or go to [MyCheckFree.com](http://MyCheckFree.com). Access your bill easily and lower the chances of fraud or identity theft. We'll send you an email letting you know when it's time to view and pay your bill.
- Sign up for an automatic payment plan** and have your payments automatically deducted from your bank account, credit, or debit card.

(continued)


**HOW TO EARN A "PAYCHECK" FOR LIFE.**

Worry less when you retire. An annuity can give you several payout options — including payments for life.  
Call your Allstate agency to learn more.

Detach bottom portion here ▼

## Return this portion with your payment

01/02



<b>To pay in full</b>	<b>\$411.03</b>
<b>Minimum amount due by April 2, 2013</b>	<b>\$140.51</b>

Amount enclosed

\$

Policyholder [Redacted]  
Policy number [Redacted]

Do not write address or policy change requests on this return portion, contact your agency.

Make check or money order payable to Allstate Fire and Casualty Insurance Co. Please include your policy number. Allow five days for delivery.

ALLSTATE FIRE AND CASUALTY INSURANCE CO  
PO BOX 660642  
DALLAS TX 75266-0642

/02701008290000009166277960102600140517000000000041





















































































**▲ WARNING**

**EVEN WITH ADVANCED AIRBAGS**

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIRBAG.
- THE AIRBAG MUST BE KEPT IN THE SEATED POSITION FOR CHILDREN.
- NEVER PUT A SEATING CHILD SEAT IN THE FRONT.
- NEVER USE SEATING AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIRBAGS.



00 04 114AA

- ▲ **MISE EN GARDE**
- ▲ **MÊME AVEC DES SACS GONFLABLES PERFECTIONNÉS**
- LES ENFANTS PEUVENT ÊTRE TUÉS OU GRAVEMENT BLESSÉS PAR L'AIR GONFLABLE.
- L'ENFANT DOIT ÊTRE PLACÉ DANS LA SIÈGE SEULEMENT.
- LA SÉCURITÉ DÉPEND DE LA FAÇON LA SIÈGE EST UTILISÉ.
- NE PAS UTILISER LES SIÈGES POUR ENFANTS DIRECTION VERTICALE.
- L'ENFANT NE DOIT PAS ÊTRE PLACÉ DANS LE SIÈGE.
- TOUJOURS VÉRIFIER LES CONSIGNES DE SÉCURITÉ ET LES DIRECTIVES CONCERNANT LE SIÈGE ET L'INSTALLATION POUR ÊTRE SÛR.
- CONSULTER LE GUIDE DE L'INSTALLATION POUR OBTENIR PLUS DE RENSEIGNEMENTS SUR LES SACS GONFLABLES.



E

65°F

Fuel Economy

MPG 19.9 123530

LITE 35 mi

NFC 15 30



24991 mi





E 65°F

---

Fuel Economy

---

AVG: 19.9 RESET

OTE: 35 mi

MPG 15 30

---

24991 mi

---

  P

A central digital display showing engine temperature (65°F), fuel economy (AVG: 19.9, OTE: 35 mi), MPG (15-30), and total mileage (24991 mi). It also features a 'RESET' button and three icons at the bottom: a red fuel pump, an orange fuel pump, and a 'P' for park.





SEEK ← SEEK → INFO ← RW → FE →

PUSH ON  
VOLUME

AM/FM  
SAT  
DISC  
AUX

SINGLE DISC • MP3 • ANTI-THEFT

SIRIUS

LIST  
MUSIC  
TYPE  
SETUP

PUSH AUDIO/SELECT  
TUNE/SCROLL

1 2 3 4 5 6

SET  
RND

AUX  
RES

Icons for seat heating/ventilation

A/C

Temperature gauge

Temperature gauge

FRONT  
REAR

OFF [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]



Gear shift knob

Handbrake









# MOORE AUTOMOTIVE

**Chrysler • Jeep • Dodge • Subaru**

Schedule your next appointment online at:

**mooreauto.com**



**623-972-7199**



**DATE DUE**

**MILES DUE**

**05/02/13**

**27253**

CUSTOMER NAME		SERIAL NO. 1C4RJEAGXC						
TOTAL R/O'S	TOTAL SERV. DAYS	MAKE	MODEL					
6	46	JE	JEEP					
LN#	RO.NO.	RO. DATE..	MILES.	ADV/TECH	J#	T	OPERATION CODE.	DESCRIPTION.....
1	451207	02/02/2011	21253	A	94797			
				T	115354	1	I	10CHZ01A 29.95 BRONZE 300
				T	115354	2	I	01CHZ10 MULTI POINT INSP
				T	78000	3	I	60CHZWASH DECLINED WASH
				T	34191	4	I	60CHZ03 DECLINED RECOMME
2	442994	10/13/2012	14321	A	94797			
				T	109007	1	C	01CHZ10 MULTI POINT INSP
				T	109007	2	C	22CHE TIRRS/WHEELS
				T	78000	3	C	31CHZ03 COURTESY WASH
				T	109007	4	C	10CHZ19.95SPEC 19.95 LOP/ROT/IN
				T	109007	5	C	01CHEAIR AIR FILTER
				T	34191	6	I	60CHZ03 DECLINED RECOMME
3	435052	06/23/2012	7514	A	94797			
				T	78000	1	C	31CHZ03 COURTESY WASH
				T	109007	2	C	01CHZ05/29.95 ROTATE7BALANC/SP

CUSTOMER NAME

SERIAL NO. 1C4RJEAGXCC


TOTAL R/O'S 6

TOTAL SERV. DAYS 46

MAKE JE JEEP

LINE#	RO.NO.	RO. DATE.	MILES.	ADV/TECH	J#	T	OPERATION CODE.	DESCRIPTION.....
				T	10900	3	C 10CHZ/17.95	3000 MI ADV SPEC
				T	10900	4	C 01CHZ10	MULTI POINT INSP
4	5721	04/25/2012	1521	A	5342			
				T	90481	1	C 23CHZZBS	REPAIR AS PER ES
				T	7188			
5	430545	04/24/2012	3415	A	11240			
				T	10900	1	I 10CHZ01A	29.95 BRONZE 300
				T	10900	2	I 01CHZ10	MULTI POINT INSP
				T	78000	3	I 31CHZ03	COURTESY WASH
6	425714	02/23/2012	9	A	78000			
				T	8356	1	I 32CHZ	NEW CAR PREP/PDI
				T	641	2	I 31CHZ07	PAINT AND FABRIC
				T	641	3	I 31CHZ10	NEW VEHICLE PREP





THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RFBT1C0 [REDACTED]

TYPE:

MPV

10-000000 0000

VEHICLE MADE IN U.S.A.

PAINT: P02

TIR: 0L8

0 LB  
TIRES  
0 COLO  
TIRES  
0 COLO

MFD BY **CHRYSLER GROUP LLC**

DATE OF MFR (BUILT): 2-12

GAWR FRONT: 1452 KG 3200 LB WITH RIMS AT

GAWR REAR: 1679 KG 3700 LB WITH RIMS AT

GWR: 3085 KG 6800 LB

P265/60R18 TIRES

230 kPa ( 33 PSI) COLD

P265/60R18 TIRES

230 kPa ( 33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1C4RJFBT1C[REDACTED] TYPE: MPV  
VEHICLE MADE IN U.S.A. PAINT: P02 TR1: UL19  
NM: 822219 65000



10723 mi OFF




5  
6  
7  
RPM  
x1000  
H

0  
20  
40  
60







Calliper Wash Plus

Calliper Wash Plus is a high-pressure, water-based cleaning solution designed for use on all types of vehicles. It is safe for use on all surfaces and is highly effective at removing dirt, grime, and other contaminants. It is also safe for use on sensitive surfaces such as chrome, stainless steel, and plastic. Calliper Wash Plus is available in a variety of sizes and is easy to use. Simply spray the solution onto the surface and scrub with a brush or sponge. Rinse thoroughly with water. Calliper Wash Plus is the perfect solution for keeping your vehicle clean and looking like new.











4x4  
LIMITED





ROTARY

ROTARY LIFT



OIL KING



























DO NOT MIX WITH OTHER FLUIDS  
DO NOT REMOVE CAP WHILE ENGINE IS RUNNING  
DO NOT REMOVE CAP WHILE ENGINE IS RUNNING

1.6L 1000mm<sup>3</sup> 1000mm<sup>3</sup>

























G 0000002173



30020271G 2.6.3



0000002173 A 12033084339

SCRAP IF DROPPED ASSEMBLED IN MEXICO





















PRODUCTS INC.  
For use on vehicle exterior surfaces only.

Control opening and  
through the film and

Emergency Contact

For use on vehicle exterior surfaces only.  
This product is designed to provide a protective barrier  
against environmental contaminants and moisture.  
It is not intended for use on interior surfaces.  
Always use proper application techniques.  
See instructions for details.



M TR  
01 000-01  
Vehicle Speed  
Trip Info  
P



START  
STOP  
O/R













30020271G  
B12033084316  
0000002173  
ASSEMBLED IN MEXICO  
SCRAP IF DROPPED  
2.63

0000002173  
A12033085451  
ASSEMBLED IN MEXICO  
G











Copyright © 2018  
All rights reserved.

18

















MFD BY **CHRYSLER GROUP LLC**

DATE OF MFR: 3-11

GAWR FRONT: 1452 KG 3200 LB WITH  
20X8.0 RIMS AT

GAWR REAR: 1679 KG 3700 LB WITH  
20X8.0 RIMS AT

GWR: 2949 KG 6500 LB  
265/50R20 TIRES

250 KPA ( 36 PSI) COLD  
265/50R20 TIRES  
250 KPA ( 36 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4RR4GT8BC [REDACTED] TYPE: [REDACTED]  
VEHICLE MADE IN U.S.A. PAINT: PS2

MPV  
TRIM: ULX9

MDH: 033017 10



**MFD BY CHRYSLER GROUP LLC**

DATE OF MFR: 3-11

GVWR: 2949 KG

GAWR FRONT: 1452 KG 3200 LB WITH 265/50R20  
20X8.0 RIMS AT 250 KPA ( 36

GAWR REAR: 1679 KG 3700 LB WITH 265/50R20  
20X8.0 RIMS AT 250 KPA ( 36 P.





Jeep













4x4  
PAQUIN'S  
St. Albans, VT





Jeep

4x4  
PAQUIN'S  
St. Albans, VT





Jeep

4x4  
PAQUIN'S  
St. Albans, VT












**PENNZOIL**  
MILEAGE  
**7500**  
S  
ay  
78



MOVEMENTS SUR LES SACS





PRICE   
DATE OR MILEAGE  
**27500**  
GRADE

**PAQUIN MOTORS**  
Franklin Park Way  
Albans, VT 05478  
(802) 524-2147





**NEXT SERVICE DUE**  
DATE OR MILEAGE  
**27500**  
GRADE

**PENNZOIL**

**PAQUIN MOTORS**  
2 Franklin Park Way  
St. Albans, VT 05478  
(802) 524-2147

121A














**NEXT SERVICE DUE**

**PENNZOIL**

DATE OR MILEAGE

**27500**

GRADE

**PAQUIN MOTORS**  
2 Franklin Park Way  
St. Albans, VT 05478  
(802) 524-2147





**NEXT  
SERVICE  
DUE**



DATE OR MILEAGE

**27500**

GRADE (

**PAQUIN MOTORS**  
2 Franklin Park Way  
St. Albans, VT 05478  
(802) 524-2147





































**EVEN WITH ADVANCED AIRBAGS**  
**WARNING**  
• CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY AIRBAGS.  
• THE SEAT BELT IS KEPT STRAPPED UNTIL THE SEAT BELT IS UNLATCHED.  
• ALWAYS USE SEATBELTS AND CHILD SEATRESTRAINTS.  
• THE OPERATOR'S MANUAL FOR MORE INFORMATION ABOUT AIRBAGS.  
03/09 15443

**MISE EN GARDE**  
• LES AIRBAGS AVANCÉS PEUVENT ÊTRE DANGEREUX POUR LES ENFANTS.  
• L'ATTENTION DOIT ÊTRE PORTÉE SUR LE SÉCURITÉ DES SEINS.  
• L'ATTENTION DOIT ÊTRE PORTÉE SUR LA SÉCURITÉ DES SEINS.  
• L'ATTENTION DOIT ÊTRE PORTÉE SUR LA SÉCURITÉ DES SEINS.  
• L'ATTENTION DOIT ÊTRE PORTÉE SUR LA SÉCURITÉ DES SEINS.  
• L'ATTENTION DOIT ÊTRE PORTÉE SUR LA SÉCURITÉ DES SEINS.  
• L'ATTENTION DOIT ÊTRE PORTÉE SUR LA SÉCURITÉ DES SEINS.

155  
155  
155









WARNING  
DO NOT USE  
TO PROTECT YOUR EYES  
AND PREVENT DAMAGE TO  
YOUR VEHICLE'S INTERIOR  
SURFACES, ALWAYS WEAR  
YOUR SEATBELT AND  
PLEASE DO NOT DRINK  
ALCOHOL OR USE  
DRUGS BEFORE DRIVING.  
© 2014 GM Corp.

PROVIDE EVIDENCE TO  
TRANSPORTATION  
DEPT. OF MOTOR VEHICLES  
IF YOU ARE STOPPED  
FOR A VIOLATION  
OF THE VEHICLE  
SALES ACT











9 KG 6500 LB  
50R20 TIRES  
PA ( 36 PSI) COLD  
0R20 TIRES  
A ( 36 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE  
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

VIN: 1J4RR4GT8BC [REDACTED]  
VEHICLE MADE IN U.S.A.

TYPE: [REDACTED]  
PAINT: PS2

MPV  
TRIM: ULX9

MDH: [REDACTED]



- J4 25A DR DOOR NODE
- J5 25A PASS DOOR NODE
- J6 40A ABS PUMP/ESP
- J7 30A ABS VALVE/ESP
- J8 40A PWR SEAT
- J9 40A FLEX FUEL
- J10 30A HDLP WASH RELAY
- J11 30A THATCHAM LOCK

- J12 30A REAR HVAC/RAD FAN
- J13 60A 10D-MAIN
- J14 40A EBL
- J15 40A FRONT HVAC
- J17 40A STARTER SOLENOID
- J18 20A PCM TRANS RANGE
- J19 60A RAD FAN
- J20 30A FT WIPER LO/HI
- J21 20A FT/RR WASH
- J22 25A SUNROOF MOD

- M11 10A HVAC (ATC)
- M12 30A AMP/RADIO
- M13 20A 10D-CCN/WCM/SIREN/CLK MOD/MULTFCTN SW/ITM/WIN
- M14 20A TRLR TOW (BUX) REAR CAMERA
- M15 20A RR VW MIR/T-CASE/AIR SUSP/PWR SEAT

- K1 RUN/ACCT RLY
- K2 RUN RLY
- K3 STARTER SOL RLY
- K4 RUN/START RLY
- K5 PCM RLY
- K6 EBL RLY
- K7 PARKLP: TRLR / LH VEHICLE RLY
- K9 FRONT HVAC RLY
- K10 ASD RLY
- K11 RAD FAN LO RLY

- M1 15A CHMSL/BRAKE SW
- M2 20A TRAILER LIGHTING
- M3 20A FT/RR AXLE LCK
- M4 10A TRAILER TOW
- M5 25A INVERTER
- M6 20A PWR OUTLET #1 (ACC)
- M7 20A PWR OUTLET #2
- M8 20A FT HEATED SEAT
- M9 20A RR HEATED SEAT
- M10 15A VES/SDARS/DVD/HFM
- M16 10A ORC/OCM
- M17 15A LT-TAIL/LIC/PRKLMP

- M18 15A RT-TAIL/PRK/RUN LP
- M19 25A ASD #1 AND #2
- M20 15A CCN INT LIGHT/SW
- M21 20A ASD #3


- M22 10A RT HORN (HI/LOW)
- M23 10A LT HORN (HI/LOW)
- M24 25A REAR WIPER
- M25 20A FUEL/DSL LIFT PUMP
- M26 10A PWR MIRR/DRVR WIN
- M27 10A IGN SW/WIN/PEM
- M28 10A PCM/TRANS FEED
- M29 10A OCM
- M30 15A FLIPR GLASS

- M31 20A B/U LAMPS
- M32 10A ORC
- M33 10A NGC/GPEC/TCM
- M34 10A PRK ASST/HVAC MOD/HDLP WASH/COMPASS/IR SNSR/LAMP LIGHTS/RAD FAN/RR CAM/DSL CABIN HTR/AHLM

- M35 10A HTD MIRRORS
- M36 20A POWER OUTLET #3
- M37 10A ABS/ESP/STP LP SW/
- M38 25A LOCK/UNLOCK MTRS

R63723-201 REV.C

VEHICLE DESIGN	
VEHICLE	DESIGN
W/ANGLR-NTRD LIBERTY/MINIVAN	1
RAM/LARGE SUV	2

























**NEXT SERVICE DUE**  
DATE OR MILEAGE  
**27500**  
GRADE

**PENNZOIL**

**PAQUIN MOTORS**  
2 Franklin Park Way  
St. Albans, VT 05478  
(802) 524-2147

















CUSTOMER #: 408772

300659

RAY BRANDT DODGE, INC.

1800 Whiskey Crossway  
HARVEY, LOUISIANA 70058

PARTS HOT LINE (504) 343-1884

TOLL FREE 1-800-254-3131 FAX # (504) 343-1880

WORKORDER

PAGE 2



SERVICE ADVISOR: 151 DEJAMES DONALD

DATE	TIME	VEHICLE	VIN	LOGS	WORK ORDER #	TAG
05/11/11	11:00	2009 GRAND CHEROKEE	1J4RR43EXU			
DEL DATE	PROD DATE	WARR EXP	PROCESSED	TO	RATE	PAYMENT
23MAY11	0024F811					
12AUG2011	0713					
12SEP09	0008					
R A 42						

W99 C/S THAT ALARM GOES OFF FOR NO REASON-ADVISE

W99 C/S THAT SHE SAW SMOKE COMING FROM LEFT SIDE  
INDICATED BY HEADLIER

CASE #

W99 C/S THAT THERE IS A KNOCKING/BREAKING NOISE FROM  
RIGHT REAR OF VEHICLE

W99 C/S THAT A/C THATON A LONG DRIVE THEN NO AIR COMING  
THROUGH VENTS

W99 C/S THAT STEERING WHEEL CONTROLS STOPS WORKING, THEN  
SHE BLEW THE HORN AND FUNCTIONS STARTED WORKING  
AGAIN

CF MULTI POINT INSPECTION

Example  
CUSTOMER IN RENTAL CAR

EXCLUSION OF WARRANTIES

Any warranties on the parts and accessories sold hereby are made by the manufacturer. The undersigned purchaser understands and agrees that these terms do not constitute an offer of insurance or financial product, and that the purchaser is not intended to be construed as a contract. The undersigned purchaser further agrees that the purchaser is not intended to be construed as a contract. The undersigned purchaser further agrees that the purchaser is not intended to be construed as a contract. The undersigned purchaser further agrees that the purchaser is not intended to be construed as a contract.

AUTHORIZATION FOR REPAIR

I hereby authorize the repair work herein set forth to be done using part of my vehicle, parts and accessories that are not covered by my warranty. I understand that the repair work herein set forth is not intended to be construed as a contract. The undersigned purchaser further agrees that the purchaser is not intended to be construed as a contract. The undersigned purchaser further agrees that the purchaser is not intended to be construed as a contract.

PRELIMINARY ESTIMATE #

AUTHORIZED BY: X	DATE	TIME	BY
REVISED ESTIMATE #1			
REVISED ESTIMATE #2			
REVISED ESTIMATE #3			

I HEREBY ACKNOWLEDGE THAT I WAS NOTIFIED & GAVE ORAL APPROVAL OF THE ABOVE REVISED ESTIMATE(S).

X



Press  
Brake Pedal  
and Push Button  
to Start

20544 mi  OFF






TIRES

33 PSI) COLD


TIRES

33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4RS4GGXBC



TYPE:

MPV

VEHICLE MADE IN U.S.A.

PAINT: PAW

TRIM: ULX9

KDH: 022409 53544




500 LB

TIRES

PSI) COLD


TIRES

PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4RS4GGXBC



TYPE:

MPV

VEHICLE MADE IN U.S.A.

PAINT: PUL

TRIM: ULX9

1-800-822-4249





LOUISIANA



LOUISIANA  
014  
V-8 TODAY

WORLD SUPER ROLL CHAMPIONS













































TRACTION A  
TEMPERATURE B  
225/60R18