

AQ14-003


CHRYSLER

12/12/2014

ENCLOSURE 17

CUSTOMER COMPLAINTS

FINALBACKUP



MFD BY CHRYSLER LLC

DATE OF MFR  
11-07

GAWR  
5534 KG (12200 LB)

GAWR FRONT

2359 KG (5200 LB) WITH TIRES  
LT235/80R17E

RIMS AT  
17X6.0

COLD  
450 KPA (65 PSI)

GAWR REAR

4242 KG (9350 LB) WITH TIRES  
LT235/80R17E

RIMS AT  
17X6.0

COLD  
450 KPA (65 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY  
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3D7MX48A880 [REDACTED] TYPE:

TRIM: [REDACTED] SINGLE DUAL X

MDH:

112801 864AB PNT:PB7

VEHICLE MADE IN MEXICO TRM:M9D5 4648507

MFD BY CHRYSLER LLC

DATE OF MFR  
11-07

GVWR  
5534 KG(12200 LB)

GVWR FRONT

2359 KG( 5200 LB)

WITH TIRES

LT235/80R17E

GVWR REAR

4242 KG( 9350 LB)

WITH TIRES

LT235/80R17E

RIMS AT

17X6.0

RIMS AT

17X6.0

COLD

450 KPA( 65 PSI)

COLD

450 KPA( 65 PSI)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY  
STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 3D7MX48A88G

TYPE:

SINGLE

DUAL X


MDH:

112801 864AB PNT:PB7


VEHICLE MADE IN MEXICO TRM:M9D5 4648507



307MX48A88G



9 307MX48A88G









2540



C  
DODGE DIESEL

RAM  
3500  
HEAVY DUTY












I My Boxer



BLUE DIESEL

HOLDEN DODGE  
HEAVY DUTY





TRUCK  
HORN

BLUENOC  
ENERGY

HOLDEN  
DODGE  
SINCE '88

4X4

Phillies













RAM  
3500  
HEAVY DUTY





































4

5


0 10 20 30 40 50 60 70 80 90 100 110 120  
MPH km/h

P R N D

51389









)(

P R N D

51389

# **! WARNING**



## **DEATH OR SERIOUS INJURY CAN OCCUR**

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG.
- **ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.**



55365-001AB

**⚠ WARNING**



**DEATH OR SERIOUS  
INJURY CAN OCCUR**

- CHILDREN 12 AND UNDER CAN BE KILLED BY THE AIR BAG
- THE BACK SEAT IS THE SAFEST PLACE FOR CHILDREN
- NEVER PUT A REAR-FACING CHILD SEAT IN THE FRONT
- SIT AS FAR BACK AS POSSIBLE FROM THE AIR BAG
- ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS



www.ford.com



2540









2  
New Tag

HOOD

**Left Front**



**Left Front**

02704 129

A close-up photograph of a car seatbelt buckle. A person's finger is pointing to the buckle. A white label with the text "Left Front" is attached to the buckle. The seatbelt strap is black and has a metal latch plate at the top. The background shows a dark, textured car seat.

**Left Front**



**Left Front**





**Right Front**







Right Front



A close-up photograph of a person's hand holding a small white rectangular label. The label is positioned against the back of a grey fabric car seat headrest. The seat's main surface has a dark blue and grey woven mesh pattern. The background shows the interior of a car, including the window and a glimpse of a red building outside.

**Left Front**



**Right Front**





HOOD



MLR-10326-2

MADE IN USA

NO. 700

DEGREES



MLR-10326-2



41248

41248

**DANGER**  
EXPLOSION HAZARD  
DO NOT OPEN WHEN HOT

**DANGER**  
EXPLOSION HAZARD  
DO NOT OPEN WHEN HOT

41248





CAUTION  
SPECIAL ENGINE  
COOLANT ONLY  
SEE OWNER MANUAL

WASHER  
FLUID ONLY

1.5L I4 16V  
41268  
© 2002 GM Corp.









**MAINTENANCE FREE • DO NOT OPEN OR PRY VENTS**

RESERVE CAPACITY

100 MIN

MOPAR CAT. NO.

65-60

CC/D CRANK @ 9" F (18" C)

250 AMPS

PART NUMBER

56028452AD

**WARNING - JUMP STARTING**

Don't let vehicles touch. Put your parking brake ON. Set both vehicles in PARK, NEUTRAL if manual transmission and turn ignition and electrical accessories off. Attach jumper cables in this order: 1. Good positive to 2. Good positive, 3. Good negative to 4. Engine block or frame of dead vehicle. Start GOOD VEHICLE and let run for a few minutes. Then start DEAD VEHICLE. Remove cables in reverse order 4, 3, 2, 1.

DaimlerChrysler Corporation Auburn Hills, MI 48326

KEEP OUT OF THE REACH OF CHILDREN • DO NOT TIP. KEEP VENT CAPS TIGHT AND LEVEL

FLUSH EYES IMMEDIATELY WITH WATER GET MEDICAL HELP FAST



**▲ DANGER / POISON**



412AB



MAINTENANCE FREE - DO NOT OPEN OR PRY VENTS  
WARNING - JUMP STARTING  
DANGER/POISON

KEEP OUT OF THE REACH OF CHILDREN  
DO NOT TOUCH VENTS OR FLAME LEVELS  
ALWAYS WEAR EYE PROTECTION  
IF EYES ARE EXPOSED TO FLAME OR  
IF EYES ARE EXPOSED TO FLAME  
IMMEDIATELY  
WASH WITH WATER  
GET  
MEDICAL HELP FAST  
RECYCLE

SHIELD EYES  
EXPLOSIVE GASES  
CAN CAUSE BLINDNESS OR DEATH  
NO OPEN FLAMES  
SMOKING  
SULFUR DIOXIDE  
CAN CAUSE  
ASTHMA OR  
OTHER LUNG  
DISEASES

than nominal  
during

NEW






20/1170

LOAD RANGE E
























































2158  
W.C.  
M.C.










EDGE  
OWNER

WATER SCHOOL



Phillies







































INR 9/0 0589404740 DAIMLERCHRYSLER  
P/N 780H00025 1X3313705869 9B4TK  
ASSEMBLED IN MEXICO















































812A1  
52100812A1  
71798  
MADE IN CANADA

The image shows the underside of a vehicle, specifically the front suspension and steering components. A blue tape is wrapped around a horizontal tie rod end, with the text "RIGHT OUTER TIE ROD END" written in red marker. Other visible parts include the lower control arm, a shock absorber, and various suspension linkages. The vehicle is positioned on a lift in a garage.

RIGHT OUTER TIE ROD END



Left upper TIE ROD  
END








# Vehicle View

Full view an ECU to see full name. Click on an ECU for complete details.

2008 DR 6 TL  
VIN: 3D7MX48A88 [REDACTED]  
Battery: 12.30 volts

- Legend
- Active ECU
  - Non-responsive ECU
  - DTC Present
  - ECU Not Built
  - Scanning ECU
  - New Flash Available
  - Display CAN-C
  - CAN-C
  - CAN-B




2008 DR 6.7L

VIN: 3D7MX48A8BG [REDACTED]

Battery: 12.26 volts

Legend

- Active ECU
- Non-responsive ECU
- DTCs Present
- ECU Not Built
- Scanning ECU
- New Flash Available
- Diag CAN-C
- CAN-C
- CAN-B




All DTCs **Diagnostic Procedures** Customer Preferences Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

|  | ECU | Code  | Status | Description                                 |
|--|-----|-------|--------|---|
|  | PCM | P0480 | Stored | Cooling Fan 1 Control Circuit/Open          |
|  | ABS | C1014 | Stored | Left Front Wheel Speed Comparative Perform  |
|  | ABS | C101F | Stored | Right Front Wheel Speed Comparative Perform |

Knowledge Base Articles



acer





# SUPPLEMENTAL TIRE PRESSURE INFORMATION

FOR LIGHT LOAD AND MAX LOAD CONDITIONS

LIGHT LOAD DEFINITION:

2 OCCUPANTS (150 LBS. EACH) PLUS 200 LBS. CARGO  
AS DEFINED ON DRIVERS SIDE B - PILLAR PLACARD

MAX LOAD DEFINITION:

|                                      | FRONT           | REAR            |
|--------------------------------------|-----------------|-----------------|
| LIGHT LOAD INFLATION PRESSURE (COLD) | 450 kPa, 65 PSI | 280 kPa, 40 PSI |
| MAX LOAD INFLATION PRESSURE (COLD)   | 450 kPa, 65 PSI | 450 kPa, 65 PSI |
| TIRE SIZE                            | LT235/80R17E    | LT235/80R17E    |

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION



8G175966



SERIAL NO. : 5D7W648880



R.O DATE : 03/21/2011  
MILEAGE : 41245  
R.O TYPE : S  
ADVISOR NO. : 7189

OP. DESC. DRIVEABILITY

JOB NUMBER : 3 OPERATION 10DOZ  
SALE TYPE : C TECHNICIAN NO(S). 6495

COMPLAINT : CUSTOMER STATES THAT THE CHECK ENGINE LIGHT IS ON  
CORRECTION : DESNOT TURBO ROAD TESTED

OP. DESC. 23 POINT INSPECTION

JOB NUMBER : 2 OPERATION 80DOZ03  
SALE TYPE : C TECHNICIAN NO(S). 6495  
COMPLAINT : 23 POINT INSPECTION

CORRECTION : FREE BATTERY TEST, FREE TIRE DATE INSPECTION  
COMPLETED 23 POINT INSPECTION  
PERFORMED FREE BATTERY TEST, PERFORMED FREE TIRE DATE  
INSPECTION

OP. DESC. FUEL SYSTEM CONCERN

JOB NUMBER : 3 OPERATION 09DOZ01  
SALE TYPE : C TECHNICIAN NO(S). 6495  
COMPLAINT : REPLACE FUEL FILTER ASSY

R.O NO. : 66920 R.O DATE : 03/02/2011 R.O TYPE : S  
MILEAGE : 31668 ADVISOR NO. : 9694

OP. DESC. BODY MECHANICAL

JOB NUMBER : 1 OPERATION 98DOZ  
SALE TYPE : W TECHNICIAN NO(S). 07740  
COMPLAINT : OPEN RECALL J35  
CORRECTION : PERFORM RECALL J35  
08J35182-.4

CLAIM NO. OPERATION NO.

CLAIM NO. OPERATION NO. CLAIM NO. OPERATION NO.  
66920 08J35182

COMMENTS : 229-9662

NO. : 48653 R.O DATE : 09/02/2009 R.O TYPE : S  
MILEAGE : 5250 ADVISOR NO. : 0976

OP. DESC. DRIVEABILITY

NUMBER : 1 OPERATION 10DOZ  
SALE TYPE : W TECHNICIAN NO(S). 0622

COMPLAINT : CUSTOMER STATES THAT THE CHECK ENGINE LIGHT IS ON  
CORRECTION : HAS CODES P2262 P2A00 NEEDS TSB 18-035-08 18-013-08

11-002-08

ACTION : PERFORM ALL, TSB REPLACE O2 SENSORS REPROGRAM ECM AND CCN

18190443-.2-ZZ-09770193-2.1-ZZ-09440192-3.8-ZZ  
18190442-.3  
CLEAN TURBO 25017092-.5-ZZ-18190441-.4-18190442-.3

04/08/2014  
13:11:56

HISTORY LISTING

3651  
PAGE 2

-----  
WARRANTY : CLAIM NO. [REDACTED] OPERATION NO. 18190443 CLAIM NO. [REDACTED] OPERATION NO. 25017092  
          : CLAIM NO. [REDACTED] OPERATION NO. 18190441 CLAIM NO. [REDACTED] OPERATION NO. 18190442  
          : CLAIM NO. [REDACTED] OPERATION NO. 09770193 CLAIM NO. [REDACTED] OPERATION NO. 09440192

JOB NUMBER : 2 OPERATION 11DOZ OP. DESC. ENGINE MINOR  
SALE TYPE : C TECHNICIAN NO(S). 0622  
COMPLAINT : CUSTOMER STATES OIL TURNS BLACK TO SOON WAS CHANGED AT 2K  
CORRECTION : NO PROBLEM FOUND

COMMENTS : DROP

# VIP Summary Report

Dealer: 45256 - CARMAN CHRYSLER-JEEP-DODGE

Date: April 8, 2014 Time: 13:11:11

VIN: 3D7MUBAB8G [REDACTED]

Dealer Entered Name: WHAL

Dealer Entered Odometer: 51,385 miles

STRICTLY CONFIDENTIAL: This information is provided to DEALER, in accordance with Section 4 of DEALER's Software License, Data Exchange and Electronic Commerce Agreement with Chrysler Group LLC. All information provided is based on entries provided by DEALER.

## Warning Messages

THIS VIN HAS AT LEAST ONE OPEN RECALL

## Vehicle Restrictions - No Vehicle Restriction

## Vehicle Service Information

|                          |   |                      |                               |
|--------------------------|---|----------------------|-------------------------------|
| Year/Model:              | 2008 DODGE RAM 3500 SLT QUAD CAB 4X4    | Last Odometer:       | 21,668 miles on March 3, 2011 |
| Body Style:              | 018H42                                  | In-Service Date:     | March 31, 2009                |
| Engine:                  | ETJ-6.7L I6 Cummins Turbo Diesel Engine | In-Service Odometer: | 395 miles                     |
| Transmission:            | DG7-6-Spd Automatic 68RFE Transmission  | Odometer Type:       | miles                         |
| Color 1:                 | PB7-Patriot Blue Pearl Coat             | Car Line:            | X                             |
| Color 2:                 | QB7-Patriot Blue Pearl Coat             | Build Date:          | November 28, 2007             |
| Current Market Register: | U                                       | Hour:                | 01                            |
| Book:                    | R                                       |                      |                               |

## Vehicle Owner Information

|                 |            |                      |            |
|-----------------|------------|----------------------|------------|
| Name:           | [REDACTED] | Preferred Name:      | [REDACTED] |
| Address:        | [REDACTED] | City:                | BEAR       |
| State/Province: | DE         | Postal Code:         | [REDACTED] |
| Country:        | USA        | Language Preference: |            |
| Telephone-Home: | [REDACTED] | Telephone-Business:  | [REDACTED] |
| Fax:            |            | Original Owner:      | [REDACTED] |

## Recall Information

### Incomplete Recall

| Recall Number | Description                 | Part Number       | Launch Date       |
|---------------|-----------------------------|-------------------|-------------------|
| H46           | STEERING LINKAGE            | SEE RECALL NOTICE | April 27, 2009    |
| H62           | LEFT OUTER TIE ROD ASSEMBLY | CBUEN491AA        | December 13, 2013 |

### Complete Recall

| Recall Number | Description                           | Launch Date    | Repair Date   |
|---------------|---------------------------------------|----------------|---------------|
| J35           | REPROGRAM ECM - REGENERATION STRATEGY | April 16, 2010 | March 3, 2011 |

## Warranty Information

REFER TO SPECIFIC LOPS FOR ADDITIONAL COVERAGE AND LIMITS

WARRANTY COVERAGE GOES WITH THE VEHICLE. INFORM CHRYSLER OF ANY SUBSEQUENT OWNER'S NAME AND ADDRESS CHANGES USING THE SALES TAB IN DEALERCONNECT. \*NOTE: DIESEL ENG. ONLY COVERED

FOR 5/100.

# VIP Summary Report

Dealer: 45258 - CARMAN CHRYSLER-JEEP-DODGE

Date: April 8, 2014 Time: 13:11:11

VIN: 307M048A88G

Dealer Entered Name: WHAL

Dealer Entered Odometer: 51,369 miles

STRICTLY CONFIDENTIAL: This information is provided to DEALER, in accordance with Section 4 of DEALER's Software License, Data Exchange and Electronic Commerce Agreement with Chrysler Group LLC. All information provided is based on entries provided by DEALER.

| BASED ON TIME AND MILEAGE ENTERED - NO WARRANTY TOWING COVERAGE IS AVAILABLE |                            |                   |                |                                  |  |
|--|----------------------------|-------------------|----------------|----------------------------------|--|
| Type of Warranty   | Original                   | Deductible        | Expiration     | Remaining                        |  |
| BASIC  | 36 Months or 36,000 miles  | 0                 | March 31, 2012 | Expired (Time)                   |  |
| POWERTRAIN   | 36 Months or 36,000 miles  | 0                 | March 31, 2012 | Expired (Time)                   |  |
| DIESEL ENGINE  | 60 Months or 100,000 miles | 0                 | March 31, 2014 | Expired (Time)                   |  |
| PERFORMANCE  | 60 Months or 100,000 miles | 0                 | March 31, 2014 | Expired (Time)                   |  |
| EMISSIONS  | 60 Months or 100,000 miles | 0                 | March 31, 2014 | Expired (Time)                   |  |
| ADJUSTMENT   | 36 Months or 36,000 miles  | 0                 | March 31, 2012 | Expired (Time)                   |  |
| AIR CONDITIONING   | 36 Months or 36,000 miles  | 0                 | March 31, 2012 | Expired (Time)                   |  |
| EXTENDED FEDERAL EMISSIONS   | 96 Months or 80,000 miles  | 0                 | March 31, 2017 | 36 Months or 28,611 miles        |  |
| WCC  | Roadside Assistance        | Towing Assistance | Master Shield  | Transferable-Powertrain Warranty |  |
| 300  | No                         | No                | N/A            | No                               |  |

## Service Contract - No Service Contracts Available


## Service History (24 Month)

No Service History Information Available

## Vehicle Sale Information

|                 |  |                 |                   |
|-----------------|--|-----------------|-------------------|
| Selling Dealer: | 55013 - HOLDEN DODGE CHRYSLER JEEP RAM | Sales Type:     | 1 - DIRECT RETAIL |
| City:           | DOVER                                  | State/Province: | DE                |
| Country:        | USA                                    | Telephone:      | (302)734-5708     |

CAIR - No Open CAIR Information Available



**CARMAN CHRYSLER-JEEP-DODGE**

196 S DUPONT HWY

NEW CASTLE, DE 197204149

Phone : 302 323-1666



**VEHICLE  
PROTECTION**

### Mopar Vehicle Protection Eligibility Report

Customer Name :

[REDACTED]

VIN : 3D7MX48A88G [REDACTED]

Vehicle : 2008 DODGE RAM 3500 SLT QUAD CAB  
4X4

BEAR, DE, US [REDACTED]

Mileage : 51389 miles

Telephone :

[REDACTED]

Warranty Code : 300

Sales Type : 1 - DIRECT RETAIL

### Eligible Plans

Service Lane Products Not Available For The Vehicle At This Time. Other Service Contract Products May Be Available Through The Sales Office.

# Options Report

Dealer: 40288 - CARMAN CHRYSLER JEEP DODGE

Date: April 6, 2014 Time: 13:11:29

VIN: 3DYNABABG6

Dealer Entered Name: WHAL

Dealer Entered Odometer: 51,369 miles

STRICTLY CONFIDENTIAL: This information is provided to DEALER, in accordance with Section 4 of DEALER'S Software License. Data Exchange and Electronic Commerce Agreement with Chrysler Group LLC. All information provided is based on entries provided by DEALER.

| Vehicle Option - All |                                       |       |                                       |
|----------------------|---------------------------------------|-------|---------------------------------------|
| Standard Equipment   |                                       |       |                                       |
| Code                 | Description                           | Code  | Description                           |
| APAS                 | Monotone Paint                        | BAZS  | 136 Amp Alternator                    |
| CGDS                 | Front Height Adjust Shoulder Belts    | CG1S  | Next Gen Multistage Front Air Bags**  |
| CLES                 | Front Rear Floor Mats                 | CSPS  | Passenger Assist Handle               |
| DRDS                 | Elec Shift-on-the-Fly Transfer Case   | DJXS  | S.2008 Front Axle w/Hub Extensions    |
| GAOS                 | Tinted Glass Windows                  | GFES  | Rear Power Sliding Window             |
| GNMS                 | Passenger Side Sun Visor w/Mirror     | GXMS  | Remote Keyless Entry                  |
| HAAS                 | Air Conditioning                      | HGBS  | Dash Liner Insulation                 |
| HGFS                 | Floor Tunnel Insulation               | JAYS  | Instrument Cluster w/Tach             |
| JCBS                 | 120 MPH Primary Speedometer           | JHAS  | Var Intermittent Windshield Wipers    |
| JJBS                 | Dual Note Electric Horns              | JJJS  | 12V Auxiliary Power Outlet            |
| JPOS                 | Power Windows, Driver One-Touch       | LMAS  | Halogen Headlamps                     |
| LNDS                 | Box Rear Fender Clearance Lamps       | LNJS  | Fog Lamps                             |
| MBFS                 | Bright Rear Bumper                    | MCMS  | Body Color Upper Fascia               |
| MF1S                 | Bright/Bright Grille                  | MGAS  | Ram's Head Badge                      |
| MWDS                 | Removable Tailgate w/Calliper Latches | MXBS  | Front Air Dam                         |
| NHMS                 | Speed Control                         | NMCS  | Heavy Duty Engine Cooling             |
| RCDS                 | 4 Speakers                            | REFS  | AM/FM Compact Disc Radio              |
| SRES                 | Power Steering                        | SCFS  | 4-Spoke Steering Wheel                |
| SGBS                 | Rear Heavy Duty Shock Absorbers       | SHAS  | Front Stabilizer Bar                  |
| TBBS                 | Full Size Spare Tire                  | TBMS  | Tire Camer Winch                      |
| WD4S                 | 17X6.5 Steel Wheels                   | WF1S  | 17 Steel Spare Wheel                  |
| XABS                 | Non Adjustable Pedals                 | XBSS  | Pickup Box                            |
| YAA5                 | Build To U.S. Mkt Specifications      | 1AAS  | U.S. Dealer Retail                    |
| SLS                  | D1-Vehicle Family                     | 5HS   | Four Wheel Drive (4WD)/(4X4)          |
| SDFS                 | 8 FT. Cargo Box                       | 5ZKS  | Quad Cab                              |
| SMAS                 | Vehicle Order Tracking                | 6JUS  | U.S. Specifications Label             |
| 947S                 | Virginia Sold to State Code           |       |                                       |
| Optional Equipment   |                                       |       |                                       |
| Code                 | Description                           | Code  | Description                           |
| 949                  | Cab 40/20/40 Prem Bench Seat          | -05   | Med Slate Gray                        |
| BCDP                 | 150 Avg Maintenance Free Battery      | CBEP  | 40/20/40 Split Bench Seat             |
| CDHP                 | Front Center Seat Cushion Storage     | CWWP  | OnHead Console w/Trip Computer/EVC    |
| BRTS                 | Anti-Lock 4-Wheel Disc Brakes         | AHC   | Trailer Tow Group                     |
| CKES                 | Floor Covering Carpet                 | C-SXP | Rear 60/40 Split Folding Seat         |
| CUES                 | Rear Underseat Compartment Storage    | DG7   | 6-Speed Automatic 6809 E Transmission |
| DRXS                 | 11.50, Dual Wheels Rear Axle          |       |                                       |
| GNAS                 | Rear View Day/Night Mirror            |       |                                       |
| GOOS                 | Sentry Key Theft Determent System     |       |                                       |
| HGDS                 | Deluxe Body Insulation                |       |                                       |
| JBYS                 | Instr. Panel Color Keyed Bezel        |       |                                       |
| JJAS                 | Cigar Lighter                         |       |                                       |
| JPBS                 | Power Locks                           |       |                                       |
| LNCS                 | Clearance Lamps                       |       |                                       |
| LPES                 | Cargo Lamp                            |       |                                       |
| MCTS                 | Bright Front Bumper                   |       |                                       |
| MUSS                 | 4X4 Badge                             |       |                                       |
| NFVS                 | 35 Gallon Fuel Tank                   |       |                                       |
| Q67S                 | Patriot Blue Pearl Coat               |       |                                       |
| RSAS                 | Sinus Satellite Radio                 |       |                                       |
| SFBS                 | Front Heavy Duty Shock Absorbers      |       |                                       |
| SUAS                 | TIR Steering Column                   |       |                                       |
| TPYS                 | LT235/60R17E BSW All Season Tires     |       |                                       |
| WLAS                 | Dual Rear Wheels                      |       |                                       |
| XFUS                 | Trailer Tow w/4-Pin Connector Wiring  |       |                                       |
| 135S                 | Zone 35-Washington                    |       |                                       |
| 5RES                 | 2008 Vehicle Specifications           |       |                                       |
| 5ZNS                 | 3500 Series                           |       |                                       |
| 647S                 | Virginia Ship to State Code           |       |                                       |

# Options Report

Dealer: 45258 - CARMAN CHRYSLER-JEEP-DOODGE

Date: April 8, 2014 Time: 13:11:29

VIN: 3D7MAU48A88G [REDACTED]

Dealer Entered Name: WHAL

Dealer Entered Odometer: 51,366 miles

STRICTLY CONFIDENTIAL. This information is provided to DEALER, in accordance with Section 4 of DEALER's Software License, Data Exchange and Electronic Commerce Agreement with Chrysler Group LLC. All information provided is based on entries provided by DEALER.


|   |                                    |             |                                     |             |                                     |
|---|------------------------------------|-------------|-------------------------------------|-------------|-------------------------------------|
| DMEP  | 3.7J Rear Axle Ratio               | DSA         | Anti-Spin Differential Rear Axle    | ETJ         | 6.7L I6 Cummins Turbo Diesel Engine |
| OPG   | Power Black Trailer Tow Mirrors    | GVBC        | All Vehicles WiPower Mirrors        | HGAP        | Hood Insulation                     |
| JTHP  | Power 6-Way Driver Seat            | MDAP        | Front License Plate Bracket         | MJB         | Chrome Body-side Molding            |
| MRR   | Chrome Tubular Side Steps          | MYFA        | Bighorn Badge                       | MZHP        | Bluetec Diesel Badge                |
| NAS   | 50 State Emissions                 | NENP        | Diesel Exhaust Brake                | NHBP        | Auxiliary Transmission Oil Cooler   |
| NHBP  | Electronically Controlled Throttle | NZCP        | Current Generation Eng Controller   | PR7         | Patrol Blue Pearl Coat              |
| RAAC  | All Radio Equipped Vehicles        | RDCP        | Fixed Long Mast Antenna             | TZEP        | General Brand Trees                 |
| WLYC  | All Steel Wheels                   | WMGP        | Bright Wheel Skins                  | WMJP        | Center Hub                          |
| XGZP  | Toluca Painted Cargo Box           | XEAP        | Tow Hooks                           | XFHP        | Class IV Receiver Hitch             |
| XFHP  | 7 Pin Wiring Harness               | XGWP        | Stain Repel Seat Fabric             | XUL         | Front Hood Protection Shield        |
| XME   | Under Rail Box Bedliner            | XHAP        | For More Info, Call 888-539-7474    | XH7P        | 1-Year Service Provided by SIRIUS   |
| YEP   | Manuf Statement of Origin          | YG4A        | 5.5 Additional Gallons of Diesel    | ZEJP        | Spring - Left Front                 |
| ZHRP  | Spring - Left Rear                 | ZTJP        | Spring - Right Front                | ZWRP        | Spring - Right Rear                 |
| ZNDP  | GWW Rating - 12200#                | 08RA        | FAM:D1 TRACKING: 61215T06AD MY:2008 | 08YA        | FAM:D1 TRACKING: 70504T11AA MY:2008 |
| ZFG   | Customer Preferred Package 2FG     | 2TGA        | Customer Preferred Package 2TG      | 3A1A        | Bluetec Diesel System               |
| 3SGP  | Option Value                       | 4KZP        | 4X4 Tracking                        | 4ZEP        | Satellite Truck Assembly Plant      |
| 583   | Toluca Painted Cargo Box Tracking  |             |                                     |             |                                     |
| <b>Special Equipment</b>  |                                    |             |                                     |             |                                     |
| <b>Code</b>   | <b>Description</b>                 | <b>Code</b> | <b>Description</b>                  | <b>Code</b> | <b>Description</b>                  |
| 9974  | DESCRIPTION NOT AVAILABLE          | 9974        | DESCRIPTION NOT AVAILABLE           |             |                                     |
| <b>Dealer Installed Option - No Dealer Installed Option Available</b> |                                    |             |                                     |             |                                     |
| <b>Dealer Installed Option</b>  |                                    |             |                                     |             |                                     |
| <b>Code</b>   | <b>Description</b>                 | <b>Code</b> | <b>Description</b>                  | <b>Code</b> | <b>Description</b>                  |

# Vehicle View

Roll over an ECU to see full name. Click on an ECU for complete details.

2008 DR 6.7L  
VIN: 3D7MX48A88C  
Battery: 12.26 volts

- Legend
- Active ECU
  - Non-responsive ECU
  - DTCs Present
  - ECU Not Built
  - Scanning ECU
  - New Flash Available
  - Diag CAN-C
  - CAN-C
  - CAN-B



All DTCs Diagnostics Procedures Customer Preferences Vehicle Preparations

Double-click row selection to view environmental data. Click on column heading to sort table.

View Freeze Frame View Event Data Clear Stored DTCs


Active Stored Pending

| ECU | Code  | Status | Description                                     |
|-----|-------|--------|---|
| PCM | P0480 | Stored | Cooling Fan 1 Control Circuit/Open              |
| ABS | C1014 | Stored | Left Front Wheel Speed Comparative Performance  |
| ABS | C101F | Stored | Right Front Wheel Speed Comparative Performance |









# PCM View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

View Trace Frame

All Active Stored Pending

|  | ECU | Code  | Status | Description                        |
|--|-----|-------|--------|------------------------------------|
|  | PCM | P0480 | Stored | Cooling Fan 1 Control Circuit/Open |

Click on the buttons to view the desired information. Click on column heading to sort table.

## Environmental Data for PCM | P0480 Cooling Fan 1 Control Circuit/Open

| Name                | Value   | Units   |
|---------------------|---------|---------|
| Odometer            | 48535.0 | miles   |
| Accumulation Timer  | 111     | minutes |
| Ignition Key Cycles | 10      |         |

### Overview

**Name:** Powertrain Control Module  
**Flash Part Number:** 62351435AZ  
**Bus Type:** CAN C  
**Hardware Version:** 00.03  
**Software Version:** 62.08.07  
**Spare Part Number:** Not Available  
**ISO Code:**  
**Software Number:** Not Available  
**Hardware Number:** Not Available  
**Original VIN:** 3D7MX28A88C [REDACTED]  
**Current VIN:** 3D7MX28A88C [REDACTED]  
**Variant & Version:** 10-12  
**Country Code:** USA  
**DTC Count:**



## ABS View

Click on tabs to access various ECU operations and information for the selected ECU

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc. Functions
- ECU Details



Overview

Name:  
 Anti Lock Brakes  
 Flash Part Number:  
 S5364224AN  
 Bus Type:  
 CAN C  
 Hardware Version:  
 81.34  
 Software Version:  
 52.45.53  
 Spare Part Number:  
 Not Available  
 ISO Code:  
  
 Software Number:  
 Not Available  
 Hardware Number:  
 Not Available  
 Original VIN: [REDACTED]  
 Current VIN: [REDACTED]  
 Variant & Version:  
 08-00  
 Country Code:  
 USA  
 DTC Count:


Double-click row selection to view environmental data. Click on column heading to sort table.

| All | Active | Stored | Pending |     | Status | Description                                    |
|-----|--------|--------|---------|-----|--------|--|
|     |        |        |         | ECU | Code   |  |
|     |        |        |         | ABS | C1014  | Left Front Wheel Speed Comparative Performance |

Click on the buttons to view the desired information. Click on column heading to sort table.

### Environmental Data for ABS | C1014 Left Front Wheel Speed Comparative Performance

| Name                            | Value        | Units   |
|---------------------------------|--------------|---------|
| DTC Readiness Flag              | Not Complete |         |
| DTC Storage State               | Stored       |         |
| Warning Indicator Request State | Off          | miles   |
| Odometer                        | \$1081.7     | minutes |
| Accumulation Timer              | 20           | cycles  |
| Ignition Key Cycles             | 66           |         |
| ABS Active                      | Not Set      |         |
| BTCs Active                     | Not Set      |         |
| TCS Active                      | Not Set      |         |
| ESP Active                      | Not Set      |         |
| MSR Active                      | Not Set      |         |
| BA Active                       | Not Set      |         |
| Brake Switch                    | Not Set      |         |



# ABS View

Click on tabs to access various ECU operations and information for the selected ECU.



### Overview

**Name:**  
Anti Lock Brakes

**Flash Part Number:**  
55366224AN

**Bus Type:**  
CAN-C

**Hardware Version:**  
81.34

**Software Version:**  
52.45.53

**Spares Part Number:**  
Not Available

**ISO Code:**

**Software Number:**  
Not Available

**Hardware Number:**  
Not Available

**Original VIN:**  
3D7HCLAA881 [REDACTED]

**Current VIN:**  
3D7HCLAA881 [REDACTED]

**Variant & Version:**  
08-90

**Country Code:**  
USA

**DTC Count:**

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU | Code  | Status | Description                                    |
|-----|-------|--------|--|
| ABS | C1014 | Stored | Left Front Wheel Speed Comparative Performance |

View Freeze Frame View Event DTCs Clear Stored DTCs

Click on the buttons to view the desired information. Click on column heading to sort table.

### Environmental Data for ABS | C1014 Left Front Wheel Speed Comparative Performance

| Name                        | Value                | Units         |
|-----------------------------|----------------------|---------------|
| Booster                     | Not Set              |               |
| Thermal Model Disabled      | Not Set              |               |
| Traction Control Switch     | Not Set              | degrees       |
| Steering Wheel Angle Sensor | 0.0                  | Degrees / Sec |
| Yaw Rate Sensor             | 0.0                  |               |
| Lateral Sensor              | 0F                   |               |
| Longitudinal Sensor         | 0F                   |               |
| Pressure Sensor             | 0 bar                |               |
| Supply Voltage              | 13.994 V             | MPH           |
| Front Right Wheel Speed     | 0                    | MPH           |
| Front Left Wheel Speed      | SNA / Not Programmed | MPH           |
| Rear Right Wheel Speed      | 34                   | MPH           |
| Rear Left Wheel Speed       | SNA / Not Programmed | MPH           |

View Environmental Data View Freeze Frame

Refresh



## ABS View

Click on tabs to access various ECU operations and information for the selected ECU.



Flash Data DTCs Actuators System Tests Misc Functions ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU | Code  | Status | Description                                     |
|-----|-------|--------|---|
| ABS | C1014 | Stored | Left Front Wheel Speed Comparative Performance  |
| ABS | C101F | Stored | Right Front Wheel Speed Comparative Performance |

Click on the buttons to view the desired information. Click on column heading to sort table.

### Environmental Data for ABS | C101F Right Front Wheel Speed Comparative Performance

| Name                            | Value        | Units  |
|---------------------------------|--------------|--------|
| DTC Readiness Flag              | Not Complete |        |
| DTC Storage State               | Stored       |        |
| Warning Indicator Request State | Off          | min    |
| Odometer                        | 51081.7      | km     |
| Accumulation Timer              | 20           | cycles |
| Ignition Key Cycles             | 66           |        |
| ABS Active                      | Not Set      |        |
| BTCS Active                     | Not Set      |        |
| TCS Active                      | Not Set      |        |
| ESP Active                      | Not Set      |        |
| MSR Active                      | Not Set      |        |
| BA Active                       | Not Set      |        |

Overview

Name:  
Anti Lock Brakes

Flash Part Number:  
55366224AN

Bus Type:  
CAN C

Hardware Version:  
81.34

Software Version:  
52.45.53

Spare Part Number:  
Not Available

ISO Code:

Software Number:  
Not Available

Hardware Number:  
Not Available

Original VIN  
3D7MXA8A88C [REDACTED]

Current VIN  
3D7MXA8A88C [REDACTED]

Variant & Version:  
08-00

Country Code  
USA

DTC Count



# ABS View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

View Flash Events View DTCs

All Active Stored Pending

| ECU | Code  | Status | Description                                     |
|-----|-------|--------|---|
| ABS | C1014 | Stored | Left Front Wheel Speed Comparative Performance  |
| ABS | C101F | Stored | Right Front Wheel Speed Comparative Performance |

Click on the buttons to view the desired information. Click on column heading to sort table.

### Environmental Data for ABS | C101F Right Front Wheel Speed Comparative Performance

| Name                        | Value                | Units         |
|-----------------------------|----------------------|---------------|
| Brake Switch                | Not Set              |               |
| Pump Motor                  | Not Set              |               |
| Booster                     | Not Set              |               |
| Thermal Model Disabled      | Not Set              |               |
| Traction Control Switch     | Not Set              |               |
| Steering Wheel Angle Sensor | 0.0                  | degrees       |
| Yaw Rate Sensor             | 0.0                  | Degrees / Sec |
| Lateral Sensor              | 0F                   |               |
| Longitudinal Sensor         | 0F                   |               |
| Pressure Sensor             | 0 bar                | MPa           |
| Supply Voltage              | 13.328 V             |               |
| Front Right Wheel Speed     | SNA / Not Programmed |               |

**Name:**  
Anti Lock Brakes

**Flash Part Number:**  
SS366224AN

**Bus Type:**  
CAN C

**Hardware Version:**  
B1.34

**Software Version:**  
S2.45.53

**Spare Part Number:**  
Not Available

**ISO Code:**

**Software Number:**  
Not Available

**Hardware Number:**  
Not Available


**Original VIN:**  
3D7MX4B88F [REDACTED]

**Current VIN:**  
3D7MX4B88F [REDACTED]

**Variant & Version:**  
08 - 00

**Country Code:**  
USA

**DTC Count:**



# ABS View

Click on tabs to access various ECU operations and information for the selected ECU

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Details



### Overview

**Name:** Anti Lock Brakes  
**Flash Part Number:** 55364224AN  
**Bus Type:** CAN C  
**Hardware Version:** 01.34  
**Software Version:** S2.45.53  
**Spare Part Number:** Not Available  
**ISO Code:**  
**Software Number:** Not Available  
**Hardware Number:** Not Available  
**Original VIN:** 3D7MXAB88C [REDACTED]  
**Current VIN:** 3D7MXAB88C [REDACTED]  
**Variant & Version:** 00-00  
**Country Code:** USA  
**DTC Count:**

Double-click row selection to view environmental data. Click on column heading to sort table.


All Active Stored Pending


| ECU | Code  | Status | Description                                     |
|-----|-------|--------|---|
| ABS | C1014 | Stored | Left Front Wheel Speed Comparative Performance  |
| ABS | C101F | Stored | Right Front Wheel Speed Comparative Performance |

Click on the buttons to view the desired information. Click on column heading to sort table.

### Environmental Data for ABS | C101F Right Front Wheel Speed Comparative Performance

| Name                        | Value                | Units         |
|-----------------------------|----------------------|---------------|
| Thermal Model Disabled      | Not Set              |               |
| Traction Control Switch     | Not Set              | Degrees       |
| Steering Wheel Angle Sensor | 0.0                  | Degrees / Sec |
| Yaw Rate Sensor             | 0.0                  |               |
| Lateral Sensor              | 0F                   |               |
| Longitudinal Sensor         | 0F                   |               |
| Pressure Sensor             | 0 bar                | MPa           |
| Supply Voltage              | 13.328 V             | MPa           |
| Front Right Wheel Speed     | SNA / Not Programmed | MPa           |
| Front Left Wheel Speed      | SNA / Not Programmed | MPa           |
| Rear Right Wheel Speed      | 34                   | MPa           |
| Rear Left Wheel Speed       | SNA / Not Programmed | MPa           |





# TCM View

Click on tabs to access various ECU operations and information for the selected ECU.



### Overview

ECU Information

Flash Part Number:

05187276AD

Bus Type:

CAN C

Hardware Version:

0E.7F

Software Version:

08.10.00

Spare Part Number:

Not Available

ISO Code:

Software Number:

Not Available

Hardware Number:

Not Available

Original VIN

????????????????

Current VIN

3C7MX48A8B [REDACTED]

Variant & Version:

08 - 65

Country Code

USA

DTC Count:


0

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |



# TIPMCGW View

Click on tabs to access various ECU operations and information for the selected ECU.



### Overview

Version: 1.0.0.0

**Flash Part Number:**  
04692238AB

**Bus Type:**  
DIAG CAN C

**Hardware Version:**  
30.31

**Software Version:**  
08.08.02

**Spare Part Number:**  
Not Available

**ISO Code:**

**Software Number:**  
Not Available

**Hardware Number:**  
Not Available

**Original VIN** [REDACTED]

**Current VIN** [REDACTED]

**Variant & Version:**  
02-12

**Country Code**  
USA


**DTC Count:**  
0

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |



# WCM View

Click on tabs to access various ECU operations and information for the selected ECU.


- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

View Single Frame Clear Event Data Clear

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |



### Overview

Flash Part Number:  
95026221AK

Bus Type:  
CAN B

Hardware Version:  
36.00

Software Version:  
29.03.03

Spare Part Number:  
Not Available

ISO Code:

Software Number:  
Not Available

Hardware Number:  
Not Available


Original VIN  
3D7MX46A88C [REDACTED]

Current VIN  
3D7MX46A88 [REDACTED]

Variant & Version:  
02 - 56

Country Code  
USA

DTC Count:  
0



# CCN View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

View Filter Properties View Search Data

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |

### Overview

Flash Part Number:

05172334AG

Bus Type:

CAN B

Hardware Version:

FF.FF

Software Version:

00.08.14

Spare Part Number:

Not Available

ISO Code:

Not Available

Software Number:

Not Available

Hardware Number:

Not Available

Original VIN

3D7MX48A88 [REDACTED]

Current VIN

3D7MX48A88 [REDACTED]

Variant & Version:

05-06


Country Code

USA

DTC Count:

0





# EOM View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |



### Overview

Vehicle VIN: [redacted]

Flash Part Number: 56040109AA

Bus Type: CAN B

Hardware Version: 00.01

Software Version: 02.01.00

Spare Part Number: Not Available

ISO Code:

Software Number: Not Available

Hardware Number: Not Available

Original VIN: [redacted]


Current VIN: [redacted]

Variant & Version: 01 - 55

Country Code: USA

DTC Count: 0

Knowledge Base Article



# RADIO View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

View Previous Data View Current Data

All Active Stored Pending

| ECU | Code | Status | Description |
|-----|------|--------|-------------|
|-----|------|--------|-------------|

There are no DTCs present

### Overview

Flash Part Number:  
10079620AJ

Bus Type:  
CAN B

Hardware Version:  
41.35

Software Version:  
08.00.04

Spare Part Number:  
Not Available

ISO Code:

Software Number:  
Not Available

Hardware Number:  
Not Available

Original VIN  
\*\*\*\*\*

Current VIN  
3D7MX48A8BC [REDACTED]

Variant & Version:  
01 - 35

Country Code  
USA

DTC Count:  
0



# ORC View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.



### Overview

Flash Part Number:

56041708AH

Bus Type:

CAN B

Hardware Version:

41.45

Software Version:

01.08.00

Spare Part Number:

Not Available

ISO Code:

Software Number:

Not Available

Hardware Number:

Not Available

Original VIN

3D7MK4SABSC [REDACTED]

Current VIN

3D7MK4SABSC [REDACTED]

Variant & Version:

01 - S2

Country Code

USA

DTC Count:

0

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |

There are no DTCs present



# ORC View

Click on tabs to access various ECU operations and information for the selected ECU.



- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |

### Overview

#### Flash Part Number:

56D43708AH

#### Bus Type:

CAN B

#### Hardware Version:

41.45

#### Software Version:

01.08.00

#### Spare Part Number:

Not Available

#### ISO Code:

#### Software Number:

Not Available

#### Hardware Number:

Not Available

#### Original VIN

3D7MX48A88C1 [REDACTED]

#### Current VIN

3D7MX48A88C [REDACTED]

#### Variant & Version:


01 - 52

#### Country Code

USA

#### DTC Count:

0



# HVAC View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details



Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |

### Overview

Model: VETU1600001 0100 PCV

Flash Part Number:

55057079AB

Bus Type:

CAN B

Hardware Version:

01.00

Software Version:

03.05.56

Spare Part Number:

Not Available

ISO Code:

Software Number:

Not Available

Hardware Number:

Not Available

Original VIN

107MX46A880 [REDACTED]

Current VIN

107MX46A880 [REDACTED]

Variant & Version:


01 - 54

Country Code

USA

DTC Count:

0



# SDAR View

Click on tabs to access various ECU operations and information for the selected ECU.

- Flash
- Data
- DTCs**
- Actuators
- System Tests
- Misc Functions
- ECU Details

Double-click row selection to view environmental data. Click on column heading to sort table.

All Active Stored Pending

| ECU                       | Code | Status | Description |
|---------------------------|------|--------|-------------|
| There are no DTCs present |      |        |             |

### Overview

Device Name:

Flash Part Number:

05064075AE

Bus Type:

CAN B

Hardware Version:

09.04

Software Version:

11.00.06

Spare Part Number:

Not Available

ISO Code:

Software Number:

Not Available

Hardware Number:

Not Available

Original VIN

3D7MX48A88G [REDACTED]

Current VIN

3D7MX48A88G [REDACTED]

Variant & Version:

01 - 53

Country Code

USA

DTC Count:

0

# Vehicle View

Roll over an ECU to see full name. Click on an ECU for complete details.

2008 DR 6.7L  
VIN: 3D7MX48A88G175966  
Battery: 12.30 volts

- Legend
- Active ECU
  - Non-responsive ECU
  - DTCs Present
  - ECU Not Built
  - Scanning ECU
  - New Flash Available
  - Diag CAN-C
  - CAN-C
  - CAN-B

