INFORMATION Redacted PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C . 552(B)(6)

DP14-004

CHRYSLER

9/15/2014

Legals and Cust Complaints

PUBLIC













S/N 55A0500TLBLQ

AUTHOR: SOFTWARE UPDATE

680 26 712AA

MODULE P/N P68026712AA

MODULE S/N TEM01271TLBLQ

REKUA

SEQUENCE # 460670

AUTHORIZED SOFTWARE UPDATE

68026 712AA

MODULE P/N P68026712AA

MODULE S/N TEM0127TLBLQ

REKUA

SEQUENCE #

460670

S/N 55A0500TLBLQ











[redacted]



TYPE:
PRINT: ALL
MPV
TRIM: RTS
4648509


THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE
PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE
VIN: 1J8GR48K97
VEHICLE MADE IN U.S.A.
TYPE: MPV
PAINT: PAU
TRIM: KTDS

2677 KG 05900 LB
P245/65R17 TIRES
228 KPA (33 PSI) COLD
P245/65R17 TIRES
228 KPA (33 PSI) COLD

THIS VEHICLE CONFORMS TO
PREVENTION STANDARDS
VIN: 1J8GR48K
VEHICLE MADE IN

MFD BY DAIMLERCHRYSLER CORPORATION
DATE OF MFR: 2-07
GVWR: 2677 KG 05900 LB
GAWR FRONT: 1339 KG 2950 LB WITH P245/65R17 TIRES
17X7.5 RIMS AT 228 KPA (33 PSI) COLD
GAWR REAR: 1452 KG 3200 LB WITH P245/65R17 TIRES
17X7.5 RIMS AT 228 KPA (33 PSI) COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE
PREVENTION STANDARDS IN EFFECT ON
VIN: 1J8GR48K97
VEHICLE MADE