

**INFORMATION Redacted PURSUANT TO THE FREEDOM OF
INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)**



CU 41

⚠ DANGER/POISON


SHIELD EYES
EXPLOSIVE
GASES CAN CAUSE
BLINDNESS OR INJURY


NO
• SPARKS
• FLAMES
• SMOKING

SULFURIC
ACID CAN
CAUSE BLINDNESS
OR SEVERE BURNS

FLUSH EYES IMMEDIATELY
WITH WATER.
GET MEDICAL HELP FAST!

KEEP OUT OF THE REACH
OF CHILDREN.
DO NOT TIP. KEEP VENT CAPS
TIGHT AND LEVEL.





2/10
1/10
1/10
1/10
1/10
1/10
1/10
1/10
1/10
1/10

1-20













XPORT



XPORT







COMMANDER





Barcode sticker on the rear window.











FLEXFUEL
PERFORMANCE
















PE14-017





THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J8HH48P570 [REDACTED]
VEHICLE MADE IN U.S.A.

TYPE: MPV
PAINT: PW1
TRIM: CLD5
MDH: 090917 027A
4648509

ES
RES
LD

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR: 9-06

GAWR FRONT: 1339 KG 2950 LB
17X7.5

GAWR REAR: 1656 KG 3650 LB
17X7.5

GUAR: 2813 KG 06200 LB
WITH RIMS AT
WITH RIMS AT

2813 KG 06200 LB

P245/65R17

242 KPA (35 PSI) COLD


P245/65R17

242 KPA (35 PSI) COLD

TIRES
TIRES

THIS VEHICLE CONFORMS
PREVENTION STANDARDS

VIN: 1J8HH48P5
VEHICLE MADE IN U.S.




MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR: 9-06

GAWR FRONT: 1339 KG 2950 LB
17X7.5

GAWR REAR: 1656 KG 3650 LB
17X7.5

GWR: 2813 KG 06200 LB
WITH P245/65R17 TIRES
RIMS AT 242 KPA (35 PSI) COLD
WITH P245/65R17 TIRES
RIMS AT 242 KPA (35 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J8HH48P570 [REDACTED] TYPE: [REDACTED]
VEHICLE MADE IN U.S.A. PAINT: PH1

MPV MDH:090917 027AA
TRIM: CLD5 4648509












← BACK

↑ SHIFT



Back		2007 XK 4.7L 1J8HH48P57C		All DTCs		8.03		Show Shortcuts	
ECU	Code	Status	Description						
ABS	C2204	Stored	Dynamics Sensor Internal						
FCMCG	B2105	Stored	Ignition Run/Start 1 Control Circuit High						
FCMCG	U1108	Active	Additional CAN B ECU Detected						
ORC	B1B2E	Active	1st Row Passenger Seat Belt Pretensioner Circuit Open						
ORC	B1B2A	Active	1st Row Driver Seat Belt Pretensioner Circuit Open						
ORC	B1B2C	Active	1st Row Passenger Seat Belt Pretensioner Circuit Low						
ORC	B1B28	Stored	1st Row Driver Seat Belt Pretensioner Circuit Low						
WCM	C0077	Stored	Low Tire Pressure						

- Clear All Stored DTCs
- Clear ECU DTCs
- Environ. Data
- Tech Tips
- More Options

Back

2007 XK
4.7L 1J8HH48P57C

EV Data - ORC



Show Shortcuts

Name	Value	Unit
1st Row Driver Seat Belt Pretensioner	B1B2A	
DTC Storage State	Active	
Ignition Key Cycles	0	cycles
DTC	9B 2A	
DTC Readiness Flag	Complete	
Odometer	7416.7	miles
Number of DTC	1	
Accumulation Timer	132	minutes
Warning Indicator Request State	Off	

Toggle Row Height





ENTER

BACK

SHIFT

ECU	Code	Status	Description
ABS	C2204	Stored	Dynamics Sensor Internal
FCMCG	B2105	Stored	Ignition Run/Start 1 Control Circuit High
FCMCG	U1108	Active	Additional CAN B ECU Detected
ORC	B1B2E	Active	1st Row Passenger Seat Belt Pretensioner Circuit Open
ORC	B1B2A	Active	1st Row Driver Seat Belt Pretensioner Circuit Open
ORC	B1B2C	Active	1st Row Passenger Seat Belt Pretensioner Circuit Low
ORC	B1B28	Stored	1st Row Driver Seat Belt Pretensioner Circuit Low
WCM	C0077	Stored	Low Tire Pressure

Back 2007 XK All DTCs 8.03 Show Shortcuts
4.7L 1JSH4SP57C



Clear All Stored DTCs



Clear ECU DTCs

Environ. Data

Tech Tips

More Options

DAIMLERCHRYSLER



Back		2007 XK	DTCs - ORC	8.03	Show Shortcuts
Code	Status	Description			Clear Stored DTCs
B1B2E	Active	1st Row Passenger Seat Belt Pretensioner Circuit Open			Environ. Data
B1B2A	Active	1st Row Driver Seat Belt Pretensioner Circuit Open			
B1B2C	Active	1st Row Passenger Seat Belt Pretensioner Circuit Low			
B1B28	Stored	1st Row Driver Seat Belt Pretensioner Circuit Low			
				Tech Tips	
				Toggle Row Height	



Back

2007 XK

All DTCs

8.03

4.7L 1J8HH48P57C [REDACTED]



Show Shortcuts

ECU	Code	Status	Description	
▲	ABS	C2204	Stored	Dynamics Sensor Internal
	FCMC	B2105	Stored	Ignition Run/Start 1 Control Circuit High
	FCMC	U1108	Active	Additional CAN B ECU Detected
	FCMC	B1630	Active	Right Low Beam Control Circuit High
	FCMC	B1638	Active	Right Hi Beam Control Circuit High
	FCMC	B162C	Active	Left Low Beam Control Circuit High
	FCMC	B1634	Active	Left Hi Beam Control Circuit High
▼	ORC	B1B2E	Active	1st Row Passenger Seat Belt Pretensioner Circuit

Clear All Stored DTCs

Clear ECU DTCs

Environ. Data

Tech Tips

More Options



BACK

SHIFT



4671168E
72472V

4671168E
72472V

A2742L
3891179V


72472V
4671168E

3891179V
A2742L

4
12V

4671168E
72472V

4671168E
72472V





40	30	30	25	20	20
40	30	30	25	20	20
30		50	30	30	
30		50	30	30	
40	40	40	30	20	20
40	40	40	30	20	20
40	40			15	25
40	40				

tyco	4671168E	72472V
tyco	4671168E	72472V
tyco	4671168E	72472V
tyco	4671168E	72472V
tyco	4671168E	72472V


4
05001C

04603
04601
0460










3965

3901

71766
52090154AE
154AE

(P)52090154AE

OF 3965 3/8 ID 07316 F-3 >CSM.SY.C



52090750











COMMANDER



SRS
AIRBAG

SRS
AIRBAG









Jeep















⚠ WARNING

EVEN WITH ADVANCED AIR BAGS



55361230AA

- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- **ALWAYS USE SEAT BELTS AND CHILD RESTRAINTS.**
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.

















4887 600R


Jeep

3M









553609900A



45334646










55116 988AA
63403 28188



15146 0000A
0000 0000









14-06-06 03:28 P0E0602828 14-06-06 03:28















XPORT



XPORT



71766
52090154AE
















ESP
BAS



ESP
BAS





ESP
BAS



Jeep



Jeep



Jeep

8708724














8708722




08/21/04 13:04:27 1474244C2735



03/31/04 13:04:27 T474214C2738



02/31/04 13:04:27 1476244275





13:04:27
T474294C2735



PIRNO
055431 mile

YOU FC
BUSINESS

10% SAVINGS

Book your next service appointment www.rivmarkschrysler.com or on-line and save an immediate \$10.00 off any service or repair.

Book your next service appointment "That simple, that easy."

Go to www.rivmarkschrysler.com click on "book service appointment"

TEXBR
Professional Detail Shop
Detailer Products
713-851-5559 / 1-800-231-3232







669AE
52109
34611




⚠ WARNING

EVEN WITH ADVANCED AIR BAGS



- CHILDREN CAN BE KILLED OR SERIOUSLY INJURED BY THE AIR BAG.
- THE **BACK SEAT** IS THE **SAFEST PLACE** FOR CHILDREN.
- **NEVER** PUT A REAR-FACING CHILD SEAT IN THE FRONT.
- **ALWAYS** USE SEAT BELTS AND CHILD RESTRAINTS.
- SEE OWNER'S MANUAL FOR MORE INFORMATION ABOUT AIR BAGS.



88281230AA









A WARNING
EVERY VEHICLE IS EQUIPPED WITH AIR BAGS.
PLEASE SEE THE OWNER'S MANUAL FOR
IMPORTANT INFORMATION.
DO NOT REMOVE OR COVER THE AIR BAG
LABELS OR THE AIR BAG INFLATOR COVER.
DO NOT COVER THE AIR BAG INFLATOR COVER
WITH ANY OBJECTS.
DO NOT COVER THE AIR BAG INFLATOR COVER
WITH ANY OBJECTS.
DO NOT COVER THE AIR BAG INFLATOR COVER
WITH ANY OBJECTS.

A WARNING
PLEASE SEE THE OWNER'S MANUAL FOR
IMPORTANT INFORMATION.
DO NOT REMOVE OR COVER THE AIR BAG
LABELS OR THE AIR BAG INFLATOR COVER.
DO NOT COVER THE AIR BAG INFLATOR COVER
WITH ANY OBJECTS.
DO NOT COVER THE AIR BAG INFLATOR COVER
WITH ANY OBJECTS.
DO NOT COVER THE AIR BAG INFLATOR COVER
WITH ANY OBJECTS.
























WASHER FLUID ONLY

72 SERIES

A-7

45711622
724170



870872



















157
PONTIAC

157

144

144





508

JHS58N55C

MFD BY DAIMLERCHRYSLER CORPORATION

DATE OF MFR: 10-04

GAWR FRONT: 1339 KG 2950 LB
17X7.5

GAWR REAR: 1452 KG 3200 LB
17X7.5

GVWR: 2727 KG 06010 LB
WITH P245/65R17 TIRES
RIMS AT 228 KPA (33 PSI) COLD
WITH P245/65R17 TIRES
RIMS AT 228 KPA (33 PSI) COLD



THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY AND THEFT PREVENTION STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN: 1J4HS58N55C [REDACTED] TYPE: MPV MDH: 102018 096AB
VEHICLE MADE IN U.S.A. PAINT: PSB TRIM: PLD5 4648509










457





457

Jeep



46

















GRAND CHEROKEE







LIMITED



Jeep

